

지정검역물의 검역방법 및 기준(제7조 관련)

1. 지정검역물 검역방법

가. 임상 및 정밀검사

- 1) 지정검역물의 유영·행동, 외부증상, 해부학적 검사를 통해 임상증상을 확인해야 한다. 다만, 유영·행동 및 외부증상 확인결과 이상징후가 없다고 판단하는 때에는 해부학적 검사를 생략할 수 있다.

임상검사	유영 및 행동	외부증상	해부학적 증상
확인내용	· 군집이탈, 수면 또는 선회 유영 등 이상 확인 (다만, 냉동·냉장제품은 제외한다)	· 체색, 체형, 복부, 아가미, 안구, 체표 등 이상 확인	· 복강, 장기 등 이상 확인

- 2) 정밀검사 방법은 원장이 정하는 수산생물질병 진단지침서에 따른다. 다만, 이 지침서에 없는 경우 세계동물보건기구(WOAH)에서 규정하고 있는 수생동물 진단매뉴얼이나 국제적으로 통용되는 공인시험방법을 따른다.

나. 시료채취 기준

- 1) 이식용(다만, 낚시터 방류용 및 패류 중 포장제품은 식용 채취기준에 따른다)

신청 수량	2퍼센트 발병이 의심될 때	5퍼센트 발병이 의심될 때	10퍼센트 이상 발병이 의심될 때
50개 이하	50	35	20
51~100개	75	45	23
101~250개	110	50	25
251~500개	130	55	26
501~1,500개	140	55	27
1,501~40,000개	145	60	27
40,001~100,000개	145	60	27
100,001개 이상	150	60	30

- 2) 관상용, 시험·연구조사용

신청 개수	채취 수량(개)	신청 개수	채취 수량(개)
4개 이하	1	301~500개	13
5~50개	3	501~700개	15
51~100개	5	701~1,000개	17
101~300개	9	1,001개 이상	20

3) 식용

가) 무포장제품

신청 중량	채취 수량(개)	신청 중량	채취 수량(개)
1톤 미만	3	5톤 이상 10톤 미만	9
1톤 이상 3톤 미만	5	10톤 이상 20톤 미만	11
3톤 이상 5톤 미만	7	20톤 이상	13

나) 포장제품

신청 개수	추출 개수(개)	신청 개수	추출 개수(개)
4개 이하	1	301~400개	11
5~50개	3	401~500개	13
51~100개	5	501~700개	15
101~200개	7	701~1,000개	17
201~300개	9	1,001개 이상	20

※ 검사대상이 1,001개 이상인 경우에는 추출 개수를 추가할 수 있다.

다. 시료 채취방법

- 1) 임상검사용 시료채취는 용도별로 다르게 적용하는 것을 원칙으로 한다. 다만, 패류 및 갑각류 등은 임상검사를 위한 충분한 시료를 다르게 채취할 수 있다.
- 2) 정밀검사용 시료는 1)의 채취 수량에서 임상증상이 있는 개체를 우선으로 채취해야 한다.
- 3) 정밀검사용 시료 수량은 개체크기, 신청수량 및 가격 등을 고려하여 검사에 지장이 없는 범위에서 최소 수량을 채취할 수 있다. 다만, 청정국 지위를 획득한 질병에 감수성이 있는 이식용 지정검역물은 기준량의 2배를 적용하여 시료를 채취해야 한다.
- 4) 지정검역물이 다른 물품과 혼재되어 중량 확인 등을 할 수 없거나 대표성 있는 시료를 채취할 수 없는 경우에는 검역 신청인으로 하여금 해당 지정검역물을 검역할 수 있는 검역시행장으로 이송하게 하여 시료를 채취할 수 있다.
- 5) 포장제품의 시료를 채취하는 때에는 난수표법을 사용하여 대표성을 가지도록 한다. 다만, 난수표법을 사용할 수 없는 경우에는 채취자가 검사대상을 선정·채취할 수 있다.
- 6) 정밀검사용 시료채취 및 운반방법은 수산생물질병 진단지침서에 따

른다. 시료는 살아 있는 상태(냉장·냉동제품은 제외한다)로 분석실로 운반해야 하며, 부득이 살아 있는 상태로 운반할 수 없는 경우에는 정밀검사에 필요한 장기를 채취하여 실험방법에 맞게 처리한 후 운반해야 한다.


가) 난수표

	1	2	3	4	5	6	7	8	9	10	
1	95767	26878	94971	75204	64775	52647	35672	97456	89815	16767	1
2	81934	99378	73901	46997	11173	80744	51957	50801	25785	40475	2
3	64959	10235	55441	87439	04966	96170	22582	13512	60227	81391	3
4	88488	81729	60733	84690	94315	10841	99296	47844	87998	01066	4
5	22306	61346	09026	66275	78204	11563	67457	69438	98753	23478	5
6	01436	13553	53487	19706	30740	83272	69602	99251	81599	79264	6
7	35962	90832	21604	29620	01151	81945	61894	91583	41133	83955	7
8	80319	01462	60338	69763	32812	84076	10555	88707	92309	34505	8
9	32141	01977	57874	25052	11567	35505	04797	21900	81703	11848	9
10	99197	78637	67636	35765	36871	22555	94013	15118	81620	76730	10
11	04030	88194	08580	86080	76119	62260	81248	51732	89078	21940	11
12	99835	54210	80413	82015	07459	93910	93694	41184	65698	31977	12
13	26400	63946	83204	36388	30497	24021	93962	25555	00357	93441	13
14	64363	11259	59066	92948	72291	31804	82029	15789	04683	34455	14
15	82878	87304	33618	19490	88779	38883	14481	77089	58544	22761	15
16	19485	82792	88195	31877	74902	13212	02514	47152	17292	62081	16
17	72762	47963	14380	96130	74633	21388	22096	24987	50056	26487	17
18	53747	17433	51614	97763	90426	47833	58245	14890	77303	35338	18
19	84760	29591	96142	02207	79847	89559	66803	15461	39639	23187	19
20	42365	42338	66105	03782	83727	14200	57263	85617	95577	88654	20
21	44336	05322	04540	75989	51385	52279	16661	91446	48811	25346	21
22	52930	61970	05808	22807	85460	22723	61318	23281	63426	69030	22
23	50436	54490	50650	59386	25572	23267	44039	08759	33702	34580	23
24	24980	54548	49428	91704	86913	92940	86923	22428	47877	20510	24
25	94186	95540	75071	10076	10263	27664	98534	81171	61507	74976	25
26	12359	46569	11050	90529	49289	94545	02258	20678	18898	50931	26
27	57132	49387	74792	50937	62339	43401	82825	03692	37836	68752	27
28	71239	49511	07466	15364	86050	31093	16730	73587	79875	43576	28
29	03935	83975	28893	66615	14015	22410	90938	35961	36373	84810	29
30	72801	73777	79101	26592	45424	00899	78462	74336	60478	13852	30
31	80252	11587	10862	11627	89857	07788	46817	55863	35713	44712	31
32	69388	92356	81282	33832	56676	35132	07119	27613	01304	70032	32
33	40225	60304	13526	47601	12751	19233	02057	28447	46676	29541	33
34	59925	62338	78784	63228	82603	31755	72733	80303	91066	52537	34
35	31172	89780	95384	51947	13841	74371	81016	39798	26690	00978	35
36	45587	42590	08443	20404	15100	74747	50642	34480	68080	23169	36
37	37819	60911	94740	05536	94042	17969	36747	92151	07501	67660	37
38	51402	74213	01105	15098	61470	23047	28521	58559	59305	08761	38
39	93873	99143	82254	53647	11010	68668	25888	36209	65412	00066	39
40	97645	51836	11835	99276	86466	67647	60834	30704	06711	11128	40
41	13123	15323	24885	74046	49145	99982	48231	26711	87670	22062	41
42	72110	70217	23475	48152	83457	01585	90915	69308	89090	77158	42
43	13751	40714	99330	05232	97056	40788	70005	36274	78649	50897	43
44	83809	98109	48292	06947	15924	08787	03919	72577	12906	80694	44
45	46264	57933	37607	58926	60772	62523	66260	95270	46469	45110	45
46	97426	78630	06115	44047	42350	88455	61426	08812	04255	87718	46
47	74715	09140	90315	03927	82118	00800	14314	06984	88951	10983	47
48	92481	55828	20144	77853	18100	13196	12279	20903	01252	00731	48

	1	2	3	4	5	6	7	8	9	10	
49	40176	70724	99476	34567	10214	97743	15770	78474	75691	59930	49
50	90176	19360	74015	89080	36337	40242	39621	71369	72350	73430	50

나) 난수표 사용방법

아래 그림과 같이 수산물이 든 상자가 가로, 세로, 높이 각 10개씩 1,000상자가 쌓여 있다고 할 때 난수표를 사용하여 시료를 채취할 상자를 선정하는 것을 설명하면 다음과 같다.



(1) 임의로 한 상자를 선택한다.

(예) 임의로 왼쪽 끝의 위에서 두 번째 상자를 선택하였다면 위 그림의 “가”에 해당된다.

(2) 난수표의 한 지점을 임의로 선택한다.

(예) 임의로 난수표의 한 지점을 선택한 결과 3번 칸, 25번 줄 위치에 있는 다섯 숫자(7 5 0 7 1)중에서 네번째 숫자인 7을 선택하였다.

(3) 난수표에서 선택한 숫자에서 임의로 가로, 세로, 위 또는 아래 방향으로 세 개 숫자를 읽는다.

(예) 선택된 숫자인 7에서 가로 방향으로 읽기로 하였다면 7, 1, 1로 읽혀진다.

(4) 읽혀진 숫자에 따라 세 방향으로 상자를 세어 시료 채취할 상자를 선정한다.

(예) 오른쪽, 위의, 안쪽으로 숫자를 세기로 하였다면 위 그림에서 오른쪽으로 7번째, 위쪽으로 1번째, 안쪽으로 1번째에 있는 상자 즉, 위 그림의 “나”가 시료를 채취할 상자가 된다.

라. 이식용 수산생물의 확인방법 및 조치

- 1) 지정검역물은 국립수산물과학원장이 발급한 이식승인서에 작성된 품명(학명)·규격·물량과 일치하는지 확인해야 하며, 그 요령은 다음과 같다.
 - 가) 품명(학명): 확인이 곤란한 경우 종(種)확인을 위한 유전자검사를 실시하거나 국립수산물과학원 또는 관련 대학 등에 의뢰하여 품명(학명)을 확인받아 처리
 - 나) 규격: 무작위로 표본을 추출하여 확인
 - 다) 물량: 「항만운송사업법」 제3조에 따라 등록된 검량기관에서 발급한 검량서로 확인
- 2) 1)에 따라 지정검역물을 확인한 결과 품명(학명) 및 규격이 다른 물량이 5퍼센트 이상 초과한 경우 검역신청서를 반려하고 그 사유를 검역신청인·국립수산물과학원장 및 관할 세관장에게 통지해야 한다.
- 3) 2)의 사유로 검역신청서를 반려하는 때에는 검역신청인에게 한 번만 보완(선별, 이식승인사항의 변경 등)하여 다시 검역신청을 할 수 있음을 알려야 한다.

2. 지정검역물에 대한 수산생물전염병 항목 및 기준

가. 수산생물전염병 항목

N o.	질병명		병원체	지정검역물		비 고
				학명	영명	
1	바이러스성	유행성조혈기괴사증 (Infection with epizootic haematopoietic necrosis virus, EHN)	Epizootic haematopoietic necrosis virus(EHNV)	<i>Ameiurus melas</i>	Black bullhead	어 류
				<i>Bidyanus bidyanus</i>	Silver perch	
				<i>Esox lucius</i>	Pike	
				<i>Galaxias olidus</i>	Mountain galaxias	
				<i>Gambusia affinis</i>	Mosquito fish	
				<i>Maccullochella peelii</i>	Murray cod	
				<i>Macquaria australasica</i>	Macquarie perch	
				<i>Oncorhynchus mykiss</i>	Rainbow trout	
				<i>Perca fluviatilis</i>	Redfin perch	
				<i>Salmo salar</i>	Atlantic salmon	
2	바이러스성	잉어봄바이러스병 (Infection with spring viraemia of carp, SVC)	Spring viraemia of carp virus(SVCV)	<i>Abramis brama</i>	Freshwater bream	어 류
				<i>Carassius auratus</i>	Goldfish	
				<i>Carassius carassius</i>	Crucian carp	
				<i>Ctenopharyngodon idella</i>	Grass carp, white amur	
				<i>Cyprinus carpio</i>	Common carp	
				<i>Danio rerio</i>	Zebrafish	
				<i>Esox lucius</i>	Northern pike	
				<i>Hypophthalmichthys molitrix</i>	Silver carp	
				<i>Hypophthalmichthys nobilis</i>	Bighead carp	
				<i>Lepomis gibbosus</i>	Pumpkinseed	
				<i>Leuciscus idus</i>	Orfe	
				<i>Notemigonus cysoleucas</i>	Golden shiner	
				<i>Oncorhynchus mykiss</i>	Rainbow trout	
				<i>Poecilia reticulata</i>	Guppy	
				<i>Rutilus rutilus</i>	Roach	
				<i>Silurus glanis</i>	Sheatfish, European catfish, wels	
				<i>Tinca tinca</i>	Tench	
3	바이러스성	바이러스성출혈성패혈증 (Infection with viral haemorrhagic septicaemia virus, VHS)	Viral haemorrhagic septicaemia virus (VHSV)	<i>Acanthopagrus schlegelii</i>	Black sea bream, black porgy	어 류
				<i>Ambloplites rupestris</i>	Rock bass	
				<i>Ammodytes hexapterus</i>	Pacific sandlance	
				<i>Ammodytes personatus</i>	Pacific sand eel	
				<i>Ammodytes</i> spp.	Sand eel	
				<i>Anguilla anguilla</i>	European eel	
				<i>Anguilla rostrata</i>	American eel	
				<i>Anoplopoma fimbria</i>	Black cod	
				<i>Aplodinotus grunniens</i>	Freshwater drum	
				<i>Argentina sphyraena</i>	Lesser argentine	
				<i>Aulorhynchus flavidus</i>	Tubesnout	
				<i>Chondrostoma polylepis</i>	Iberian nase	
				<i>Clupea harengus</i>	Atlantic herring	
				<i>Clupea pallasii</i>	Pacific herring	
				<i>Clupea</i> spp.	Herring	
				<i>Coregonus clupeaformis</i>	Lake whitefish	
				<i>Coregonus lavaretus</i>	Whitefish	
				<i>Coregonus</i> spp.	Whitefish	
				<i>Cymatogaster aggregata</i>	Shiner perch	
				<i>Danio rerio</i>	Zebra danio	
				<i>Dicentrarchus labrax</i>	European sea bass	
				<i>Dorosoma cepedianum</i>	American gizzard shad	
				<i>Enchelyopus cimbrius</i>	Fourbeard rockling	
				<i>Epinephelus akaara</i>	Red spotted grouper	
				<i>Esox lucius</i>	Pike	
				<i>Esox masquinongy</i>	Muskellunge	
				<i>Evynnis tumifrons</i>	Yellowback seabream	
				<i>Fundulus heteroclitus</i>	Mummichog	

			<i>Gadus macrocephalus</i>	Pacific cod	
			<i>Gadus morhua</i>	Cod	
			<i>Gasterosteus aculeatus</i>	Threespined stickleback	
			<i>Glyptocephalus stelleri</i>	Blackfin flounder	
			<i>Hippoglossus hippoglossus</i>	Atlantic halibut	
			<i>Hoplobrotula armata</i>	Armoured cusk, Armoured weaselfish	
			<i>Hypomesus pretiosus</i>	Surf smelt	
			<i>Ictalurus nebulosus</i>	Brown bullhead	
			<i>Ictalurus punctatus</i>	Channel catfish	
			<i>Lampetra fluviatilis</i>	European river lamprey	
			<i>Larimichthys polyactis</i>	Yellow croacker	
			<i>Lepomis gibbosus</i>	Pumpkinseed	
			<i>Lepomis macrochirus</i>	Bluegill	
			<i>Limanda limanda</i>	Dab	
			<i>Lota lota</i>	Burbot	
			<i>Luciobarbus graellsii</i>		
			<i>Melanogrammus aeglefinus</i>	Haddock	
			<i>Merlangius merlangus</i>	Whiting	
			<i>Merluccius productus</i>	Pacific hake	
			<i>Microgadus proximus</i>	Tomcod	
			<i>Micromesistius poutassou</i>	Blue whiting	
			<i>Micropterus dolomieu</i>	Smallmouth bass	
			<i>Micropterus salmoides</i>	Largemouth bass	
			<i>Morone americana</i>	White perch	
			<i>Morone chrysops</i>	White bass	
			<i>Morone saxatilis</i>	Striped bass	
			<i>Moxostoma anisurum</i>	Silver redhorse	
			<i>Moxostoma macrolepidotum</i>	Shorthead redhorse	
			<i>Mugil cephalus</i>	Flathead grey mullet	
			<i>Neogobius melanostomus</i>	Round goby	
			<i>Notropis atherinoides</i>	Emerald shiner	
			<i>Notropis hudsonius</i>	Spottail shiner	
			<i>O. mykiss</i> × <i>O. kisutch</i>		
			<i>O. mykiss</i> × <i>O. kisutch</i> triploid		
			<i>O. mykiss</i> × <i>S. alpinus</i> triploid		
			<i>O. mykiss</i> × <i>S. fontinalis</i> triploid		
			<i>O. mykiss</i> × <i>S. namaycush</i>		
			<i>Oncorhynchus aguabonita</i>	Golden trout	
			<i>Oncorhynchus keta</i>	Chum salmon	
			<i>Oncorhynchus kisutch</i>	Coho salmon	
			<i>Oncorhynchus mykiss</i>	Rainbow trout	
			<i>Oncorhynchus nerka</i>	Sockeye salmon	
			<i>Oncorhynchus</i> spp.	Pacific salmon	
			<i>Oncorhynchus tshawytscha</i>	Chinook salmon	
			<i>Onos mustelus</i>	Rockling	
			<i>Pagrus major</i>	Red sea bream	
			<i>Pampus argenteus</i>	Silver pomfret	
			<i>Paralichthys olivaceus</i>	Olive flounder	
			<i>Parophrys vetulus</i>	English sole	
			<i>Perca flavescens</i>	Yellow perch	
			<i>Perca fluviatilis</i>	European perch	
			<i>Percopsis omiscomaycus</i>	Troutperch	
			<i>Pimephales notatus</i>	Bluntnose minnow	
			<i>Pimephales promelas</i>	Fathead minnow	
			<i>Platichthys flesus</i>	Flounder	
			<i>Pleuronectes platessa</i>	Plaice	
			<i>Pleuronectes yokohamae</i>	Marbled flounder	
			<i>Pomatoschistus minutus</i>	Sand goby	
			<i>Pomoxis nigromaculatus</i>	Black crappie	
			<i>Psetta maxima</i>	Turbot	
			<i>Reinhardtius</i>	Greenland halibut	

				<i>hippoglossoides</i>		
				<i>Salmo salar</i>	Atlantic salmon	
				<i>Salmo trutta</i>	Brown trout	
				<i>Salvelinus alpinus</i>	Arctic char	
				<i>Salvelinus fontinalis</i>	Brook trout	
				<i>Salvelinus namaycush</i>	Lake trout	
				<i>Salvelinus namaycush</i> × <i>Salvelinus fontinalis</i>	Splake	
				<i>Sander vitreus</i>	Walleye	
				<i>Sardinops sagax</i>	Pilchard	
				<i>Scomber japonicus</i>	Chub mackerel	
				<i>Scophthalmus maximus</i>	Turbot	
				<i>Scyliorhinus torozame</i>	Cloudy catshark	
				<i>Sebastes inermis</i>	Rockfish	
				<i>Sebastes schlegelii</i>	Rockfish	
				<i>Seriola quinqueradiata</i>	Japanese amberjack	
				<i>Solea senegalensis</i>	Senegalese sole	
				<i>Sparus aurata</i>	Gilthead seabream	
				<i>Sprattus sprattus</i>	Sprat	
				<i>Thaleichthys pacificus</i>	Eulachon	
				<i>Theragra chalcogramma</i>	Walleye pollock	
				<i>Thymallus thymallus</i>	Grayling	
				<i>Trichiurus lepturus</i>	Largehead hairtail	
				<i>Trisopterus esmarkii</i>	Norway pout	
				<i>Trisopterus minutus</i>	Poor cod	
4	바이러스성	전염성 연어빈혈증 (Infection with HPR-deleted or HPRO infectious salmon anaemia virus, ISA)	Infectious salmon anaemia virus (ISAV)	<i>Clupea harengus</i>	Herring	어 류
				<i>Gadus morhua</i>	Atlantic Cod	
				<i>Oncorhynchus kisutch</i>	Coho salmon	
				<i>Oncorhynchus mykiss</i>	Rainbow trout	
				<i>Pollachius virens</i>	Pollock	
				<i>Salmo salar</i>	Atlantic salmon	
				<i>Salmo trutta</i>	Brown trout	
5	바이러스성	참돔 이리도 바이러스병 ¹⁾ (Red sea bream iridoviral disease, RSIVD)	Red sea bream iridovirus (RSIV), Infectious spleen and kidney necrosis virus (ISKNV)	<i>Acanthopagrus latus</i>	Yellowfin sea bream	어 류
				<i>Acanthopagrus schlegelii</i>	Black sea bream, black porgy	
				<i>Epinephelus akaara</i>	Red spotted grouper, Hong Kong grouper	
				<i>Epinephelus awoara</i>	Yellow grouper	
				<i>Epinephelus bruneus</i>	Longtooth grouper	
				<i>Epinephelus coioides</i>	Orangespotted grouper	
				<i>Epinephelus fuscoguttatus</i>	Black spotted grouper, Brown marbled grouper	
				<i>Epinephelus lanceolatus</i>	Giant grouper	
				<i>Epinephelus malabaricus</i>	Brown spotted grouper, Malabar grouper	
				<i>Epinephelus septemfasciatus</i>	Sevenband grouper, Convict grouper	
				<i>Epinephelus</i> spp.	Groupers	
				<i>Epinephelus tauvina</i>	Greasy grouper	
				<i>Evynnis japonica</i>	Crimson sea bream	
				<i>Girella punctata</i>	Largescale blackfish	
				<i>Larimichthys crocea</i>	Croceine croaker	
				<i>Lateolabrax japonicus</i>	Japanese sea perch	
				<i>Lateolabrax</i> sp.	Sea bass	
				<i>Lates calcarifer</i>	Sea bass	
				<i>Lethrinus haematopterus</i>	Chinese emperor	
				<i>Lethrinus nebulosus</i>	Spangled emperor	
				<i>Micropterus salmoides</i>	Largemouth bass	
				<i>Morone saxatilis</i> × <i>Morone chrysops</i>	Striped sea bass and white bass hybrid	
				<i>Mugil cephalus</i>	Mullet	
				<i>Oplegnathus fasciatus</i>	Japanese parrotfish	
				<i>Oplegnathus punctatus</i>	Spotted parrot fish	
				<i>Pagrus major</i>	Red sea bream	
				<i>Paralichthys olivaceus</i>	Olive flounder	

				<i>Parapristipoma trilineatum</i>	Chicken grunt	
				<i>Plectorhinchus cinctus</i>	Crescent sweetlips	
				<i>Pseudocaranx dentex</i>	Striped jack	
				<i>Rachycentron canadum</i>	Cobia	
				<i>Sciaenops ocellatus</i>	Red drum	
				<i>Scomber japonicus</i>	Chub mackerel	
				<i>Scomberomorus niphonius</i>	Japanese Spanish mackerel	
				<i>Sebastes schlegelii</i>	Rockfish	
				<i>Seriola dumerili</i>	Greater amberjack	
				<i>Seriola lalandi</i>	Yellowtail amberjack	
				<i>Seriola lalandi</i> × <i>Seriola quinqueradiata</i>	Yellowtail amberjack and Japanese amberjack Hybrid	
				<i>Seriola quinqueradiata</i>	Japanese amberjack	
				<i>Siniperca chuatsi</i>	Chinese perch	
				<i>Takifugu rubripes</i>	Tiger puffer	
				<i>Thunnus orientalis</i>	Pacific Blue fin tuna	
				<i>Thunnus thynnus</i>	Blue fin tuna	
				<i>Trachinotus blochii</i>	Snubnose pompano	
				<i>Trachurus japonicus</i>	Japanese jack mackerel	
				<i>Verasper variegatus</i>	Spotted halibut	
6	바이러스성	잉어히피스바이러스병 (Infection with koi herpesvirus, Koi herpesvirus disease, KHD)	K o i herpesvirus(KH V)	<i>Carassius carassius</i> × <i>Cyprinus carpio</i>	Common carp hybrids	어 류
				<i>Cyprinus carpio</i>	Common carp	
				<i>Cyprinus carpio</i> × <i>Carassius auratus</i>	Common carp hybrids	
				<i>Cyprinus carpio</i> × <i>Carassius carassius</i>	Common carp hybrids	
7	진균성	유행성궤양증후군 (Infection with <i>Aphanomyces invadans</i> , Epizootic ulcerative syndrome, EUS)	<i>Aphanomyces invadans</i>	<i>Acanthopagrus australis</i>	Yellowfish seabream	어 류
				<i>Acanthopagrus berda</i>	Black bream	
				<i>Alosa sapidissima</i>	American shad	
				<i>Ambassis agassizii</i>	Channa perch, Agassiz's dive grassfish	
				<i>Ameiurus melas</i>	Black bullhead	
				<i>Ameiurus nebulosus</i>	Brown bullhead	
				<i>Amniataba percoides</i>	Striped grunter, Barred grunter	
				<i>Anabas testudineus</i>	Climbing perch	
				<i>Anguillidae</i>	Eels	
				<i>A r c h o s a r g u s probatocephalus</i>	Sheepshead	
				<i>Arius</i> sp.	Forktailed catfish	
				<i>Aseraggodes macleayanus</i>	Narrow banded sole	
				<i>Bagridae</i>	Bagrid catfishes	
				<i>Barbonymus gonionotus</i>	Silver barb	
				<i>Barbus paludinosus</i>	Straightfin barb	
				<i>Barbus poechii</i>	Dashtail barb	
				<i>Barbus thamalakansensis</i>	Thamalakanane barb	
				<i>Barbus unitaeniatus</i>	Longbeard barb, Slender barb	
				<i>Bidyanus bidyanus</i>	Silver perch	
				<i>Brevoortia tyrannus</i>	Atlantic menhaden	
				<i>Brycinus lateralis</i>	Stripped robber	
				<i>Caranx</i> spp.	Jacks	
				<i>Carassius auratus</i>	Goldfish	
				<i>Channa striata</i>	Striped snakehead	
				<i>Cirrhinus cirrhosus</i>	Mrigal	
				<i>Clarias batrachus</i>	Walking catfish	
				<i>Clarias gariepinus</i>	Sharptooth african catfish	
				<i>Clarias ngamensis</i>	Blunttoothed african catfish	
				<i>Clarias</i> spp.	Torpedoshaped catfishes	
				<i>Colisa lalia</i>	Dwarf gourami	
				<i>Esomus</i> sp.	Flying barb	
				<i>Exocoetidae</i>	Halfbeaks flying fishes	
				<i>Gibelion catla</i>	Catla	

			<i>Glossamia aprion</i>	Mouth almighty	
			<i>Glossogobius giuris</i>	Bareyed goby	
			<i>Glossogobius</i> sp.	Goby	
			<i>Gobiidae</i>	Gobies	
			<i>Helostoma temminckii</i>	Kissing gourami	
			<i>Hepsetus odoe</i>	African pike	
			<i>Hydrocynus vittatus</i>	Tigerfish	
			<i>Ictalurus punctatus</i>	Channel catfish	
			<i>Kurtus gulliveri</i>	Nursery fish	
			<i>Labeo cylindricus</i>	Redeye labeo	
			<i>Labeo lunatus</i>	Upper Zambezi labeo	
			<i>Labeo rohita</i>	Rohu(Indian carp)	
			<i>Labeo</i> spp.	Rhinofishes	
			<i>Lates calcarifer</i>	Barramundi, Seabass	
			<i>Leiopotherapon unicolor</i>	Spangled perch	
			<i>Lepomis macrochirus</i>	Bluegill	
			<i>Liza</i> spp.	Mullet[Mugilidae]	
			<i>Lutjanus argentimaculatus</i>	Mangrove jack	
			<i>Macchullochella peelii</i>	Murray cod	
			<i>Maccullochella ikei</i>	Freshwater cod	
			<i>Macquaria ambigua</i>	Golden perch	
			<i>Macquaria novemaculeata</i>	Australian bass	
			<i>Marcusenius macrolepidotus</i>	Bulldog	
			<i>Melanotaenia splendida</i>	Rainbow fish	
			<i>Micralestes acutidens</i>	Silver robber	
			<i>Micropterus salmoides</i>	Largemouth black bass	
			<i>Monopterus albus</i>	Swamp eel	
			<i>Mugil cephalus</i>	Grey mullet, Striped mullet	
			<i>Mugil</i> spp.	Mullet[Mugilidae]	
			<i>Nematalosa erebi</i>	Bony bream	
			<i>Oncorhynchus mykiss</i>	Rainbow trout	
			<i>Oreochromis andersonii</i>	Threespotted tilapia	
			<i>Oreochromis macrochir</i>	Greenhead tilapia, Longfin tilapia	
			<i>Osphronemus goramy</i>	Giant goramy	
			<i>Oxyleotris lineolatus</i>	Sleepy cod	
			<i>Oxyleotris marmorata</i>	Marble goby	
			<i>Petrocephalus catostoma</i>	Churchill	
			<i>Platycephalus fuscus</i>	Dusky flathead	
			<i>Plecoglossus altivelis</i>	Ayu	
			<i>Pogonias cromis</i>	Black drum	
			<i>Psettodes</i> sp.	Spiny turbot	
			<i>Puntius gonionotus</i>	Silver barb	
			<i>Puntius sophore</i>	Pool barb	
			<i>Rhodeus ocellatus</i>	Tairikubaratanago	
			<i>Rohtee</i> sp.	KetiBangladesh	
			<i>Sargochromis carlottae</i>	Rainbow bream	
			<i>Sargochromis codringtonii</i>	Green bream	
			<i>Sargochromis giardi</i>	Pink bream	
			<i>Scardinius erythrophthalmus</i>	Rudd	
			<i>Scatophagus argus</i>	Spotted scat	
			<i>Schilbe intermedius</i>	Silver catfish	
			<i>Schilbe mystus</i>	African butter catfish	
			<i>Scleropages jardinii</i>	Saratoga	
			<i>Scortum barcoo</i>	Barcoo grunter	
			<i>Selenotoca multifasciata</i>	Striped scat	
			<i>Serranochromis angusticeps</i>	Thinface largemouth	
			<i>Serranochromis robustus</i>	Nembwe	
			<i>Sillago ciliata</i>	Sand whiting	
			<i>Siluridae</i>	Catfishes, wells	
			<i>Strongylura krefftii</i>	Long tom	
			<i>Terapon</i> sp.	Terapon	

				<i>Tilapia rendalli</i>	Redbreast tilapia	
				<i>Tilapia sparrmanii</i>	Banded tilapia	
				<i>Toxotes chatareus</i>	Common archer fish	
				<i>Toxotes lorentzi</i>	Primitive archer fish	
				<i>Trichogaster pectoralis</i>	Snakeskin gourami	
				<i>Trichogaster trichopterus</i>	Threespot gourami	
8	기생충성	자이로닥틸루스증 (Infection with <i>Gyrodactylus salaris</i>)	<i>Gyrodactylus salaris</i>	<i>Oncorhynchus mykiss</i>	Rainbow trout	어 류
				<i>Salmo salar</i>	Atlantic salmon	
				<i>Salmo trutta</i>	Brown trout	
				<i>Salvelinus alpinus</i>	Charr	
				<i>Salvelinus fontinalis</i>	North American brook trout	
				<i>Salvelinus namaycush</i>	Lake trout	
				<i>Thymallus thymallus</i>	Grayling	
9	바이러스성	틸라피아레이크바이러스병 (Tilapia lake virus disease, TiLVD)	Tilapia lake virus (TiLV)	<i>Coptodon zilli</i> (= <i>Tilapia zilli</i>)	red belly tilapia	어 류
				<i>Oreochromis</i> (genus)	Genus Oreochromis	
				<i>Oreochromis niloticus</i> × <i>Oreochromis aureus</i>	Tilapia hybrid	
				<i>Oreochromis niloticus</i> × <i>Oreochromis mossambicus</i>	Tilapia hybrid	
				<i>Osphronemus goramy</i>	Giant gourami	
				<i>Sarotherodon galilaeus</i>	Mango tilapia	
				<i>Tristramella simonis</i> (<i>Tristramella simonis</i> intermediate)	Tristramella simonis	
10	바이러스성	연어알파바이러스감염증 (Infection with salmonid alphavirus, SAV)	Salmonid alphavirus	<i>Limanda limanda</i>	Dab	어 류
				<i>Oncorhynchus mykiss</i>	Rainbow trout	
				<i>Salmo salar</i>	Atlantic salmon	
				<i>Salvelinus alpinus</i>	Charr	
11	기생충성	보나미아오스트레감염증 (Infection with <i>Bonamia ostreae</i>)	<i>Bonamia ostreae</i>	<i>Crassostrea ariakensis</i>	Suminoe oyster	패 류
				<i>Ostrea angasi</i>	Australian mud oyster	
				<i>Ostrea chilensis</i>	Chilean flat oyster	
				<i>Ostrea denselamellosa</i>	Asiatic oyster	
				<i>Ostrea edulis</i>	European flat oyster	
				<i>Ostrea puelchana</i>	Argentinean flat oyster	
12	기생충성	보나미아익시티오사감염증(Infection with <i>Bonamia exitiosa</i>)	<i>Bonamia exitiosa</i>	<i>Ostrea angasi</i>	Australian mud oyster	패 류
				<i>Ostrea capsa</i>		
				<i>Ostrea chilensis</i>	Chilean flat oyster	
				<i>Ostrea edulis</i>	European flat oyster	
13	기생충성	마르테일리아레프리즈스감염증 (Infection with <i>Marteilia refringens</i>)	<i>Marteilia refringens</i>	<i>Chamelea gallina</i>	Clam	패 류
				<i>Mytilus edulis</i>	Blue mussel	
				<i>Mytilus galloprovincialis</i>	Mediterranean mussel	
				<i>Ostrea angasi</i>	Australian mud oyster	
				<i>Ostrea chilensis</i>	Chilean flat oyster	
				<i>Ostrea denselamellosa</i>	Asiatic oyster	
				<i>Ostrea edulis</i>	European flat oyster	
				<i>Ostrea puelchana</i>	Argentinean flat oyster	
				<i>Solen marginatus</i>	Clam	
				<i>Xenostrobus securis</i>		
14	기생충성	퍼킨수스마리누스감염증(Infection with <i>Perkinsus marinus</i>)	<i>Perkinsus marinus</i>	<i>Crassostrea ariakensis</i>	Suminoe oyster	패 류
				<i>Crassostrea corteziensis</i>	Cortez oyster	
				<i>Crassostrea gigas</i>	Pacific oyster	
				<i>Crassostrea rhizophorae</i>	Mangrove oyster	
				<i>Crassostrea virginica</i>	Eastern oyster	
				<i>Macoma balthica</i>	Baltic clam	
				<i>Mercenaria mercenaria</i>	Hard shell clam	
				<i>Mya arenaria</i>	Soft shell clam	
15	세균성	제노할리오티스캘리포니아감염증 (Infection with <i>Xenohaliotis californiensis</i>)	<i>Xenohaliotis californiensis</i>	<i>Haliotis</i> (genus)		패 류
				<i>Haliotis corrugata</i>	Pink abalone	
				<i>Haliotis cracherodii</i>	Black abalone	
				<i>Haliotis discus-hannai</i>	Japanese abalone	
				<i>Haliotis diversicolor</i>	Small abalone	

				<i>Haliotis fulgens</i>	Green abalone	
				<i>Haliotis rufescens</i>	Red abalone	
				<i>Haliotis sorenseni</i>	White abalone	
				<i>Haliotis tuberculata</i>	Tube abalone	
				<i>Haliotis walallensis</i>	Flat abalone	
16	바이러스성	전복허피스바이러스감염증 (Infection with abalone herpesvirus, AbHV)	A b a l o n e herpesvirus	<i>Haliotis discus-hannai</i>	Japanese abalone	패 류
				<i>Haliotis diversicolor</i>	Small abalone	
				<i>Haliotis laevigata</i>	Greenlip abalone	
				<i>Haliotis laevigata</i> × <i>Haliotis rubra</i>	Abalone hybrids	
				<i>Haliotis rubra</i>	Blacklip abalone	
17	진균성	가재전염병 (Infection with <i>Aphanomyces astasci</i> , Crayfish plague)	<i>Aphanomyces astasci</i>	Astacidae		갑각류
				Cambaridae		
				<i>Eriocheir sinensis</i>	Chinese mitten crab	
				Freshwater crayfish	Freshwater crayfish	
				Parastacidae		
18	바이러스성	전염성피하및조혈기괴사증1) (Infection with infectious hypodermal and haematopoietic necrosis virus, IHNV)	Infectious hypodermal and haematopoietic necrosis virus(IHNV)	<i>Penaeus (genus)</i>		갑각류
				<i>Protrachypene (genus)</i>		
				<i>Trachypenaeus (genus)</i>		
19	바이러스성	노랑머리병 (Infection with yellow head virus genotype 1, YHD)	Yellow head virus genotype 1(YHV1)	<i>Asctes</i> sp.	Paste prawn	갑각류
				<i>Euphausia superba</i>	Krill	
				<i>Exopalaemon styliferus</i>	Mysid shrimp	
				<i>Farfantepenaeus aztecus</i>	Brown prawn	
				<i>Farfantepenaeus duorarum</i>	Southern pink shrimp	
				<i>Fenneropenaeus merguensis</i>	White banana prawn	
				<i>Litopenaeus setiferus</i>	White prawn	
				<i>Litopenaeus stylirostris</i>	Pacific blue prawn	
				<i>Litopenaeus vannamei</i>	Pacific white shrimp	
				<i>Macrobrachium sintangense</i>	Sunda river prawn	
				<i>Marsupenaeus japonicus</i>	Kuruma prawn	
				<i>Metapenaeus bennettiae</i>	Greentail prawn	
				<i>Metapenaeus ensis</i>	Red endeavour prawn	
				<i>Palaemon serrifer</i>	Barred estuarine shrimp	
				<i>Palaemonetes pugio</i>	Daggerblade grass shrimp	
				<i>Penaeus esculentus</i>	Brown tiger prawn	
				<i>Penaeus monodon</i>	Giant tiger prawn	
20	바이러스성	흰반점병 (Infection with white spot syndrome virus, WSD)	White spot syndrome virus(WSSV)	Bivalves		패 류 갑각류
				Crustacea		
21	바이러스성	타우라증후군 (Infection with taura syndrome virus, TS)	T a u r a syndrome virus (TSV)	<i>Farfantepenaeus aztecus</i>	Brown prawn	갑각류
				<i>Farfantepenaeus duorarum</i>	Pink prawn	
				<i>Fenneropenaeus chinensis</i>	Chinese white shrimp	
				<i>Fenneropenaeus indicus</i>	Indian white prawn	
				<i>Litopenaeus schmitti</i>	Southern white shrimp	
				<i>Litopenaeus setiferus</i>	Gulf white shrimp	
				<i>Litopenaeus stylirostris</i>	Pacific blue shrimp	
				<i>Litopenaeus vannamei</i>	Pacific white shrimp	
				<i>Marsupenaeus japonicus</i>	Kuruma prawn	
				<i>Metapenaeus ensis</i>	Red endeavour prawn	
				<i>Penaeus monodon</i>	Giant tiger prawn	
22	바이러스성	전염성근괴사증 (Infection with infectious myonecrosis virus, IMNV)	Infectious myonecrosis virus(IMNV)	<i>Litopenaeus stylirostris</i>	Pacific blue shrimp	갑각류
				<i>Litopenaeus vannamei</i>	Pacific white shrimp	
				<i>Penaeus monodon</i>	Giant tiger prawn	
23	바이러스	흰꼬리병 (Infection with	<i>Macrobrachium rosenbergii</i>	<i>Macrobrachium rosenbergii</i>	Giant fresh water prawn	갑각류

	스 성	<i>Macrobrachium rosenbergii</i> nodavirus, White tail disease, WTD)	nodavirus(MrN V)			
24	바 이 러 스 성	십각류무지개바이러스병 (Infection with decapod iridescent virus 1, DIV1)	D e c a p o d i r i d e s c e n t v i r u s 1 (DIV 1)	<i>Cherax quadricarinatus</i> <i>Exopalaemon carinicauda</i> <i>Fenneropenaeus chinensis</i> (= <i>Penaeus chinensis</i>) <i>Litopenaeus vannamei</i> (= <i>Penaeus vannamei</i>) <i>Macrobrachium nipponense</i> <i>Macrobrachium rosenbergii</i> <i>Macrobrachium superbum</i> <i>Marsuenaes japonicus</i> (= <i>Penaeus japonicus</i>) <i>Penaeus monodon</i> <i>Procambarus clarkii</i>	Red claw crayfish Ridgetail white prawn Chinese white shrimp Pacific white shrimp (=white leg shrimp) Oriental river prawn Giant freshwater prawn Freshwater prawn Kuruma prawn Giant tiger prawn Red swamp crayfish	갑각류
25	세 균 성	괴사성간췌장염 (Infection with <i>Hepatobacter penaei</i> , Necrotising Hepato pancreatitis, NHP)	<i>Hepatobacter</i> <i>penaei</i>	<i>Litopenaeus vannamei</i> (= <i>Penaeus vannamei</i>)	Pacific white shrimp (=white leg shrimp)	갑각류
26	세 균 성	급성간췌장괴사병 ²⁾ (Acute hepatopancreatic necrosis disease, AHPND)	<i>V i b r i o</i> <i>parahaemolyticus</i> (<i>VpAHPND</i>)	<i>Litopenaeus monodon</i> (= <i>Penaeus monodon</i>) <i>Litopenaeus vannamei</i> (= <i>Penaeus vannamei</i>)	Giant Tiger Prawn Pacific white shrimp (=white leg shrimp)	갑각류
27	진 균 성	양서류항아리곰팡이병 (Infection with <i>Batrachochytrium</i> <i>dendrobatidis</i>)	<i>Batrachochytrium</i> <i>dendrobatidis</i>	Order Anura Order Caudata Order Gymnophiona		양서류
28	진 균 성	도롱뇽항아리곰팡이병 (Infection with <i>Batrachochytrium</i> <i>salamandrivorans</i>)	<i>Batrachochytrium</i> <i>salamandrivorans</i>	<i>Hydromantes strinati</i> <i>Cynops cyanurus</i> <i>Cynops pyrrhogaster</i> <i>Euproctus platycephalus</i> <i>Ichthyosaura alpestris</i> <i>Lissotriton italicus</i> <i>Neurergus crocatus</i> <i>Nothophthalmus viridescens</i> <i>Paramesotriton deloustali</i> <i>Pleurodeles waltl</i> <i>Salamandrina perspicillata</i> <i>Salamandra salamandra</i> <i>Taricha granulosa</i>	French cave salamander blue-tailed fire-bellied newt Japanese fire-bellied newt sardinian brook salamander Alpine newt Italian newt yellow spotted newt eastern newt Tam Dao salamander Spanish ribbed newt northern spectacle salamander fire salamander rough-skinned newt	양서류
29	바 이 러 스 성	라나바이러스병 (Infection of ranavirus of amphibians)	Ranavirus	Order Anura Order Caudata		양서류

1) 참돔이리도바이러스병(RSIVD) 및 전염성피하및조혈기괴사증(IHHNV)은
이식용에 한함

2) 급성간췌장괴사병(AHPND)은 냉동제품은 제외

나. 판정기준: 음성