

## 항공고시보 코드 — 넷째와 다섯째 문자(제7조 관련)

### (The NOTAM code — fourth and fifth letters)

#### 1. Decode(해독화)

| 코드            | 의미                                                                                                                      | 통일된 약어                                 |
|---------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <b>유효성(A)</b> |                                                                                                                         |                                        |
| AC            | Withdrawn for maintenance<br>정비를 위한 철거                                                                                  | withdrawn maint                        |
| AD            | Available for daylight operation<br>주간 운영에 이용가능                                                                         | avbl day ops                           |
| AF            | Flight checked and found reliable<br>비행점검 및 신뢰성 확보                                                                      | fltck okay                             |
| AG            | Operating but ground checked only, awaiting flight check<br>비행점검을 기다리면서 지상점검만을 실시 후 운영함                                 | opr but gnd ck only,<br>awaiting fltck |
| AH            | Hours of service are now ... (specify)<br>업무시간은 지금부터                                                                    | hr ser                                 |
| AK            | Resumed normal operation<br>운용재개                                                                                        | okay                                   |
| AL            | Operative (or reoperative) subject to previously<br>published limitations/conditions<br>이전에 고시된 제한상태에 영향을 받는 운영(또는 재운영) | opr subj/previous cond                 |
| AM            | Military operations only<br>군훈련용                                                                                        | mil ops only                           |
| AN            | Available for night operation<br>야간운영에 이용가능                                                                             | avbl ngt ops                           |
| A0            | Operational<br>운영                                                                                                       | opr                                    |
| AP            | Available, prior permission required<br>사전허가 득한 후 이용                                                                    | avbl, ppr                              |
| AR            | Available on request<br>요청에 따라 이용                                                                                       | avbl olr                               |

|              |                                                                           |                                   |
|--------------|---------------------------------------------------------------------------|-----------------------------------|
| AS           | Unserviceable<br>이용할 수 없는                                                 | u/s                               |
| AU           | Not available (specify, reason if appropriate)<br>이용할 수 없는                | not avbl                          |
| AW           | Completely withdrawn<br>완전철폐                                              | withdrawn                         |
| AX           | Previously promulgated shutdown has been cancelled<br>전에 고시된 일시폐쇄가 취소됨    | promulgated shutdown<br>cnl       |
| <b>변경(C)</b> |                                                                           |                                   |
| CA           | Activated<br>활성화                                                          | act                               |
| CC           | Completed<br>완료된                                                          | cmpl                              |
| CD           | Deactivated<br>비활성화된                                                      | deactivated                       |
| CE           | Erected<br>건설된                                                            | erected                           |
| CF           | Operating frequency(ies) changed to<br>운영주파수를 ...로 변경됨                    | opr freq changed to               |
| CG           | Downgraded to<br>...로 강등된                                                 | downgraded to                     |
| CH           | Changed<br>변경된                                                            | changed                           |
| CI           | Identification or radio call sign changed to<br>식별부호 또는 무선폭출부호가 ....로 변경됨 | identlrdo call sign<br>changed to |
| CL           | Realigned<br>조정된                                                          | realigned                         |
| CM           | Displaced<br>이설된                                                          | displaced                         |
| CN           | Cancelled<br>취소된                                                          | cnl                               |
| CO           | Operating<br>운영하는                                                         | opr                               |
| CP           | Operating on reduced power<br>축소전력으로 운영하는                                 | opr reduced pwr                   |
| CR           | Temporarily replaced by<br>..로 일시적으로 교체된                                  | tempo rplcd by                    |

|                |                                                                                                                                                                                                                                                                                                                   |                         |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| CS             | Installed<br>설치된                                                                                                                                                                                                                                                                                                  | instl                   |
| CT             | On test, do not use<br>시험중, 사용금지                                                                                                                                                                                                                                                                                  | on test, do not use     |
| <b>위험요소(H)</b> |                                                                                                                                                                                                                                                                                                                   |                         |
| HA             | Braking action is ...<br>제동상태<br>1) Poor 나쁜<br>2) Medium/Poor 중간/나쁜<br>3) Medium 중간<br>4) Medium/Good 중간/좋은<br>5) Good 좋은                                                                                                                                                                                         | ba is ...               |
| HB             | Friction coefficient is...(specify friction measuring device used)<br>마찰계수                                                                                                                                                                                                                                        | friction coefficient is |
| HC             | Covered by compacted snow to a depth of ...의 깊이로 굳은 눈으로 덮혀진                                                                                                                                                                                                                                                       | cov compacted sn depth  |
| HD             | Covered by dry snow to a depth of ..의 깊이로 마른 눈으로 덮혀진                                                                                                                                                                                                                                                              | cov dry sn depth        |
| HE             | Covered by water to a depth of ..의 깊이로 물로 덮혀진                                                                                                                                                                                                                                                                     | cov water depth         |
| HF             | Totally free of snow and ice<br>눈과 얼음이 없음                                                                                                                                                                                                                                                                         | free of sn and ice      |
| HG             | Grass cutting in progress<br>제초작업중                                                                                                                                                                                                                                                                                | grass cutting inpr      |
| HH             | Hazard due to (specify)<br>...로 인한 위험요소                                                                                                                                                                                                                                                                           | hazard due              |
| HI             | Covered by ice<br>얼음으로 덮힌                                                                                                                                                                                                                                                                                         | cov ice                 |
| HJ             | Launch planned...(specify balloon flight identification or project code name, launch site, planned period of launch(es) - date/time, expected climb direction, estimated time to pass 18 000 m (60 000\$), or reaching cruise level if at or below 18 000 m (60 000\$), together with estimated location)<br>발사계획 | launch plan             |

|    |                                                                                                                                                                                                                                                                                                                                                                                                              |                        |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| HK | Bird migration in progress (specify direction)<br>조류 이동중                                                                                                                                                                                                                                                                                                                                                     | bird migration inpr    |
| HL | Snow clearance completed<br>제설작업 완료                                                                                                                                                                                                                                                                                                                                                                          | sn clr cml             |
| HM | Marked by<br>...로 표시된                                                                                                                                                                                                                                                                                                                                                                                        | marked by              |
| HN | Covered by wet snow or slush to a depth of<br>... 깊이로 젖은 눈 또는 녹기 시작한 눈으로 덮혀진                                                                                                                                                                                                                                                                                                                                 | cov wet sn/slush depth |
| H0 | Obscured by snow<br>눈으로 가려진                                                                                                                                                                                                                                                                                                                                                                                  | obscured by sn         |
| HP | Snow clearance in progress<br>제설작업 중                                                                                                                                                                                                                                                                                                                                                                         | sn clr inpr            |
| HQ | Operation cancelled...(specify balloon flight<br>identification or project code name)<br>... 운영 취소된                                                                                                                                                                                                                                                                                                          | opr cml                |
| HR | Standing water<br>고인 물                                                                                                                                                                                                                                                                                                                                                                                       | standing water         |
| HS | Sanding in progress<br>모래가 날리는 중                                                                                                                                                                                                                                                                                                                                                                             | sanding inpr           |
| HT | Approach according to signal area only<br>신호구역에 의한 경우에만 접근                                                                                                                                                                                                                                                                                                                                                   | apch according signal  |
| HU | Launch in progress...(specify balloon flight<br>identification or project code name, launch site,<br>date/time of launch(es), estimated time passing 18 000 m<br>(60 000\$), or reaching cruising level If at or below 18<br>000 m (60 000\$), together with estimated location,<br>estimated date/ time of termination of the flight and<br>planned location of ground contact, when applicable)<br>발사 준비 중 | launch inpr            |
| HV | Work completed<br>작업 완료                                                                                                                                                                                                                                                                                                                                                                                      | work cml               |
| HW | Work in progress<br>작업 중                                                                                                                                                                                                                                                                                                                                                                                     | wip                    |
| HX | Concentration of birds<br>조류집단                                                                                                                                                                                                                                                                                                                                                                               | bird concentration     |

|              |                                                                   |                                   |
|--------------|-------------------------------------------------------------------|-----------------------------------|
| HY           | Snow banks exist (specify height)<br>눈둑 존재                        | sn banks hgt                      |
| HZ           | Covered by frozen ruts and ridges<br>언 홈과 이랑으로 덮힌                 | cov frozen ruts and<br>ridges     |
| <b>제한(L)</b> |                                                                   |                                   |
| LA           | Operating on auxiliary power supply<br>보조동력장치 운영                  | opr aux pwr                       |
| LB           | Reserved for aircraft based therein<br>항공기 아래 중간을 위해 유보된          | resewed for acft based<br>therein |
| LC           | Closed<br>폐쇄                                                      | clsd                              |
| LD           | Unsafe<br>위험한                                                     | unsafe                            |
| LE           | Operating without auxiliary power supply<br>보조동력장치 없이 운영          | opr aux wo pwr                    |
| LF           | Interference from<br>...간섭                                        | interference fm                   |
| LG           | Operating without identification<br>식별없이 운영                       | opr wo ident                      |
| LH           | Unserviceable for aircraft heavier than<br>...보다 무거운 항공기는 업무제공 불가 | U/S acft heavier than             |
| LI           | Closed to IFR operations<br>계기비행운항 폐쇄                             | clsd ifr ops                      |
| LK           | Operating as a fixed light<br>고정등으로 운영                            | opr as flgt                       |
| LL           | Usable for length of... and width of....<br>..길이와 폭에는 사용불가        | usable len.../wid...              |
| LN           | Closed to all night operations<br>모든 야간운항 폐쇄                      | clsd to all ngt ops               |
| LP           | Prohibited to<br>...금지된                                           | prohibited to                     |
| LR           | Aircraft restricted to runways and taxiways<br>활주로와 유도로에 제한된 항공기  | acft restricted to rwy<br>and twy |
| LS           | Subject to interruption<br>간섭이 일어나기 쉬운                            | subj intrp                        |
| LT           | Limited to<br>...로 제한된                                            | ltd to                            |

|               |                                                            |                               |
|---------------|------------------------------------------------------------|-------------------------------|
| LV            | Closed to VFR operations<br>시계비행운항 폐쇄                      | clsd vfr ops                  |
| LW            | Will take place<br>일어날 것이다.                                | will take place               |
| LX            | Operating but caution advised due to<br>... 때문에 주의 조언에서 운영 | opr but ctn advised<br>due to |
| <b>기타(XX)</b> |                                                            |                               |
| XX            | Plain language<br>평문                                       |                               |

## 2. Encode(암호화)

| 의미                                                                                      | 코드 |
|-----------------------------------------------------------------------------------------|----|
| <b>유효성(A)</b>                                                                           |    |
| Available for daylight operation<br>주간 운영에 이용가능                                         | AD |
| Available for night operation<br>야간운영에 이용가능                                             | AN |
| Available on request<br>요청에 따라 이용                                                       | AR |
| Available, prior permission required<br>사전허가 득한 후 이용                                    | AP |
| Completely withdrawn<br>완전철회                                                            | AW |
| Flight checked and found reliable<br>비행점검 및 신뢰성 확보                                      | AF |
| Hours of service are now ... (specify)<br>업무시간은 지금부터                                    | AH |
| Military operations only<br>군훈련용                                                        | AM |
| Not available (specify, reason if appropriate)<br>이용할 수 없는                              | AU |
| Operating but ground checked only, awaiting flight check<br>비행점검을 기다리면서 지상점검만을 실시 후 운영함 | AG |
| Operational<br>운영                                                                       | A0 |

|                                                                                                                      |    |
|----------------------------------------------------------------------------------------------------------------------|----|
| Operative (or reoperative) subject to previously published limitations/conditions<br>이전에 고시된 제한상태에 영향을 받는 운영(또는 재운영) | AL |
| Previously promulgated shutdown has been cancelled<br>전에 고시된 일시폐쇄가 취소됨                                               | AX |
| Resumed normal operation<br>운용재개                                                                                     | AK |
| Unserviceable<br>이용할 수 없는                                                                                            | AS |
| Withdrawn for maintenance<br>정비를 위한 철거                                                                               | AC |
| <b>변경(C)</b>                                                                                                         |    |
| Activated<br>활성화                                                                                                     | CA |
| Cancelled<br>취소된                                                                                                     | CN |
| Changed<br>변경된                                                                                                       | CH |
| Completed<br>완료된                                                                                                     | CC |
| Deactivated<br>비활성화된                                                                                                 | CD |
| Displaced<br>이설된                                                                                                     | CM |
| Downgraded to<br>...로 강등된                                                                                            | CG |
| Erected<br>건설된                                                                                                       | CE |
| Identification or radio call sign changed to<br>식별부호 또는 무선폭출부호가 ....로 변경됨                                            | CI |
| Installed<br>설치된                                                                                                     | CS |
| On test, do not use<br>시험중, 사용금지                                                                                     | CT |
| Operating<br>운영하는                                                                                                    | CO |
| Operating frequency(ies) changed to<br>운영주파수를 ...로 변경됨                                                               | CF |
| Operating on reduced power<br>축소전력으로 운영하는                                                                            | CP |

|                                                                                                                           |    |
|---------------------------------------------------------------------------------------------------------------------------|----|
| Realigned<br>조정된                                                                                                          | CL |
| Temporarily replaced by<br>...로 일시적으로 교체된                                                                                 | CR |
| <b>위험요소(H)</b>                                                                                                            |    |
| Approach according to signal area only<br>신호구역에 의한 경우에만 접근                                                                | HT |
| Bird migration in progress (specify direction)<br>조류 이동중                                                                  | HK |
| Braking action is ...<br>제동상태<br>1) Poor 나쁜<br>2) Medium/Poor 중간/나쁜<br>3) Medium 중간<br>4) Medium/Good 중간/좋은<br>5) Good 좋은 | HA |
| Concentration of birds<br>조류집단                                                                                            | HX |
| Covered by compacted snow to a depth of<br>...의 깊이로 굳은 눈으로 덮혀진                                                            | HC |
| Covered by dry snow to a depth of<br>..의 깊이로 마른 눈으로 덮혀진                                                                   | HD |
| Covered by frozen ruts and ridges<br>언 홈과 이랑으로 덮힌                                                                         | HZ |
| Covered by ice<br>얼음으로 덮힌                                                                                                 | HI |
| Covered by water to a depth of<br>..의 깊이로 물로 덮혀진                                                                          | HE |
| Covered by wet snow or slush to a depth of<br>... 깊이로 젖은 눈 또는 녹기 시작한 눈으로 덮혀진                                              | HN |
| Friction coefficient is...(specify friction measuring device used)<br>마찰계수                                                | HB |
| Grass cutting in progress<br>제초작업중                                                                                        | HG |
| Hazard due to (specify)<br>...로 인한 위험요소                                                                                   | HH |

|                                                                                                                                                                                                                                                                                                                                                                                            |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Launch in progress...(specify balloon flight identification or project code name, launch site, date/time of launch(es), estimated time passing 18 000 m (60 000\$), or reaching cruising level if at or below 18 000 m (60 000\$), together with estimated location, estimated date/ time of termination of the flight and planned location of ground contact, when applicable)<br>발사 준비 중 | HJ |
| Launch planned...(specify balloon flight identification or project code name, launch site, planned period of launch(es) - date/time, expected climb direction, estimated time to pass 18 000 m (60 000\$), or reaching cruise level if at or below 18 000 m (60 000\$), together with estimated location)<br>발사계획                                                                          | HJ |
| Marked by<br>...로 표시된                                                                                                                                                                                                                                                                                                                                                                      | HM |
| Obscured by snow<br>눈으로 가려진                                                                                                                                                                                                                                                                                                                                                                | HO |
| Operation cancelled...(specify balloon flight identification or project code name)<br>... 운영 취소된                                                                                                                                                                                                                                                                                           | HQ |
| Sanding in progress<br>모래가 날리는 중                                                                                                                                                                                                                                                                                                                                                           | HS |
| Snow banks exist (specify height)<br>눈둑 존재                                                                                                                                                                                                                                                                                                                                                 | HY |
| Snow clearance completed<br>제설작업 완료                                                                                                                                                                                                                                                                                                                                                        | HL |
| Snow clearance in progress<br>제설작업 중                                                                                                                                                                                                                                                                                                                                                       | HP |
| Standing water<br>고인 물                                                                                                                                                                                                                                                                                                                                                                     | HR |
| Totally free of snow and ice<br>눈과 얼음이 없음                                                                                                                                                                                                                                                                                                                                                  | HF |
| Work completed<br>작업 완료                                                                                                                                                                                                                                                                                                                                                                    | HV |
| Work in progress<br>작업 중                                                                                                                                                                                                                                                                                                                                                                   | HW |
| <b>제한(L)</b>                                                                                                                                                                                                                                                                                                                                                                               |    |
| Aircraft restricted to runways and taxiways<br>활주로와 유도도로에 제한된 항공기                                                                                                                                                                                                                                                                                                                          | LR |

|                                                                   |    |
|-------------------------------------------------------------------|----|
| Closed<br>폐쇄                                                      | LC |
| Closed to all night operations<br>모든 야간운항 폐쇄                      | LN |
| Closed to IFR operations<br>계기비행운항 폐쇄                             | LI |
| Closed to VFR operations<br>시계비행운항 폐쇄                             | LV |
| Interference from<br>...간섭                                        | LF |
| Limited to<br>...로 제한된                                            | LT |
| Operating as a fixed light<br>고정등으로 운영                            | LK |
| Operating but caution advised due to<br>... 때문에 주의 조언에서 운영        | LX |
| Operating on auxiliary power supply<br>보조동력장치 운영                  | LA |
| Operating without auxiliary power supply<br>보조동력장치 없이 운영          | LE |
| Operating without identification<br>식별없이 운영                       | LG |
| Prohibited to<br>...금지된                                           | LP |
| Reserved for aircraft based therein<br>항공기 아래 중간을 위해 유보된          | LB |
| Subject to interruption<br>간섭이 일어나기 쉬운                            | LS |
| Unsafe<br>위험한                                                     | LD |
| Unserviceable for aircraft heavier than<br>...보다 무거운 항공기는 업무제공 불가 | LH |
| Usable for length of... and width of....<br>..길이와 폭에는 사용불가        | LL |
| Will take place<br>일어날 것이다.                                       | LW |
| <b>기타(XX)</b>                                                     |    |
| Plain language<br>평문                                              | XX |