

항공지도 기호(ICAO Chart Symbols) (제8조, 제18조, 제48조, 제139조, 제148조 및 제159조 관련)

표기대상	약어	기호 번호
Abandoned canal		30
Advisory airspace	ADA	115
Advisory route	ADR	118
Aerodrome data in abbreviated form		96
Aerodrome/Heliport Charts		145-161
Aerodrome Obstacle Charts		162-170
Aerodrome reference point		151
Aerodromes		84-98
Abandoned or closed aerodrome		91
Emergency aerodrome or aerodrome with no facilities		90
Aerodrome symbols for Approach Charts		97,98
Aerodrome traffic zone	ATZ	112
Aeronautical ground light		143
Air defence identification zone	ADIZ	117
Airspace, advisory	ADA	115
Airspace classifications		126,127
Airspace(prohibited, restricted or danger area), restricted, and common boundary of two areas		128
Airspace restrictions		128,129
Air Traffic Services		111-144
Airway	AWY	113
Altitude Minimum sector Terminal arrival		171 172
Altitude/flight levels		125
Anchorage, sheltered		92
Areas Built-up Not surveyed for contour information or relief data incomplete Prohibited Restricted		47-50 18 128 128
ATS/MET reporting point	MRP	123
Bluff		4
Boundaries international other		63 64
Building (on Aerodrome Obstacle Charts)		164
Buildings		50
Cable, overhead		166
Canal		29
Canal, abandoned		30
Change-over point	COP	122
Charted isolated rock		44

표기대상	약어	기호 번호
Chart, highest elevation on		12
Chart symbols, electronic		108, 143, 171-180
Church		80
City or large town		47
Clearway (on Aerodrome Obstacle Charts)	CWY	170
Cliff		4
Coast guard station		73
Collocated DME fix and marker beacon		180
Collocated radio navigation aid and marker beacon		178
Collocated VOR and DME radio navigation aids	VOR/DME	103,110
Collocated VOR and TACAN radio navigation aids	VORTAC	107,110
Compass rose		110
Coniferous trees		15
Contours		1
Contours, approximate		2
Control area	CTA	113
Controlled route		113
Control zone	CTR	116
Controlled route		113
Coral reefs and ledges		22
Culture		47-83
Culture, miscellaneous		63-83
Dam		67
Danger area		128
Danger line		43
Distance measuring equipment	DME	102, 110, 176, 177
DME distance		104
DME fix Collocated DME fix and marker beacon		179 180
Dry lake bed		39
Dual highway		57
Dunes, sand		6
Electronic chart symbols		108,143,171-180
Elevation(of doubtful accuracy), spot		14
Elevation, spot		13
Escarpment		4
Escarpment (on Aerodrome Obstacle Charts)		168
Esker		9
Falls		28
Fence		65
Ferry		68
Final approach fix	FAF	124
Flight information region	FIR	111
Flight levels		125
Forest ranger station		76

표기대상	약어	기호 번호
Fort		79
Gas field		70
Glaciers		42
Gravel		8
Hard surface runway (on Aerodrome/Heliport Charts)		145
Holding pattern (on electronic charts)		173
Helicopter alighting area on an aerodrome (on Aerodrome/Heliport Charts)		150
Heliport		94
Highest elevation on chart		12
Highway, dual		57
Highways and roads		57-62
Hydrography		19-46
Ice caps		42
Instrument landing system	ILS	108
Intermediate holding position		160
International boundary closed to passage of aircraft except through air corridor		129
Intersection	INT	121
Isogonic line or isogonal		138
Lake bed, dry		39
Lakes Non-perennial Perennial		32 31
Land Civil Military Joint civil and military		84 86 88
Land features appropriately labelled, unusual		10
Landing direction indicator Lighted Unlighted		156 157
Large river(perennial)		23
Large structure		164
Lava flow		5
Ledges		22
Levee		9
Lightship		144
Lookout tower		74
Marine light		142
Mine		75
Minimum sector altitude	MSA	171
Miscellaneous symbols Air Traffic Services Culture		137-141 63-83
Missed approach track		174
Mosque		81
Mountain pass		11
NDB		121
Non-directional radio beacon	NDB	100
Nuclear power station		72

표기대상	약어	기호 번호
Obstacle light		155
Obstacles		130-136
Ocean station vessel		139
Oil field		70
Overhead cable		166
Pagoda		82
Palms		17
Parking areas		149
Pierced steel plank or steel mesh runway		146
Pipeline		69
Point light		154
Pole		163
Power station, nuclear		72
Primary road		58
Prohibited area		128
Prominent transmission line		137
Race track		77
Radio marker beacon		109, 177
Radio navigation aid Basic Collocated radio navigation aid and marker beacon Collocated VOR/DME Collocated VOR and TACAN		99 178 103 107
Radio navigation aids		99-110, 176, 178
Railroad(on Aerodrome Obstacle Charts)		165
Railroads(Culture)		51-56
Rapids		27
Relief data incomplete		18
Relief shown by hachures		3
Reporting and fly-by/flyover functionality		121
Reservoir		38
Restricted airspace(prohibited, restricted or danger area) and common boundary of two areas		128
Restricted area		128
Rice field		36
River (Perennial), small (Perennial), large		24 23
Rivers and streams Non-Perennial Unsurveyed		25 26
Road bridge		61
Road, primary		58
Road, secondary		59
Roads(Highways and Roads)		57-62
Road tunnel		62
Rock awash		45
Rock, charted isolated		44
Route Advisory Controlled	ADR	118 113

표기대상	약어	기호 번호
Uncontrolled		114
Ruins		175
Runway Hard surface Unpaved		145 147
Runway-holding position		159
Runway visual(RVR) observation site		153
Salt lake		33
Salt pans(evaporator)		34
Sand area		7
Sand dunes		6
Scale-break(on ATS route)		120
Secondary road		59
Sheltered anchorage		92
Shoals		41
Shore line Reliable Unreliable		19 20
Shrub		162
Small river(perennial)		24
Spire		163
Spot elevation		13
Spot elevation(of doubtful accuracy)		14
Spring(perennial or intermittent)		37
Stadium		77
Steel mesh runway		146
Steel plank, pierced		146
Stop bar		158
Stopway(on Aerodrome/Heliport Charts)	SWY	148
Stopway(on Aerodrome Obstacle Charts)	SWY	169
Streams		25,26
Structure, large		164
Swamp		35
TACAN		121
TACAN(UHF tactical air navigation aid)		106,110
Tank farms		71
Taxiways		149
Telegraph or telephone line(When a landmark)		66
Temple		83
Terminal arrival altituded	TAA	172
Terrain penetrating obstacle plane		167
Tidal flats		21
Topography		1-18
Tower Lookout On Aerodrome Obstacle Charts		74 163
Town		48
Town, large		47
Transmission line On Aerodrome Obstacle Charts		166

표기대상	약어	기호 번호
Prominent		137
Tree		
Coniferous		15
On Aerodrome Obstacle Charts		162
Other		16
UHF tactical air navigation aid(TACAN)		106,110
Uncontrolled route		114
Unpaved runway		147
Unusual land features appropriately labelled		10
Unusual water features appropriately labelled		46
VFR reporting point		121
VHF omnidirectional radio range	VOR	101,110
Village		49
Visual aids		142-144
Visual flight path		119
VOR		121
VOR check-point		152
VOR/DME		121
VOR/DME(collocated VOR and DME radio navigation aids)		103
VOR radial		105
VORTAC		121
VORTAC(collocated VOR and TACAN radio navigation aids)		107
VOR(VHF omnidirectional radio range)		101
Wash		40
Water		
Civil		85
Military		87
Joint civil and military		89
Water features appropriately labelled, unusual		46
Water hole (perennial or intermittent)		37
Waypoint	WPT	121
Well (perennial or intermittent)		37
Wind turbine, unlighted and lighted		140
Wind turbines, minor group and group in major area, lighted		141

TOPOGRAPHY

1	Contours		8	Gravel		12	Highest elevation on chart	Alternative	17456
2	Approximate contours		9	Levee or esker	Alternative	13	Spot elevation		.6397 .8975
3	Relief shown by hachures		10	Unusual land features appropriately labelled	 	14	Spot elevation (of doubtful accuracy)		.6370±
4	Bluff, cliff or escarpment		11	Mountain pass		15	Coniferous trees		
5	Lava flow					16	Other trees		
6	Sand dunes					17	Palms		
7	Sand area								
18	Areas not surveyed for contour information or relief data incomplete							Caution	

HYDROGRAPHY

19	Shore line (reliable)		30	Abandoned canal <i>Note.— Dry canal having landmark value.</i>		38	Reservoir		
20	Shore line (unreliable)		31	Lakes (perennial)		39	Dry lake bed	Alternative	
21	Tidal flats		32	Lakes (non-perennial)	Alternative	40	Wash	Alternative	
22	Coral reefs and ledges		33	Salt lake		41	Shoals		
23	Large river (perennial)		34	Salt pans (evaporator)		42	Glaciers and ice caps		
24	Small river (perennial)		35	Swamp		43	Danger line (2 m or one fathom line)		
25	Rivers and streams (non-perennial)	Alternative	36	Rice field	Alternative	44	Charted isolated rock		
26	Rivers and streams (unsurveyed)		37	Spring, well or water hole	perennial	45	Rock awash		
27	Rapids				intermittent	46	Unusual water features appropriately labelled		
28	Falls								
29	Canal								

CULTURE

BUILT-UP AREAS

47	City or large town	
48	Town	
49	Village	
50	Buildings	

HIGHWAYS AND ROADS

57	Dual highway	
58	Primary road	
59	Secondary road	
60	Trail	
61	Road bridge	
62	Road tunnel	

MISCELLANEOUS (Cont.)

69	Pipeline	
70	Oil or gas field	
71	Tank farms	
72	Nuclear power station	
73	Coast guard station	
74	Lookout tower	
75	Mine	
76	Forest ranger station	
77	Race track or stadium	
78	Ruins	
79	Fort	
80	Church	
81	Mosque	
82	Pagoda	
83	Temple	

RAILROADS

51	Railroad (single track)	
52	Railroad (two or more tracks)	
53	Railroad (under construction)	
54	Railroad bridge	
55	Railroad tunnel	
56	Railroad station	

MISCELLANEOUS

63	Boundaries (international)	
64	Outer boundaries	
65	Fence	
66	Telegraph or telephone line (when a landmark)	
67	Dam	
68	Ferry	

AERODROMES

84	Civil	Land	
85	Civil	Water	
86	Military	Land	
87	Military	Water	

88	Joint civil and military	Land	
89	Joint civil and military	Water	
90	Emergency aerodrome or aerodrome with no facilities		
91	Abandoned or closed aerodrome		

92	Sheltered anchorage	
93	Aerodrome for use on charts on which aerodrome classification is not required e.g. Enroute Charts	
94	Heliport <i>Note.— Aerodrome for the exclusive use of helicopters</i>	

95

Note.— Where required by the function of the chart, the runway pattern of the aerodrome may be shown in lieu of the aerodrome symbol, for example:



AERODROMES (Cont.)
AERODROME DATA IN ABBREVIATED FORM WHICH MAY BE
IN ASSOCIATION WITH AERODROME SYMBOLS
(Reference: 16.9.2.2 and 17.9.2.2)

96	Elevation given in the units of measurement (metres or feet) selected for use on the chart Length of longest runway in hundreds of metres or feet (whichever unit is selected for use on the chart) Minimum lighting – obstacles, boundary or runway lights and lighted wind indicator or landing direction indicator Note.— A dash (–) is to be inserted where L or H do not apply.	Name of aerodrome LIVINGSTONE 357 L H 95 Runway hard surfaced, normally all weather

AERODROME SYMBOLS FOR APPROACH CHARTS

97	Aerodromes affecting the traffic pattern on the aerodrome on which the procedure is based		98	The aerodrome on which the procedure is based	
----	---	--	----	---	--

RADIO NAVIGATION AIDS*

99	Basic radio navigation aid symbol Note.— This symbol may be used with or without a box to enclose the data.			107	Collocated VOR and TACAN radio navigation aids	VORTAC	
100	Non-directional radio beacon	NDB		108	Instrument landing system	ILS	PLAN VIEW
101	VHF omnidirectional radio range	VOR					Electronic FRONT COURSE BACK COURSE
102	Distance measuring equipment	DME					PROFILE
103	Collocated VOR and DME radio navigation aids	VOR/DME					Electronic GLIDE PATH
104	DME distance	Distance in kilometres (nautical miles) to DME 15 km Identification of radio navigation aid KAV		109	Radio marker beacon	Elliptical	
105	VOR radial	Radial bearing from, and identification of, VOR R 090 KAV				Bone Shape	
106	UHF tactical air navigation aid	TACAN				Note.— Marker beacon may be shown by outline, or stipple, or both.	

110	Compass rose To be orientated on the chart in accordance with the alignment of the station (normally Magnetic North)		Compass rose to be used as appropriate in combination with the following symbols:	VOR	
				VOR/DME	
				TACAN	
				VORTAC	

Note.— Additional points of compass may be added as required.

*Note.— Guidance material on the presentation of radio navigation aid data is given in the Aeronautical Chart Manual (Doc 8697).

AIR TRAFFIC SERVICES

111	Flight information region	FIR		117	Air defence identification zone	ADIZ	
112	Aerodrome traffic zone	ATZ		118	Advisory route	ADR	Alternative
113	Control area Airway Controlled route	CTA AWY	Alternative	119	Visual flight path		compulsory with radio communication requirement compulsory, without radio communication requirement recommended
114	Uncontrolled route			120	Scale-break (on ATS route)		Alternative
115	Advisory airspace	ADA					
116	Control zone	CTR					

Significant Point Functionality

		Significant point depiction for conventional navigation		Significant point depiction for area navigation			
	REPORTING FLY-BY/FLY-OVER	On request (NA)	Compulsory (NA)	On request fly-by	Compulsory fly-by	On request flyover	Compulsory flyover
121	VFR reporting point						
	Intersection INT						
	VORTAC						
	TACAN						
	VOR						
	VOR/DME						
	NDB						
	Waypoint WPT	Not used	Not used				


For details on use and meaning of these symbols, refer to paragraph 2.4

122	Change-over point To be superimposed on the appropriate route symbol at right angles to the route	COP		123	ATS/MET reporting point	MRP	Compulsory On request	124	Final approach fix	FAF	
-----	--	-----	--	-----	-------------------------	-----	---	-----	--------------------	-----	--

AIR TRAFFIC SERVICES (cont.)

125	Procedure altitudes/flight levels	Altitude/flight level "window"	<u>17 000</u> <u>10 000</u>	<u>FL 220</u> <u>10 000</u>
		"At or above" altitude/flight level	<u>7 000</u>	<u>FL 070</u>
		"At or below" altitude/flight level	<u>5 000</u>	<u>FL 050</u>
		"At" altitude/flight level	<u>3 000</u>	<u>FL 030</u>
		"Recommended" altitude/flight level	5 000	FL 050
		"Expected" altitude/flight level	Expect 5 000	Expect FL 050

AIRSPACE CLASSIFICATIONS

126	Airspace classifications		Aeronautical data in abbreviated form to be used in association with airspace classification symbols:
127	Alternative		

AIRSPACE RESTRICTIONS

128	Restricted airspace (prohibited, restricted or danger area)		Common boundary of two areas	
<i>Note.— The angle and density of rulings may be varied according to scale and the size, shape and orientation of the area.</i>				
129	International boundary closed to passage of aircraft except through air corridor			

OBSTACLES

130	Obstacle		134	Exceptionally high obstacle (optional symbol)	
131	Lighted obstacle		135	Exceptionally high obstacle – lighted (optional symbol)	
132	Group obstacles		<i>Note.— For obstacles having a height of the order of 300 m (1 000 ft) above terrain.</i>		
133	Lighted group obstacles		136	Elevation of top (italics) Height above specified datum (upright type in parentheses)	

MISCELLANEOUS

137	Prominent transmission line		140	Wind turbine – unlighted and lighted	
138	Isogonic line or isogonal		141	Wind turbines – minor group and group in major area, lighted	
139	Ocean station vessel (normal position)				

VISUAL AIDS

142	Marine light <i>Note 2.— Characteristics are to be indicated as follows:</i>	Alt B F	Alternating Blue Fixed	F	<i>Note 1.— Marine alternating lights are red and white unless otherwise indicated. Marine lights are white unless colours are stated.</i>				
				Fl G Gp	Flashing Green Group	Occ R SEC	Occulting Red Sector	sec (U) W	Second Unwatched White
143	Aeronautical ground light		Electronic 	144	Lightship				

SYMBOLS FOR AERODROME/HELIPORT CHARTS

145	Hard surface runway		154	Point light	
146	Pierced steel plank or steel mesh runway		155	Obstacle light	
147	Unpaved runway		156	Landing direction indicator (lighted)	
148	Stopway SWY		157	Landing direction indicator (unlighted)	
149	Taxiways and parking areas		158	Stop bar	
150	Helicopter alighting area on an aerodrome		159	Runway-holding position <i>Note.—For application, see Annex 14, Volume I, 5.2.10.</i>	Pattern A Pattern B
151	Aerodrome reference point ARP		160	Intermediate holding position <i>Note.—For application, see Annex 14, Volume I, 5.2.11.</i>	
152	VOR check-point		161	Hot spot <i>Note.—Hot spot location to be circled.</i>	
153	Runway visual range (RVR) observation site				

SYMBOLS FOR AERODROME OBSTACLE CHARTS - TYPE A, B AND C

	Plan	Profile		Plan	Profile
162	Tree or shrub		167	Terrain penetrating obstacle plane	
163	Pole, tower, spire, antenna, etc.		168	Escarpment	
164	Building or large structure		169	Stopway SWY	
165	Railroad		170	Clearway CWY	
166	Transmission line or overhead cable				

ADDITIONAL SYMBOLS FOR USE ON PAPER AND ELECTRONIC CHARTS

PLAN VIEW		Electronic
171	Minimum sector altitude <i>Note.— This symbol may be modified to reflect particular sector shapes.</i>	MSA
172	Terminal arrival altitude <i>Note.— This symbol may be modified to reflect particular TAA shapes.</i>	TAA
173	Holding pattern	
174	Missed approach track	

PROFILE

175	Runway	
176	Radio navigation aid (type of aid and its use in the procedure to be annotated on top of the symbol)	
177	Radio marker beacon (type of beacon to be annotated on top of the symbol)	
178	Collocated radio navigation aid and marker beacon (type of aid to be annotated on top of the symbol)	
179	DME fix (distance from DME and the fix use in the procedure to be annotated on top of the symbol)	
180	Collocated DME fix and marker beacon (distance from DME and the type of beacon to be annotated on top of the symbol)	