[별표 3] 마약 종류


가. 「마약류 관리에 관한 법률」 률 제2조제2호가목~다목에 해당하는 마약

순번	품명	정 의
1	양귀비	양귀비과(科)의 파파베르 솜니페룸 엘(Papaver somniferum L.), 파파베르 세티게룸 디시(Papaver setigerum DC.) 또는 파파베르 브락테아툼(Papaver bracteatum)
2	아편	양귀비의 액즙(液汁)이 응결(凝結)된 것과 이를 가공한 것. 다만, 의약품으로 가공한 것은 제외
3	코카엽	코카 관목[(灌木): 에리드록시론속(屬)의 모든 식물을 말한다]의 잎. 다만, 엑고닌·코카인 및 엑고닌 알칼로이드 성분이 모두 제거된 잎은 제외

나. 「마약류 관리에 관한 법률」 제2조제2호라목에 해당하는 마약


법 제2조제2호라목에 해당하는 마약은 다음의 것과 그 염류로 한다.

구분	품명	화학명 또는 구조식
1	아세토르핀(Acetorphine)	(5α,7α)-7-[(2R)-2-hydroxy-2-pentanyl]-6-methoxy-17-methyl-4,5-epoxy-6,14-ethenomorphinan-3-yl acetate

<table>
<tr><td>2</td><td>벤질모르핀(Benzylmorphine)</td><td>(5α,6α)-3-(benzyloxy)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-ol</td></tr>
<tr><td>3</td><td>코카인(Cocaine)</td><td>methyl-(1R,2R,3S,5S)-3-(benzoyloxy)-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylate</td></tr>
<tr><td>4</td><td>코독심(Codoxime)</td><td>({(E)-[(5α,6E)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-ylidene]amino}oxy)acetic acid</td></tr>
<tr><td>5</td><td>데소모르핀(Desomorphine)</td><td>(5α)-17-methyl-4,5-epoxymorphinan-3-ol</td></tr>
<tr><td>6</td><td>디히드로모르핀(Dihydromorphine)</td><td>(5α,6α)-17-methyl-4,5-epoxymorphinan-3,6-diol</td></tr>
<tr><td>7</td><td>엑고닌(Ecgonine) 및 그 유도체. 다만, 별표 1부터 별표 6까지에서 별도로 규정한 엑고닌 유도체는 제외한다.</td><td>Ecgonine: (1R,2R,3S,5S)-3-hydroxy-8-methyl-8-azabicyclo [3.2.1]octane-2-carboxylic acid
아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질
<table><tr><th>기본구조</th><th>R</th></tr><tr><td>  </td><td>○ R1: 알킬옥시[a], OH, NH2, 알킬아민[a]
○ R2: 수소, 알킬기[a], 아실기[a]
○ R3: 수소, 알킬기[a]
※ a: R에 규정된 것에 결합 가능한 작용기를 포함</td></tr></table></td></tr>
<tr><td>8</td><td>에토르핀(Etorphine)</td><td>(5α,6β,14β,18R)-18-[(2R)-2-hydroxy-2-pentanyl]-6-methoxy-17-methyl-7,8-didehydro-18,19-dihydro-4,5-epoxy-6,14-ethenomorphinan-3-ol</td></tr>
<tr><td>9</td><td>헤로인(Heroin)</td><td>(5α,6α)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diyl diacetate</td></tr>
<tr><td>10</td><td>히드로코돈(Hydrocodone)</td><td>(5α)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-one</td></tr>
</table>

11	히드로모르피놀 (Hydromorphinol)	(5α,6α)-17-methyl-4,5-epoxymorphinan-3,6,14-triol
12	히드로모르폰(Hydromorphone)	(5α)-3-hydroxy-17-methyl-4,5-epoxymorphinan-6-one
13	메틸데소르핀 (Methyldesorphine)	(5α)-6,17-dimethyl-6,7-didehydro-4,5-epoxymorphinan-3-ol
14	메틸디히드로모르핀 (Methyldihydromorphine)	(5α,6α)-6,17-dimethyl-4,5-epoxymorphinan-3,6-diol
15	메토폰(Metopon)	3-Hydroxy-5,17-dimethyl-4,5-epoxymorphinan-6-one
16	모르핀(Morphine)	(5α,6α)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diol
17	모르핀-엔-옥사이드 (Morphine-N-Oxide)	(1S,4R,5R,13R,14S,17R)-4-methyl-12-oxa-4-azapentacyclo[9.6.1.$0^{1,13}$.$0^{5,17}$.$0^{7,18}$]octadeca-7(18),8,10,15-tetraene-10,14-diol 4-oxide
18	미로핀(Myrophine)	(5α,6α)-3-(benzyloxy)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-yl myristate
19	니코디코딘(Nicodicodine)	3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl nicotinate
20	니코모르핀(Nicomorphine)	(5α,6α)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diyl dinicotinate
21	노르모르핀(Normorphine)	(5α,6α)-7,8-didehydro-4,5-epoxymorphinan-3,6-diol

22	옥시코돈(Oxycodone)	(5α)-14-hydroxy-3-methoxy-17-methyl-4,5-epoxymorphinan-6-one
23	옥시모르폰(Oxymorphone)	(5α)-3,14-dihydroxy-17-methyl-4,5-epoxymorphinan-6-one
24	테바콘(Thebacon)	(5α)-3-methoxy-17-methyl-6,7-didehydro-4,5-epoxymorphinan-6-yl acetate
25	테바인(Thebaine)	(5α)-3,6-dimethoxy-17-methyl-6,7,8,14-tetradehydro-4,5-epoxymorphinan
26	아세틸디히드로코데인(Acetyldihydrocodeine)	(5α,6α)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl acetate
27	코데인(Codeine)	(5α,6α)-3-methoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-ol
28	디히드로코데인(Dihydrocodeine)	(5α,6α)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-ol
29	에틸모르핀(Ethylmorphine)	(5α,6α)-3-ethoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-ol
30	니코코딘(Nicocodine)	(5α,6α)-3-methoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-yl nicotinate
31	노르코데인(Norcodeine)	(5α,6α)-3-methoxy-7,8-didehydro-4,5-epoxymorphinan-6-ol
32	폴코딘(Pholcodine)	(5α,6

		α)-17-methyl-3-[2-(4-morpholinyl)ethoxy]-7 ,8-didehydro-4,5-epoxymorphinan-6-ol
33	엔-옥사이드 또는 4급 암모늄 구조를 가지는 모르핀 유도체. 다만, 별표 1부터 별표 6까지에서 별도로 규정한 것은 제외한다.	아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 모르핀 유도체 기본구조:  R: ○O^- ○메틸
34	디히드로에토르핀 (Dihydroetorphine)	(5α,6β,14β,18R)-18-[(2R)-2-hydroxy-2-pentanyl]-6-methoxy-17-methyl-18,19-dihydro-4,5-epoxy-6,14-ethenomorphinan-3-ol
35	오리파빈(Oripavine)	6,7,8,14-Tetradehydro-4,5α-epoxy-6-methoxy-17-methylmorphinan-3-ol

다. 「마약류 관리에 관한 법률」 제2조제2호마목에 해당하는 마약

법 제2조제2호마목에 해당하는 마약은 다음의 것과 그 염류로 한다.

구분	품명	화학명
1	아세틸메타돌(Acetylmethadol)	6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
2	알릴프로딘(Allylprodine)	3-allyl-1-methyl-4-phenyl-4-piperidinyl propionate
3	알파세틸메타돌 (Alphacetylmethadol)	(3R,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
4	알파메프로딘(Alphameprodine)	(3R,4S)-3-ethyl-1-methyl-4-phenyl-4-piperidinyl propionate
5	알파메타돌(Alphamethadol)	(3R,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanol
6	알파프로딘(Alphaprodine)	(3R,4S)-1,3-dimethyl-4-phenyl-4-piperidinyl propionate
7	아닐레리딘(Anileridine)	ethyl 1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidine-4-carboxylate

8	벤제티딘(Benzethidine)	ethyl 1-[2-(benzyloxy)ethyl]-4-phenyl-4-piperidinecarboxylate
9	베타세틸메타돌(Betacetylmethadol)	(3S,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
10	베타메프로딘(Betameprodine)	(3R,4R)-3-ethyl-1-methyl-4-phenyl-4-piperidinyl propionate
11	베타메타돌(Betamethadol)	(3S,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanol
12	베타프로딘(Betaprodine)	(3R,4R)-1,3-dimethyl-4-phenyl-4-piperidinyl propionate
13	베지트라미드(Bezitramide)	4-[4-(2-oxo-3-propionyl-2,3-dihydro-1H-benzimidazol-1-yl)-1-piperidinyl]-2,2-diphenylbutanenitrile
14	클로니타젠(Clonitazene)	2-[2-(4-chlorobenzyl)-5-nitro-1H-benzimidazol-1-yl]-N,N-diethylethanamine
15	덱스트로모라미드(Dextromoramide)	(3S)-3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
16	디암프로미드(Diampromide)	N-{2-[methyl(2-phenylethyl)amino]propyl}-N-phenylpropanamide
17	디에틸티암부텐(Diethylthiambutene)	N,N-diethyl-4,4-di(2-thienyl)-3-buten-2-amine
18	디메녹사돌(Dimenoxadol)	2-(dimethylamino)ethylethoxy(diphenyl)acetate
19	디메펩타놀(Dimepheptanol)	6-(dimethylamino)-4,4-diphenyl-3-heptanol
20	디메틸티암부텐(Dimethylthiambutene)	N,N-dimethyl-4,4-di(2-thienyl)-3-buten-2-amine
21	디옥사페틸부티레이트(Dioxaphetylbutyrate)	ethyl 4-(4-morpholinyl)-2,2-diphenylbutanoate
22	디페녹실레이트(Diphenoxylate)	ethyl 1-(3-cyano-3,3-diphenylpropyl)-4-phenyl-4-piperidinecarboxylate
23	디피파논(Dipipanone)	4,4-diphenyl-6-(1-piperidinyl)-3-heptanone
24	에틸메틸티암부텐(Ethylmethylthiambutene)	N-ethyl-N-methyl-4,4-di(2-thienyl)-3-buten-2-amine
25	에토니타젠(Etonitazene)	2-[2-(4-ethoxybenzyl)-5-nitro-1H-benzimidazol-1-yl]-N,N-diethylethanamine

26	에톡세리딘(Etoxeridine)	ethyl 1-[2-(2-hydroxyethoxy)ethyl]-4-phenyl-4-piperidinecarboxylate
27	펜타닐(Fentanyl)	N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]propanamide
28	푸레티딘(Furethidine)	ethyl 4-phenyl-1-[2-(tetrahydro-2-furanylmethoxy)ethyl]-4-piperidinecarboxylate
29	히드록시페티딘 (Hydroxypethidine)	ethyl 4-(3-hydroxyphenyl)-1-methyl-4-piperidinecarboxylate
30	이소메타돈(Isomethadone)	6-(dimethylamino)-5-methyl-4,4-diphenyl-3-hexanone
31	케토베미돈(Ketobemidone)	1-[4-(3-hydroxyphenyl)-1-methyl-4-piperidinyl]-1-propanone
32	레보메토르판(Levomethorphan)	3-methoxy-17-methylmorphinan
33	레보모라미드(Levomoramide)	(3R)-3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
34	레보페나실모르판 (Levophenacylmorphan)	2-(3-hydroxymorphinan-17-yl)-1-phenylethanone
35	레보르파놀(Levorphanol)	17-methylmorphinan-3-ol
36	메타조신(Metazocine)	1,10,13-trimethyl-10-azatricyclo[7.3.1.02,7]trideca-2,4,6-trien-4-ol
37	메타돈(Methadone)	6-(dimethylamino)-4,4-diphenyl-3-heptanone
38	메타돈 제조중간체 (Methadone Intermediate)	4-(dimethylamino)-2,2-diphenylpentanenitrile
39	모라미드 제조중간체 (Moramide Intermediate)	3-methyl-4-(4-morpholinyl)-2,2-diphenylbutanoic acid
40	모르페리딘(Morpheridine)	ethyl 1-[2-(4-morpholinyl)ethyl]-4-phenyl-4-piperidinecarboxylate
41	노라시메타돌(Noracymethadol)	6-(methylamino)-4,4-diphenyl-3-heptanyl acetate
42	노르레보르파놀 (Norlevorphanol)	morphinan-3-ol
43	노르메타돈(Normethadone)	6-(dimethylamino)-4,4-diphenyl-3-hexanone

44	노르피파논(Norpipanone)	4,4-diphenyl-6-(1-piperidinyl)-3-hexanone
45	페티딘(Pethidine)	ethyl 1-methyl-4-phenyl-4-piperidine carboxylate
46	페티딘 제조중간체 에이 (Pethidine Intermediate A)	1-methyl-4-phenyl-4-piperidinecarbonitrile
47	페티딘 제조중간체 비 (Pethidine Intermediate B)	ethyl 4-phenyl-4-piperidinecarboxylate
48	페티딘 제조중간체 시 (Pethidine Intermediate C)	1-methyl-4-phenyl-4-piperidinecarboxylic acid
49	페나독손(Phenadoxone)	6-(4-morpholinyl)-4,4-diphenyl-3-heptanone
50	페남프로미드(Phenampromide)	N-phenyl-N-[1-(1-piperidinyl)-2-propanyl]propanamide
51	페나조신(Phenazocine)	(1R,9R,13R)-1,13-dimethyl-10-(2-phenylethyl)-10-azatricyclo[7.3.1.02,7]trideca-2,4,6-trien-4-ol
52	페노모르판(Phenomorphan)	17-(2-phenylethyl)morphinan-3-ol
53	페노페리딘(Phenoperidine)	ethyl 1-(3-hydroxy-3-phenylpropyl)-4-phenyl-4-piperidinecarboxylate
54	피미노딘(Piminodine)	ethyl 1-(3-anilinopropyl)-4-phenyl-4-piperidinecarboxylate
55	피리트라미드(Piritramide)	1'-(3-cyano-3,3-diphenylpropyl)-1,4'-bipiperidine-4'-carboxamide
56	프로헵타진(Proheptazine)	1,3-dimethyl-4-phenyl-4-azepanyl propionate
57	프로페리딘(Properidine)	isopropyl 1-methyl-4-phenyl-4-piperidinecarboxylate
58	라세메토르판(Racemethorphan)	(9α,13α,14α)-3-methoxy-17-methylmorphinan hydrobromide hydrate
59	라세모라미드(Racemoramide)	3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
60	라세모르판(Racemorphan)	17-methylmorphinan-3-ol
61	트리메페리딘(Trimeperidine)	1,2,5-trimethyl-4-phenyl-4-piperidinyl propionate
62	프로피람(Propiram)	N-[1-(1-piperidinyl)-2-propanyl]-N-(2-pyridinyl)propanamide

63	드로테바놀(Drotebanol)	3,4-dimethoxy-17-methylmorphinan-6,14-diol
64	디페녹신(Difenoxin)	1-(3-cyano-3,3-diphenylpropyl)-4-phenyl-4-piperidinecarboxylic acid
65	알펜타닐(Alfentanil)	N-{1-[2-(4-ethyl-5-oxo-4,5-dihydro-1H-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidinyl}-N-phenylpropanamide
66	틸리딘(Tilidine)	ethyl (1S,2R)-2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate
67	프로폭시펜(Propoxyphene)	4-(dimethylamino)-3-methyl-1,2-diphenyl-2-butanyl propionate
68	아세틸-알파-메틸펜타닐 (Acetyl-*alpha*-methyl-fentanyl)	N-phenyl-N-[1-(1-phenyl-2-propanyl)-4-piperidinyl]acetamide
69	알파-메틸펜타닐 (*Alpha*-methylfentanyl)	N-phenyl-N-[1-(1-phenyl-2-propanyl)-4-piperidinyl]propanamide
70	3-메틸펜타닐 (3-Methylfentanyl)	N-[3-methyl-1-(2-phenylethyl)-4-piperidinyl]-N-phenylpropanamide
71	수펜타닐(Sufentanil)	N-{4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidinyl}-N-phenylpropanamide
72	피이피에이피(PEPAP)	4-phenyl-1-(2-phenylethyl)-4-piperidinyl acetate
73	엠피피피(MPPP)	1-(4-methylphenyl)-2-(1-pyrrolidinyl)-1-propanone
74	레미펜타닐(Remifentanil)	methyl 1-(3-methoxy-3-oxopropyl)-4-[phenyl(propionyl)amino]-4-piperidinecarboxylate
75	타펜타돌(Tapentadol)	3-[(2R,3R)-1-(dimethylamino)-2-methyl-3-pentanyl]phenol
76	티오펜타닐(Thiofentanyl)	N-phenyl-N-{1-[2-(2-thienyl)ethyl]-4-piperidinyl}propanamide
77	3-메틸티오펜타닐 (3-Methylthiofentanyl)	N-{3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidinyl}-N-phenylpropanamide
78	알파-메틸티오펜타닐 (*Alpha*-methylthiofentanyl)	N-phenyl-N-{1-[1-(2-thienyl)-2-propanyl]-4-piperidinyl}propanamide
79	베타-히드록시-3메틸펜타닐 (*Beta*-hydroxy-3-methylfentan	N-[1-(2-hydroxy-2-phenylethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide

	yl)	
80	베타-히드록시펜타닐 (*Beta*-hydroxyfentanyl)	N-[1-(2-hydroxy-2-phenylethyl)-4-piperidinyl]-N-phenylpropanamide
81	파라-플루오로펜타닐 (*Para*-fluorofentanyl)	N-(4-fluorophenyl)-N-[1-(2-phenylethyl)-4-piperidinyl]propanamide
82	아세틸펜타닐(Acetylfentanyl)	(N-(1-Phenethylpiperidin-4-yl)-N-phenylacetamide))
83	에이에이치-7921(AH-7921)	3,4-dichloro-N-((1-dimethylamino)cyclohexylmethyl)benzamide
84	부티르펜타닐 (Butyrfentanyl)	N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]butanamide
85	카르펜타닐(Carfentanil)	methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate
86	푸라닐펜타닐 (Furanylfentanyl)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide
87	옥펜타닐(Ocfentanil)	N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide
88	아크릴펜타닐(Acrylfentanyl)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide
89	4-플루오로이소부티르펜타닐 (4-Fluoroisobutyrfentanyl, 4-FIBF)	N-(4-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide
90	테트라히드로푸라닐펜타닐 (Tetrahydrofuranylfentanyl, THF-F)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]oxolane-2-carboxamide
91	유-47700(U-47700)	3,4-dichloro-N-(2-dimethylamino-cyclohexyl)-N-methyl-benzamide