Customer Service – API Endpoint Listing

Overview

This document lists all API endpoints required by the **Customer Service Representative Interface** and maps each one to its corresponding **database tables**.
The endpoints support the key customer support and issue resolution functions:

- Order search and tracking assistance (US15)
- Communication with customers and carriers (US16)
- Exception and issue management (US17)
- Dashboard and KPI monitoring for service performance (US18)

---

1. Order Search & Information Access

Method	Endpoint	Description	Main Tables
GET	`/orders/search?query=<term>`	Search orders by number, tracking number, customer name, email, or phone.	`orders`, `customers`, `tracking_events`
GET	`/orders/{id}`	Retrieve detailed order information (customer details, carrier, tracking, etc.).	`orders`, `customers`, `carriers`, `tracking_events`
GET	`/orders/{id}/tracking`	Retrieve full tracking history and events for a specific order.	`tracking_events`, `orders`, `carriers`
GET	`/customers/{id}/orders`	List all orders placed by a specific customer.	`orders`, `customers`
GET	`/customers/{id}`	Retrieve customer profile, contact info, and order history summary.	`customers`, `orders`

PROF

2. Exception Management

Method	Endpoint	Description	Main Tables
GET	`/delivery-exceptions?status=<status>&priority=<priority>&assigned_to=<user_id>`	List delivery exceptions filtered by status, severity, or assignment (CSR queue).	`delivery_exceptions`, `orders`, `customers`, `users`

Method	Endpoint	Description	Main Tables
GET	`/delivery-exceptions/{id}`	Retrieve full details of a specific exception (type, order, tracking, customer).	`delivery_exceptions`, `orders`, `tracking_events`, `drivers`
PATCH	`/delivery-exceptions/{id}`	Update exception details (status, priority, assigned CSR, resolution notes).	`delivery_exceptions`, `users`, `audit_logs`
POST	`/delivery-exceptions/{id}/contact-carrier`	Log a carrier contact action related to the exception.	`delivery_exceptions`, `notification_logs`, `carriers`
POST	`/delivery-exceptions/{id}/contact-customer`	Send an update message/email to the customer about an active exception.	`notification_logs`, `customers`, `delivery_exceptions`
POST	`/delivery-exceptions/{id}/reschedule-delivery`	Reschedule the delivery for an exception case (e.g., missed delivery).	`delivery_manifests`, `orders`, `delivery_exceptions`
POST	`/delivery-exceptions/{id}/request-return`	Initiate a return workflow for a failed or damaged delivery.	`orders`, `delivery_exceptions`, `audit_logs`
POST	`/delivery-exceptions/{id}/close`	Close an exception after resolution (final status update).	`delivery_exceptions`, `audit_logs`

PROF

4. Dashboard & Service KPIs

Method	Endpoint	Description	Main Tables
GET	`/dashboard/exceptions/summary`	Retrieve key metrics for exception handling (new today, pending, resolved, avg. resolution time).	`delivery_exceptions`, `kpi_metrics`

Method	Endpoint	Description	Main Tables
GET	`/dashboard/alerts`	Get list of overdue or high-severity exceptions requiring attention.	`delivery_exceptions`
GET	`/dashboard/my-cases`	Retrieve exceptions currently assigned to the logged-in CSR.	`delivery_exceptions`, `users`