

# "Hulan"

# **BLE GATT profiles**

| Project    |                                      |
|------------|--------------------------------------|
| Category   | Protocol documentation               |
| Title      | VT_HULPIL_20210625_BLE_GATT_PROFILES |
| Version    | 0.3                                  |
| Auteur     | Jeroen Reeskamp                      |
| Company    | Vention Technologies                 |
| Last saved |                                      |

| Version | Date       | Author          | Description                   |
|---------|------------|-----------------|-------------------------------|
| 0.1     | 25-06-2021 | Jeroen Reeskamp | Document creation             |
| 0.2     | 20-10-2021 | Jeroen Reeskamp | Added charging characteristic |
| 0.3     | 11-11-2021 | Jeroen Reeskamp | Added command service         |
|         |            |                 |                               |
|         |            |                 |                               |
|         |            |                 |                               |
|         |            |                 |                               |

## Contents

| G | ATT Services             | 2 |
|---|--------------------------|---|
|   | BAS (battery)            | 2 |
|   | DIS (device information) | 2 |
|   | Hulan Pressure Service   | 2 |
|   | Charge Service           | 2 |
|   | Command Service          | 4 |



#### **GATT Services**

### BAS (battery)

Generic service for monitoring battery state.

https://www.bluetooth.com/specifications/specs/battery-service-1-0/

Service\_UUID: 180f

Battery level: 2a19
1 Byte | Read & Notify

uint8\_t battery\_level:

o **0-100** 

#### DIS (device information)

Generic service for providing device information.

https://www.bluetooth.com/specifications/specs/device-information-service-1-1/

Service UUID: 180a

Model number: 2a24
String | Read
Manufacturer name: 2a29

String | Read
Firmware version: 2a26
String | Read
Hardware version: 2a27

String | Read

#### **Hulan Pressure Service**

Service\_UUID: 579ba43d-a351-463d-92c7-911ec1b54e35

Pressure characteristic: 1470ca75-5d7e-4e16-a70d-d1476e8d0c6f

1 byte | Read & Notify

uint8\_t pressure:

o **0-255** 

## Charge Service

Service\_UUID: 044402a3-f8b4-479a-b995-63e99acb2735

**READ, NOTIFY** 

Charge characteristic: 22feb891-0057-4a3e-af5b-ec769849077c

1 byte | Read & Notify

uint8\_t charging:

o 0: Pre charge

o 1: Fast charge

2: Charge done

3: Sleep mode (not charging)





#### **Command Service**

Service\_UUID: 6acccabd-1728-4697-9b4a-bf25ecca14aa

Command characteristic: a9147e1f-e91f-4a02-b6e4-2869e0fe69bb

#### 1 to 5 byte | Write

- uint8\_t command\_id:
  - o 0x01: max pressure value
  - o 0x0F: turn device off
- uint8\_t[] command\_data:
  - o []: data