```
#include<iostream.h>
#include<conio.h>
//using multilevel inheritance
class tourism //base class//1 member function
        public:
        void input()
           cout<<"-----
-----"<<endl;
            cout<<"
                             Project Name: Tourism Management
"<<endl;
            cout<<"-----
-----"<<endl;
            cout<<" "<<endl;
   cout<<"****************
cout<<"
                                Welcome to Manav Tours And
Travels
                      "<<endl;
    cout<<"****************
cout<<" "<<endl;</pre>
            cout<<"----Information About The Holiday
Packages And Prices-----"<<endl;
            cout<<" "<<endl;</pre>
            cout<<"-----Rules and
Regulations-----"<<endl;</pre>
            cout<<"Timings on which booking is available everyday</pre>
except sunday's:8 a.m - 8 p.m"<<endl;
            cout<<" "<<endl;
            cout<<"If You Want To Cancel Your Bookings, You Can</pre>
Cancel It Anytime But 1200 Rupees would be charged as your cancellation
charge"<<endl;</pre>
    };
class tourists:public tourism
        public:
        int n, adults, childrens;
        void details()
            {
                cout<<" "<<endl;</pre>
                cout<<"
                                         Tourist
Information
                           "<<endl;
    cout<<"*****************
cout<<"Please enter the number of passengers:</pre>
"<<endl;
                cin>>n;
                cout<<"Please enter the number of adults: "<<endl;</pre>
                cin>>adults;
```

```
cout<<"Please enter the number of childrens:</pre>
"<<endl;
                     cin>>childrens;
                          if((adults+childrens)==n)
                                    cout << "Please fill in the details
below"<<endl;
                          else
                                    cout<<"Please check the number of</pre>
passengers"<<endl;</pre>
               }
          char name[20], username[50], add[50], dob[50];
          int age,phoneno,x;
          void getdata()
               {
                     cout<<"Please Enter Your Name:"<<endl;</pre>
                     cin>>name;
                     cout<<"Please Enter Your Username:"<<endl;</pre>
                     cin>>username;
                     cout << "Please Enter Your Date Of Birth in (dd-mm-
yyyy) format:";
                     cin>>dob;
                     cout<<"Please Enter Your Age:";</pre>
                     cin>>age;
                     cout<<"Please Enter Your Phone Number:";</pre>
                     cin>>phoneno;
                     cout<<"Please Enter Your Home Address:";</pre>
                     cin>>add;
                    cout<<" "<<endl;
                     cout<<"***********Thank
cout<<" "<<endl;
               }
          void display()
               {
                    cout<<" "<<endl;
                    cout<<"-----
-----"<<endl;
                    cout<<"***********************Information Of The
cout<<"-----
 -----"<<endl;
                    cout<<"Name:"<<name<<endl;</pre>
                     cout<<"Username:"<<username<<endl;</pre>
                     cout<<"Date Of Birth:"<<dob<<endl;</pre>
                     cout<<"Age:"<<age<<endl;</pre>
                     cout<<"Phone Number:"<<phoneno<<endl;</pre>
                     cout<<"Home Address:"<<add<<endl;</pre>
                     cout<<"**********You have successfully
cout<<" "<<endl;</pre>
               }
          void choose()
               {
                     cout<<"Select your Preference:"<<endl;</pre>
```

```
cout<<"1.International Packages"<<endl;</pre>
                      cout<<"2.Domestic Packages"<<endl;</pre>
                      cin>>x;
                            if(x==1)
                                  int op;
                                  float price;
                                  cout<<" "<<endl;</pre>
                                  cout<<"-----
-----"<<endl;
                                  cout<<"1.Dubai"<<endl;</pre>
                                  cout<<"Price For Dubai</pre>
Package: " < < 60000 < < endl;
                                 cout<<"price=60000"<<endl;</pre>
                                  cout<<"2.USA"<<endl;</pre>
                                  cout<<"Price For USA
Package: " << 75000 << endl;
                                  cout<<"price=75000"<<endl;</pre>
                                  cout<<"3.France"<<endl;</pre>
                                  cout<<"Price For France</pre>
Package: " < < 80000 < < endl;
                                  cout<<"price=80000"<<endl;</pre>
                                  cout<<"4.Greece"<<endl;</pre>
                                  cout<<"Price For Greece
Package: "<<85000<<endl;
                                  cout<<"price=85000"<<endl;</pre>
                                  cout<<"5.Switzerland"<<endl;</pre>
                                  cout<<"Price For Switzerland</pre>
Package: "<<75000<<endl;
                                  cout<<"price=75000"<<endl;</pre>
                                  cout<<"-----
-----"<<endl;
                                  cout<<"Please Select Any Of The Package</pre>
Of Your Choice:";
                                  cin>>op;
                                       if((op==1) || (op==2) || (op==3)
| | (op==4) | | (op==5) |
                                                   cout<<"You Have
Selected The Package Of "<<op<<endl;
                                       else
                                                   cout<<"Please Enter a</pre>
Valid Choice" << endl;
     cout<<"1.Dubai"<<endl;</pre>
                                                   cout<<"Price For
Dubai Package:"<<60000<<endl;</pre>
     cout<<"price=60000"<<endl;</pre>
                                                   cout<<"2.USA"<<endl;</pre>
                                                   cout<<"Price For USA
Package: "<<75000<<endl;
     cout<<"price=75000"<<endl;</pre>
```

```
cout<<"3.France"<<endl;</pre>
                                                  cout<<"Price For
France Package:"<<80000<<endl;</pre>
     cout<<"price=80000"<<endl;</pre>
     cout<<"4.Greece"<<endl;</pre>
                                                  cout<<"Price For
Greece Package:"<<85000<<endl;</pre>
     cout<<"price=85000"<<endl;</pre>
     cout<<"5.Switzerland"<<endl;</pre>
                                                  cout<<"Price For
Switzerland Package: "<<75000<<endl;
     cout<<"price=75000"<<endl;</pre>
                                                  cout<<"-----
 -----"<<endl;
                                                  cout<<"Please Select</pre>
Any Of The Package Of Your Choice:";
                                                  cin>>op;
                                                       if((op==1) ||
(op==2) \mid \mid (op==3) \mid \mid (op==4) \mid \mid (op==5))
     cout<<"You Have Selected The Package Of "<<op<<endl;</pre>
                                       cout<<" "<<endl;
                            else if (x==2)
                                       int op;
                                       float price;
                                       cout<<" "<<endl;</pre>
     cout<<"-----
 ------"<<endl;
                                       cout<<"1.Rajasthan"<<endl;</pre>
                                       cout << "Price For Rajasthan
Package: " < < 6000 < < endl;
                                       cout<<"price=6000"<<endl;</pre>
                                       cout<<"2.Goa"<<endl;</pre>
                                       cout<<"Price For Goa
Package:"<<7500<<endl;</pre>
                                       cout<<"price=7500"<<endl;</pre>
                                       cout << "3. Jammu and
Kashmir"<<endl;</pre>
                                       cout << "Price For Jammu and
Kashmir Package:"<<8000<<endl;</pre>
                                       cout<<"price=8000"<<endl;</pre>
                                       cout<<"4.Delhi and Agra"<<endl;</pre>
                                       cout << "Price For Delhi and Agra
Package: " < < 6500 < < endl;
```

```
cout<<"price=6500"<<endl;</pre>
                                           cout<<"5.Kerala"<<endl;</pre>
                                           cout << "Price For Kerala
Package:"<<5500<<endl;</pre>
                                          cout<<"price=5500"<<endl;</pre>
                                           cout<<"-----
----------
                                          cout<<"Please Select Any Of The</pre>
Package Of Your Choice:";
                                          cin>>op;
                                                 if((op==1) || (op==2) ||
(op==3) \mid \mid (op==4) \mid \mid (op==5))
                                                             cout<<"You Have
Selected The Package Of Your Destination Choice "<<op<<endl;
                                                 else
                                                             cout<<"Please
Enter a Valid Choice"<<endl;</pre>
     cout<<"1.Rajasthan"<<endl;</pre>
                                                             cout<<"Price For
Rajasthan Package:"<<6000<<endl;</pre>
      cout<<"price=6000"<<endl;</pre>
      cout<<"2.Goa"<<endl;</pre>
                                                             cout<<"Price For
Goa Package:"<<7500<<endl;</pre>
      cout<<"price=7500"<<endl;</pre>
                                                             cout<<"3.Jammu
and Kashmir"<<endl;
                                                             cout<<"Price For
Jammu and Kashmir Package:"<<8000<<endl;</pre>
      cout<<"price=8000"<<endl;</pre>
                                                             cout<<"4.Delhi
and Agra"<<endl;
                                                             cout<<"Price For
Delhi and Agra Package: "<<6500<<endl;
      cout<<"price=6500"<<endl;</pre>
      cout<<"5.Kerala"<<endl;</pre>
                                                             cout<<"Price For
Kerala Package:"<<5500<<endl;</pre>
      cout<<"price=5500"<<endl;</pre>
                                                             cout<<"----
-----"<<endl;
                                                             cout<<"Please
Select Any Of The Package Of Your Choice:";
                                                             cin>>op;
                                                                   if((op==1)
| | (op==2) | | (op==3) | | (op==4) | | (op==5) |
                                                                          {
```

```
"<<op<<endl;
                                                                       }
                                               cout<<" "<<endl;</pre>
                             else
                                         cout<<"Invalid Choice"<<endl;</pre>
                                         cout<<"Select your</pre>
Prefernce: " << endl;
                                         cout<<"1.International</pre>
Packages"<<endl;</pre>
                                         cout << "2.Domestic
Packages"<<endl;
                                         cin>>x;
                                               if(x==1)
                                                     {
                                                           int op;
                                                           float price;
                                                           cout<<" "<<endl;</pre>
      cout<<"----
---"<<endl;
     cout<<"1.Dubai"<<endl;</pre>
                                                          cout<<"Price For
Dubai Package:"<<60000<<endl;</pre>
     cout<<"price=60000"<<endl;</pre>
     cout<<"2.USA"<<endl;</pre>
                                                           cout<<"Price For
USA Package:"<<75000<<endl;
     cout<<"price=75000"<<endl;</pre>
     cout<<"3.France"<<endl;</pre>
                                                           cout<<"Price For
France Package: "<<80000<<endl;
     cout<<"price=80000"<<endl;</pre>
     cout<<"4.Greece"<<endl;</pre>
                                                           cout<<"Price For
Greece Package:"<<85000<<endl;</pre>
     cout<<"price=85000"<<endl;</pre>
     cout<<"5.Switzerland"<<endl;</pre>
                                                           cout<<"Price For
Switzerland Package: "<<75000<<endl;
     cout<<"price=75000"<<endl;</pre>
```

cout<<"You Have Selected The Package Of Your Destination Choice

```
cout<<"----
 -----"<<endl;
                                                            cout<<"Please
Select Any Of The Package Of Your Choice:";
                                                            cin>>op;
                                                                  if((op==1)
|| (op==2) || (op==3) || (op==4) || (op==5))
                                                                        {
      cout<<"You Have Selected The Package Of "<<op<<endl;</pre>
                                                                  else
                                                                        {
      cout<<"Please Enter a Valid Choice"<<endl;</pre>
     cout<<"1.Dubai"<<endl;</pre>
     cout<<"Price For Dubai Package:"<<60000<<endl;</pre>
     cout<<"price=60000"<<endl;</pre>
      cout << "2.USA" << endl;
     cout<<"Price For USA Package:"<<75000<<endl;</pre>
      cout<<"price=75000"<<endl;</pre>
     cout<<"3.France"<<endl;</pre>
     cout<<"Price For France Package:"<<80000<<endl;</pre>
     cout<<"price=80000"<<endl;</pre>
      cout<<"4.Greece"<<endl;</pre>
     cout<<"Price For Greece Package:"<<85000<<endl;</pre>
      cout<<"price=85000"<<endl;</pre>
     cout<<"5.Switzerland"<<endl;</pre>
      cout<<"Price For Switzerland Package:"<<75000<<endl;</pre>
      cout<<"price=75000"<<endl;</pre>
      cout<<"----"<<endl;
      cout<<"Please Select Any Of The Package Of Your Choice:";</pre>
     cin>>op;
            if((op==1) || (op==2) || (op==3) || (op==4) || (op==5))
                  {
                       cout << "You Have Selected The Package Of
"<<op<<endl;
```

```
cout<<"
"<<endl;
                                        if(x==2)
                                                   int op;
                                                   float price;
                                                   cout<<" "<<endl;
     -----
---"<<endl;
     cout<<"1.Rajasthan"<<endl;</pre>
                                                  cout<<"Price For
Rajasthan Package: "<<6000<<endl;
     cout<<"price=6000"<<endl;</pre>
     cout<<"2.Goa"<<endl;</pre>
                                                   cout<<"Price For
Goa Package:"<<7500<<endl;</pre>
     cout<<"price=7500"<<endl;</pre>
                                                   cout<<"3.Jammu
and Kashmir"<<endl;
                                                   cout<<"Price For
Jammu and Kashmir Package:"<<8000<<endl;</pre>
     cout<<"price=8000"<<endl;</pre>
                                                   cout << "4.Delhi
and Agra"<<endl;
                                                  cout<<"Price For
Delhi and Agra Package: "<<6500<<endl;
     cout<<"price=6500"<<endl;</pre>
     cout<<"5.Kerala"<<endl;</pre>
                                                   cout<<"Price For
Kerala Package:"<<5500<<endl;</pre>
     cout<<"price=5500"<<endl;</pre>
                                                   cout<<"----
-----"<<endl;
                                                  cout<<"Please
Select Any Of The Package Of Your Choice:";
                                                   cin>>op;
                                                       if((op==1)
| | (op==2) | | (op==3) | | (op==4) | | (op==5) |
                                                             {
```

cout<<"You Have Selected The Package Of Your Destination Choice
"<<op<<endl;</pre>

```
cout<<"Please Enter a Valid Choice"<<endl;</pre>
      cout << "1.Rajasthan" << endl;
      cout<<"Price For Rajasthan Package:"<<6000<<endl;</pre>
      cout<<"price=6000"<<endl;</pre>
      cout<<"2.Goa"<<endl;</pre>
      cout<<"Price For Goa Package:"<<7500<<endl;</pre>
      cout<<"price=7500"<<endl;</pre>
      cout<<"3.Jammu and Kashmir"<<endl;</pre>
      cout<<"Price For Jammu and Kashmir Package:"<<8000<<endl;</pre>
      cout<<"price=8000"<<endl;</pre>
      cout<<"4.Delhi and Agra"<<endl;</pre>
      cout<<"Price For Delhi and Agra Package:"<<6500<<endl;</pre>
      cout<<"price=6500"<<endl;</pre>
      cout<<"5.Kerala"<<endl;</pre>
      cout<<"Price For Kerala Package:"<<5500<<endl;</pre>
      cout<<"price=5500"<<endl;</pre>
      cout<<"----"<<endl;
      cout<<"Please Select Any Of The Package Of Your Choice:";</pre>
      cin>>op;
            if((op==1) || (op==2) || (op==3) || (op==4) || (op==5))
                        cout << "You Have Selected The Package Of Your
Destination Choice "<<op<<endl;
                  }
                                                                    cout<<"
"<<endl;
                                                              }
                                           }
                   }
};
class calculation:public tourism
```

else

```
{
public:
     void ticket()
           {
                 int op,opt,no,cno,pin,otp,contact,select;
                char name[50];
                cout<<"-----
-----"<<endl;
     cout<<"***************
******"<<endl;
                 cout<<"1.Book Ticket"<<endl;</pre>
                cout<<"2.Cancel Ticket"<<endl;</pre>
                cout<<"3.Print Ticket"<<endl;</pre>
                cout<<"Please Click On Any Of The Options:";</pre>
                 cin>>op;
                      if(op==1)
                         {
                           cout<<"Your Booking is Processing. Please do</pre>
the needful."<<endl;
                           cout<<"-----
-----"<<endl;
                           cout<<"1.Credit Card"<<endl;</pre>
                           cout<<"2.Debit Card"<<endl;</pre>
                           cout<<"3.UPI"<<endl;</pre>
                           cout<<"Please Choose the payment option from</pre>
above: "<<endl;
                           cin>>opt;
                              if((opt==1) || (opt==2))
                                      cout<<"Please enter the Card
Number: "<<endl;</pre>
                                      cin>>cno;
                                      cout << "Please enter the name of
the card holder: "<<endl;
                                      cin>>name;
                                      cout<<"Please enter the CVC given</pre>
on your card: "<<endl;
                                      cin>>pin;
                                      cout<<"1.Submit"<<endl;</pre>
                                      cout<<"2.Reset"<<endl;</pre>
                                      cin>>no;
                                         if (no==1)
                                            cout << "Please the otp send
on ur mobile number: "<<endl;
                                            cin>>otp;
                                            cout<<"You have successfully</pre>
booked your ticket!!"<<endl;</pre>
                                         if (no==2)
                                            cout<<"Please enter the Card</pre>
Number: "<<endl;</pre>
                                            cin>>cno;
                                            cout<<"Please enter the name</pre>
of the card holder: "<<endl;
```

```
cin>>name;
                                                    cout << "Please enter the CVC
given on your card: "<<endl;
                                                    cin>>pin;
                                                    cout<<"Please the otp send</pre>
on ur mobile number: "<<endl;
                                                    cin>>otp;
                                                    cout<<"You have successfully</pre>
booked your ticket!!"<<endl;</pre>
                                                 }
                                                else
                                                     cout<<" "<<endl;
                                 if(opt==3)
                                       {
                                             cout<<"Please enter your mobile</pre>
number: "<<endl;</pre>
                                             cin>>contact;
                                             cout<<"You have successfully</pre>
booked your ticket!!"<<endl;</pre>
                                             cout<<"Print ticket:"<<endl;</pre>
                                             cout<<"1.Yes"<<endl;</pre>
                                             cout<<"2.No"<<endl;</pre>
                                             cin>>select;
                                              if (select==1)
                                                           cout<<"Your ticket is</pre>
printed succesfully!"<<endl;</pre>
                                              if (select==2)
                                                    {
                                                           cout << "Check your
message to get the ticket details."<<endl;
                                              else
                                                           cout<<" "<<endl;</pre>
                                       }
                                 else
                                      {
                                             cout<<" "<<endl;</pre>
                                     }
                          }
                    else if (op==2)
                                cout<<"You have cancelled your booking,</pre>
Rs.1200*-/- would be charged"<<endl;
                    else if (op==3)
                                cout<<"You have to first do the payment and
get the tickets." << endl;
```

```
cout<<"-----
  -----"<<endl;
                              cout<<"1.Credit Card"<<endl;</pre>
                              cout<<"2.Debit Card"<<endl;</pre>
                              cout<<"3.UPI"<<endl;</pre>
                              cout<<"Please Choose the payment option from</pre>
above: "<<endl;
                              cin>>opt;
                               if((opt==1) || (opt==2))
                                     cout<<"Please enter the Card Number:</pre>
"<<endl;
                                     cin>>cno;
                                     cout<<"Please enter the name of the</pre>
card holder: "<<endl;</pre>
                                     cin>>name;
                                     cout<<"Please enter the CVC given on</pre>
your card: "<<endl;
                                     cin>>pin;
                                     cout<<"1.Submit"<<endl;</pre>
                                     cout<<"2.Reset"<<endl;</pre>
                                     cin>>no;
                                           if (no==1)
                                               {
                                                        cout << "Please the otp
send on ur mobile number: "<<endl;
                                                  cin>>otp;
                                                  cout<<"You have
successfully booked your ticket!!"<<endl;</pre>
                                            if (no==2)
                                               {
                                                 cout << "Please enter the Card
Number: "<<endl;</pre>
                                                 cin>>cno;
                                                 cout<<"Please enter the name</pre>
of the card holder: "<<endl;
                                                 cin>>name;
                                                 cout<<"Please enter the CVC</pre>
given on your card: "<<endl;
                                                 cin>>pin;
                                                 cout<<"Please the otp send</pre>
on ur mobile number: "<<endl;
                                                 cin>>otp;
                                                 cout<<"You have successfully</pre>
booked your ticket!!"<<endl;</pre>
                                                }
                                            else
                                                  cout<<"Invalid
option" << endl;
                                                }
                                   }
                               if(opt==3)
                                   {
                                           cout<<"Please enter your mobile</pre>
number: "<<endl;</pre>
```

```
cin>>contact;
                                         cout<<"You have successfully</pre>
booked your ticket!!"<<endl;</pre>
                                         cout<<"Print ticket:"<<endl;</pre>
                                         cout<<"1.Yes"<<endl;</pre>
                                         cout<<"2.No"<<endl;
                                         cin>>select;
                                                if (select==1)
                                                            cout<<"Your
ticket is printed successfully!"<<endl;
                                                      }
                                                if (select==2)
                                                      {
                                                            cout << "Check
your message to get the ticket details."<<endl;
                                                      }
                                                else
                                                      {
                                                            cout<<" "<<endl;
                                                      }
                                 }
                              else
                                 {
                                    cout<<" "<<endl;</pre>
                  }
            else
                  cout<<"Please Enter a valid option";</pre>
};
class contact:public tourism
public:
void showcontact()
cout<<"********************
cout<<"For more inquires....."<<endl;</pre>
cout<<"Contact Us:25527933/25581089"<<endl;</pre>
cout<<"Contact Timings: 8 a.m to 8 p.m"<<endl;</pre>
cout<<"Address:Shop No.34,Carter</pre>
Road, BandStand, Bandra(West), Mumbai."<<endl;</pre>
cout<<"Thank You For Using Our Service And Visit Again"<<endl;</pre>
cout<<" "<<endl;</pre>
};
void main()
clrscr();
tourists t[10];
calculation cl;
contact ct;
ct.input();
t[1].choose();
t[1].details();
```

```
for(int i=1;i<=t[1].n;i++)
{
    t[i].getdata();
}
    for(int j=1;j<=t[1].n;j++)
{
    t[j].display();
}
    cl.ticket();
    ct.showcontact();
    getch();
}</pre>
```