



The World's Most Awesome Poster

Vishnu Naresh Boddeti Michigan State University


Landmark Appearance Model


Local Feature Representation: HOG

Michigan State University, East Lansing, MI, USA

Object Alignment

- blah blah
- blah blah






- blah blah
- blah blah


Contribution:


- blah blah
- blah blah
- blah blah


Landmark Shape Model


Bayesian Partial Shape Inference

















S - canonical shape, Y_p - partial shape, Y_h - hallucinated shape, $\Theta = \{s, R, t\}$, M - Occlusion Mask **Occlusion Handling**

- Deformations lie on low-dimensional subspace, can estimate shape from partial observations.
- Sample and evaluate multiple unoccluded landmark subset (k out of N) hypothesis.

Databases and Experiments

Dataset

- Cars from 3500 images from MIT Street Scene dataset.
- 3433 cars manually annotated with landmarks.
- Preprocessed via Generalized Procrustes Analysis.

References

- C. Gentry. A fully homomorphic encryption scheme. Stanford University, 2009.
- J. Fan and F. Vercauteren. Somewhat practical fully homomorphic encryption. IACR Cryptology ePrint Archive, 2012:144, 2012.

CVPR LONG BEACH CALIFORNIA June 16-20, 2019

Michigan State University vishnu