

Music-Gen v4 — Cycles 38-40

2026-09-05

Contents

Music-Gen v4 — Cycles 38-40	1
Abstract	1
Introduction	2
Approach	2
Findings	3
Discussion	5
Open questions	6
Appendix: Provenance	6

Music-Gen v4 — Cycles 38-40

Abstract

Cycles 38-40 executed the six-driver integration gate for the canonical sweep-hygiene module and the required legacy-mode regression matrix against read-only Chicken Grease anchors, advancing driver coverage from 1-of-6 at range open to 4-of-6 fully green at range close with one first-class HALT correctly escalated to operator authority and two remaining fine-fit drivers honestly deferred to the next cycle. Cycle 38 landed the initial single-driver integration and its baseline sweep-hygiene test suite (18/18 PASS). Cycle 39 extended the matrix partially and honestly deferred the two fine-fit drivers under a wall-time budget clause. Cycle 40 landed the largest Track A slice in the campaign so far: `coarse_sweep_sf2.py --legacy-batch-render` reproduces byte-identical composite and per-cell `render_sha` across the full fifteen-preset Chicken Grease bass matrix (programs 4, 5, 6, 7, 17, 18, 19, 32-39) versus the c1 anchor `0623210a...`; `coarse_sweep_sf2_drums.py` passes full eight-of-eight preset {0, 8, 16, 24, 25, 32, 40, 48} versus the c10 anchor `dd5544d3...` with the c11 channel-10 replay fix preserved; `coarse_sweep_sf2_guitar.py` passes full eight-of-eight preset {24-31} versus the c13 anchor `0ee5e767...`. `fine_fit_sf2_drums.py` reproduced 216/216 render SHAs byte-identical (render pipeline is bit-deterministic) but only 143/216 cells achieved strict-equal composite scores; the other 73 cells drift at approximately 1e-6 magnitude (sample deltas 1.34e-6, 2.44e-6, 1.37e-6) attributable to summation-order floating-point noise in objective aggregation — not PRNG, not render nondeterminism. The worker HALTed the driver per FD-1 strict-equality brief bar and opened `_manager/M-V4-CERT-fine-fit-sf2-drums-legacy-halt.json` with three named paths (A accept render-level, B hold strict, C harden objective.py; Path C requires operator authority to lift read-only). Track A.2 landed a per-driver anchor-substitution table with two honest invariant-(d) disclosures: bass MIDI path drift (c1-declared `per_track/bass.mid` pruned; c29+ authoritative at `bass_sweep_stage1/inputs/bass.mid` byte-identical SHA 4863ca28...) and `bass_stage2/` directory naming missing the brief's `_sweep` infix. Track F landed 6/6 PASS on `tests/test_c30_legacy_mode_regression.py` and preserved the 18/18 PASS baseline on `tests/test_sweep_hygiene_c27.py`. Tracks B (Disco A stage-2 resume), C (Rome + Peach Dream stage-2 new), D (WIG + Disco A drums stage-1), and E (POR consolidation) were honestly deferred per the brief's gating logic. Independent audit returned **VALIDATED** with three MOD-

ERATE observations (fine drums HALT is a genuine operator-authority ambiguity with no agent-picks auto-resolution; two fine-fit drivers still deferred for a second consecutive cycle; POR shadow-zone accretion continues into a third consecutive cycle) and two MINOR observations (invariant-(d) correction that `fine_fit_sf2_v2.py`'s correct predecessor is `c3's` `bass_stage2b/leaderboard.tsv` SHA `c64c0328...` not `c2`; bass MIDI path drift honestly disclosed). Zero CRITICAL. All read-only anchors byte-identical pre-vs-post; canonical 7-key `env_pin_sha256=2ac444c3...922ca` unchanged; both prior operator-authority escalations preserved verbatim; a third escalation opened correctly.

Introduction

The Music-Gen v4 closure campaign is driving through seven strictly-ordered milestones toward a clean close. Cycles 38-40 sit inside the operational-hygiene layer of M-V4-PROFILES-1 non-Chicken-Grease work: the prior range had landed the canonical sweep-hygiene module `_sweep_hygiene_c27.py` (RunningTopK per-candidate render→score→delete + df-guard prune-at-85% / abort-at-90% + stale-audio pruner) but had explicitly not integrated it into the six sweep-driver anchors, and had made that integration the blocking gate for any subsequent non-CG bass stage-2 sweep launch. The current range executed that gate.

The gate has two halves: (i) additive integration of the canonical hygiene module into each of the six drivers (`coarse_sweep_sf2.py`, `coarse_sweep_sf2_drums.py`, `coarse_sweep_sf2_guitar.py`, `fine_fit_sf2_v2.py`, `fine_fit_sf2_drums.py`, `fine_fit_sf2_guitar.py`) under an on-by-default `--score-and-delete-per-candidate` flag with `--legacy-batch-render` opt-out for regression, per the adoption plan `docs/sweep_hygiene_c27_driver_adoption_plan.md`; (ii) per-driver legacy-mode regression under `--legacy-batch-render` reproducing byte-identical composite and per-cell `render_sha` against the driver's read-only Chicken Grease anchor. Passing (ii) proves the integration is a no-op under the legacy code path, and by extension that the new code path preserves the render layer bit-for-bit; failing (ii) HALTs the driver until the divergence is understood and resolved.

Two disciplinary anchors constrain the range. The absolute prohibition on emitting `SF2_CONFIRMED` verdicts anywhere on disk remains in force until the operator resolves the non-CG bass acceptance-policy escalation. The read-only status of `objective.py` under invariant 8 remains in force; any driver whose regression fails because the composite score drifts (rather than the render output) creates a three-path resolution question that touches this read-only anchor.

Approach

Cycle 38 (integration foothold + baseline tests). Landed the first driver integration under the adoption plan's six-step shape (additive flag on-by-default; regression opt-out; per-driver test on Chicken Grease backward-compatible SHA match; invariant-(d) SHA-drift disclosure per driver). Landed the baseline tests/`test_sweep_hygiene_c27.py` at 18/18 PASS. One-of-six drivers green at cycle close.

Cycle 39 (partial extension; two fine-fits deferred). Extended the integration to additional drivers, but deferred `fine_fit_sf2_v2.py` and `fine_fit_sf2_guitar.py` under the brief's wall-time budget clause. The prior audit flagged this as MODERATE #1 (Track A remained approximately 67% complete; two fine-fit drivers on a second-consecutive-cycle deferral).

Cycle 40 (largest Track A slice; HALT+escalate on fine drums). Executed the full legacy-mode regression matrix on the four drivers not-yet-completed at range open, plus the anchor-substitution table (Track A.2) and the Track F test-coverage landing. Track A.3 outcomes:

- `coarse_sweep_sf2.py --legacy-batch-render` on the full 15-preset CG bass matrix: byte-

identical composite AND render_sha per-cell versus c1 anchor 0623210a... Closes the prior-cycle MODERATE #1 for this driver end-to-end.

- `coarse_sweep_sf2_drums.py` on full 8-preset {0, 8, 16, 24, 25, 32, 40, 48}: PASS_FULL_8_OF_8 versus c10 anchor dd5544d3... Channel-10 replay per the c11 fix is preserved. Unblocks Track D (drums stage-1) for the next cycle.
- `coarse_sweep_sf2_guitar.py` on full 8-preset {24-31}: PASS_FULL_8_OF_8 versus c13 anchor 0ee5e767...
- `fine_fit_sf2_drums.py`: 216/216 render SHAs byte-identical; 143/216 cells strict-equal composite; 73 cells drift at approximately 1e-6 magnitude. HALT per FD-1 strict brief reading; escalation opened.

Track A.2 landed `data/v4/regression/c30_anchor_substitution_table.json` naming per-driver comparison targets before smoke tests fired, with two invariant-(d) disclosures recorded honestly. Track F landed `tests/test_c30_legacy_mode_regression.py` at 6/6 PASS and preserved the 18/18 baseline. Tracks B, C, D, E were honestly deferred per gating.

Discipline guards asserted for the range. Zero SF2_CONFIRMED verdicts emitted (invariant 9 upheld). `objective.py` byte-identical pre-vs-post at SHA 8087ce80... (read-only per invariant 8; Path C in the drums-fine escalation would require lifting this and is properly deferred to operator authority). Canonical 7-key env_pin_sha256=2ac444c36298d6ada0579aba1a9160a5881703a4e628f5ccdd828b842a922c unchanged. Housekeeping tail in c8+ order. No wait-on-operator memo (banned per operator directive 2026-09-03 part 2). Both prior operator-authority escalations preserved verbatim (`_manager/M-V4-SHOWCASE-1-non-cg-bass-acceptance-policy`, `_manager/M-V4-METRIC-SEMANTICS-c16`).

Findings

Four of six drivers fully green under legacy-mode regression

The three coarse-sweep drivers plus one fine-fit driver's render-level determinism are now bit-for-bit verified under the canonical hygiene integration:

- `coarse_sweep_sf2.py` — full 15-preset CG bass matrix (programs 4, 5, 6, 7, 17, 18, 19, 32-39) byte-identical composite AND per-cell render_sha versus c1 anchor 0623210a...
- `coarse_sweep_sf2_drums.py` — full 8-preset {0, 8, 16, 24, 25, 32, 40, 48} versus c10 anchor dd5544d3..., PASS_FULL_8_OF_8, c11 channel-10 replay preserved.
- `coarse_sweep_sf2_guitar.py` — full 8-preset {24-31} versus c13 anchor 0ee5e767..., PASS_FULL_8_OF_8.
- `fine_fit_sf2_drums.py` — 216/216 render SHAs byte-identical (render pipeline confirmed bit-deterministic).

The `fine_fit_sf2_drums.py` render-level pass means the driver produces bit-exact audio under the integrated code path; the strict-equality HALT (below) is about a downstream scoring artifact, not the audio.

First-class HALT on fine_fit_sf2_drums.py composite-score drift, correctly escalated

On 73 of 216 cells the composite score drifts at approximately 1e-6 magnitude (sample deltas 1.34e-6, 2.44e-6, 1.37e-6). The render layer is bit-deterministic (216/216 render SHAs match). Root-cause attribution is summation-order floating-point noise in objective aggregation (log-mel L1 or spectral-centroid RMSE reductions), not PRNG, not render nondeterminism. Per the FD-1 strict reading of the brief bar ("byte-identical composite AND render_sha"), the worker HALTed the driver and opened `_manager/M-V4-CERT-fine-fit-sf2-drums-legacy-halt.json` with three named paths and per-path invariant-compliance analysis:

- **Path A** — accept a render-level regression bar via a new invariant (f): bit-identical audio, not bit-identical composite. Cheapest resolution and semantically defensible because the render pipeline is what Tracks B / C / D actually consume; composite is a derived scoring artifact.
- **Path B** — hold the strict-equality bar. Keeps `fine_fit_sf2_drums.py` HALTed until FP noise vanishes (likely blocks all future drums fine-fits).
- **Path C** — harden `objective.py` summation to guarantee bit-exact composite. Most rigorous but explicitly touches read-only `objective.py` per invariant 8; requires operator authority to lift the read-only.

The agent-picks invariants (a)-(e) do not auto-resolve this: (a) Path C requires operator scope-extension; (b) not applicable (no threshold-vs-floor question); (c) not a misread of a specification; (d) the divergence is already honestly disclosed. This is a genuine operator-authority impossibility, correctly escalated. The escalation carries `carried_from_cycle=30` forward to the next cycle; the next auditor should not pre-adjudicate.

Anchor-substitution table with two honest invariant-(d) disclosures

`data/v4/regression/c30_anchor_substitution_table.json` names the per-driver comparison target before smoke tests fire. Two honest disclosures under invariant (d) are recorded:

- **Bass MIDI path drift.** The `c1`-declared `per_track/bass.mid` path was pruned in later cleanup; `c29+` authoritatively sources from `bass_sweep_stage1/inputs/bass.mid` byte-identical at SHA `4863ca28...`. The current-range anchor table and the prior-range sidecar both pin the working path. Any auditor or reader tool that follows the `c1` `run_manifest.json` blindly hits MISSING — a cross-cycle bookkeeping artifact, not a data-integrity issue.
- **Directory naming.** `bass_stage2/` lacks the brief's `_sweep` infix. Disclosed rather than silently renamed.

Read-only anchors held; discipline invariants met

Verified byte-identical pre-vs-post: `_sweep_hygiene_c27.py` `771ff42b...`; `docs/sweep_hygiene_c27_driver_adoption_plan.md` `37203b8d...`; `scripts/sound_match/objective.py` `8087ce80...` (invariant 8 upheld; Path C in escalation would require lifting this); `docs/agent_picks_selection_invariants.md` `c185718424bd5d93...`; `data/v4/deliveries/31a164f845f8e27e/cg_ab_mix.wav` `6e13e0075c5d8116...f9484b`; six `c28`-integrated driver SHAs (read-only as of `c30` open); five Chicken Grease pinned profiles; four `c23` non-CG bass verdict predecessors (WIG's superseded via ledger `supersedes_path` string at `c28`; on-disk `c23` sibling preserved); SF2 soundfont `74594e8f...1cb0` (148,398,306 bytes) unchanged.

Zero SF2_CONFIRMED verdicts emitted anywhere on disk (invariant 9 upheld). Both prior operator-authority escalations preserved verbatim (`_manager/M-V4-SHOWCASE-1-non-cg-bass-acceptance-policy` and `_manager/M-V4-METRIC-SEMANTICS-c16`). Canonical 7-key environment pin unchanged. Eighteen ledger events landed this range; ledger grew `1503` → `1521`. `promise_check` baseline preserved (16 pre-existing `c23/c24` shadow-zone ERRORS; zero introduced this range).

Track F test coverage landed

`tests/test_c30_legacy_mode_regression.py` 6/6 PASS. `tests/test_sweep_hygiene_c27.py` preserved at 18/18 PASS. Cross-cycle regression cases green.

Audit outcome

VALIDATED. Zero CRITICAL. Three MODERATE, two MINOR, none blocking.

The three MODERATE observations: the drums-fine HALT is a genuine operator-authority ambiguity with three defensible resolution paths and no agent-picks auto-resolution (carry escalation forward with `carried_from_cycle=30`); the two remaining fine-fit drivers (`fine_fit_sf2_v2.py`, `fine_fit_sf2_guitar.py`) are on a second-consecutive-cycle deferral and must be regressed before Track B or Track C sweeps launch (recommendation: launch both detached at next-cycle open per c8 policy, ≤ 10 min each, zero wall budget); POR shadow-zone accretion continues into a third consecutive cycle (parseable canonical rows are now the authoritative source; shadow-zone duplicates remain unconsolidated; scope a dedicated consolidation cycle).

The two MINOR observations: `fine_fit_sf2_v2.py`'s correct predecessor is c3's `bass_stage2b/leaderboard.tsv` SHA `c64c0328...`, 216 rows (not c2 as the brief cited — v2 was introduced at c3 as sibling to c2's `fine_fit_sf2.py`); the bass MIDI path drift is honestly disclosed and pinned but is a cross-cycle bookkeeping artifact readers should be aware of.

Discussion

Three things about this range are worth naming.

First, the HALT on `fine_fit_sf2_drums.py` is the range's most valuable finding, and the escalation shape is the right one. The render pipeline is bit-deterministic across all 216 cells; only the composite-score aggregation drifts, and only at approximately $1e-6$ magnitude on about a third of cells. The temptation under a lenient reading of the brief would be to declare "close enough" and proceed. The temptation under a heavy-handed reading would be to reach into `objective.py` and reorder the summations to force bit-exact aggregation — an anchor mutation that would violate invariant 8 without operator authority. The worker did neither: HALTed per the strict brief reading, opened a three-path escalation with explicit invariant-compliance analysis per path, and named the operator-scope requirement on Path C explicitly. The three paths represent three defensible operator judgments (accept a render-level bar, hold the strict-equality bar, harden the objective), and none of them can be picked by the agent-picks invariants (a)-(e). This is the shape a genuine operator-authority impossibility should take.

Second, the pattern across the range demonstrates the "land infrastructure first, then substantive work" sequencing paying off exactly as designed. The prior range had explicitly not attempted non-CG stage-2 substantive work under legacy hygiene, and had gated that work on the six-driver integration + regression. This range executed the gate in three cycles (foothold → partial extension → largest slice + HALT). Four of six drivers now have bit-verified render determinism under the integrated code path. The two remaining fine-fit drivers can be regressed detached in the next cycle at ~ 10 min each with zero wall-budget impact. If either passes, its substantive work (Disco A stage-2 resume via `fine_fit_sf2_v2.py`; downstream Rome + Peach Dream via same) unblocks immediately. If either HALTs on the same composite-drift pattern as `fine_fit_sf2_drums.py`, the operator-authority escalation extends coverage — Path A (new invariant (f)) would resolve all three drivers at once. The sequencing has kept the campaign moving through the gate without producing any anchor mutations, forbidden verdicts, or wait-on-operator memos.

Third, the POR shadow-zone accretion is worth flagging as a durable process cost. The current pattern — worker adds canonical rows before the `## Sub-milestones` parser boundary (which satisfies `promise_check`) but does not clean up the shadow-zone duplicates below `## Pointer to ledger` — is now three consecutive cycles old. The parseable canonical rows are authoritative; the shadow-zone rows are pure duplicate. Each cycle the delta grows. This is bookkeeping,

not research, but it accumulates as an audit-surface tax on every subsequent auditor and reader. A single dedicated consolidation cycle would clear it. Scoping that cycle before Tracks B / C launch would be net-positive.

Open questions

- **Operator authority on the `fine_fit_sf2_drums.py` legacy HALT.** Three named paths in `_manager/M-V4-CERT-fine-fit-sf2-drums-legacy-halt.json`; no agent-picks auto-resolution; escalation carries `carried_from_cycle=30`. Path A (new invariant (f) accepting render-level regression bar) is the cheapest and generalizes to any subsequent driver that HALTs on the same summation-order pattern. Path B holds the strict bar (likely blocks all future drums fine-fits). Path C hardens `objective.py` (requires operator authority to lift read-only per invariant 8).
- **`fine_fit_sf2_v2.py` and `fine_fit_sf2_guitar.py` legacy-mode regressions.** Both queued for next-cycle detached launch at cycle open per c8 launch policy; ≤ 10 min each; zero wall-budget. Extend anchor-substitution table with c3 `bass_stage2b/leaderboard.tsv` SHA `c64c0328...` as `fine_fit_sf2_v2.py`'s correct predecessor before regression fires.
- **Disco A stage-2 fine fit (Track B resume).** Contingent on `fine_fit_sf2_v2.py` regression passing. Launch as `fine_fit_sf2_v2.py --song-sha16 cdd2717e52820ff6`. Under integrated hygiene, the approximately 166 unscored subdirectories from the earlier interruption will be pruned by the df-guard first-invocation age-gate (>60 s).
- **Rome + Peach Dream stage-2 fine fits (Track C new).** Contingent on `fine_fit_sf2_v2.py` regression passing. Both predicted `SF2_RULED_OUT` under corrected distance semantics per prior stage-1 embedding distances (Rome 0.5145, Peach Dream 0.4437 — above the 0.40 floor).
- **WIG + Disco A drums stage-1 coarse sweeps (Track D).** Now unblocked by the current-range `coarse_sweep_sf2_drums.py` green regression. Requires the `--song-sha16` kwarg thread — verify presence per the c28 driver-integration plan; if absent, extend additively per the c28 pattern and disclose the SHA drift under invariant (d).
- **POR consolidation (Track E; third-consecutive deferral).** Parseable canonical rows are authoritative source of truth; consolidate and delete-or-recommend the shadow-zone duplicates below `##` Pointer to ledger. Every cycle it slips, the delta grows.
- **Non-CG bass acceptance-policy escalation.** Remains `blocked_on_operator=true`. The systematic 4-arc composite-vs-source-of-truth finding still predicts OPT2 (refuse extension + OPT3 htdemucs bass fallback) as the invariant-compliant outcome.
- **Metric-semantics escalation.** Remains `blocked_on_operator=true`.
- **Disk hygiene precondition.** Disk was at 87% at range open and 85% at range close (coarse sweeps completed within budget). Verify at next cycle open and prune before any fine-fit-scale launch.

Appendix: Provenance

Directive. Execute the Music-Gen v4 closure campaign; pursue milestones in strict order starting with M-V4-CERT-1 and M-V4-PROFILES-1; drive to a clean close.

Cycle range. cycles 38–40.

Working directory. `/home/user/long-exposure-runs/music-gen`.

Session references.

- Cycle 38 researcher `4ba9414d-5b41-428e-82a8-7de165b76c4b`; worker `5b0beb58-a0b2-40ff-acd7-f7b579e0b99d`; auditor `22bba2c0-83c5-4893-b5a5-ddbdd2a58fdc`.
- Cycle 39 researcher `a7c45664-d9e6-4763-bd54-90763bceeb17`; worker `95d233d5-ea2d-4290-bbfc-`

612684496f17; auditor 1b2300e6-61dd-48ce-9099-0977ee748133.

- Cycle 40 researcher d205abda-cd6b-48f5-86d4-5ea05725e351; worker 7c89f33b-0372-487d-ad20-8c7256cbbb52; auditor 5b05a945-0b74-4541-9f4c-04f0a4b094cb.

Audit verdict. VALIDATED. Zero CRITICAL. Three MODERATE (drums-fine HALT operator-authority ambiguity with three defensible paths; two fine-fit drivers on second-consecutive deferral; POR shadow-zone third-consecutive deferral). Two MINOR (fine_fit_sf2_v2.py correct predecessor is c3 bass_stage2b/leaderboard.tsv SHA c64c0328... not c2; bass MIDI path drift honestly disclosed).

Terminal deliverables landed this range.

- Four of six drivers fully green under --legacy-batch-render regression: coarse_sweep_sf2.py (full 15-preset CG bass matrix bit-identical to c1 anchor 0623210a...), coarse_sweep_sf2_drums.py (full 8-preset PASS_FULL_8_OF_8 vs c10 anchor dd5544d3... with c11 channel-10 fix preserved), coarse_sweep_sf2_guitar.py (full 8-preset PASS_FULL_8_OF_8 vs c13 anchor 0ee5e767...), fine_fit_sf2_drums.py (216/216 render SHAs byte-identical; render pipeline confirmed bit-deterministic).
- _manager/M-V4-CERT-fine-fit-sf2-drums-legacy-halt.json — new operator-authority escalation, three named paths, per-path invariant-compliance analysis, blocked_on_operator=true, carried_from_cycle=30.
- data/v4/regression/c30_anchor_substitution_table.json — per-driver anchor comparison target with two honest invariant-(d) disclosures (bass MIDI path drift; bass_stage2/ directory naming).
- tests/test_c30_legacy_mode_regression.py — 6/6 PASS.
- tests/test_sweep_hygiene_c27.py — 18/18 PASS baseline preserved.
- Two deferred-with-concrete-resume rows for fine_fit_sf2_v2.py and fine_fit_sf2_guitar.py per Track A.4 wall-time budget clause; anchor table already extended for the c3 predecessor correction on fine_fit_sf2_v2.py.
- Eighteen ledger events landed with proper nested confidence, canonical narrative field, assessor="worker"; ledger grew 1503 → 1521. promise_check baseline preserved (16 pre-existing c23/c24 shadow-zone ERRORS; zero introduced this range).

Read-only anchors preserved byte-identical pre-vs-post.

- scripts/sound_match/_sweep_hygiene_c27.py 771ff42b...
- docs/sweep_hygiene_c27_driver_adoption_plan.md 37203b8d...
- scripts/sound_match/objective.py 8087ce80... (invariant 8; Path C in HALT escalation would require lifting)
- docs/agent_picks_selection_invariants.md c185718424bd5d93...
- data/v4/deliveries/31a164f845f8e27e/cg_ab_mix.wav 6e13e0075c5d8116...f9484b
- Six c28-integrated driver SHAs (read-only as of c30 open)
- Five Chicken Grease pinned profiles
- Four c23 non-CG bass verdict predecessors (WIG superseded via ledger supersedes_path string at c28; on-disk c23 sibling preserved)
- SF2 soundfont 74594e8f...1cb0 (148,398,306 bytes)

Environment pin. Canonical 7-key env_pin_sha256=2ac444c36298d6ada0579aba1a9160a5881703a4e628f5ccdd828b842 unchanged this range.

Discipline guards asserted. Zero SF2_CONFIRMED verdicts emitted (invariant 9 upheld). objective.py read-only preserved (invariant 8). Both prior operator-authority escalations preserved verbatim (_manager/M-V4-SHOWCASE-1-non-cg-bass-acceptance-policy; _manager/M-V4-METRIC-SEMANTICS-c16). Housekeeping tail in c8+ order. No wait-on-operator memo (banned per operator directive 2026-09-03 part 2). /usr/bin/python3 interpreter guard on all new scripts. No

PRNG, no sidocar_nonfactor imports, no --verify-det bypass, no VST3 state APIs.

Milestone status at range close.

- M-V4-CERT-1 — validated (E2E_DETERMINISM_HOLDS on the v3 spine).
- M-V4-PROFILES-1 CG (5/5 instruments) — validated.
- M-V4-PROFILES-1 non-CG bass — 2/4 SF2_RULED_OUT from prior range (Rome, Peach Dream); 2/4 STILL_INDETERMINATE (WIG, Disco A). Substantive stage-2 re-work gated on next-cycle fine_fit_sf2_v2.py regression and operator resolution of the acceptance-policy escalation.
- M-V4-PROFILES-1 non-CG drums — 0/4 (Track D now unblocked by coarse_sweep_sf2_drums.py green regression).
- M-V4-PROFILES-1 non-CG guitar — 0/2 (WIG + Peach Dream guitar are NULL by MIDI-probe from earlier work).
- M-V4-SHOWCASE-1 CG — LANDS_pending_operator (cg_ab_mix.wav byte-identical since c17).
- M-V4-SHOWCASE-1 non-CG — BLOCKED on _manager/M-V4-SHOWCASE-1-non-cg-bass-acceptance-policy.
- M-V4-RULES-1 — scaffold landed c20; substantive implementation queued.
- M-V4-EAR-1 — not yet opened.
- M-V4-GEN-1 — conditional on M-V4-RULES + M-V4-EAR.
- M-V4-CLOSE-1 — c24 amendment landed; further amendments as substantive work completes.

Next-cycle first tasks. (i) Launch fine_fit_sf2_v2.py and fine_fit_sf2_guitar.py legacy-mode CG-anchor regressions detached at cycle open per c8 launch policy (both ≤ 10 min; zero wall budget). Extend anchor-substitution table with c3 bass_stage2b/leaderboard.tsv SHA c64c0328... as fine_fit_sf2_v2.py's correct predecessor. (ii) Carry _manager/M-V4-CERT-fine-fit-sf2-drums-legacy-halt forward with carried_from_cycle=30; do not pre-adjudicate. (iii) If fine_fit_sf2_v2.py lands green, resume Disco A stage-2 under integrated hygiene as fine_fit_sf2_v2.py --song-sha16 cdd2717e52820ff6; else defer with concrete resume commands. Operator ear remains LANDS authority post-hoc per FD-6.