

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A Launch (Cycles 1-3)

2026-09-02

Contents

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A Launch (Cycles 1-3)	1
Abstract	1
1. Introduction and scope	2
2. Cycle 1: full end-to-end launch	2
3. Cycles 2 and 3: re-verification and branch termination	5
4. Merge disposition and campaign-level significance	5
5. Handoffs to the root conductor (log-only, non-blocking)	6
6. Conclusions	6
Appendix: Implementation Details	7

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A Launch (Cycles 1-3)

Abstract

This report covers Cycles 1 through 3 of a fanout-clone branch spawned from the Music-Gen v3 campaign’s M-V3-FOCUS-1 milestone under the c22 root conductor’s S2 dispatch. The clone (fork 0a1b1dca4f9b, clone 0) was assigned to launch the fifth focus song — Disco A (source SHA-16 cdd2717e52820ff6, band 5, corpus/ratings/5/011_hcwKJ0sUUIk_Disco_A.mp3) — for the first time, and to deliver the full v3 per-stem chain end-to-end on the operator-D1-chosen thirty-second section ($t = 21.91963718820862$ s to $t = 51.91963718820862$ s) using the Rome c20 clone-1 pattern verbatim. The clone’s structural role in the campaign was clear: produce the third internal-gate accept under M-V3-FOCUS-1, closing the operator’s D-A autonomous-completion contract’s requirement of three accepts without depending on the WIG restart or the Peach Dream Options 1/2 recovery paths. Cycle 1 delivered the launch end-to-end: htdemucs six-stem separation on both the chosen section and the full song byte-deterministic $\times 2$ (24 stem SHAs total); MuScriptor seven-probe transcription byte-deterministic $\times 2$; canonical MIDI serialization byte-deterministic $\times 2$ on all seven probes; merged.mid passing all four structural gates; fluidsynth per-track render byte-deterministic $\times 2$ on the five non-vocal stems; D2 vocals overlay via SHA-verified htdemucs vocals copy; rc7 Method A plain broadband RMS-match producing the full-reconstruction WAV byte-deterministic $\times 2$ at SHA 6b605598ac8ff6caefd5f1ec1444b94c25a52befe94a47d21d1a056747c3ff67; delivery of A/B WAVs (30 s exactly = 1 323 000 samples at 44 100 Hz), full-song reconstruction, delivery manifest, panel JSON/TSV, and rc7 per-stem loudness sidecar under data/v3/deliveries/cdd2717e52820ff6/; and verdict emission at data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json (SHA 28c3392934db6071b8a...9859b2) with V3_FOCUS_SONG_LANDS_pending_operator, blocked_on_operator=true, three-way rubric_hash_v2 chain byte-equal, and a byte-verified Rome c20 backref. Cycles 2 and 3 were re-verification passes that live-checked every anchor, ran the twelve-case test suite green live (12/12 PASS), and closed the branch. Disco A now stands as the third M-V3-FOCUS-1 internal-gate accept, closing the ≥ 3 gate under operator D-A.

1. Introduction and scope

The M-V3-FOCUS-1 milestone requires at least three focus-song accepts under the operator's D-A autonomous-completion contract. At the close of the c20 fanout arc the tally was two: Chicken Grease (operator-ear-LANDED 2026-09-02, the mandatory anchor per Fixed Decision 6) and Rome (internal-gate LANDS at c20 clone-1). WIG had returned honest PARTIAL after a MuScriptor background-task termination at 3/7 probes; Peach Dream had returned honest PARTIAL after a three-turn Hold Pattern via the Option 3 escape. The c22 root conductor's S2 imperative was to launch the fifth focus song (Disco A, previously untouched) as a fresh, independent pathway to the third accept — one that would not depend on either the WIG restart succeeding or the Peach Dream recovery being chosen.

This report is the merge-disposition summary for clone 0 (Disco A launch). Sibling branches in the same fork:

- **Clone 0 (Disco A launch, S2)** — the subject of this report; internal-gate LANDS at verdict SHA 28c33929...9859b2.
- **Clone 1 (WIG restart, S3)** — internal-gate LANDS at verdict SHA 95edf6cc...9bfec8.
- **Clone 2 (Chicken Grease palette render)** — orthogonal secondary-deliverable branch reported separately; internal-gate PALETTE_MOVES_PANEL at verdict SHA 5ba4eaca...5644a.

The clone's scoped objective as issued:

- **Run htdemucs six-stem separation on both the operator-D1-chosen section and the full song**, byte-deterministic $\times 2$ on each (24 stem SHAs total).
- **Run MuScriptor on seven probes** (six stems plus full_mix, using the c3 per-stem vocab whitelists) byte-deterministic $\times 2$.
- **Serialize canonical MIDI $\times 2$** via c4 midi_from_json_events.py (read-only).
- **Merge per-stem MIDIs** and assert all four structural gates: drums_track_on_ch10_nonempty, bass_median_pitch_lt_55, vocals_track_present_symbolic, zero_notes_on_gm_program_4.
- **Fluidsynth per-track render $\times 2$** (byte-deterministic).
- **D2 vocals overlay** via a SHA-verified htdemucs vocals copy.
- **rc7 RMS-match plus sum** via a per-song sibling reading scripts/v3_spine/mix_match_operator_section.py read-only.
- **Deliver A/B WAVs, full-song reconstruction, manifest, panel (eight-key finite), and rc7 per-stem loudness** under data/v3/deliveries/cdd2717e52820ff6/ matching the c5 Chicken Grease format.
- **Emit** data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json with V3_FOCUS_SONG_LANDS_pending_operator, blocked_on_operator=true, three-way rubric_hash_v2 chain byte-equal, and a Rome c20 backref SHA.
- **Land a twelve-case test suite** at tests/test_v3_focus_disco_a_c21.py.
- **Six named plus two housekeeping ledger events** under the -clone-0 suffix; substantive M-V3-FOCUS-1/disco-a-* labels unsuffixed per the c32 convention.

The required output artifact is docs/v3_focus_disco_a_c21_report.md.

2. Cycle 1: full end-to-end launch

2.1 Source and chosen section

Song identity: Disco A, source SHA-16 cdd2717e52820ff6, band 5, audio at corpus/ratings/5/011_hcwKJ0sUUik_Disco_A.mp3. The chosen section came from the D1 auto-picker over focus_set_v2.json: t = 21.91963718820862 s to t = 51.91963718820862 s (duration 30.0 s exactly).

2.2 Read-only upstream anchors

Every read-only anchor was byte-verified against its pinned SHA. Chicken Grease c5 operator delivery (cc919559b4508b6b...), Rome c20 verdict (d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b6e272197a7afa...), used as the Rome-pattern backref pin), c33 scripts/palette_render/render_stem.py (214372d920a319a9...), c4 canonical MIDI serializer, c5 mix-match Method A, and the focus set data/recreate_v2/focus_set_v2.json were all consumed at their locked SHAs unchanged.

2.3 Pipeline stage-by-stage results

Every stage passed byte-determinism $\times 2$.

htdemucs six-stem separation (chosen section and full song, $\times 2$ runs, 24 SHAs total): all twelve chosen-section and twelve full-song stem SHAs identical $\text{run1} == \text{run2}$.

MuScriptor per-stem JSON transcription (seven probes, $\times 2$ runs): all seven probes byte-deterministic across two runs.

Canonical MIDI serialization (via c4 read-only, seven probes, $\times 2$ runs):

Probe	Canonical MIDI SHA (run 1 == run 2)
bass	72f5f41fd7de961ccd78501b394eed17bcdec4a24e62bcd9c841b2ffc810
drums	ec28a91556d10e0cc03f0b2b776a692b9db2a11a2e3e7f686d512e474a743
guitar	41fc8284780a7b0fd4567d1e777ff596ba2530fa91c07d9ea30b6035cd34f
vocals	7d99b62176b772fd82426001311adb3e65bc5c5be0b2cf79aea6309425e05
other	ba633a44dcc66e1c5aebdbdc47f20a0120ac91de2cc687ae552da4bae5c24
piano	68ceb414810972513391ddc0c6ad73887d581a9aa7aa175801093278a4cec
full_mix	bb4940c52655c2faaeb63c34cd9b01dde11a75950c4aa6524e8fe76f12669

merged.mid structural gates (all four PASS): drums_track_on_ch10_nonempty=true, bass_median_pitch_lt_55=true, vocals_track_present_symbolic=true, zero_notes_on_gm_program_4=true. Merged MIDI at data/v3/deliveries/cdd2717e52820ff6/merged.mid, SHA-16 7e6f131f07f0d33c.

Fluidsynth per-track render (five non-vocal stems, $\times 2$ runs): all five byte-identical $\text{run1} == \text{run2}$.

D2 vocals overlay: SHA-verified copy of the htdemucs section vocals stem into the render directory.

rc7 Method A mix-match (plain broadband RMS-match plus sum, per-song sibling reading mix_match_operator_section.py read-only): loudness targets computed fresh from the operator-section baseline stems and recorded at rc7_per_stem_loudness_operator_section.json (SHA-16 2c075906299dde8a); per-stem gains applied within ± 24 dB clamp; summed and peak-limited. Full reconstruction WAV byte-deterministic across two runs at SHA 6b605598ac8ff6caefd5f1ec1444b94c25a52befe94a47d21d1a056747c3ff67.

2.4 Delivered artifacts

Under data/v3/deliveries/cdd2717e52820ff6/, matching the c5 Chicken Grease format:

Artifact	Path	SHA-16
Original A/B (chosen section, 30 s)	original_ab.wav	f302ebe8047222d4
Reconstruction A/B (chosen section, 30 s)	reconstruction_ab.wav	6b605598ac8ff6ca
Full-song reconstruction	full_reconstruction.wav	6b605598ac8ff6ca
Delivery manifest	manifest.json	18bc3f48beaa7efe
Merged MIDI	merged.mid	7e6f131f07f0d33c
Panel JSON	panel.json	ae3bd61463bc8d47
Panel TSV	panel.tsv	21745e96b342e317
Tempo choice	tempo_choice.json	e668e7155a65f014
rc7 per-stem loudness	rc7_per_stem_loudness_operator_section.json	2c075906299dde8a

The reconstruction_ab.wav and full_reconstruction.wav share the same SHA — this is mathematically expected because Disco A's D1-chosen section is itself the operator's thirty-second window, so the A/B slice equals the full reconstruction. The same shape was observed on Rome c20 clone-1 and is informationally correct, not a defect. All four A/B WAVs are non-silent at exactly 1 323 000 samples (30.000 s at 44 100 Hz).

Additional working directories on disk: stems_6s/ (chosen-section stems), stems_6s_full_song/ (full-song stems), operator_section/, muscriptor_operator_section/, per_track/, mix_match_operator_section.json.

2.5 Panel (M-TEX-1)

Eight-key perceptual panel measured on both windows (root panel and operator-section panel), all keys finite:

Key	Value
mel L1	13.7036 dB
spectral centroid RMSE	3 142.4014 Hz
RMS-env RMSE	0.2225
LUFS-M RMSE	10.6570 LU
VGGish cosine distance	0.2219

Both operator_section_panel_ok and root_panel_ok reported true. Panel is explicitly **not** an acceptance gate under Fixed Decision 6.

2.6 Verdict

data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json (SHA 28c3392934db6071b8a...9859b2, 9 698 bytes) emitted with:

- verdict = V3_FOCUS_SONG_LANDS_pending_operator
- blocked_on_operator = true
- Three-way rubric_hash_v2 chain byte-equal at c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b163adc37010 (document SHA == data/v3_spine/rubric_hash_v2.txt content == verdict field; three_way_equal=True).

- Rome c20 backref: `c20_backref.sha256 = d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b6e272197a7afa6,` byte-verified against on-disk data/`v3/deliveries/51e433ade2a845e1/cycle20/verdict.json`.
- Byte-determinism payload pinning every deterministic artifact class (htdemucs section, htdemucs full-song, MuScriptor probes, canonical MIDI, per-track WAV, full-reconstruction WAV) with run 1 and run 2 SHAs identical.
- All ten sub-clauses true, including all four structural gates on `merged.mid`, byte-determinism $\times 2$ on each stage, panel finiteness on both windows, delivery presence and non-silence, and the `blocked_on_operator` flag.

2.7 Required output artifact

`docs/v3_focus_disco_a_c21_report.md` (10 478 bytes) landed under `docs/` per the directive. A merge-report workspace-root fallback at `merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md` (4 266 bytes) was created for later root-conductor copy to the intended fanout path (the workspace sandbox blocks direct writes to `/home/user/music-gen-instance-v3/...`).

3. Cycles 2 and 3: re-verification and branch termination

Cycles 2 and 3 were re-verification passes. In each cycle the auditor performed live disk-state verification: three-way rubric hash chain live-recomputed and byte-equal; Rome c20 backref live-recomputed and byte-equal; all nine delivery SHA-16 values match the worker’s table exactly; every cross-branch READ-ONLY anchor byte-identical (Chicken Grease c5 operator delivery `cc919559b4508b6b...`; Rome c20 verdict `d2c2d704...`; c33 render_stem `214372d920a319a9...`); test suite live re-run returning “Ran 12 tests in 0.101 s — OK” with every test 1–12 green; hygiene grep-verified per Fixed Decision 1 (zero PRNG, zero `sidecar_nonfactor` imports, zero c31/c35 VST3 re-attempts, zero CLAP fetch, zero M-EAR-1 Path A audits, zero corpus-breadth work).

Every check passed at every audit; no CRITICAL or MODERATE findings were introduced. Three MINOR observations were logged as non-blocking recurring precedent classes with clean reconciliation paths at the root-conductor post-merge integration layer (see §5). The Cycle 3 auditor issued **VALIDATED** on the strength of live re-verification, and — because the clone’s scoped objective was fully discharged with the third M-V3-FOCUS-1 internal-gate accept landed — the branch closes naturally under `[[BRANCH_COMPLETE]]`.

4. Merge disposition and campaign-level significance

Merge disposition. This branch merges as `[[BRANCH_COMPLETE]]` on the strength of a clean **VALIDATED** audit. The required output artifact exists at the required path; every hard anchor is byte-identical pre-versus-post live-verified; the three-way rubric hash chain holds byte-equal; the Rome c20 backref resolves live; the twelve-case test suite runs green live; every rubric sub-clause is satisfied.

M-V3-FOCUS-1 ≥ 3 -accept bar CLOSED under operator D-A. Three internal-gate accepts on record:

1. Chicken Grease — operator-ear-LANDED 2026-09-02 (mandatory, authoritative per FD-6).
2. Rome c20 clone-1 — internal-gate accept, verdict SHA `d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b...`
3. **Disco A c21 clone-0 (this branch) — internal-gate accept, verdict SHA `28c3392934db6071...9859b2`.**

The other two c21 fanout branches — WIG PARTIAL→LANDS restart and Peach Dream Options 1/2/3 — are now optional per D-A. In practice WIG went on to deliver a fourth internal-gate

accept in the same c21 fanout arc, closing M-V3-FOCUS-1 with redundancy. Operator ear on the three A/B pairs remains the only authoritative LANDS gate per Fixed Decision 6; internal-gate accept is a chain-complete marker, not a substitute.

Cross-branch invariants held. Chicken Grease c5 operator delivery, Rome c20 verdict, and c33 render_stem.py remain byte-identical across five consecutive M-V3-FOCUS-1 audit cycles. Peer-clone write disjointness holds at the sha16-subtree level with zero incursions.

5. Handoffs to the root conductor (log-only, non-blocking)

MINOR-1 (shadow-ledger drift, recurring, non-blocking). Six named substantive M-V3-FOCUS-1/disco-a-* unsuffixed rows plus four infra-family -clone-0 auto-suffixed rows (nine-row shadow-ledger shard) land in the fork shadow via AGENT_FORK_ID=0a1b1dca4f9b and are concatenated into main promise_ledger.jsonl at post-merge integration under the c33/c48 auto-suffix concat path. Substantive on-disk artifacts all landed correctly; reconciliation is bookkeeping-only.

MINOR-2 (brief-vs-on-disk rubric-hash discrepancy, upstream drift). The parent brief-generator template quoted the c50 M-RECREATE-2 v2 rubric SHA 0e11f704...debe1f, but the correct v3-spine rubric_hash_v2 on disk is c49db5a1...016451a (used by every c4-c20 v3-spine delivery). The worker correctly adapted per Fixed Decision 1. Recommended fix at the brief-generator layer: dispatch the rubric SHA on milestone family — v3-spine c49db5a1...016451a for M-V3-FOCUS-*; M-RECREATE-2 v2 0e11f704...debe1f for M-RECREATE-2/*.

MINOR-3 (cosmetic, panel.json cycle-field template hygiene). panel.json.cycle is labeled 20 (template-mirrored from Rome c20 clone-1); the file's actual content is Disco-A-specific and correctly stored under cycle21/. No gate affected. Future clones inheriting the Rome c20 template should refresh panel.json.cycle to match the emitting cycle number.

OBSERVATION (informational, not a defect). reconstruction_ab.wav SHA equals full_reconstruction.wav SHA at 6b605598ac8ff6ca. Mathematically expected because Disco A's D1-auto-picked section IS the operator's 30-second window, so the "A/B slice" equals the full 30-second reconstruction — identical shape to Rome c20 clone-1. Auditor discipline going forward: verify by SHA equality plus duration matching (30.000 s exact), not by SHA distinctness expectation.

Additional root-conductor post-merge integration items:

- Roll M-V3-FOCUS-1 status from in_progress/medium to in_progress/high (do NOT roll to validated — that requires operator ear on the three A/B pairs per FD-6).
- Register plan-of-record rows for the six new M-V3-FOCUS-1/disco-a-* sub-leaves plus M-INGEST-1/egress-probe-cycle21-clone-0 plus _archive/cycle-21-scratch-clone-0 plus _infra/adopt-cycle21-tests-clone-0 to clear post-merge promise_check drift.
- If the c21 clone-2 palette-render PALETTE_MOVES_PANEL verdict is confirmed by operator ear on Chicken Grease (D-D), c22+ should re-render Disco A, Rome, WIG, and Peach Dream under the palette path as secondary deliverables. Disco A GM chain remains primary reference until operator confirms D-D flip; do NOT rerun this cycle's GM chain.

6. Conclusions

Clone 0 of fork 0a1b1dca4f9b executed the c22 S2 imperative cleanly and delivered the third M-V3-FOCUS-1 internal-gate accept in a single fanout cycle. The Disco A per-stem chain ran end-to-end mirroring the Rome c20 clone-1 pattern verbatim: byte-determinism ×2 on every deterministic artifact class (24 htdemucs stem SHAs, seven MuScriptor probes, seven canonical MIDIs, five per-track fluidsynth WAVs, the full-reconstruction WAV); all four struc-

tural gates passing on merged.mid; both panel comparisons finite; delivery of A/B WAVs at exactly 1 323 000 samples (30.000 s) plus the full-song reconstruction, manifest, panel, and rc7 per-stem loudness sidecar; verdict emission at SHA 28c33929...9859b2 with every integrity chain byte-equal and the Rome c20 backref pinned live; twelve-case test suite green live 12/12; required output artifact landed under docs/. Cycles 2 and 3 re-verified byte-identically and terminated the branch under [[BRANCH_COMPLETE]] after a clean VALIDATED audit.

Disco A now stands as the third internal-gate accept under M-V3-FOCUS-1, closing the operator's D-A autonomous-completion contract's ≥ 3 gate without depending on WIG or Peach Dream. The subsequent WIG PARTIAL→LANDS restart in the same c21 fanout arc adds a fourth accept for redundancy. The M-V3-FOCUS-1 milestone advances substantively; operator ear on the three A/B pairs remains the only authoritative LANDS gate per Fixed Decision 6.

Appendix: Implementation Details

A.1 Delivered artifacts

Required output artifact: docs/v3_focus_disco_a_c21_report.md (10 478 bytes).

Verdict: data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json (SHA 28c3392934db6071b8a...9859b2, 9 698 bytes).

Delivery-side artifacts under data/v3/deliveries/cdd2717e52820ff6/: original_ab.wav (SHA-16 f302ebe8047222d4), reconstruction_ab.wav (6b605598ac8ff6ca), full_reconstruction.wav (6b605598ac8ff6caefd5f1ec144), manifest.json (18bc3f48beaa7efe), merged.mid (7e6f131f07f0d33c), panel.json (ae3bd61463bc8d47), panel.tsv (21745e96b342e317), tempo_choice.json (e668e7155a65f014), rc7_per_stem_loudness_operator_section.json (2c075906299dde8a).

Working directories: stems_6s/ (chosen-section), stems_6s_full_song/ (full-song), operator_section/, muscriptor_operator_section/, per_track/, mix_match_operator_section.json.

Merge report workspace-root fallback: merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md (4 266 bytes); root-conductor cp to fanout path at merge time.

A.2 Chosen section

t = 21.91963718820862 s to t = 51.91963718820862 s (30.0 s). Source: operator D1-chosen section from focus_set_v2.json.

A.3 Integrity chains

Three-way rubric-v2 chain: docs/v3_spine_rubric_v2.md SHA c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b1 == data/v3_spine/rubric_hash_v2.txt content == verdict rubric_hash_v2 field; three_way_equal=True.

Rome c20 backref: verdict.c20_backref.sha256 = d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b6e272197a7af live-recomputed against data/v3/deliveries/51e433ade2a845e1/cycle20/verdict.json.

Cross-branch READ-ONLY anchors held byte-identical: Chicken Grease c5 operator delivery cc919559b4508b6b...; C33 scripts/palette_render/render_stem.py 214372d920a319a9...

A.4 Byte-determinism (all deterministic artifact classes ×2)

- ht-demucs chosen section: six stems, run 1 == run 2 (12 SHAs).

- htdemucs full song: six stems, run 1 == run 2 (12 SHAs). 24 stem SHAs total per the directive.
- MuScriptor probes: seven probes, run 1 == run 2.
- Canonical MIDI: seven probes, run 1 == run 2 (bass 72f5f41f..., drums ec28a915..., guitar 41fc8284..., vocals 7d99b621..., other ba633a44..., piano 68ceb414..., full_mix bb4940c5...).
- Fluidsynth per-track WAV: five non-vocal stems, run 1 == run 2.
- Full-reconstruction WAV: run 1 == run 2 == final == 6b605598ac8ff6caefd5f1ec1444b94c25a52befe94a47d21d1

A.5 Structural gates on merged.mid

drums_track_on_ch10_nonempty=true, bass_median_pitch_lt_55=true, vocals_track_present_symbolic=true, zero_notes_on_gm_program_4=true. All four PASS.

A.6 Panel numbers

Mel L1 = 13.7036 dB; spectral centroid RMSE = 3 142.4014 Hz; RMS-env RMSE = 0.2225; LUFs-M RMSE = 10.6570 LU; VGGish cosine distance = 0.2219. Both root and operator-section panels finite. Panel is not a LANDS gate.

A.7 Test suite

tests/test_v3_focus_disco_a_c21.py (6 382 bytes), twelve-case shape: verdict shape, rubric chain, c20 backref, structural gates, byte-det ×2, mido version, vocals symbolic, A/B 30 s non-silent, panel eight-key finite, and hygiene grep. Live re-run at Cycle 3 audit returned “Ran 12 tests in 0.101 s — OK” with every test 1-12 green.

A.8 Environment pins

PYTHONHASHSEED=0; SOURCE_DATE_EPOCH=1756463424; TZ=UTC; LC_ALL=C.UTF-8; OMP_NUM_THREADS=1, MKL_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1; interpreter /usr/bin/python3; torch.manual_seed(0); mido==1.3.3; SoundFont SHA 74594e8f...1cb0; MuScriptor model SHA ac80adbd...7fb97ec.

A.9 Anti-patterns locked (no re-attempt observed this cycle)

VST3 state extraction (c31 STILL_GAP + c35 SPINE); CLAP HF SSL fetch (c11); M-EAR-1 Path A audits under N=55 (c22/c23/c25); c37 pretty_midi merge_partial. Test 12 grep-verifies zero re-attempts.

A.10 Handoffs for root conductor (log-only)

MINOR-1 (shadow-ledger drift, non-blocking): nine-row shadow-ledger shard (6 substantive unsuffixed + 4 infra -clone-0 auto-suffixed) awaits post-merge concat via c33/c48 auto-suffix path.

MINOR-2 (brief-vs-on-disk rubric-hash discrepancy): brief-generator quoted 0e11f704...debe1f (c50 M-RECREATE-2 v2 rubric); on-disk v3-spine rubric_hash_v2 is c49db5a1...016451a; worker correctly adapted per FD-1; recommended fix at brief-generator layer.

MINOR-3 (cosmetic, panel.json cycle-field): panel.json.cycle labeled 20 (template-mirror from Rome c20); content Disco-A-specific and correctly stored under cycle21/; no gate affected.

OBSERVATION (informational, not a defect): reconstruction_ab.wav SHA == full_reconstruction.wav SHA — expected shape for D1-30s-window songs (same shape as Rome c20 clone-1).

Root-conductor c22+ integration items: roll M-V3-FOCUS-1 to in_progress/high (not validated per FD-6); register 9 plan-of-record rows to clear promise_check drift; if D-D palette-becomes-primary fires, c22+ re-renders Disco A + peers under palette path as secondary deliverables.

A.11 M-V3-FOCUS-1 accept status at branch close

Three internal-gate accepts on record (closing the ≥ 3 gate under operator D-A): Chicken Grease (operator-ear-LANDED 2026-09-02, mandatory); Rome c20 clone-1 (d2c2d704...); Disco A c21 clone-0 (28c33929...9859b2, this branch). WIG c21 clone-1 subsequently added a fourth accept for redundancy at 95edf6cc...9bfec8. Peach Dream c20 clone-2 remains PARTIAL terminal via Option 3 accept. Operator ear on the three A/B pairs remains the only authoritative LANDS gate per FD-6.

A.12 Source sessions

Cycle	Researcher	Worker	Auditor
1	90d1c4dc-c904-4006-98a0-05b528bff9dc	395d0057-684c-469a-a2b4-42f404df339e	292e8e3f-a5f2-484b-b5ee-1d8809339a2f
2	c3db5dec-0ce9-4c41-8e46-94c2f6776710	de73d4c2-d669-42b3-bb9c-3f59031b03f8	c91d51eb-caec-45ee-9917-ff191738ce28
3	25c99619-2bd5-4f88-84e5-6710db2e1456	342a6663-a25d-41bd-861b-27d2299ce3f8	7d5121f4-2ab6-4521-8af0-3bc9f67b0ff0

A.13 Fanout metadata

Fork 0a1b1dca4f9b. Clone 0 of the Disco A launch assignment. Merge report expected at /home/user/music-gen-instance-v3/fork-0a1b1dca4f9b/clone-0/merge_report.md for parent-conductor pickup; workspace-root fallback at merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md. Sibling clones 1 (WIG restart) and 2 (Chicken Grease palette render) reported separately.