

Music-Gen v3 FOCUS Milestone — Fanout Clone 1: WIG PARTIAL→LANDS Restart (Cycles 1-3)

2026-09-02

Contents

Music-Gen v3 FOCUS Milestone — Fanout Clone 1: WIG PARTIAL→LANDS Restart (Cycles 1-3)	1
Abstract	1
1. Introduction and scope	2
2. Cycle 1: full PARTIAL→LANDS restart	3
3. Cycles 2 and 3: re-verification and branch termination	5
4. Handoffs to the root conductor (log-only, not this clone’s work)	5
5. Merge disposition and campaign-level state	6
6. Conclusions	7
Appendix: Implementation Details	7

Music-Gen v3 FOCUS Milestone — Fanout Clone 1: WIG PARTIAL→LANDS Restart (Cycles 1-3)

Abstract

This report covers Cycles 1 through 3 of a fanout-clone branch spawned from the Music-Gen v3 campaign’s M-V3-FOCUS-1 milestone under the c22 root conductor’s dispatch, specifically the c22 S3 imperative queued at the close of the c20 fanout arc. The clone (fork 0a1b1dca4f9b, clone 1) was assigned to resume the What If I Go (Mura Masa, source SHA-16 252eb21ce7df7328) per-stem pipeline from the honest V3_FOCUS_SONG_PARTIAL_pending_operator state emitted by the c20 clone-0 branch (SHA bd394c43c6134811257bb9b27539bf95e8d5b4663135d2646b0035f6b0e8ea2b) and land the operator-D1-chosen thirty-second section (t = 72.77133786848073 s to t = 102.77133786848073 s) as a V3_FOCUS_SONG_LANDS_pending_operator delivery matching the c5 Chicken Grease Method A format exactly. The restart followed merge-report Option A: preserve the twelve c20 htdemucs section stem SHAs and the three completed c20 MuScriptor JSON SHAs byte-identical as read-only anchors, complete the four remaining MuScriptor probes (piano, vocals, other, full_mix) twice into fresh temporary directories under identical environment pins, then execute the downstream chain verbatim (canonical MIDI ×2, merge with four structural gates, fluidsynth per-track render ×2, D2 vocals overlay, rc7 Method A mix-match, delivery, panel). Cycle 1 delivered the restart end-to-end: every rubric sub-clause satisfied including the brief-mandated sub_clause_status.f_restart_from_partial=true, every deterministic artifact byte-deterministic ×2, all four structural gates passing on the merged MIDI, both panel comparisons finite, the required output artifact docs/v3_focus_wig_restart_c21_report.md landed, and the verdict emitted at data/v3/deliveries/252eb21ce7df7328/cycle21/verdict.json with SHA 95edf6cc741366d5f87e68c8658992830ba41fb7330bdb14b91d94cfedfbfec8 and every integrity chain holding byte-equal. Cycles 2 and 3 were re-verification passes that live-checked every anchor, ran the twelve-case test suite green live, and terminated the branch with COMPLETE and [[BRANCH_COMPLETE]] under the <no-null-cycle-validation> rule. The M-V3-FOCUS-1 mile-

stone now closes with redundancy: four internal-gate accepts on record (Chicken Grease operator-ear-LANDED, plus internal-gate accepts on Rome, Disco A, and this WIG restart) against a required threshold of three.

1. Introduction and scope

The c20 fanout arc had delivered three of the five focus songs to various states: Chicken Grease sat in operator-LANDED state (as of the operator's 2026-09-02 ear judgment on the Cycle 5 v3 fluidsynth reconstruction); Rome (clone 1) delivered a full end-to-end v3_FOCUS_SONG_LANDS_pending_operator chain in a single fanout cycle; WIG (clone 0) reached honest PARTIAL after MuScriptor's background task terminated at 3/7 probes; Peach Dream (clone 2) reached honest PARTIAL after a three-turn Hold Pattern via the Option 3 escape. The M-V3-FOCUS-1 milestone was thus at two of three required accepts against the operator's D-A autonomous-completion contract.

The c22 root conductor's S2 and S3 imperatives were parallel fanout branches: S2 launching Disco A as the fifth focus song, and S3 restarting WIG from PARTIAL toward LANDS. This report covers the S3 branch (WIG restart). Sibling branches in the same fork:

- **Clone 0 (Disco A, S2)** — internal-gate LANDS at verdict SHA 28c33929...9859b2.
- **Clone 1 (WIG restart, S3)** — the subject of this report; internal-gate LANDS at verdict SHA 95edf6cc...9bfec8.
- **Clone 2 (Chicken Grease palette render)** — orthogonal secondary-deliverable branch reported separately; internal-gate PALETTE_MOVES_PANEL at verdict SHA 5ba4eaca...5644a.

The clone's scoped objective as issued:

- **Resume from the c20 clone-0 PARTIAL state** rather than start fresh. Preserve the twelve c20 htdemucs section stem SHAs and the three completed c20 MuScriptor JSON SHAs byte-identical as read-only anchors.
- **Complete the four remaining MuScriptor probes** (piano, vocals, other, full_mix) twice into fresh tempfile.mkdtemp() directories under identical environment pins (PYTHONHASHSEED=0, SOURCE_DATE_EPOCH=1756463424, TZ=UTC, LC_ALL=C.UTF-8, single-thread BLAS).
- **Execute the downstream chain verbatim:** canonical MIDI ×2 via c4 midi_from_json_events.py (read-only), merge with four structural gates, fluidsynth per-track render ×2, D2 vocals overlay via a SHA-verified htdemucs vocals copy, rc7 Method A mix-match via a per-song sibling reading scripts/v3_spine/mix_match_operator_section.py read-only, delivery of A/B WAVs plus full-song reconstruction plus manifest.
- **Measure the M-TEX-1 eight-key perceptual panel** on both required comparisons with the c33 rc7 anchor tripwire.
- **Emit** data/v3/deliveries/252eb21ce7df7328/cycle21/verdict.json with V3_FOCUS_SONG_LANDS_pending_operator, blocked_on_operator=true, three-way rubric_hash_v2 chain byte-equal, sub_clause_status.f_restart_from_partial=true, and a c20 backref SHA to the PARTIAL delivery.
- **Land a twelve-case test suite** at tests/test_v3_focus_wig_c21.py.
- **Six named plus two housekeeping ledger events** under the -clone-1 suffix.

The required output artifact is docs/v3_focus_wig_restart_c21_report.md.

2. Cycle 1: full PARTIAL→LANDS restart

2.1 Anchor preservation on inherited c20 state

The nine frozen c20 SHAs — twelve htdemucs section stem SHAs across two runs (byte-deterministic; six stems $\times 2$ = twelve run-scoped SHAs collapsing to six unique) and three completed MuScriptor JSON SHAs (drums, bass, guitar) — were verified byte-identical pre-versus-post at the start of the cycle. The verdict records this explicitly in the `anchor_preservation_c20_shas` block:

- `htdemucs_section_stems_all_match`: true
- `muscriptor_completed_probes_all_match`: true
- `n_frozen_shas_preserved`: 9

2.2 MuScriptor completion (four remaining probes)

The four remaining MuScriptor probes were executed twice into fresh temporary directories under the identical environment pins used at c20, and each pair asserted byte-deterministic. The verdict's `sub_clause_status.b_ii_muscriptor_json_det_x2` is true, and the `honest-partial-reasons` array is empty.

2.3 Read-only upstream anchors respected

The chosen-section slice at SHA `3d3776fa6e85ff5f8b594a9d8302d387fb9d325da389247fea9fed952bdfefb9` was used as the deterministic input source for the htdemucs re-hash checks. The six inherited section stems reproduce byte-identically:

Stem	SHA-256
bass	4878f22d5187de370a91723c097c62cfa5f830b0f7e56daabcd626fa62a5e
drums	4ea5bfb2d442e3f74b460ba4a15d9b799a9053d9b7488d217e9b18406db97
guitar	ea6dbc4d7f4a6e03b591490b9d4b514c22ffe95a174b7f1dae08b863ed96c
other	c51b0872087573e36f16973f1cc313a37745b23f67aa2aa08f1e0fac514d4
piano	5ed59e93204b4b3b48a05e4353d3d1a5cf7a68b16472e080290fa80c4c682
vocals	7ddf6e655ea46e3bdbd4f7e6b61f34090994654fb536d89cf709d601cd831

Downstream anchors (c4 canonical MIDI serializer, c5 mix-match Method A, c33 `render_stem`, focus set) were all consumed at their locked SHAs unchanged.

2.4 Downstream chain (all sub-clauses PASS)

The pipeline executed the entire downstream chain in a single cycle with every rubric sub-clause satisfied:

Sub-clause	Value
<code>a_delivery_present_nonsilent</code>	true
<code>b_i_htdemucs_operator_section_det_x2</code>	true
<code>b_ii_muscriptor_json_det_x2</code>	true
<code>b_iii_canonical_midi_det_x2</code>	true
<code>b_iv_per_track_wav_det_x2</code>	true
<code>b_v_full_reconstruction_wav_det_x2</code>	true
<code>c_panel_finite.operator_section_panel_ok</code>	true

Sub-clause	Value
c_panel_finite.root_panel_ok	true
c_panel_tripwire_holds	true
d_structural_gates_on_merged_mid.drums_track_on_ch10_nonempty	true
d_structural_gates_on_merged_mid.bass_median_pitch_lt_55	true
d_structural_gates_on_merged_mid.zero_notes_on_gm_program_4	true
d_structural_gates_on_merged_mid.vocals_track_present_symbolic	true
f_blocked_on_operator	true
f_restart_from_partial	true (brief-mandated PARTIAL→LANDS transition rationale)

The merged.mid landed at SHA a93f5c2ae16e5cace42b98886f6ce3eae4bb47393bef9d2abe631aadbe526578 with all four structural gates passing.

2.5 Deliverables

Under data/v3/deliveries/252eb21ce7df7328/operator_section/, matching the c5 Chicken Grease format:

- original_ab_operator_section.wav — 30-second original A/B on the operator-chosen section.
- reconstruction_ab_operator_section.wav — 30-second reconstruction A/B.
- full_reconstruction_operator_section.wav — full-section reconstruction.
- manifest.json (SHA 9a8a09d0f553a79f9304da0348fa7f1234a91f76f26f1037079bf40b6c414454).
- panel.json and panel.tsv — M-TEX-1 eight-key perceptual panel measurements.

The required output artifact docs/v3_focus_wig_restart_c21_report.md (8 219 bytes) landed under docs/ per the directive.

2.6 Verdict

data/v3/deliveries/252eb21ce7df7328/cycle21/verdict.json (SHA 95edf6cc741366d5f87e68c8658992830ba41fb7330bdb14) emitted with:

- verdict = V3_FOCUS_SONG_LANDS_pending_operator
- cycle = 21, song_sha16 = 252eb21ce7df7328, song_title = "Mura Masa – What If I Go", milestone_id = M-V3-FOCUS-1
- blocked_on_operator = true, honest_partial_reasons = [] (empty because the restart succeeded end-to-end)
- clone = "1", fork = "0a1b1dca4f9b", schema_version = 1
- Chosen section: t = 72.77133786848073 s to t = 102.77133786848073 s (duration 30.0 s exactly).
- Three-way rubric_hash_v2 chain byte-equal at c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b163adc3701 (document SHA, rubric_hash_v2.txt content, and verdict field all identical; rubric_hash_v2_three_way_chain_holds: true).
- c20 backref block pins the PARTIAL predecessor at bd394c43c6134811257bb9b27539bf95e8d5b4663135d2646b003 with the restart rationale recorded verbatim.
- All fifteen sub-clause status entries at true (see §2.4).

- Wave-sources block pinning the chosen-section slice SHA, six htdemucs run-1 stem SHAs, and the merged MIDI SHA.
- Delivery paths block pinning the six delivery-side artifacts by absolute path.
- `operator_notes` records the restart method verbatim: “Preserve 12 c20 htdemucs stem SHAs + 3 c20 MuScriptor JSON SHAs byte-identical; run remaining 4 MuScriptor probes (piano/vocals/other/full_mix) ×2 under identical env pins; then execute downstream chain verbatim (canonical MIDI ×2, merge with 4 structural gates, fluidsynth per-track ×2, vocals overlay, rc7 mix-match, deliver, panel). LANDS declaration pending operator ear per FD-6; internal-gate criteria per D-A satisfied.”

3. Cycles 2 and 3: re-verification and branch termination

Cycles 2 and 3 were re-verification passes. In each cycle the auditor performed live disk-state verification on every claimed anchor, three-way rubric hash chain, c20 backref, verdict enum, `blocked_on_operator` flag, the brief-mandated `sub_clause_status.f_restart_from_partial=true` field, the twelve-case test suite (executed live and returning “Ran 12 tests in 0.101 s — OK” with every test 1–12 green), the required output artifact presence, the merge report at the workspace-fallback path, and the six-file delivery tree. Every check passed at every audit; no CRITICAL or MODERATE findings were introduced across the arc.

Under the `<no-null-cycle-validation>` rule the Cycle 3 auditor issued COMPLETE with `[[BRANCH_COMPLETE]]`. Continuing further cycles on this clone would violate the `no-null-cycle-validation` guidance and the anti-Hold-Pattern invariant; the scope is genuinely exhausted; the three remaining MINOR items (shadow-ledger drift, brief-vs-on-disk rubric-hash discrepancy, `sub_clause_status` shape asymmetry) are all upstream or root-conductor concerns, not actionable at this clone.

The Cycle 3 auditor’s rationale enumerated three separable justifications:

1. **Substantive work is done and byte-deterministic.** Re-running would waste tokens and risk perturbing anchors. Every claimed SHA byte-verifies live (verdict 95edf6cc...9bfec8, c20 backref bd394c43...7afa6, three-way rubric chain c49db5a1...016451a); all twelve sub-clauses pass including the brief-mandated `f_restart_from_partial=true`; the twelve-case test suite runs 12/12 green live.
2. **Handoffs are upstream.** The three MINOR items are root-conductor concerns.
3. **Peer scope is orthogonal.** Sibling clone 2 (Chicken Grease palette render) does not authorize cross-lane work; manufacturing another cycle would violate the `no-null-cycle-validation` guidance.

4. Handoffs to the root conductor (log-only, not this clone’s work)

MINOR-1 (shadow-ledger drift, recurring, non-blocking). Standard c33 harness-clone-namespace-guard auto-suffix pattern; the four housekeeping ledger rows under the `-clone-1` suffix land in the fork’s shadow ledger via `AGENT_FORK_ID=0a1b1dca4f9b` and are concatenated into primary `promise_ledger.jsonl` at post-merge reconciliation. The root conductor’s post-merge reconciliation script handles this class routinely per the `_infra/fanout-namespace-convention-v2` retroactive-registration precedent.

MINOR-2 (brief-vs-on-disk rubric-hash discrepancy, upstream drift). The upstream brief-generator template quoted the c50 M-RECREATE-2 v2 rubric SHA 0e11f704e12c62f8...debe1f, but the correct v3-spine `rubric_hash_v2` on disk is c49db5a12e955f26...016451a (the same chain used by every c4–c20 v3-spine delivery). The worker correctly adapted per Fixed Decision 1 and used the on-disk v3-spine hash; the auditor recommends the root conductor patch the brief-generator template so future v3-focus briefs quote the v3-spine `rubric_hash_v2` rather

than the recreate_v2 v1 hash.

OBSERVATION (sub_clause_status shape asymmetry, not a defect). The WIG c21 verdict carries b_i_htdemucs_operator_section_det_x2 only, without a separate b_i_htdemucs_full_song_det_x2. This matches the Option A restart-from-PARTIAL scope: the c20-frozen twelve section stem SHAs were preserved verbatim as byte-identical anchors, and full-song htde-mucs was explicitly not in the restart scope (only the four deferred MuScriptor probes were the deferred work).

5. Merge disposition and campaign-level state

Merge disposition. This branch merges as [[BRANCH_COMPLETE]]. The required output artifact exists on disk at the required path; every hard anchor is byte-identical pre-versus-post live-verified; the three-way rubric hash chain holds byte-equal; the c20 backref resolves live; the twelve-case test suite runs green live; every rubric sub-clause including the brief-mandated f_restart_from_partial=true passes. Merge report is on disk at the workspace-fallback path per this session’s harness convention; the root conductor will handle any cross-directory copy to the intended fanout path at merge time.

M-V3-FOCUS-1 milestone: CLOSED WITH REDUNDANCY. Four internal-gate accepts on record against the operator’s D-A autonomous-completion contract’s requirement of three:

Song	sha16	Verdict SHA	Status
Chicken Grease	31a164f845f8e27e	(c5 delivery, operator-blessed)	operator-ear-LANDED 2026-09-02 (mandatory, authoritative per FD-6)
Rome	51e433ade2a845e1	d2c2d704ce910fde1b8110d01e78a9b875a6d4c5564b32b6e272197a7a	internal-gate-LANDS_pending_ operator (c20 clone-1)
Disco A	(per c22 S2)	28c3392934db6071f926e9a8315592bcb046a4bdf3f3551e5d63ec985	internal-gate-LANDS (c21 clone-0)
What If I Go	252eb21ce7df7328	95edf6cc741366d5f87e68c801d592b7330bdb14b91d94cfedfbf	internal-gate-LANDS_pending_ operator (this clone, PARTIAL→LANDS restart)
Peach Dream	88d247468cb6d49f	(c20 clone-2 Option 3 accept)	PARTIAL terminal (Option 3 accept)

Any three of {Chicken Grease, Rome, Disco A, WIG} satisfy the operator D-A autonomous-completion contract; the four accepts on record provide redundancy against operator ear falling any single non-mandatory candidate.

M-V3-CORPUS-1 unblock remains the root conductor’s call on the next cycle, gated on (a) operator confirmation of D-D (the palette-becomes-primary decision, pending on the c21 clone-2 palette-render results) and (b) operator ear on M-V3-FOCUS-1 post-hoc per D-A.

6. Conclusions

Clone 1 of fork 0a1b1dca4f9b executed the c22 S3 imperative cleanly. The WIG per-stem chain restarted from the c20 PARTIAL state exactly as Option A prescribed: nine frozen anchors preserved byte-identical, the four deferred MuScriptor probes completed byte-deterministic ×2 under identical environment pins, the downstream chain executed verbatim (canonical MIDI ×2, merge with all four structural gates passing, fluidsynth per-track ×2, D2 vocals overlay, rc7 Method A mix-match, delivery, panel), and the LANDS_pending_operator verdict emitted with every integrity chain byte-equal and the brief-mandated PARTIAL→LANDS transition rationale prominently recorded. Cycles 2 and 3 re-verified byte-identically and closed the branch under [[BRANCH_COMPLETE]] per the <no-null-cycle-validation> rule.

WIG now joins Chicken Grease, Rome, and Disco A as the fourth internal-gate accept under M-V3-FOCUS-1, closing the milestone with redundancy against the required threshold of three. The one PARTIAL branch (Peach Dream, closed under the Option 3 accept-terminal precedent) does not block: the campaign has more accepts than it strictly needs to advance. The remaining campaign-level questions — operator D-D on palette-becomes-primary, operator ear on M-V3-FOCUS-1 post-hoc — belong to the root conductor and the operator, not to any in-loop cycle.

Appendix: Implementation Details

A.1 Delivered artifacts

Required output artifact: docs/v3_focus_wig_restart_c21_report.md (8 219 bytes).

Verdict: data/v3/deliveries/252eb21ce7df7328/cycle21/verdict.json (SHA 95edf6cc741366d5f87e68c8658992830ba41fb)

Delivery-side artifacts under data/v3/deliveries/252eb21ce7df7328/operator_section/: original_ab_operator_section.wav, reconstruction_ab_operator_section.wav, full_reconstruction_operator_section.wav, manifest.json (SHA 9a8a09d0f553a79f9304da0348fa7f1234a91f76f26f1037079bf40b6c414454), panel.json, panel.tsv.

Merge report: docs/v3_focus_wig_restart_c21_merge_report.md (2 285 bytes) at workspace-fallback path; root-conductor cp to fanout path at merge time.

A.2 Integrity chains

Three-way rubric-v2 chain: docs/v3_spine_rubric_v2.md SHA c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b1 == data/v3_spine/rubric_hash_v2.txt content == verdict rubric_hash_v2 field.

c20 backref: data/v3/deliveries/252eb21ce7df7328/cycle20/verdict.json SHA bd394c43c6134811257bb9b27539bf95e8d live-verified at emit time and again at each of Cycles 2 and 3.

A.3 Preserved c20 anchors (byte-identical pre==post)

anchor_preservation_c20_shas: htdemucs_section_stems_all_match: true; muscriptor_completed_probes_all_match: true; n_frozen_shas_preserved: 9 (six htdemucs section stem SHAs, three completed MuScriptor JSON SHAs for drums, bass, and guitar).

A.4 Wave sources produced this cycle

chosen_section_slice_sha256: 3d3776fa6e85ff5f8b594a9d8302d387fb9d325da389247fea9fed952bdfefb9. Six htdemucs run-1 stem SHAs (bass 4878f22d..., drums 4ea5bfb2..., guitar ea6dbc4d..., other c51b0872..., piano 5ed59e93..., vocals 7ddf6e65...). Merged MIDI SHA a93f5c2ae16e5cace42b98886f6ce3eae4bb47393bef9d

A.5 Rubric sub-clause status

Every reported sub-clause is true: a_delivery_present_nonsilent, b_i_htdemucs_operator_section_det_x2, b_ii_muscriptor_json_det_x2, b_iii_canonical_midi_det_x2, b_iv_per_track_wav_det_x2, b_v_full_reconstruction_wav_det_x2, c_panel_finite.operator_section_panel_ok, c_panel_finite.root_panel_ok, c_panel_tripwire_holds, d_structural_gates_on_merged_mid.{drums_track_on_ch10_nonempty, bass_median_pitch_lt_55, zero_notes_on_gm_program_4, vocals_track_present_symbolic}, f_blocked_on_operator, f_restart_from_partial.

A.6 Chosen section

t = 72.77133786848073 s to t = 102.77133786848073 s (30.0 s). Source: operator's D1-chosen section from focus_set_v2.json.

A.7 Read-only upstream anchors consumed

c4 canonical MIDI serializer (scripts/v3_spine/midi_from_json_events.py); c5 mix-match Method A (scripts/v3_spine/mix_match_operator_section.py); c33 render_stem (scripts/palette_render/render_stem.py); focus set (data/recreate_v2/focus_set_v2.json); c20 clone-0 delivery (backref) at data/v3/deliveries/252eb21ce7df7328/cycle20/verdict.json SHA bd394c43...7afa6.

A.8 Test suite

tests/test_v3_focus_wig_c21.py with the twelve-case shape; live re-run at Cycle 3 audit returned "Ran 12 tests in 0.101 s — OK" with every test 1-12 green.

A.9 Environment pins

PYTHONHASHSEED=0; SOURCE_DATE_EPOCH=1756463424; TZ=UTC; LC_ALL=C.UTF-8; OMP_NUM_THREADS=1, MKL_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1; interpreter /usr/bin/python3; mido==1.3.3; SoundFont SHA 74594e8f...1cb0; MuScriptor model SHA ac80adbd...7fb97ec. Identical to c20 pins.

A.10 Handoffs for root conductor (log-only)

MINOR-1 (shadow-ledger drift, recurring non-blocking): standard c33 harness-clone-namespace-guard auto-suffix pattern; -clone-1 rows land in fork shadow ledger via AGENT_FORK_ID=0a1b1dca4f9b; root-conductor post-merge reconciliation handles routinely per _infra/fanout-namespace-convention-v2.

MINOR-2 (brief-vs-on-disk rubric-hash discrepancy, upstream drift): brief-generator quoted 0e11f704...debe1f (c50 M-RECREATE-2 v2 rubric); on-disk v3-spine rubric_hash_v2 is c49db5a1...016451a; worker correctly adapted per FD-1; root conductor may patch the brief-generator template so future v3-focus briefs quote the v3-spine hash.

OBSERVATION (sub_clause_status shape asymmetry, not a defect): verdict carries b_i_htdemucs_operator_section_det_x2 only; no separate full-song key. Matches Option A restart-from-PARTIAL scope; full-song htdemucs not in restart scope (only the four deferred MuScriptor probes were the deferred work).

A.11 M-V3-FOCUS-1 accept summary

Four internal-gate accepts on record against required threshold of three: Chicken Grease (operator-ear-LANDED 2026-09-02, mandatory); Rome c20 clone-1 (d2c2d704...7afa6); Disco A

c21 clone-0 (28c33929...9859b2); WIG c21 clone-1 (95edf6cc...9bfec8, this clone). Peach Dream c20 clone-2 PARTIAL terminal (Option 3 accept). Milestone closes with redundancy.

A.12 Source sessions

Cycle	Researcher	Worker	Auditor
1	c1ef1d74-df14-42ec-9d1b-a257864dd2d8	16c17ce4-8b87-4ed2-8728-5dd4ea3f4756	8733ff4b-6559-4655-ac20-0e41e4639d7f
2	cd0472e7-dfab-4048-90c7-0485252b290d	4e1ab100-0f76-4828-9305-25dcd65c897e	c7bf1829-cff1-4abd-bf29-ef7e9e47d5dd
3	f363704e-4a07-4d23-a77d-3b30fe28ac61	70c95419-dbf6-499b-83a8-a5379c9cf661	70ad7a19-dfa8-4555-bf7b-08b45b3ec01a

A.13 Fanout metadata

Fork 0a1b1dca4f9b. Clone 1 of the WIG restart assignment. Merge report expected at /home/user/music-gen-instance-v3/fork-0a1b1dca4f9b/clone-1/merge_report.md for parent-conductor pickup; workspace-fallback copy at docs/v3_focus_wig_restart_c21_merge_report.md. Sibling clones 0 (Disco A) and 2 (Chicken Grease palette) reported separately.