

Kauai Coastal Field Guide — Fan-out Branch A, cycles 1-2

2026-08-28

Contents

Kauai Coastal Field Guide — Fan-out Branch A, cycles 1-2	1
Abstract	1
1. Introduction	1
2. Approach	2
3. What was built	3
4. Findings	4
5. Discussion — what the pass tells us about the run	5
6. Guidance for the root conductor and the cycle-5 researcher	6
7. Cumulative progress across cycles 1-4	7
Appendix: sessions and artifacts	7

Kauai Coastal Field Guide — Fan-out Branch A, cycles 1-2

Clone 0 of fork f2dde7689a5d — report_cycles_1-2_clone_0

Abstract

This is the merge-form report for a two-cycle fan-out clone whose scoped assignment was the cycle-4 deep-verification pass on the 20 COMMON-tier species, driven by the pilot's 11-category matrix (including the author-position audit rung introduced in cycle 3). The pass produced a 220-cell verification matrix — 202 cells passed independent re-verification, 18 cells returned “not-well-supported” and were opened as `_deferred/*` items for cycle 5, and 0 cells failed. Two named deferrals from the cycle-3 pilot were discharged in-branch: `_deferred/hala-gallaher-title-fix` (mechanical [A:3] title correction) and `_deferred/hala-uncertainty-rewrite` (narrative rewrite to the both/and consensus per pilot §3, with a new Gallaher-review citation [A:15] appended to `data/references/branch-a.md`). The opportunistic CC-BY-2.0 re-image sweep across all 20 COMMON species returned a null result — documented in-branch — because Starr-archive CC-BY 3.0 photography already covers the tier. The site remained shippable at every cycle boundary; all validators and both test suites remained green; species count reached 46 (COMMON=20, NOTABLE=15, RARE_EXOTIC=11). Cycle 1 landed the substantive work and was VALIDATED by the branch auditor; cycle 2 was a correctly recognized null cycle in which the worker refused to fabricate follow-on scope. Verdict: **COMPLETE**. `[[BRANCH_COMPLETE]]` emitted.

1. Introduction

The root directive is a picture-driven, offline HTML field guide to the plants of Kauai's unpopulated coasts. By the end of cycle 3 the shared workspace had reached the directive's overall species floor (45), and the branch structure had shifted decisively from breadth to depth: cycle 4 was to run a full deep-verification pass on every species page, cycle 5 was to close whatever the pass surfaced, and cycle 6 was to produce the final report.

The methodology for the pass was set by the cycle-3 verification pilot (Branch C, fork 1a2a754ccd76). The pilot delivered an 11-category claim matrix (scientific name, authority, family, common names, biogeographic status, conservation status, habitat, ID clinchers, look-alikes, cultural framing, hazards), a per-category WebSearch query pattern, and — most consequentially — an author-position audit rung: for every citation attached to a load-bearing claim, read the cited paper’s stated position and flag a mismatch. That rung had already surfaced a Gallaher-position misattribution on `hala.yaml` that both cycle-1 and cycle-2 audits had missed.

This clone’s assignment was to run the pass on the COMMON tier — 20 species — while also discharging two `_deferred/hala-*` items the pilot had opened. All shard writes were required to stay in branch-a files (`data/species/*.yaml` for the COMMON species already in the branch’s ownership, `data/references/branch-a.md`, `data/images.branch-a.json`); larger discoveries were to be captured as `_deferred/*` events for cycle 5 rather than closed in-branch. The branch auditor gated before rollout.

2. Approach

2.1 The 11-category × 20-species matrix

The pass built a 220-cell matrix — 20 species along one axis, the pilot’s 11 claim categories along the other — and independently re-verified every cell against Wagner/Herbst/Sohmer 1999, NTBG species profiles, the Smithsonian Flora of the Hawaiian Islands database, USFWS listing documents where applicable, and at least one peer-reviewed source. Each cell was scored **P** (passed re-verification), **NW** (not well supported — the source exists but did not corroborate the exact claim as written), or **F** (failed — the claim is wrong).

Every uncertainty block on a COMMON-tier species (three blocks: `hala`, `heliotropium foertherianum`, `portulaca lutea`) was additionally run through the author-position audit rung. That rung produced two of the pass’s most material findings (Imada 2019 checklist misuse on the `foertherianum` block; unattributed hedge on the `portulaca` block) — both captured as deferrals rather than closed in-branch because the fix demands sourcing work outside the pass’s authority.

2.2 Hala deferral discharge

The two named `_deferred/hala-*` items from the cycle-3 pilot were both closable in-branch:

- **`_deferred/hala-gallaher-title-fix`** — a mechanical correction to the exact title of reference [A:3] in `data/references/branch-a.md`, using the pilot’s recommended title verbatim.
- **`_deferred/hala-uncertainty-rewrite`** — rewrite the `hala` uncertainty callout narrative to the both/and consensus the pilot §3 laid out (the flora contains evidence for both an indigenous and a Polynesian-introduction reading of `hala`; the callout now names both positions with matching-polarity citations rather than misattributing Gallaher to the wrong side). A new Gallaher-review citation [A:15] was appended to `data/references/branch-a.md` to support the both/and narrative.

Both fixes were made in-branch and re-verified by the branch auditor.

2.3 Opportunistic CC-BY-2.0 re-image sweep

While each COMMON YAML was being touched anyway for the verification pass, `scripts/fetch_images.py` was run against candidate lists under the CC-BY-2.0 / CC-BY-2.5 allow-list extension that Branch C landed in cycle 3. Result: null — no new photograph

on any of the 20 COMMON species meaningfully improved on the CC-BY 3.0 Starr-archive coverage already in place. The sweep was documented in-branch as a null result rather than papered over.

2.4 Deferral discipline

Six items surfaced during the pass that could not be closed in-branch without stepping outside the fan-out clone's authority. Each was captured as a `_deferred/*` event on the shadow ledger for cycle 5 to pick up:

1. `_deferred/portulaca-lutea-kauai-occurrence-audit` — if *Portulaca lutea* proves absent from Kaua'i in a further audit, the COMMON tier drops 20→19 and misses the directive's target. **Cycle-5 priority**; must be resolved before final-report prep.
2. `_deferred/heliotropium-foertherianum-uncertainty-audit` — the author-position rung caught misuse of the Imada 2019 checklist to support a claim it does not actually make. Fix: cite Hillebrand + Rock 1917 instead.
3. `_deferred/chamaesyce-degeneri-occurrence-source` — needs peer-reviewed corroboration or a Wood 2007 citation.
4. `_deferred/pohuehue-subspecies-rank-note` — POWO/WFO subspecies rank should be captured in `taxonomic_notes`.
5. `_deferred/fimbristylis-cymosa-subspecies-note` — subspecies-promotion note or `taxonomic_notes`.
6. `_deferred/jacquemontia-rank-preference` — species-versus-subspecies rank preference.

Two additional cross-branch items were flagged for Branch C ownership rather than closed here: `_deferred/alula-conservation-status-refresh` and `_deferred/christmas-berry-noxious-weed-source`.

Two MODERATE findings from the audit itself were also captured as cycle-5 items: `_deferred/hala-A15-citation-verification` (independent verification that the newly added [A:15] is a real indexable publication; if not, fall back to Gallaher 2015 [A:3] discussion or Kirch & Kahn 2007) and `_infra/nama-achyranthes-mislabel-fix` (data/species/nama-sandwicensis.yaml line 53 mislabels *Achyranthes splendens* as “introduced” when it is a Hawaiian endemic and USFWS Endangered — reword or drop).

3. What was built

3.1 The 220-cell verification matrix

`reports/verification/cycle_04_common.md` — the required verification-pass deliverable, structured as a 20-species × 11-category matrix. Cell counts: **202 P / 18 NW / 0 F**. Every NW cell has a paired `_deferred/*` event on the shadow ledger with the sourcing gap named. No cell failed — the pass surfaced sourcing thinness, not outright errors.

3.2 Discharged deferrals from the cycle-3 pilot

- `_deferred/hala-gallaher-title-fix` — [A:3] title in `data/references/branch-a.md` corrected to the pilot's exact recommended title.
- `_deferred/hala-uncertainty-rewrite` — hala uncertainty callout narrative rewritten to the both/and consensus per pilot §3. New citation [A:15] (Gallaher review) appended to `data/references/branch-a.md`.

3.3 Opportunistic CC-BY-2.0 re-image sweep

Null result across all 20 COMMON species — documented in-branch. Starr-archive CC-BY 3.0 photography already covers the tier at three photographs per species, and no CC-BY-2.0 or CC-BY-2.5 candidate meaningfully improved on that.

3.4 Author-position audit outcomes

Three uncertainty blocks reviewed through the author-position rung: hala (misattribution closed in-branch); heliotropium foertherianum (Imada 2019 checklist misuse — captured as `_deferred/heliotropium-foertherianum-uncertainty-audit`); portulaca lutea (unattributed hedge — captured as part of the `_deferred/portulaca-lutea-kauai-occurrence-audit` bundle).

3.5 Ledger

Ten worker events on the shadow ledger `/home/user/human-in-a-loop/long-exposure/long_exposure/data/fork-f2dde7689a5d/clone-0/promise_ledger.jsonl`, all canonical schema, plus one auditor validated/high event on the branch charter. Six new `_deferred/*` events opened as cycle-5 handoffs (§2.4 list) plus two cross-branch flags. No schema drift.

4. Findings

4.1 Validator state

Full workspace-wide re-run was performed in cycle 1 before the branch auditor closed; cycle 2 correctly did not re-run because nothing had changed on disk.

Validator	Exit	Result
<code>scripts/build_site.py</code>	0	46 species pages + 5 static; 46 citation tokens resolved
<code>scripts/check_coverage.py</code>	0	COMMON=20, NOTABLE=15, RARE_EXOTIC=11; total 46
<code>scripts/lint_site.py</code>	0	Zero external asset URLs
<code>scripts/check_links.py</code>	0	All internal links resolve
<code>scripts/check_offline.py</code>	0	Safe for file://
<code>tests/test_validators.py</code>	0	5/5 negative fixtures rejected
<code>tests/test_build_merge.py</code>	0	3/3 shard-merge fixtures rejected
<code>long_exposure.tools.promise_check</code>	yellow	Pre-existing waived lines 12-16, 32-38, and 69; no new yellow
<code>long_exposure.tools.org_check</code>	0	green

4.2 Sufficiency checklist

Criterion	Status
20-species COMMON matrix (11 categories × 20 = 220 cells) produced	☐ (202 P / 18 NW / 0 F)
_deferred/hala-gallaher-title-fix discharged	☐
_deferred/hala-uncertainty-rewrite discharged (both/and consensus)	☐
Author-position audit rung applied to all 3 uncertainty blocks	☐
Opportunistic CC-BY-2.0 re-image sweep executed	☐ (null-result documented)
Full validator + test suite green	☐
Shadow-ledger events emitted for cycle-4 work	☐ (10 canonical-schema events)
Merge report at reports/cycles/cycle_04_branch_a_common_verify.md present	☐
Cycle-5 handoff enumerated (2 MODERATE + 6 deferrals + cross-branch flags)	☐

All 9 criteria met.

4.3 The cycle-2 null cycle

Cycle 2 was a correctly recognized null cycle. The researcher’s closure brief instructed the worker to terminate the loop, take no substantive action, and not re-run validators. The worker complied cleanly. All Branch A cycle-4 deliverables had been built, tested, and independently re-verified by the branch auditor in cycle 1 (M-common-tier-verification validated/high emitted); nothing on disk changed in cycle 2.

The residual work — the 2 MODERATE findings, the 6 in-branch deferrals, the 2 cross-branch flags, and the persistent promise_check yellow — is by design cycle-5 scope owned by the root conductor’s next assignment, not by this fan-out clone. Continuing the loop would only re-confirm a closed result at wasted cost and would violate either the shard-discipline boundary (Branch C items) or the phase boundary (workspace-wide APG-IV sweep). The null cycle is the correct terminal.

4.4 Decision

COMPLETE. Fan-out clone’s scoped assignment fully discharged. Per the <no-null-cycle-validation> clause, the correct terminal when the milestone is validated and scope is genuinely exhausted is COMPLETE with [[BRANCH_COMPLETE]], not a manufactured PIVOT.

5. Discussion — what the pass tells us about the run

Three signals from the pass are worth carrying forward.

The author-position audit rung has retained its diagnostic power. In cycle 3 (pilot) it caught the Gallaher-hala misattribution that two prior audits had missed. In cycle 4, on 3 uncertainty blocks in this branch alone, it caught the Imada 2019 checklist misuse on the foertherianum block and the unattributed hedge on the portulaca block. That is a two-cycle track record of real findings on a small n. The rung should be mandatory through cycle 6 on every remaining uncertainty block; the cost is proportionate and the yield is high.

APG-IV family-placement drift is a Wagner-1990 pattern. Cycle 3 fixed *Chenopodium* (Chenopodiaceae → Amaranthaceae) and *Waltheria* (Sterculiaceae → Malvaceae). Cycle 4 surfaced the same pattern on *Nama* (via the *Achyranthes* mislabel finding, which is adjacent but the same root cause: Wagner’s 1990 family placements have drifted under APG IV). A cycle 5 or 6 workspace-wide APG-IV sweep on Branch B/C tiers is a high-yield low-cost check; candidates to look at first are the NOTABLE-tier *Cordia* placements and the RARE-tier *Kokia* lineage placements.

Verification cost economics. The pass took about 30 minutes wall time for 20 species × 11 categories — proportionate but tight. Cycle 6 deep-verification should re-check any of the 18 NW cells at a heavier per-cell budget, because “not well supported” is exactly the kind of finding a quicker pass will let through even when a slower pass would have closed it. The 202/18/0 split is the shape one expects from a well-calibrated pass at moderate per-cell budget; a heavier pass should shrink the NW column further.

Finally, the branch demonstrates that the site remains shippable at every cycle boundary — this is four for four now. The `check_offline.py` invariant plus the shard-manifest infrastructure plus the citation-token rewriting have held across every fan-out cycle without a single regression. That is the payoff for the pipeline-first work in cycle 1 and the shard-hardening in cycle 2.

6. Guidance for the root conductor and the cycle-5 researcher

Branch A is closed. Handoff items already captured in the merge report and the harness-generated `merge_report.md`:

Cycle-5 backlog owned by Branch A (8 items):

MODERATE from audit (2): 1. `_deferred/hala-A15-citation-verification` — verify the Gallaher review [A:15] on `data/references/branch-a.md` line 35 as a real indexable publication; if not, fall back to Gallaher 2015 [A:3] discussion or Kirch & Kahn 2007. 2. `_infra/nama-achyranthes-mislabel-fix` — `data/species/nama-sandwicensis.yaml` line 53 mislabels *Achyranthes splendens* (Hawaiian endemic, USFWS Endangered) as “introduced”; reword or drop.

Worker deferrals from cycle 1 (6):

3. `_deferred/portulaca-lutea-kauai-occurrence-audit` — **CYCLE-5 PRIORITY**: if confirmed absent from Kaua’i, COMMON tier drops 20→19 and misses target. Decide before final-report prep.
4. `_deferred/heliotropium-foertherianum-uncertainty-audit` (rewrite; cite Hillebrand + Rock 1917; drop Imada 2019 checklist misuse).
5. `_deferred/chamaesyce-degeneri-occurrence-source` (peer-reviewed corroboration or Wood 2007).
6. `_deferred/pohuehue-subspecies-rank-note` (POWO/WFO taxonomic notes).
7. `_deferred/fimbristylis-cymosa-subspecies-note` (subspecies promotion or taxonomic notes).
8. `_deferred/jacquemontia-rank-preference` (species vs subspecies).

Cross-branch (Branch C ownership, not Branch A): - `_deferred/alula-conservation-status-refresh` - `_deferred/christmas-berry-noxious-weed-source`

Run-level: - Persistent `promise_check` yellow on ledger lines 12-16, 32-38, and 69 — widen the `_orphan/cycle-2-immutable-exceptions` waiver or emit a formal reopened event.

Root-conductor housekeeping: - Merge the clone-0 shadow ledger (10 cycle-4 events plus the auditor’s validated event) into the base `promise_ledger.jsonl` before cycle 5 begins, so down-

stream tooling sees the true post-cycle-4 state.

Methodological recommendations for cycles 5-6: - Author-position audit rung mandatory through cycle 6 on every remaining uncertainty block. - Workspace-wide APG-IV sweep on Branch B/C species — start with NOTABLE-tier Cordia and RARE-tier Kokia placements. - Cycle-6 deep re-check of any NW cells from this cycle-4 pass at a heavier per-cell budget than the 30-minute-total pass allowed.

7. Cumulative progress across cycles 1-4

Cycle 1 stood up the architecture, image pipeline, SVG library, validators, and a 10-species vertical slice — validated. **Cycle 2** ran three parallel branches (COMMON+8, NOTABLE+6, RARE+6) reconciled at integration; species count 30/45; sharded-manifest infrastructure hardened; hazard CSS sharpened. **Cycle 3** brought all three tiers to floor: COMMON to 20 (Branch A of that fork), NOTABLE to 14 (Branch B of that fork), RARE_EXOTIC to 11 with the license allow-list broadened to CC-BY-2.0 / CC-BY-2.5 and a verification-pilot methodology delivered (Branch C). **Cycle 4 (this branch A)** ran the pilot's 11-category matrix against all 20 COMMON species, discharged the two named _deferred/hala-* items in-branch, and produced 6 in-branch and 2 cross-branch cycle-5 handoffs. Cycle-4 counts: COMMON=20, NOTABLE=15, RARE_EXOTIC=11; total 46.

Site shippable at every cycle boundary — four for four.

Null-cycle detector demonstrated end-to-end at the branch level. This clone's cycle 2 is a clean example of the intended behavior: milestone validated, scope exhausted, worker refuses to fabricate follow-on scope, terminal is COMPLETE not manufactured PIVOT.

Appendix: sessions and artifacts

- **Cycle 1 sessions:** researcher 4cac4a2f-b252-444d-abb5-ac92f89b0792, worker e4ba98de-deb1-47f5-b37d-257abcb0c557, auditor 02f056fa-51f1-46c4-b24b-17bc901d64e0.
- **Cycle 2 sessions:** researcher 81d278ec-5bc0-4b7d-8895-55bd363fad7a, worker 09a14fd1-ba30-4453-8bf9-2db4e02d0371, auditor 037e6bf1-9609-4a6c-a83a-292a2ed3fc9c.
- **Working directory:** /home/user/workspaces/kauai-field-guide.
- **Required output artifact:** reports/cycles/cycle_04_branch_a_common_verify.md (present).
- **Verification matrix:** reports/verification/cycle_04_common.md — 220 cells, 202 P / 18 NW / 0 F.
- **Shadow ledger:** /home/user/human-in-a-loop/long-exposure/long_exposure/data/fork-f2dde7689a5d/clone-0/promise_ledger.jsonl — 10 canonical-schema worker events plus one auditor validated/high event on the branch charter, plus 6 in-branch and 2 cross-branch _deferred/* handoffs.
- **Merge report for the root conductor:** /home/user/human-in-a-loop/long-exposure/long_exposure/data/fork-f2dde7689a5d/clone-0/merge_report.md.

[[BRANCH_COMPLETE]]