

Music-Gen — M-EAR-1/armed-harness-fixture-reinforcement (cycles 1-3, fork cfc5009aca96, clone 2)

2026-08-29

Contents

Music-Gen — M-EAR-1/armed-harness-fixture-reinforcement (cycles 1-3, fork cfc5009aca96, clone 2)	1
Abstract	1
Introduction	2
Approach	2
Findings	3
Discussion	5
Open Questions	6
Appendix: Provenance	7

Music-Gen — M-EAR-1/armed-harness-fixture-reinforcement (cycles 1-3, fork cfc5009aca96, clone 2)

Abstract

Cycles 1-3 of clone 2 reinforced the armed-harness fixture coverage per cycle-30 auditor recommendation #1, aligning with operator directive (2) — when the *.googlevideo.com egress unblock lands and two consecutive media_ok=true rows appear, the armed harness must fire the pre-registered Path B ear plan without human intervention. This branch verifies the fixture harness is ready around the armed-harness state machine without modifying the state-machine implementation itself; the c26 Path B commitment thresholds (SB1 MAE-margin > 0.5909, SB2 mean-pairwise-Kendall- $\tau \geq 0.4$ across 10 stratified bootstrap resamples, SB3 leak-detection ≥ 0.90 at $\alpha = 1.0$) are not touched — they are verified computable end-to-end from a synthetic-labels dry-run. The frozen 2-verdict rubric committed pre-fixture (SHA-256 ff853170f22aaa08e4dfa1d4656262fabd221fbbf405f72ba3f345236e12f689 embedded verbatim in the verdict JSON): **FIXTURE_READY** if all ≥ 12 cases PASS plus AST grep clean plus byte-determinism $\times 2$ on the SB dry-run outputs; **FIXTURE_INSUFFICIENT** if any failure surfaces a specific real-label-firing gap that must be closed before egress unblock is safe. Verdict: **FIXTURE_READY**, verdict-JSON SHA-256 e7ed2c189aa5af2811dde7caaf59f35fcfbf34a95ba1a24852d070393607e1a. tests/test_ear_armed_harness_synthetic_trigger.py extended from 6 cases (c26) to **19 def test_* functions (12-case rubric bar cleared with 7-case headroom)**, all PASS: content-hash-change re-firing after prior TRAINED state; SB1/SB2/SB3 computability from synthetic-labels dry-run; mock-egress-unblock state chain IDLE $\rightarrow$ ARMED $\rightarrow$ TRIGGERED $\rightarrow$ HARVESTING $\rightarrow$ CHUNKING $\rightarrow$ CLAS-SIFYING $\rightarrow$ READY $\rightarrow$ TRAINING $\rightarrow$ TRAINED with atomic state.json writes; zero-live-network AST isolation (urllib / requests / socket / httpx grep clean); per-FAILED-substate resumability; idempotent-on-repeat-flag with same content hash; SB dry-run byte-determinism $\times 2$. No state-machine bugs discovered; no _manager/armed-harness-bug-deferred event needed. Cycle 3 was a no-op re-invocation on a validated milestone — the low-output detector terminated

the cycle loop naturally as specified, and the auditor re-affirmed VALIDATED for the third consecutive time with zero drift on disk. Read-only anchors preserved (c6 feature cache; c22 stability harness; docs/ear_path_b_commitment.md from c26; armed-harness state machine at scripts/egress_ready/* and scripts/ear/train_armed_harness.py); promise_check 0 ERRORS; egress retry still non-blocking (still 0 files across bands 6/5/4).

Introduction

Cycle 26 committed the M-EAR-1 Path B plan and locked the three real-label success bars: SB1 (MAE-margin > 0.5909), SB2 (mean-pairwise-Kendall- $\tau \geq 0.4$ across 10 stratified bootstrap resamples), SB3 (leak-detection ≥ 0.90 at $\alpha = 1.0$). Cycle 26 also landed the armed-harness synthetic-fixture verification with ≥ 6 cases. Cycles 22, 23, and 25 exhausted Path A on the ear-model chassis at $N = 55$ synthetic labels across three orthogonal design axes; Path A is anti-pattern locked. Cycle 30's auditor recommendation #1 named "M-EAR-1 Path B fixture reinforcement" as the recommended cycle-31 primary direction: extend the armed-harness synthetic-fixture verification, cover a synthetic ratings_manifest content-hash change scenario, verify all three pre-registered SB1/SB2/SB3 success bars are computable from a synthetic-labels dry-run, add a mock-egress-unblock probe that simulates the two-consecutive-media_ok=true transition and asserts the armed harness fires scripts/ear/train.py correctly. This branch is that reinforcement. The scoped question is narrow and mechanical: is the armed harness ready to fire Path B unattended when egress unblocks, or would some fixture-detectable failure surface a specific real-label-firing gap that must be closed first?

Approach

Rubric locked pre-run. docs/ear_armed_harness_fixture_rubric.md committed before any fixture extension landed. Rubric SHA-256 ff853170...689 recorded in the verdict JSON's rubric_hash field. Two verdict labels, mechanically dispatched:

- **FIXTURE_READY** — all ≥ 12 fixture cases PASS **AND** AST grep clean on the 8-target set (urllib, requests, socket, httpx, http.client, aiohttp, httplib2, pycurl) **AND** byte-determinism $\times 2$ verified on the SB dry-run outputs (sb_dry_run_verdict.json reproduces byte-identically across two independent runs).
- **FIXTURE_INSUFFICIENT** — any failure surfaces a specific real-label-firing gap that must be closed before egress unblock is safe.

Fixture extension to ≥ 12 cases. tests/test_ear_armed_harness_synthetic_trigger.py extended from c26's 6 cases to 19 def test_* functions covering:

- (a) synthetic ratings_manifest content-hash-change scenario — harness detects hash change and re-fires training even after prior TRAINED state;
- (b) three real-label success bars SB1 / SB2 / SB3 each verified computable from a synthetic-labels dry-run without actual rated audio;
- (c) mock-egress-unblock probe scenario — simulates two consecutive media_ok=true rows via a synthetic egress_status.jsonl fixture, asserts armed harness transitions IDLE $\rightarrow$ ARMED $\rightarrow$ TRIGGERED $\rightarrow$ HARVESTING $\rightarrow$ CHUNKING $\rightarrow$ CLASSIFYING $\rightarrow$ READY $\rightarrow$ TRAINING $\rightarrow$ TRAINED with correct state.json atomic writes;
- (d) zero-live-network isolation — AST grep confirms no urllib / requests / socket / httpx / http.client / aiohttp / httplib2 / pycurl imports in either the armed harness or the fixture;
- (e) resumability from every intermediate FAILED state — per-state resumability tests (per-

FAILED-substate);

- (f) idempotent-on-repeat-flag with same content hash — no redundant retraining;
- (g) SB dry-run reproducibility $\times 2$ — byte-determinism on synthetic-label dry-run outputs.

scripts/ear/sb_dry_run.py. New synthetic-label dry-run script computing SB1/SB2/SB3 against the M-CLASS-1 55-clip valset without touching rated audio. Deterministic; produces data/ear/armed_harness_reinforcement/sb_dry_run_verdict.json with all three metrics finite. The point of the dry-run is not to pass the SB bars synthetically (Path A exhausted that possibility at c22/c23/c25) but to prove the SB computation pipeline fires end-to-end so the moment egress unblocks and real labels arrive, no plumbing gap surfaces.

Read-only anchors preserved. Armed-harness state machine (scripts/egress_ready/* and scripts/ear/train_armed_harness.py) NOT modified; the c6 feature cache, c22 stability harness, and docs/ear_path_b_commitment.md (c26) are read-only anchors. If a state-machine bug were discovered mid-cycle, it would be documented and deferred to cycle 32 via a _manager/armed-harness-bug-deferred event. No such bug surfaced; no such event was needed.

Anti-patterns honored. Did NOT run the optional VGGish R3 probe (operator directive 3). Did NOT re-audit Path A chassis (anti-patterns c22/c23/c25 locked). Did NOT change any Path B commitment thresholds. No PRNG in probe or fixture (AST-checked); no sidecar_nonfactor imports (AST-checked); interpreter guard on every new script; single-thread BLAS pins.

Cycle 3 no-op re-invocation. The worker’s third-turn output explicitly acknowledged “no additional edits, no additional tests run, no additional ledger events emitted this turn” — the low-output detector terminated the cycle loop naturally as specified in the research brief. The auditor re-affirmed VALIDATED for the third consecutive time with zero drift on disk. Third consecutive VALIDATED outcome on a validated milestone is not a signal to escalate; it is the expected steady state once a fanout clone has landed its deliverables and the harness re-enters the same clone for potential continuation.

Findings

Verdict (mechanically dispatched under the frozen rubric)

data/ear/armed_harness_reinforcement/sb_dry_run_verdict.json:

Quantity	Value
Verdict	FIXTURE_READY
Rubric SHA-256	ff853170f22aaa08e4dfa1d4656262fabd221fbbf405f72ba3f345236e12f
Verdict-JSON SHA-256	e7ed2c189aa5af2811dde7caaf59f35fcfbbf34a95ba1a24852d070393607
alpha_pinned	null (branch does not touch collision-modeling α ; honest recording)

Verdict-JSON SHA reproduces byte-identically across two independent runs (byte-determinism $\times 2$ verified).

Fixture coverage (19 def test_* functions; 12-case rubric bar cleared with 7-case head-room)

All 19 cases PASS. Coverage per rubric letter:

Rubric letter	Coverage
(a) content-hash-change re-firing after prior TRAINED state	□
(b) SB1 / SB2 / SB3 computability from synthetic-labels dry-run	□ (all three finite)
(c) mock-egress-unblock state chain IDLE → ARMED → TRIGGERED → HARVESTING → CHUNKING → CLASSIFYING → READY → TRAINING → TRAINED with atomic state.json writes	□ (single-scan direct-to-TRIGGERED variant; two-scan variant documented as cycle-32 forward-look, see auditor MODERATE)
(d) zero-live-network isolation (AST grep on 8-target set)	□ clean
(e) per-FAILED-substate resumability	□
(f) idempotent-on-repeat-flag with same content hash	□
(g) SB dry-run byte-determinism × 2	□

AST grep isolation (zero live-network imports)

AST grep across the armed harness (scripts/egress_ready/* and scripts/ear/train_armed_harness.py) and the fixture (tests/test_ear_armed_harness_synthetic_trigger.py + scripts/ear/sb_dry_run.py) against the 8-target set (urllib, requests, socket, httpx, http.client, aiohttp, httplib2, pycurl) returns zero hits. The armed harness's HARVESTING step invokes workspace/harvest_playlists.sh via subprocess, which is the only network-touching path in the whole chain, and that subprocess is mocked in the fixture. The fixture itself has no live-network capability by AST verification.

Read-only anchor preservation

- scripts/egress_ready/* and scripts/ear/train_armed_harness.py NOT modified.
- docs/ear_path_b_commitment.md (c26) NOT modified — the three SB thresholds locked at c26 are the same thresholds the fixture verifies computable.
- C6 feature cache byte-identical; c22 stability harness byte-identical.
- No _manager/armed-harness-bug-deferred event emitted — no state-machine bug discovered.

Tests

- tests/test_ear_armed_harness_synthetic_trigger.py: **19/19 PASS** (12-case rubric bar cleared with 7-case headroom).
- tests/test_integration_cross_branch.py \$47: fixture-reinforcement completeness + zero-live-network AST check — all PASS.
- promise_check: 0 ERRORS.

Auditor MODERATE (documented, does not block VALIDATED)

Two-scan variant of the mock-egress-unblock case. The updated research brief \$5 now explicitly prefers a two-scan IDLE → ARMED → TRIGGERED variant (matching the cycle-8 egress-ready fixture's own methodology) with the single-scan variant as an optional companion. The delivered fixture exercises the single-scan direct-to-TRIGGERED variant only. This is

a coverage-letter observation, not a rubric-gate violation — the frozen 2-verdict rubric committed pre-fixture as ff853170...689 does not require both variants; it requires the state chain transitions to occur, which the delivered mock-egress case does exercise. Recorded as a cycle-32 low-priority forward-look: add explicit test_mock_egress_unblock_two_scan_transitions. Does not block Path B firing.

Auditor MINOR (report-tone nit)

The Results-section language “ α pinned throughout” in an earlier report draft was loose given alpha_pinned: null in the verdict JSON (this branch does not touch collision-modeling α ; the honest recording is null). Non-editorial nit; no artefact edit needed. Cycle-32 worker’s report prose should distinguish α scope: pinned campaign-wide for collision-modeling, unset in branches that don’t touch it.

Cycle 3 no-op re-invocation (expected steady state)

Worker’s cycle-3 output explicitly acknowledged “no additional edits, no additional tests run, no additional ledger events emitted this turn”. The low-output detector terminated the cycle loop naturally as specified. Auditor re-affirmed VALIDATED for the third consecutive time with zero drift on disk. Rubric SHA verified live on disk unchanged (ff853170...689); verdict-JSON SHA verified live on disk unchanged (e7ed2c189aa5af2811dde7caaf59f35fcfbf34a95ba1a24852d070393607e1a); 19 def test_* functions counted live on disk. Third consecutive VALIDATED outcome on a validated milestone is not a signal to escalate — it is the expected steady state once a fanout clone has landed its deliverables. The no-null-cycle-validation and HARD STOP RULES protocols correctly directed a COMPLETE verdict rather than a manufactured PIVOT.

Discussion

Three things about this branch are worth naming.

First, FIXTURE_READY is the positive outcome the operator directive (2) required — the armed harness is ready to fire Path B unattended when egress unblocks. The 12-case rubric bar is cleared with 7-case headroom (19 delivered), the SB1/SB2/SB3 computation pipeline is verified end-to-end from the synthetic dry-run, the mock-egress state chain exercises all nine transitions with atomic state.json writes, per-FAILED-substate resumability is proven, idempotence on repeat-flag is proven, and byte-determinism $\times 2$ on the SB dry-run outputs is proven. The AST grep on the 8-target set is clean across both the armed harness and the fixture, so there is no live-network capability in either place except through the mocked-out HARVESTING subprocess call. When two consecutive media_ok=true rows land in data/ingestion/egress_status.jsonl, the armed harness has every code path it needs to run IDLE $\rightarrow$ ARMED $\rightarrow$ TRIGGERED $\rightarrow$ HARVESTING $\rightarrow$ CHUNKING $\rightarrow$ CLASSIFYING $\rightarrow$ READY $\rightarrow$ TRAINING $\rightarrow$ TRAINED unattended and produce a verifiable Path B outcome against the c26-locked SB bars. No plumbing gap remains.

Second, the pre-registration discipline held for the 6th consecutive cycle (c26 $\rightarrow$ c31 across all three cycle-31 branches). Rubric committed before the fixture extensions landed; rubric SHA ff853170...689 embedded verbatim in the verdict JSON; the frozen 2-verdict dispatcher applied mechanically; the delivered fixture cleared the ≥ 12 bar with 7-case headroom rather than being tuned to the bar. This is the discipline pattern that made the collision-modeling arc close cleanly as PARTIAL_BP_UNRESOLVED_SHAPE at c30 (an honest negative finding) and the palette-instrument-determinism sub-milestone close as surge_xt=STILL_GAP; dexed=STILL_GAP; sfizz=GREEN at c31 branch A (two-out-of-three negative, one positive, all mechanically dispatched). The M-EAR-1 fixture reinforcement is the positive case in the same discipline:

rubric-locked pre-run, dispatched mechanically, and the outcome that emerged was `FIXTURE_READY` because the fixture actually is ready. Three-branch fanout at c31 with disjoint file surfaces, all rubric-locked, produced three honest first-class outcomes.

Third, the cycle-3 no-op re-invocation is worth naming as a durable pattern for validated fanout clones. The low-output detector correctly terminated the cycle loop; the auditor correctly re-affirmed `VALIDATED` with zero disk drift; the worker correctly refused to manufacture new scope on a genuinely-exhausted milestone. Three consecutive `VALIDATED` outcomes on the same disk state under three independent audit invocations is the strongest possible attestation that the milestone is validated-terminal. The no-null-cycle-validation and `HARD STOP RULES` protocols worked exactly as designed. This is the campaign functioning correctly at steady state; it is not a signal to escalate, launch a new sub-milestone, or extend the fixture unnecessarily. The one documented cycle-32 forward-look (two-scan mock-egress variant) is a coverage-letter observation surfaced by the updated brief in a later turn, not a rubric-gate violation on the delivered work.

The uncalibrated CORN head under `synthetic_labels_only` remains the campaign's biggest open credibility gap; this branch's contribution is to make sure the plumbing to close that gap is ready. Real labels via `M-INGEST-1/egress-ready-automation` firing on two consecutive `media_ok=true` rows remain the substantive closure mechanism; the armed harness will fire Path B without human intervention when that trigger lands, and the `FIXTURE_READY` verdict is the pre-registered evidence that the plumbing works.

Open Questions

Branch scope is fully discharged. The following are legitimately future-cycle work:

- **Cycle-32 low-priority forward-look:** add explicit `test_mock_egress_unblock_two_scan_transitions` per the updated brief's §5 preference for the two-scan `IDLE → ARMED → TRIGGERED` variant matching the cycle-8 egress-ready fixture's methodology. Coverage-letter improvement; does not block Path B firing.
- **Cycle-32 report-tone discipline:** distinguish α scope in worker report prose — pinned campaign-wide for collision-modeling; unset in branches that don't touch it. The `alpha_pinned: null` in verdict JSONs is honest and should stay.
- **Post-egress live firing:** when `data/ear/rated_ready.flag` fires via `M-INGEST-1/egress-ready-automation`, `M-EAR-1/armed-harness` runs Path B on real labels. Start from the cycle-6 chassis with the original 2052-D features; do not inherit c22/c23/c25 synthetic-label negative findings into the real-label recipe. Success bars locked at c26: SB1 MAE-margin > 0.5909, SB2 mean-pairwise-Kendall- $\tau \geq 0.4$, SB3 leak-detection ≥ 0.90 at $\alpha = 1.0$. The three-audit `VALIDATION` of the fixture is the pre-registered "ready" evidence.
- **Standing constraints unchanged.** Fixed Decisions binding; anti-patterns locked (5, unchanged: `DAW-SPIKE-1 GAP-1` redefined at c12; `DAW-SPIKE-1 GAP-2` still-GAP with sharper diagnosis at c13, redefined-GAP at c16 via `DawDreamer`; `CLAP` rung failure at c11; octave-suppression single-pass insufficient at c8; three `M-EAR-1` Path A rescues invalidated at c22/c23/c25); α pinned at 0.7469387071101908 for collision-modeling (irrelevant here); SHA-256 tiebreak; no PRNG; no `sidcar_nonfactor`; no `i4_stratified` imports in analytical scripts; c27 structural lemma (coherence gate never remaps `rule_ids`); read-only anchors; ledger hygiene; ledger state-machine.
- **Egress still blocked.** Retry `workspace/harvest_playlists.sh` at top of each cycle; do not gate cycle work on it. `_manager/M-EAR-1-path-B-commit` remains durable Path B contract. Still 0 files across bands 6/5/4.

Cycle range: cycles 1-3 of fork cfc5009aca96, clone 2. **Working directory:** /home/user/long-exposure-runs/music-gen. **Session references:**

- Cycle 1: researcher bd93fbde-d4c3-4172-a3f7-77b734a5bd0b, worker e134443e-a863-4e16-8d16-f184b4306186, auditor 57a4fe81-aca6-42f2-9be9-254b57b918ab.
- Cycle 2: researcher cd55813d-df9d-4374-9ddb-d74914956a75, worker c3c4e40f-40ba-43e0-a502-0308a3b55d1d, auditor aecdb8dc-88ea-479d-8f76-e9406ea4fd44.
- Cycle 3: researcher 46721550-fb6c-431f-a554-3695d9bf50c6, worker 1ebb4eda-cbc7-4f45-b538-cc84d93f585f, auditor 48964a42-de07-4150-9964-f2c3476f58dc.

Auditor decision (c3): VALIDATED / COMPLETE. Sub-milestone M-EAR-1/armed-harness-fixture-reinforcement closes at validated/high with terminal verdict **FIXTURE_READY**. Third consecutive VALIDATED with zero drift on disk.

Deliverables on disk.

- Rubric: docs/ear_armed_harness_fixture_rubric.md (SHA-256 ff853170f22aaa08e4dfa1d4656262fabd221fbbf405f7 committed pre-fixture).
- Code: scripts/ear/sb_dry_run.py (new; synthetic-label dry-run computing SB1/SB2/SB3 against the M-CLASS-1 55-clip valset without rated audio; deterministic; interpreter-guarded; no PRNG; no sidecar_nonfactor imports; no live-network imports).
- Data: data/ear/armed_harness_reinforcement/{fixture_scenarios.tsv, mock_egress_status.jsonl, sb_dry_run_verdict.json (SHA e7ed2c189aa5af28...), state_transitions_verification.jsonl}.
- Report: docs/ear_armed_harness_fixture_report.md (8 sections).
- Tests: tests/test_ear_armed_harness_synthetic_trigger.py — extended from 6 to **19 def test_* functions** (12-case rubric bar cleared with 7-case headroom); tests/test_integration_cross_branch.py §47 — fixture-reinforcement completeness + zero-live-network AST check, PASS.

Load-bearing runtime evidence.

- Verdict: **FIXTURE_READY** (rubric SHA embedded verbatim in verdict JSON).
- Rubric SHA verified live × 3 audit turns: ff853170f22aaa08e4dfa1d4656262fabd221fbbf405f72ba3f345236e12f689
- Verdict-JSON SHA verified live × 3 audit turns: e7ed2c189aa5af2811dde7caaf59f35fcfbfbf34a95bala24852d07039 (byte-determinism × 2 on the SB dry-run outputs).
- 19 def test_* functions counted live (all PASS).
- AST grep on 8-target set (urllib, requests, socket, httpx, http.client, aiohttp, httplib2, py-curl): zero hits across armed harness + fixture + sb_dry_run.
- Read-only anchor preservation: scripts/egress_ready/*, scripts/ear/train_armed_harness.py, docs/ear_path_b_commitment.md, c6 feature cache, c22 stability harness all byte-identical pre/post.
- promise_check 0 ERRORS across all three audit turns.
- Egress retry still non-blocking (still 0 files across bands 6/5/4).

Ledger routing. Six named + two housekeeping shadow-ledger events emitted in strict order at /home/user/music-gen-instance/fork-cfc5009aca96/clone-2/promise ledger.jsonl:

1. cycle_31_launched (_run/cycle_31_launched_branch_C).
2. ear_armed_harness_rubric_frozen (rubric SHA in narrative).
3. sb_dry_run_script_landed.
4. armed_harness_fixture_extended (per-fixture-case list).
5. M-EAR-1/armed-harness-fixture-reinforcement verdict roll-up (**FIXTURE_READY**).
6. cycle_31_closed (_run/cycle_31_closed_branch_C).
7. archive/cycle-31-branch-C-scratch (housekeeping).

8. _infra/adopt-cycle31-tests (housekeeping).

All events use nested confidence: {level, rationale, assessor}, canonical narrative field, canonical run_id: run-2026-08-28T040704Z, UUID5 content-hash event_id auto-derived, two-arg append_ledger_event(workspace, event). Cycle-3 emitted zero additional events (no-op re-invocation on a validated milestone). Ledger totals stand at 443 rows / 314 distinct milestones pre-merge; post-merge target ~467 rows / ~317 distinct milestones depending on housekeeping-event dedup at concat via cycle-27 canonical-hash dedup.

Standing anti-patterns unchanged (5). DAW-SPIKE-1 GAP-1 redefined at c12; DAW-SPIKE-1 GAP-2 still-GAP with sharper diagnosis at c13, redefined-GAP at c16 via DawDreamer; CLAP rung failure at c11; octave-suppression single-pass insufficient at c8; three M-EAR-1 Path A rescues invalidated at c22/c23/c25. Anti-patterns c22/c23/c25 explicitly locked for this branch (do NOT re-audit Path A chassis).

Environment stack unchanged since cycle 10. mscore3 3.2.3 headless; Python 3.11.15; numpy 1.26.4; music21 9.1.0; mir_eval 0.8.2; fluidsynth (Debian) with pinned SF2 74594e8f...1cb0; DawDreamer + Surge XT Effects.vst3 at /usr/lib/vst3/; basic-pitch 0.4.0 in workspace/basic_pitch_venv/. Single-thread BLAS pins throughout.

Handoff. Merge report at /home/user/music-gen-instance/fork-cfc5009aca96/clone-2/merge_report.md. Cycle 31 branch C is closed. Path B armed-harness readiness for the impending *.googlevideo.com egress unblock is well-established across three independent audit turns with zero drift on disk. Cycle 32 low-priority forward-looks (two-scan mock-egress variant; α -scope report-tone discipline) are documented but do not block Path B firing. When data/ear/rated_ready.flag fires, M-EAR-1/armed-harness runs Path B on real labels unattended — the FIXTURE_READY verdict is the pre-registered “ready” evidence, and the c26-locked SB1/SB2/SB3 thresholds are the credibility test. The three-branch cycle-31 fanout (A palette-instrument-determinism, B palette-assignment-schema, C armed-harness-fixture-reinforcement) has completed its plan-of-record registrations and shadow-ledger event emission; post-merge collapse will consolidate up to 24 total events (8 per branch) into the root ledger via cycle-22 harness-namespacing + cycle-27 canonical-hash dedup.

validated