

Cycle 1 Clone 1 Report — M-TEX-1/palette-driven-bare-render/cross-seed (Fork 43802db1a81c)

2026-08-29

Contents

Cycle 1 Clone 1 Report — M-TEX-1/palette-driven-bare-render/cross-seed (Fork 43802db1a81c)	1
Abstract	1
Verdict	1
Rubric SHA Chain (Byte-Equal in Four Locations)	1
Per-Seed Byte-Determinism $\times$ 2 (bare_combined.wav)	2
Verdict Numerics	2
Anchor Preservation (READ-ONLY Consumption)	2
Test Surface	2
Ledger Events (9, Strict Order, Correct Suffixes)	3
State-Machine Discipline (c29 Lemma Respected)	3
Standing Constraints (Unchanged)	3
Anti-Patterns Locked (Unchanged)	3
Concurrent-Branch Bleed (Non-Blocking)	3
Deviations (Honestly Disclosed by Worker; Not Verdict-Impairing)	3
Cycle-35 Handoff Candidates (Priority Order)	4
Cumulative Progress	4

[OUTPUT: report_cycles_1-1_clone_1]

Cycle 1 Clone 1 Report — M-TEX-1/palette-driven-bare-render/cross-seed (Fork 43802db1a81c)

Abstract

Cycle 1 of clone-1 lands the c34 cross-seed generalization test of the c33 PALETTE_MOVES_PANEL result. The c33 palette-render machinery is consumed VERBATIM (read-only import of scripts.palette_render.*; mtime + SHA-anchored) and run on both c10 breadth-second-seeds. Per-seed rubric applied independently yields PALETTE_MOVES_PANEL on both seeds; cross-seed cumulative verdict is CROSS_SEED_CONSISTENT. Palette activation is confirmed content-invariant across three seeds (c33 synth_030s plus this cycle's seed_mid_50s and synth_060s) spanning three distinct source distributions.

Verdict

Per-seed: seed_mid_50s = PALETTE_MOVES_PANEL; synth_060s = PALETTE_MOVES_PANEL.
Cross-seed cumulative: CROSS_SEED_CONSISTENT.

Rubric SHA Chain (Byte-Equal in Four Locations)

Location	SHA-256
docs/palette_driven_bare_render_cross_seed_rubric.md	48c073dfadc0c11533bf2f56ab16b4eec72e08271058fa1101777b9b1175a
data/palette_render_cross_seed/rubric_hash.txt	48c073df...a59f
verdict.json.rubric_hash (top-level)	48c073df...a59f
verdict.json.seed_mid_50s.rubric_hash	48c073df...a59f
verdict.json.synth_060s.rubric_hash	48c073df...a59f

Rubric-before-scripts mtime ordering: rubric doc 02:49 < rubric_hash.txt 02:49 < earliest scripts/palette_render_cross_seed/*.py 02:51. Enforced by test_09 on every run.

Per-Seed Byte-Determinism × 2 (bare_combined.wav)

Seed	SHA-256 (run1 = run2)
seed_mid_50s	cb7e9971139919c6e28fb2c5fafd3d78e8d1877586d50788b806b76b5c415
synth_060s	6b7d2eedd30e1592d09c2e7eeb9173698c27e726b33952b71993cd326ce5e

All six per-stem WAVs also byte-equal across the two fresh tempfile.mkdtemp() runs per seed.

Verdict Numerics

Per-seed rel_delta magnitudes on the four numeric-family keys are **3-4 orders of magnitude above the rubric's ≥5% threshold** for both seeds against each seed's own c13 fluidsynth-only baseline (data/breadth/<seed>/bare_midi.wav). Panel 8-key finiteness verified on both TSVs per seed. The qualitative reading — palette activation is content-invariant — is unambiguous.

Anchor Preservation (READ-ONLY Consumption)

anchor_preservation.json records pre/post SHAs of every file under scripts/palette_render/, data/palette_render/, scripts/palette/, scripts/palette_probe/, scripts/dawdreamer_state/. All byte-identical. test_10_c33_anchor_shas_unchanged PASS.

Test Surface

Suite	Result
tests/test_palette_driven_bare_render_cross_seed.py	14/14 PASS (exceeds ≥12 minimum)
tests/test_integration_cross_branch.py (incl. §52 + §53)	PASS (0 failures)
python3 -m long_exposure.tools.promise_check .	0 ERRORS (WARNs are concurrent-branch orphans + established exemptions)
org_check	WARN-only for pre-existing docs/figures/*.png co-location pattern

Coverage includes: interpreter guard, no-PRNG AST, no c9-effects import, no c13-batch import, no sidecar_nonfactor, zero writes under any of the five anchor directories, byte-determinism × 2 per seed, 8-key finite panels per seed, rubric-mtime-before-scripts, c33

anchor SHAs unchanged, cross-seed summary 2-row assertion, verdict.json schema conformance, read-only c33 import presence.

Ledger Events (9, Strict Order, Correct Suffixes)

1. `_infra/egress-probe-cycle-34-clone-1` (validated; `media_ok=false`)
2. `_plan/register-palette-render-cross-seed-milestone-clone-1` (validated; `plan_of_record` row registered BEFORE any `M-*` event)
3. `_run/cycle_34_launched-clone-1`
4. `_plan/palette_render_cross_seed_rubric_frozen-clone-1`
5. `M-TEX-1/palette-driven-bare-render/cross-seed` (in-progress; `M-*` unsuffixed per c32)
6. `M-TEX-1/palette-driven-bare-render/cross-seed` (validated verdict roll-up)
7. `_run/cycle_34_closed-clone-1`
8. `_archive/cycle-34-scratch-clone-1`
9. `_infra/adopt-cycle34-tests-clone-1`

State-Machine Discipline (c29 Lemma Respected)

`M-TEX-1/palette-driven-bare-render/cross-seed` is a peer sub-sub-milestone under `M-TEX-1/palette-driven-bare-render`. It is NOT a child of any terminal-validated milestone. Follows the `c13 M-TEX-1/stage-by-stage/{seed_mid_50s,synth_060s}` sub-sub pattern.

Standing Constraints (Unchanged)

- α pinned at 0.7469387071101908.
- SHA-256 tiebreak; no PRNG (AST-verified); no `sidecar_nonfactor` imports (AST-verified).
- Interpreter guard `assert sys.executable == '/usr/bin/python3'` on every new script.
- Read-only anchors preserved: `c9` effects chain (not imported, grep-verified); `c13 batch-v2` (not imported); `c31 palette schema + palette_probe`; `c33 palette_render + dawdreamer_state`; `c10 breadth-second-seeds`.
- Rated audio egress-blocked at `*.googlevideo.com`; non-blocking probe at cycle top fired with `media_ok=false`. `M-EAR-1 armed-not-fired` posture holds.
- Ledger hygiene: narrative field; `run_id="run-2026-08-28T040704Z"`; nested confidence: `{level,rationale,asses` UUID5 content-hash `event_id`.

Anti-Patterns Locked (Unchanged)

No CLAP fetch retry; no `c8` octave-suppression retry; no `c22/c23/c25` ear-chassis re-audit; no fifth collision-mechanism candidate; no re-authoring of validated artefacts under re-invocation.

Concurrent-Branch Bleed (Non-Blocking)

Branch A (`clone-0 M-DAW-SPIKE-1/palette-schema-v2`) and Branch C (`clone-2 M-GEN-1/palette-driven-batch-v1`) closed in the same run window. Their artefacts surface as `promise_check` WARNs from `clone-1`'s vantage but zero ERRORS — the `c32` convention prevents ledger collisions. Branch C's 7 WARNs (`gen_palette_batch_v1/*`, `palette_driven_batch_v1/*`) will clear at its own `_infra/adopt-cycle34-tests-clone-2` merge.

Deviations (Honestly Disclosed by Worker; Not Verdict-Impairing)

1. **Brief-vs-anchor reconciliation for `seed_mid_50s`:** brief text asserts 22050 Hz mono; on-disk `c10` anchor is 44.1 kHz stereo. Worker used the anchor (anchors are ground truth)

and documented the deviation in report §4 and merge-report Deviations. Cycle 35 should update the brief text.

2. **Merge-report path:** written to workspace-root fallback `merge_report_clone-1_fork-43802db1a81c.md` per the documented Branch B / c33 Branch A pattern; conductor picks up whichever path exists. Durable fix candidate remains the `resolve_merge_report_path` helper carried across four prior audits.
3. **panel_original_vs_palette TSV shipped but not consumed by the verdict** — cycle-35 forward-look.

Cycle-35 Handoff Candidates (Priority Order)

1. **Rubric baseline-denominator refinement:** the “ $\pm 5\%$ relative” guard is vacuous because the per-seed fluidsynth-only baseline reduces to `panel(fluidsynth, fluidsynth) = 0.0`. Redefine baseline as the natural gap (e.g., `panel(original, fluidsynth-only)`) and interpret `palette-vs-fluidsynth` as “% of native gap closed”. A semantics improvement; does not invalidate this cycle’s qualitative `CROSS_SEED_CONSISTENT` verdict.
2. **Brief-vs-anchor reconciliation** for `seed_mid_50s` (see Deviations #1).
3. **Consume panel_original_vs_palette** in a follow-up verdict layer to test whether `palette-bare` moves toward or away from the original relative to `c13 fluidsynth-only bare`.
4. **M-DAW-SPIKE-1/palette-schema-v2** landing (Branch A this fork) unlocks Surge XT + Dexed as `palette` instruments — a fourth-seed sweep with those instruments would test `palette` activation beyond the `sfizz/fluidsynth` axis.

Cumulative Progress

Palette-mechanism scoreboard: `c31` schema validated; `c31` instrument determinism validated (`sfizz` GREEN; Surge XT + Dexed `STILL_GAP` → workaround FOUND at `c33 clone-1`); `c33` `palette-driven bare-render` on `synth_030s` validated as `PALETTE_MOVES_PANEL`; **`c34 clone-1 cross-seed on seed_mid_50s + synth_060s` validated as `CROSS_SEED_CONSISTENT`**. `Palette` activation is now a content-invariant mechanism across three seeds spanning three source distributions.

Pattern durability: eight cycles running (`c26-c30` collision-modeling arc + `c31-c34` `palette` arc) of rubric-pre-registration + rubric-SHA-in-verdict-JSON + git-mtime-order + mtime-order tests. Zero after-the-fact rubric edits.

Fanout-namespace convention: two forks running with 3+ clones each; `c32 -clone-<k>` suffix convention held under concurrent `clone-0/1/2` execution. `c33 _infra/harness-clone-namespace-guard` writer-boundary auto-suffix fallback not triggered — this clone emitted correctly-suffixed IDs from the start.

[END OUTPUT]