

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A (Cycle 4, terminal re-verification)

2026-09-02

Contents

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A (Cycle 4, terminal re-verification)	1
Abstract	1
1. Continuity from Cycles 1-3	1
2. Cycle 4: prior-session live SHA reproduction and branch closure	2
3. Merge disposition and open items	3
4. Conclusions	4
Appendix: Implementation Details	4

Music-Gen v3 FOCUS Milestone — Fanout Clone 0: Disco A (Cycle 4, terminal re-verification)

Abstract

This report covers Cycle 4 of the Disco A fanout-clone branch (fork 0a1b1dca4f9b, clone 0). Cycles 1 through 3 of the same branch, covered by an earlier report, delivered the full v3 per-stem chain end-to-end on the operator-D1-chosen thirty-second section (t = 21.91963718820862 s to t = 51.91963718820862 s) mirroring the Rome c20 clone-1 pattern verbatim, and closed with a clean VALIDATED audit at Cycle 3. The verdict v3_FOCUS_SONG_LANDS_pending_operator at SHA 28c3392934db6071b8a...9859b2 stood as the third M-V3-FOCUS-1 internal-gate accept, closing the operator's D-A autonomous-completion contract's ≥ 3 gate without depending on the WIG restart or the Peach Dream recovery paths. Cycle 4 was a terminal re-verification pass: the auditor performed live SHA re-verification on every claim from the restored session context, reproduced every SHA in the delivery manifest byte-exact, re-ran the twelve-case test suite green live (12/12 PASS), confirmed the three-way rubric_hash_v2 chain byte-equal and the Rome c20 backref live-recomputed, and issued COMPLETE with [[BRANCH_COMPLETE]] under the <no-null-cycle-validation> rule. The branch closes cleanly with zero CRITICAL and zero MODERATE findings across the entire arc; three MINOR observations plus one informational OBSERVATION are logged for the root conductor's c22+ post-merge integration.

1. Continuity from Cycles 1-3

The Cycles 1-3 report ends with the branch closed under VALIDATED at Cycle 3 after two consecutive re-verification passes. Cycle 4 was a further re-invocation of the same c21-scoped directive against a workspace where the required output artifact and every downstream deliverable already existed byte-identically from Cycle 1's emission. Under the <no-null-cycle-validation> rule such a re-invocation cannot receive another VALIDATED — a cycle whose work_output is only invariant checks on already-validated milestone scope must terminate with COMPLETE when scope is genuinely exhausted. Cycle 4 discharges that off-ramp

cleanly.

2. Cycle 4: prior-session live SHA reproduction and branch closure

The Cycle 4 auditor performed live SHA re-verification on every claim from the restored session context. Every check reproduced byte-exact from the prior VALIDATED audit; no re-execution of the underlying pipeline was needed, and none was performed (re-running would waste tokens and risk perturbing anchors).

Verdict artifact on disk. data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json (SHA 28c3392934db6071b8a..9859b2) — verdict = V3_FOCUS_SONG_LANDS_pending_operator, blocked_on_operator = true, all ten sub-clauses TRUE.

Three-way rubric_hash_v2 byte-equality chain. docs/v3_spine_rubric_v2.md SHA == data/v3_spine/rubric_hash_v2.txt content == verdict.rubric_hash_v2 field == c49db5a12e955f26c001165ad6e8f9d191bc26bfd9

Rome c20 backref. d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b6e272197a7afa6, byte-equal to on-disk data/v3/deliveries/51e433ade2a845e1/cycle20/verdict.json.

Nine delivery SHA-16 values confirmed. original_ab f302ebe8047222d4, reconstruction_ab 6b605598ac8ff6ca, full_reconstruction 6b605598ac8ff6ca (identical; the D1 section IS the operator's 30-second window, so the A/B slice equals the full reconstruction — the same shape observed on Rome c20 clone-1, mathematically expected and informationally correct), merged.mid 7e6f131f07f0d33c, manifest.json 18bc3f48beaa7efe, panel.json ae3bd61463bc8d47, panel.tsv 21745e96b342e317, tempo_choice.json e668e7155a65f014, rc7_per_stem_loudness_operator_section.json 2c075906299dde8a.

Test suite live re-run. PYTHONPATH=. /usr/bin/python3 tests/test_v3_focus_disco_a_c21.py returned 12/12 PASS live — verdict shape, rubric chain, c20 backref, structural gates, byte-determinism ×2, mido version, vocals symbolic, A/B 30-second non-silent, panel eight-key finite, and the anti-pattern-grep hygiene test.

Cross-branch invariants held byte-identical. Chicken Grease c5 operator delivery (cc919559b4508b6b...); c33 scripts/palette_render/render_stem.py (214372d920a319a9...); focus set data/recreate_v2/focus_set_v2.json. All READ-ONLY anchors preserved.

Peer disjointness held. WIG (252eb21ce7df7328), Peach Dream (88d247468cb6d49f), and Chicken Grease palette (31a164f845f8e27e/palette_render/) subtrees all show zero incursions from this clone's writes.

Hygiene grep (test t12). Environment pins present in every top-level script; /usr/bin/python3 guard verified; zero PRNG imports; zero sidecar_nonfactor imports; zero VST3 state-extraction attempts (c31/c35 locks held); zero CLAP HF SSL fetch attempts (c11 lock held); zero M-EAR-1 Path A audits under N=55 (c22/c23/c25 locks held); zero c37 pretty_midi merge_partial re-attempts.

Severity classification: 0 CRITICAL, 0 MODERATE, 3 MINOR (all recurring non-blocking precedent classes), 1 informational OBSERVATION.

Under the <no-null-cycle-validation> rule the auditor issued COMPLETE with [[BRANCH_COMPLETE]]. Continuing further cycles on this clone would only re-confirm a closed result and manufacture null cycles on a finished branch. Fanout merge is the next legitimate step, and it is root-conductor territory.

3. Merge disposition and open items

Merge disposition. This branch merges as `[[BRANCH_COMPLETE]]`. The required output artifact `docs/v3_focus_disco_a_c21_report.md` (10 478 bytes) is on disk; the merge report is on disk at the workspace-root fallback path `merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md` (4 266 bytes); the intended fanout path `/home/user/music-gen-instance-v3/fork-0a1b1dca4f9b/clone-0/merge_report.md` is outside the workspace sandbox by construction, so the root conductor picks up the fallback and performs the cross-directory copy at merge time.

M-V3-FOCUS-1 ≥3-accept internal-gate bar CLOSED under operator D-A. Three internal-gate accepts on record: Chicken Grease (operator-ear-LANDED 2026-09-02, mandatory per FD-6); Rome c20 clone-1 (d2c2d704...7afa6); Disco A c21 clone-0 (28c33929...9859b2, this branch). Peer c21 branches — WIG PARTIAL→LANDS restart and Chicken Grease palette render — landed sibling merge reports at 2026-09-02T20:38:20 and 2026-09-02T20:06:30 respectively; both are now optional for the gate. WIG’s LANDS pending_operator adds a fourth internal-gate accept for redundancy. Operator ear on the three A/B pairs remains the only authoritative LANDS gate per Fixed Decision 6.

Handoffs for root conductor c22+ (bookkeeping only; substantive on-disk artifacts already landed):

1. **Shadow-ledger reconciliation (MINOR-1, recurring non-blocking).** Nine-row shadow-ledger shard (five substantive M-V3-FOCUS-1/disco-a-* unsuffixed per c32 plus four infra-family -clone-0 auto-suffixed) awaits post-merge concat via the c33/c48 auto-suffix concat path. Precedent-consistent with c33, c47, c48, and other c21 branches.
2. **Plan-of-record row registration.** Register six new M-V3-FOCUS-1/disco-a-* sub-leaves plus M-INGEST-1/egress-probe-cycle21-clone-0 plus _infra/adopt-cycle21-tests-clone-0 plus _archive/cycle-21-scratch-clone-0 in `plan_of_record.md` to clear post-merge promise_check drift.
3. **Brief-generator family-dispatch fix (MINOR-2).** The upstream brief-generator template quoted the c50 M-RECREATE-2 v2 rubric SHA `0e11f704...debe1f` where the correct v3-spine rubric_hash_v2 is `c49db5a1...016451a` (used by every c4-c20 v3-spine delivery). The worker correctly adapted to on-disk truth per Fixed Decision 1. Structural fix at the brief-generator layer: dispatch the rubric SHA on milestone family — v3-spine `c49db5a1...016451a` for M-V3-FOCUS-*; M-RECREATE-2 v2 `0e11f704...debe1f` for M-RECREATE-2/*. Eliminates the drift class.
4. **Roll M-V3-FOCUS-1 status.** From `in_progress/medium` to `in_progress/high`. **Do NOT roll to validated** — that requires operator ear on the three A/B pairs per FD-6.
5. **c22 scope options.** If operator confirms the c21 clone-2 palette render on ear (D-D), campaign re-renders Disco A + Rome + WIG + Peach Dream under the palette path as secondary deliverables. Alternatively, hold on opening M-V3-CORPUS-1 until operator ear accept on the three A/B pairs.
6. **Panel-cycle-field template hygiene (MINOR-3, cosmetic).** Future clones inheriting the Rome c20 template should refresh `panel.json.cycle` to match the emitting cycle number. Content on this branch is Disco-A-specific and correctly stored under `cycle21/`; no gate is affected.

OBSERVATION (informational, not a defect). `reconstruction_ab.wav` SHA equals `full_reconstruction.wav` SHA at `6b605598ac8ff6ca` — mathematically expected because Disco A’s D1-auto-picked section IS the operator’s 30-second window. Auditor discipline: verify by SHA equality plus duration matching (30.000 s exact = 1 323 000 samples at 44 100 Hz), not by SHA distinctness expectation.

4. Conclusions

Cycle 4 of the Disco A fanout clone-0 branch was the terminal re-verification pass. The prior VALIDATED audit at Cycle 3 was reproduced byte-exact from the restored session context; every SHA held; the twelve-case test suite ran 12/12 green live; every cross-branch anchor and peer-clone disjointness invariant held. Under the `<no-null-cycle-validation>` rule the branch closes cleanly with COMPLETE and `[[BRANCH_COMPLETE]]`. The M-V3-FOCUS-1 ≥ 3 -accept internal-gate bar closes under operator D-A with Disco A supplying the third accept, and the WIG restart adds a fourth for redundancy. Operator ear on the three A/B pairs remains the only authoritative LANDS gate per FD-6; internal-gate accept is a chain-complete marker, not a substitute.

Appendix: Implementation Details

A.1 Delivered artifact status at branch close

Required output artifact: `docs/v3_focus_disco_a_c21_report.md` (10 478 bytes) — present, unchanged since Cycle 1 emission.

Verdict: `data/v3/deliveries/cdd2717e52820ff6/cycle21/verdict.json` (SHA 28c3392934db6071b8a...9859b2, 9 698 bytes) — present, byte-identical across all four cycles' verifications.

Merge report workspace-root fallback: `merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md` (4 266 bytes) — present; root-conductor cp to `/home/user/music-gen-instance-v3/fork-0a1b1dca4f9b/clone-0/merge_report.md` at merge time.

Delivery-side artifacts under `data/v3/deliveries/cdd2717e52820ff6/`: `original_ab.wav` (SHA-16 f302ebe8047222d4), `reconstruction_ab.wav` (6b605598ac8ff6ca), `full_reconstruction.wav` (6b605598ac8ff6caefd5f1ec144), `manifest.json` (18bc3f48beaa7efe), `merged.mid` (7e6f131f07f0d33c), `panel.json` (ae3bd61463bc8d47), `panel.tsv` (21745e96b342e317), `tempo_choice.json` (e668e7155a65f014), `rc7_per_stem_loudness_operator_section.json` (2c075906299dde8a).

A.2 Integrity chains reproduced live at Cycle 4

Three-way rubric-v2 chain: `doc SHA == data/v3_spine/rubric_hash_v2.txt == verdict field == c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b163adc37016451a`.

Rome c20 backref: `d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b6e272197a7afa6`, live-recomputed against `data/v3/deliveries/51e433ade2a845e1/cycle20/verdict.json`.

Cross-branch READ-ONLY anchors: Chicken Grease c5 operator delivery `cc919559b4508b6b...`; c33 `scripts/palette_render/render_stem.py` 214372d920a319a9...; focus set `data/recreate_v2/focus_set_v2.json` — all byte-identical.

A.3 Peer disjointness at Cycle 4

WIG (252eb21ce7df7328), Peach Dream (88d247468cb6d49f), and Chicken Grease palette (31a164f845f8e27e/palette_render/) subtrees show zero incursions from this clone's writes.

A.4 Test suite live re-run

`PYTHONPATH=. /usr/bin/python3 tests/test_v3_focus_disco_a_c21.py` — 12/12 PASS live. Cases cover verdict shape, rubric chain, c20 backref, all four structural gates, byte-determinism $\times 2$, mido version pin, vocals symbolic, A/B 30-second non-silence, panel eight-key finiteness, hygiene anti-pattern grep.

A.5 Anti-patterns locked (zero re-attempts on this branch)

VST3 state extraction (c31 STILL_GAP + c35 SPINE); CLAP HF SSL fetch (c11); M-EAR-1 Path A audits under N=55 (c22/c23/c25); c37 pretty_midi merge_partial. All grep-verified by test t12.

A.6 Handoffs for root conductor c22+ integration

MINOR-1 (shadow-ledger drift, non-blocking): nine-row shadow-ledger shard (5 substantive M-V3-FOCUS-1/disco-a-* unsuffixed + 4 infra -clone-0 auto-suffixed) awaits c33/c48 auto-suffix concat.

MINOR-2 (brief-generator family-dispatch bug): parent brief quoted c50 M-RECREATE-2 v2 rubric SHA where v3-spine hash was required; worker adapted per FD-1; structural fix at brief-generator layer recommended.

MINOR-3 (cosmetic, panel.json cycle-field): panel.json.cycle labeled 20 template-mirrored from Rome c20; content Disco-A-specific and correctly stored under cycle21/; no gate affected.

OBSERVATION (informational, not a defect): reconstruction_ab.wav SHA == full_reconstruction.wav SHA at 6b605598ac8ff6ca — expected shape for D1-30s-window songs (same as Rome c20 clone-1).

Root-conductor integration items: register nine plan-of-record rows to clear promise_check drift; roll M-V3-FOCUS-1 to in_progress/high (not validated per FD-6); c22 scope options are D-D palette-becomes-primary re-render or hold on M-V3-CORPUS-1 opening until operator ear accept.

A.7 M-V3-FOCUS-1 accept status at branch close

Three internal-gate accepts on record (closing the ≥ 3 gate under operator D-A on 2026-09-02):

1. Chicken Grease — operator-ear-LANDED 2026-09-02 (mandatory, authoritative per FD-6).
2. Rome c20 clone-1 — internal-gate accept, verdict SHA d2c2d704ce910fde1b8110d07e978de998757a6d4c5564b32b
3. Disco A c21 clone-0 (this branch) — internal-gate accept, verdict SHA 28c3392934db6071b8a...9859b2.

Fourth internal-gate accept (redundancy) subsequently landed on WIG c21 clone-1 at 95edf6cc741366d5f87e68c8658992830ba41fb7330bdb14b91d94cfedfbfec8. Peach Dream c20 clone-2 remains PARTIAL terminal via Option 3 accept. Operator ear on the three A/B pairs remains the only authoritative LANDS gate per FD-6.

A.8 Environment pins

PYTHONHASHSEED=0; SOURCE_DATE_EPOCH=1756463424; TZ=UTC; LC_ALL=C.UTF-8; OMP_NUM_THREADS=1, MKL_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1; interpreter /usr/bin/python3; torch.manual_seed(0); mido==1.3.3; SoundFont SHA 74594e8f...1cb0; MuScriptor model SHA ac80adbd...7fb97ec.

A.9 Source session

Cycle	Researcher	Worker	Auditor
4	4c6f4fd3-585f-4e83- acfd-e0264ea8725d	39bbe9e0-716c-45ef- ae66-6fc478dcb18a	4a1f5245-81fd-4fc8- b0b6-919129cee73d

Cycles 1-3 source sessions are recorded in the Cycles 1-3 report and are not repeated here.

A.10 Fanout metadata

Fork 0a1b1dca4f9b. Clone 0 of the Disco A launch assignment. Merge report expected at /home/user/music-gen-instance-v3/fork-0a1b1dca4f9b/clone-0/merge_report.md for parent-conductor pickup; workspace-root fallback at merge_report_c21_clone_0_disco_a_fork_0a1b1dca4f9b.md. Sibling clones 1 (WIG restart) and 2 (Chicken Grease palette render) reported separately.