

Cycles 56-58 Report — c50 Close Correction + M-RECREATE-2 Rubric-v2 Peer-Supersede (Root Sequential)

2026-08-29

Contents

Cycles 56-58 Report — c50 Close Correction + M-RECREATE-2 Rubric-v2 Peer-Supersede (Root Sequential)	1
Abstract	1
Verdict	1
Cycle Disposition	2
Priority 1 — c49 Close Correction (LANDED)	2
Priority 2 — Test-Scope Mismatch Fix (LANDED)	2
Priority 3 — c49 Report §11 Addendum (LANDED)	2
Priority 4 — M-RECREATE-2 Rubric-v2 Supersede (LANDED)	3
Priority 5 — Egress Probe + Housekeeping (LANDED)	3
Test Surface (30/30 PASS)	3
State-Machine Discipline (c29 Lemma Respected)	4
Standing Constraints (Unchanged)	4
Anti-Patterns Locked (5-Count Stable)	4
Cycle-51 Handoff (3-Branch FANOUT Candidate; Meets All parallel_cycle_fanout_guidance Factors)	4
Cumulative Progress	5

[OUTPUT: report_cycles_56-58]

Cycles 56-58 Report — c50 Close Correction + M-RECREATE-2 Rubric-v2 Peer-Supersede (Root Sequential)

Abstract

Cycles 56-58 constitute a root-conductor sequential cycle discharging **c50 close-correction priorities** on top of the c49 substantive close plus the operator's M-RECREATE-2 material re-scope (RC7/RC8/RC9 + D1-D4 + A7-A8). All five brief priorities landed on-disk with independent verification. `promise_check` advanced 6 ERRORS → **0** via ledger line 836 (`_plan/register-c49-substantive-and-probe-milestones`) — no content change to any prior event. **M-RECREATE-2 v2 rubric peer-supersede lands cleanly** at SHA `0e11f704...debe1f` with c49 v1 rubric SHA `958ade38...3fe58b9d` preserved byte-identical; both chains coexist under the c14 supersede-with-supersedes_path-as-str lemma. **htdemucs_6s fetch OK** — the first successful large-model window in the campaign — is honestly recorded (HTTP 200 via workspace proxy; byte-determinism × 2 across 30 stems = 5 songs × 6 stems); D3 unblocked for c51 Branch A. All 30/30 tests PASS.

Verdict

c50 CLOSE-CORRECTION VALIDATED (auditor decision at cycle 58; all 5 brief priorities landed; 30/30 tests PASS; `promise_check` 0-ERROR).

Cycle Disposition

Cycle	Researcher Directive	Worker Action	Auditor Decision
56	Frame c50 close-correction priorities on top of c49 substantive + operator M-RECREATE-2 re-scope	(no worker session per cycle table)	(no audit)
57	Execute Priority 1-5 landings	Ledger line 836 _plan/register-c49- substantive-and- probe-milestones; test extensions; §11 addendum; v2 rubric supersede; htdemucs_6s fetchability window; RC7-RC9 stubs; 6 new v2 stubs; egress probe + housekeeping	(Priority 1-5 landed)
58	Independent on-disk verification per c46 auditor-reads-rubric- off-disk + c48 auditor-reads-ledger- off-disk lemmas	Ledger + rubric SHAs + mtime discipline + focus_set_v2 + RC0-v2 baseline + 30/30 tests all verified byte-exact	VALIDATED

Priority 1 — c49 Close Correction (LANDED)

- `wc -l promise_ledger.jsonl` = **847** (was 835 at c49 close; +12 c50 events).
- `python3 -m long_exposure.tools.promise_check` . returns **0 ERRORS** (was 6 at c49 close).
- All 6 c49 forward-reference ERRORS resolved by ledger line 836 (`_plan/register-c49-substantive-and-probe-milestones`). **No content change to any prior event.**
- WARN count = 2591 (pre-existing figure-under-docs drift; NOT c50-introduced).

Priority 2 — Test-Scope Mismatch Fix (LANDED)

- `tests/test_c48_shadow_ledger_reconciliation.py` extended to 11 cases.
- `test_11_promise_check_zero_error_via_cli_verified` is the belt-and-suspenders check.
- All 11 PASS under fresh invocation.

Priority 3 — c49 Report §11 Addendum (LANDED)

- `docs/c49_worker_report.md` grows §11 with handoff.
- **§1-§10 preserved byte-identical** (asserted by `test_c50 test_07`).
- Report head first-5 lines verified byte-stable.

Priority 4 — M-RECREATE-2 Rubric-v2 Supersede (LANDED)

- **v2 rubric SHA:** docs/m_recreate_2_accurate_small_set_rubric_v2.md = 0e11f704e12c62f85cfb9d58d6e6890227209 on disk. Matches data/recreate_v2/rubric_hash_v2.txt content byte-equal.
- **c49 v1 rubric SHA 958ade3886eba560df284878ff5d351e3f6186159ed598f68b82fc7c3fe58b9d pre-served byte-identical** on disk. v1 chain intact — no drift.
- **mtime discipline VERIFIED:** v2 rubric mtime 1788030358 < every new v2/RC7-RC9 stub mtime (1788030376-1788030423). c49 v1 stubs (e.g., rc1_vocals_transcription.py mtime 1788028499) predate the v2 rubric — untouched, as expected under peer-supersede pattern.
- **_plan/m-recreate-2-rubric-v2-supersede** (line 838) carries supersedes_path field as **str** (not list) — c14 lemma respected.

Priority 4b — Chosen-Section Landings

- focus_set_v2.json on disk: **5 songs**; chosen_section populated for all 5.
- **Chicken Grease** 31a164f845f8e27e band-6 with chosen_section = {t_start_s=233.639, t_end_s=263.639, combined_score=1.604, weights={w_rms=0.5, w_onset=0.5}} — meaningfully-late window (peak-30s per D1), NOT sparse-first-30s baseline.
- c49 v1 focus_set.json unchanged.

Priority 4c — RC0-v2 Baseline (htdemucs_6s Large-Model Window)

- rc7_per_stem_loudness.json + rc8_chosen_section_verified.json + rc9_6stem/ per-song all present.
- **Byte-determinism × 2** pinned in rc9_6stem_byte_determinism.json.
- **htdemucs_6s fetch OUTCOME OK** — verified in fetchability_htdemucs_6s.jsonl:
 - HTTP 200 via workspace proxy.
 - Model loaded with 6 sources (drums, bass, other, vocals, guitar, piano).
 - Byte-det × 2 PASS on all 5 songs (30 stems total).
- **First large-model fetchability window in the campaign** — new empirical evidence; D3 unblocked for c51 Branch A.

Priority 4d — 6 New v2 Stubs (LANDED)

- rc1_v2_hybrid.py, rc4_v2_gm_program_map.py, rc6_v2_panel_gate.py, rc7_mix_balance.py, rc8_section_selection.py, rc9_first_class_parts.py all present.
- Spot-checked rc7_mix_balance.py: /usr/bin/python3 guard, RC_ID, ACCEPTANCE_CRITERIA, BASELINE_ANCHOR_PATH, RUBRIC_HASH_PATH all present; raise NotImplementedError("c51+ branch").
- **c49 v1 stubs untouched.**

Priority 5 — Egress Probe + Housekeeping (LANDED)

- M-INGEST-1/egress-probe-cycle50 (line 842) with HTTP 429 + tv_embedded + htdemucs_6s_fetch_status=OK notation.
- _run/cycle_50_closed + _archive/cycle-50-scratch + _infra/adopt-cycle50-tests at tail.
- Playlist audio egress-blocked (unchanged); htdemucs_6s model-weight fetchability distinct and OK.

Test Surface (30/30 PASS)

Suite	Result
tests/test_c48_shadow_ledger_reconciliation.py	11/11 PASS
tests/test_c50_close_correction.py	7/7 PASS
tests/test_m_recreate_2_v2_pre_registration.py	12/12 PASS
Total	30/30 PASS

State-Machine Discipline (c29 Lemma Respected)

- M-RECREATE-2/accurate-small-set-v2 is a **peer sub-milestone** under M-RECREATE-2 via c14 supersede-with-supersedes_path-as-str lemma. NOT a child of terminal-validated c49 v1.
- Both v1 (958ade38...3fe58b9d) and v2 (0e11f704...debe1f) rubric chains coexist; c49 audit trail preserved intact.
- _plan/register-c49-substantive-and-probe-milestones at line 836 is a peer emission under _plan/* family; NOT a rewrite of prior events (content-hash-safe repair).
- **No validated → in_progress transitions attempted.**

Standing Constraints (Unchanged)

- α pinned at 0.7469387071101908.
- SHA-256 tiebreak; no PRNG; no sidcar_nonfactor; no i4_stratified imports.
- Interpreter guard /usr/bin/python3 on all new stubs and scripts.
- Read-only anchors preserved: c14 _ledger_schema.py; c22 stability harness; c26 Path B commitment; c31/c33/c34/c35/c36/c37/c45/c46/c47 palette + recreate + anchor-manifest chain; c47 anchor manifest (19 entries); c47 policy doc §1-§3; c49 v1 rubric + stubs (unchanged).
- Rated audio egress-blocked at *.googlevideo.com (429 + tv_embedded unchanged; **htdemucs_6s model-weight fetchability OK is distinct** from playlist audio harvest).
- Ledger hygiene: narrative field; run_id="run-2026-08-28T040704Z"; nested confidence:{level,rationale,asses UUID5 content-hash event_id; two-arg append_ledger_event(workspace, event).
- **c48 env-var flag flips** (MUSICGEN_LEDGER_SUBSTANTIVE_EXEMPTION, MUSICGEN_LEDGER_SUPERSEDES_IN_HASH) remain OFF per c50 brief (default OFF; c53+ candidates post-M-RECREATE-2-v2 land).

Anti-Patterns Locked (5-Count Stable)

c11 CLAP HF SSL (respected — VGGish stays DEFERRED-None in RC6-v2); c22 synthetic-label-stability; c23 head-regularization; c25 feature-representation; c35 palette-schema-v2-hydration-render VST3 nondeterminism — not re-attempted. c30 collision-arc closure at PAR-TIAL_BP_UNRESOLVED_SHAPE unchanged. c31 STILL_GAP surface intact.

Cycle-51 Handoff (3-Branch FANOUT Candidate; Meets All parallel_cycle_fanout_guidance Factors)

Branch A — RC1-v2 hybrid vocal + RC9 first-class-parts: - pyin/basic-pitch on vocals stem for RC1; htdemucs_6s per-stem transcription for guitar/piano first-class parts for RC9. - Independent baseline anchors (baseline/<sha16>/rc1_vocals_voiced_time_s.json + rc9_6stem/). - Own audit gate on per-song RC1 + RC9 accepts. - Iteration inside: acceptance thresholds may need re-tuning after first render.

Branch B — RC2 drum onset + RC3 bass: - Stem-level transcription branches with inde-

pendent accept tests ($F1 \geq 0.6$ for drums; count band + low-band correlation for bass). - Own audit gate. - Iteration on threshold tuning.

Branch C — RC7 mix-balance + D4 per-stem EQ: - Extend `scripts/palette_render/render_stem.py` via additive kwargs (c36 backwards-compat pattern verbatim). - Implement 12-band log-spaced IIR biquad EQ curve fit. - RMS + LUFS-S loudness match ≤ 3 dB. - Own audit gate on A7 per-stem loudness. - Iteration on EQ curve refinement.

All three touch **disjoint files**; A/B produce transcription artefacts that C's mix stage consumes but **ONLY at c52+ integration cycle**. c51 branches merge $\rightarrow$ c52 RC4 folds into A/B merged.midi emission $\rightarrow$ c52 or c53 RC6-v2 panel gate lands. RC5/RC8 fold into A/B/C respectively per brief.

Discipline Invariants to Carry Into c51 Brief

- **v1 AND v2 rubric_hash three-way byte-equality** must be asserted at every c51+ RC verdict emission.
- **D4 old-chain-as-baseline row** (`panel_baseline_old_chain.tsv` from c33 pinned Surge chorus+reverb) survives ONLY as comparison in the panel — never as a LANDS deliverable.
- **c48 env-var flag flips** remain c53+ candidates post-M-RECREATE-2-v2 land.
- **Formalise `_infra/auditor-reads-ledger-not-brief-summaries` lemma** in c51 alongside c46 rubric-doc lemma. This lemma has now demonstrably paid off twice (c48-close + c49-close both caught worker-report claims that CLI-verification falsified). Codify in `docs/auditor_discipline_ledger_first.md`.

Not-in-Scope for c51

M-EAR-1 arc; M-GEN-1 batch work; corpus breadth beyond standard egress-retry; RC6-v2 panel gate implementation; env-var flag flips. Anti-pattern re-opens forbidden.

Standing Follow-ons (Carried From Prior Cycles)

1. **c48 Branch A `_infra/harness-and-writer-hardening-v3`** still owed as substantive re-field (sub-fix 1: `_is_clone_context` substantive/infra distinction; sub-fix 2: supersedes in content-hash) — c53+ candidate.
2. **Writer-side guard rejecting novel milestone_ids not in plan_of_record** — the plan-registration-lag pattern has now fired **7 times** (c9/c26/c38/c46/c47/c48/c49-close); c50 auditor Priority 3 candidate. Carrying cost is worth it.
3. **`_infra/large-model-fetchability-registry`** — if `htdemucs_6s` success is reproduced in c51, this argues for pinning alongside c45 egress failure-mode registry.
4. **Egress retry** per campaign directive (429 + `tv_embedded` unchanged).
5. **`_infra/merge-report-sandbox-fallback-convention`** codification (fifth+ observation).
6. **Extend anchor manifest** (TZ, LC_ALL, OMP_NUM_THREADS) as follow-on peer entries.
7. **STATISTIC_VERSION = F1_pooled_variance_v1 pin** as formal anchor.

Cumulative Progress

M-RECREATE-2 arc (post-c50 v2 peer-supersede):

Cycle	Milestone	Verdict / Status
c49	M-RECREATE-2/accurate-small-set (v1)	rubric committed (SHA 958ade38...3fe58b9d); substantive close
c50 (this range)	M-RECREATE-2/accurate-small-set-v2 (peer supersede)	rubric committed (SHA 0e11f704...debe1f); RC7/RC8/RC9 + D1-D4 + A7-A8 scope; htdemucs_6s fetch OK; 5-song chosen_section landed; both v1+v2 chains coexist

Chicken Grease 31a164f845f8e27e chosen_section at [233.6s, 263.6s] is a meaningfully-late window (peak-30s per D1), NOT sparse-first-30s. RC8 pre-registration mechanically catches the “always t=0” bug — good falsification target.

htdemucs_6s fetch OK is the campaign’s first successful large-model window — one honest data point, honestly recorded. Extends the fetchability ladder methodology (c11/c25/c31/c33) to a positive outcome.

c48 auditor-lemma track record: has now caught worker-report-vs-CLI drift at c48-close AND c49-close. **Two consecutive positive signals — formalise in c51 as _infra/auditor-reads-ledger-not-brief-summaries lemma.**

c49 correction arc ended cleanly: both c49 MODERATE findings (promise_check 6-ERROR + test-scope mismatch) closed by c50 Priority 1 + Priority 2 via the same lightweight _plan/register-* pattern used successfully at c9/c26/c38/c46/c47/c48.

M-RECREATE-2 arc healthy structurally: peer supersede v1→v2 preserves c49 audit trail while accommodating operator’s material re-scope. Two coexisting rubric_hash chains — exactly the c14 supersede pattern generalised to rubric-scope architectural change.

Pattern durability: rubric-first pre-registration discipline preserved across v1→v2 peer-supersede; mtime discipline verified (v2 rubric mtime < every new v2/RC7-RC9 stub mtime; c49 v1 stubs predate v2 rubric, untouched).

c29 state-machine lemma respected: peer sub-milestone; ledger topology stays a DAG.

c32 → c33 → c36 v2 → c39 v3 → c47 Branch B MIXED fanout-namespace convention held (c50 is sequential root-mode; no -clone-* suffixes).

Anchor-manifest arc: v1.1 stable at 19 entries with SOURCE_DATE_EPOCH first-class. Additional environment pins queued.

Deprecation arc: c45 archived; c46 canonical determinism_check_c46.py remains sole canonical.

Pre-registration gate policy arc: c46 amendment scope-locked to harness-boundary bucket for current session context (c47 Branch B MIXED).

Collision-modeling arc: closed at PARTIAL_BP_UNRESOLVED_SHAPE (c30 terminal); no re-opening proposed.

Ledger state: 847 rows (c49 close 835 + 12 c50 events); **0 promise_check ERRORS**; WARN 2591 (pre-existing).

Fanout cadence: LINEAR c44/c45/c46 → FANOUT c47/c48 → LINEAR c49/c50 → **c51 FANOUT** (3-branch RC1+RC9 / RC2+RC3 / RC7+D4).

Egress state: 429 + tv_embedded unchanged for playlist audio harvest; **htdemucs_6s model-weight fetchability OK is distinct** (positive campaign-first).

Campaign ready for c51 substantive fanout. c50 close-correction is the terminal deliverable for this range; the two coexisting rubric chains (v1 + v2), the htdemucs_6s fetchability window, and the ledger-first-not-brief-summaries auditor lemma are all durable outputs seeding c51+.

[END OUTPUT]