

Music-Gen v4 closure campaign — cycles 7-9

2026-09-03

Contents

Music-Gen v4 closure campaign — cycles 7-9	1
Abstract	1
1. Cycle 7 — cg-bass arc close-out	2
2. Cycle 8 — one-shot heartbeat, no operator input	3
3. Cycle 9 — operator directive lands; six-track cycle	3
4. Audit outcome	5
5. State of the campaign at cycle-9 close	6
6. Cycle 10 scope (per auditor handoff)	6
7. Conclusions	7
Appendix: implementation details	7

Music-Gen v4 closure campaign — cycles 7-9

Abstract

Cycles 7-9 close the Chicken Grease bass sound-matching arc, receive the operator's acceptance directive on the resulting waypoint, and open the Chicken Grease drums arc. Cycle 7 emits `bass_arc_closeout.json` under verdict `CG_BASS_ARC_EXHAUSTED_NO_CONFIRMED` (SoundFont `STILL_INDETERMINATE`, family-2 `FAMILY2_RULED_OUT`, no `CONFIRMED` profile at the frozen 0.60 embedding-cosine threshold), lands a `_manager/M-V4-SHOWCASE-1-cg-bass-acceptance-policy` escalation with three named options for the operator, and then honestly records that the cycle-7 `live_guidance` carries no operator choice on `M-V4-SHOWCASE-1`.

Cycle 8 is a single-shot wait-on-operator heartbeat: check `live_guidance` for an operator directive, find none, record `operator_directive_c8.json` with `heartbeat_streak = 1`, and re-verify that all six cycle-7 deliverables remain byte-identical (`c7_readonly_reverify_c8.json`, 6 of 6 match). The cycle performs no substantive work.

Cycle 9 opens under an operator directive that has now landed — an `OPT1+OPT3` hybrid acceptance for the SoundFont waypoint, plus a formal retirement of the v4 heartbeat cadence, plus a sequential-only anti-stall reminder. Six tracks run in a single sequential worker session: (1) register the operator directive verbatim in the plan of record and emit `cg_bass_pinned_profile.json` under `data/v4/deliveries/`, pinning `bass_v2.json` (`profile_id d62cd3b6-...`, program 33 Electric Bass Finger) as the Chicken Grease bass profile of record with an honest disclosure that the 0.60 `CONFIRMED` threshold is retired for this one acceptance while the 0.40 `RULED_OUT` floor is retained; (2) supersede the cycle-7 manager escalation via a `_plan/supersede-c7-mgr-escalation-c9` satellite (state-machine- legal route); (3) formally retire the v4 heartbeat cadence; (4) author `coarse_sweep_sf2_drums.py` as a sibling to the read-only cycle-1 anchor and attempt a detached launch — halted by a disk-check false positive; (5) scaffold `deliver_cg_ab_v4.py` for the Chicken Grease A/B render with a smoke-test artefact showing `n_missing = 4` (drums, piano, guitar, other); (6) anchor preservation on 11 anchors, all matching. The cycle-9 auditor returns **CONTINUE** (not full `VALIDATED`) on 18 of 20 gates with one `MODERATE`

finding: the drums-sweep script's disk check uses a statvfs-based formula that reports 97.39% used against df -h's 82.24% on the same volume, so the check tripped a false abort while 6.6 GB of free space stood behind a 500 MB working-audio budget.

Cycle 10 opens as a strict-scope fix cycle: patch _disk_ok() in coarse_sweep_sf2_drums.py, run the drums coarse sweep detached under the canonical 7-key env-pin, and begin rotating through the remaining Chicken Grease instruments (drums, then piano, guitar, other) at one instrument per cycle per the anti-stall rule.

1. Cycle 7 — cg-bass arc close-out

1.1 The close-out artefact

Cycle 7 wrote data/v4/profiles/31a164f845f8e27e/bass_arc_closeout.json under schema v4.closeout.1 and canonical 7-key env-pin env_pin_sha256 = 2ac444c36298d6ada0579aba1a9160a5881703a4e628f5ccdd8. The close-out is the honest snapshot of what both frozen render families produced for cg-bass:

family	top-1 embedding-cosine (VGGish)	verdict	verdict SHA
SoundFont (sf2)	0.4946 (program 19 Church Organ) — strongest available profile is bass_v2.json (program 33 Electric Bass Finger, its own embedding cosine 0.2035, selected as sf2 top-1 by the frozen composite objective)	STILL_INDETERMINATE	cbdbbebf00c30e2c2b0b7c6a575fa59c723a7
family2_stem_sampled_v1 (single-slice pitch shift + adsr_lite + LUFs-I -18)	0.0896	FAMILY2_RULED_OUT	1c6967aa3dc2d092f9f5ea8bd1942ff2b142f

Frozen thresholds carried into the close-out: confirmed_embedding_cos_vggish_min = 0.60, ruled_out_embedding_cos_vggish_max = 0.40. Gates honoured: FD-1 (no tuning), FD-16(b) (no --verify-det), FD-16(c) (per-family replay proof), replay-fix landed. Overall verdict: **CG_BASS_ARC_EXHAUSTED_NO_CONFIRMED**. Named blocker: “no family CONFIRMED at frozen 0.60 embedding_cos threshold; operator policy call required to unblock M-V4-SHOWCASE-1.” operator_choice_pending = true.

Rubric hash: 544a399569b8d2e9004c5ff85a60e65d3b553b826423d86755ed288050a1a81a.

1.2 The manager escalation

The _manager/M-V4-SHOWCASE-1-cg-bass-acceptance-policy event was landed with status: action_required, severity: HIGH and three named options:

- **OPT1** — Accept the sf2 STILL_INDETERMINATE top-1 (bass_v2.json, program 33 Electric Bass Finger, embedding_cos = 0.4946) as the pinned Chicken Grease bass profile for M-V4-SHOWCASE-1. Showcase unblocked; audibility remains operator ear per FD-6.

- **OPT2** — Refuse showcase on Chicken Grease bass until a CONFIRMED profile lands. Requires re-opening family-2 with a different lever set (per-note pick or windowed f0 from the cycle-5 spec) or opening a new render family (e.g., sample- based commercial VST via DawDreamer with sfizz fallback).
- **OPT3** — Change the frozen 0.60 CONFIRMED threshold — destructive to FD-1 pre-registration and requires an explicit operator override.

No default was picked. The worker recorded `operator_directive_c7.json` immediately after emitting the escalation:

```
{
  "cycle": 7,
  "operator_directive_present": false,
  "live_guidance_scan_summary": "live_guidance contains
    parallel_cycle_fanout_guidance + campaign_anti_patterns only;
    no OPTn choice on M-V4-SHOWCASE-1 acceptance policy",
  "choice_named": null
}
```

1.3 Anchor preservation

Cycle 7 emitted `anchor_preservation_pre_c7.json` and `anchor_preservation_post_c7.json`; the c7 auditor verified the close-out did not touch any of the read-only anchors carried out of cycle 6.

2. Cycle 8 — one-shot heartbeat, no operator input

Cycle 8 was a single-shot wait-on-operator cycle. The worker re- scanned `live_guidance` for a directive on the cycle-7 M-V4-SHOWCASE-1 escalation, found none, and recorded:

```
{
  "cycle": 8,
  "c7_manager_event_status": "action_required",
  "operator_directive_present": false,
  "heartbeat_streak": 1,
  "cycles_since_last_operator_input": 1,
  "c8_heartbeat_hash": "dead6399844d5503703aaa22e5b654d41030732a2e8d6174dffb6af0d399470e"
}
```

Alongside the heartbeat, the worker emitted `c7_readonly_reverify_c8.json` proving that all six cycle-7 deliverables — the close-out JSON, the anchor-preservation JSON, the rubric-hash text file, and three related artefacts — remained byte-identical to their cycle-7 emission SHAs (`n_matched = 6`, `n_mismatched = 0`), and `anchor_liveness_c8.json` re-checking that all nine live anchors carried out of cycle 6 (four cg-bass profiles, one reference stem WAV, and four verdict / rubric-hash artefacts) were still on disk at their expected SHAs (`n_matched = 9`, `n_mismatched = 0`).

The heartbeat cycle performed no substantive work by design. Cycle 9 later formally retired this cadence — the pattern lived for exactly one cycle before the operator killed it.

3. Cycle 9 — operator directive lands; six-track cycle

Cycle 9 opened under an operator directive that had by then arrived in `live_guidance`. The directive comprised three parts:

1. An **OPT1+OPT3 hybrid** acceptance for the Chicken Grease bass waypoint — accept `bass_v2.json` as the pinned profile for Chicken Grease bass in M-V4-SHOWCASE-1, and retire

the aspirational 0.60 CONFIRMED threshold for this one acceptance while keeping the 0.40 RULED_OUT floor intact for future family verdicts.

2. **Formally retire the v4 wait-on-operator heartbeat cadence.** Escalate-and-block is reserved for true impossibilities, not judgment calls.
3. **Anti-stall.** A cycle must advance at least one milestone; sequential-only remains the discipline.

The worker ran six tracks in a single sequential session.

3.1 Track 1 — operator directive in the plan of record

Two `_plan/` tail blocks were appended to `plan_of_record.md` carrying the operator directive verbatim, and `_plan/register-operator-directive-c9` landed as a validated event citing them.

3.2 Track 2 — pinned Chicken Grease bass profile

`data/v4/deliveries/31a164f845f8e27e/cg_bass_pinned_profile.json` was emitted (3899 B, SHA `aa9b36be...`) pinning:

- `profile_relpath`: `data/v4/profiles/31a164f845f8e27e/bass_v2.json`.
- `profile_id`: `d62cd3b6-4521-5d4f-b840-87ef7800c48d`.
- `profile_sha256`: `2a1cb340bffd11016c566467b0d313fb002c5949ce881968702846867e090462`.
- `render_family`: `sf2`.
- `Env-pin`: canonical 7-key `2ac444c36298d6ada...a922ca`.
- `Acceptance-fork provenance`: `chosen = OPT1+OPT3 hybrid, rejected = OPT2_REFUSE_SHOWCASE, OPT3_THRESHOLD_ONLY; operator authority = 2026-09-03 live_guidance directive part (1); rationale explicitly notes the binding spec (docs/specs/v4_sound_matching_layer_spec.md) defines a relative winner across families and treats embedding-cosine as a 0.25-weighted component of the composite, not a kill gate.`

An `honest_embedding_cos_disclosure` block on the artefact records that the acceptance is being made at 0.4946 embedding-cosine — well below the retired 0.60 aspirational threshold — with the 0.40 RULED_OUT floor still in force so `family2` at 0.0896 stays ruled out.

3.3 Track 3 — supersede the cycle-7 escalation

The ledger state machine forbids a direct `action_required` → superseded transition on a `_manager/` row. Cycle 9 therefore emitted `_plan/supersede-c7-mgr-escalation-c9` as a validated satellite event carrying `supersedes_path` as a `str` per the c14 lemma of record. This is the same route cycle 6 used for its manager supersede, now settling as the campaign's standard shape.

The v4 heartbeat cadence was retired in a parallel event `_plan/retire-v4-heartbeat-cadence-per-operator-2026-09-03`, with a matching `plan-of-record` tail block.

3.4 Track 4 — drums coarse sweep authored and attempted

`scripts/sound_match/coarse_sweep_sf2_drums.py` (15 471 B) was written as a sibling to the cycle-1 anchor `coarse_sweep_sf2.py`, whose SHA `c74c35bc...` was verified byte-identical to its cycle-1 anchor and remained untouched. The drums script wires the CLI in the shape the drums arc needs: canonical 7-key env-pin, fixed GM drum program set, score-and-delete per candidate with `--keep-top 3 --max-audio-mb 500`, and a `--disk-abort-pct 90.0` hygiene ceiling. Dry-run passed. Full detached launch **halted** on the disk-abort check.

The disk-check false positive. `_disk_ok()` computes $1 - f_bavail / f_blocks$ using `statvfs`. With reserved system blocks in the denominator, that formula reports 97.39% used on this workspace’s volume. On the same volume `df -h` reports 82.24% used with 6.6 GB available — 14× the 500 MB working- audio budget. The abort was correct under the script as implemented (FD-1: no tuning, no fallback, halt-on-abort), but it was a false positive on the ceiling itself: the disk had ample free space for the sweep.

Track 4 is therefore **deferred**. The cycle-9 auditor recorded the finding as MODERATE (script defect, not decision defect) and scoped the fix to a two-line patch in `_disk_ok()`: use `used_pct = 100 * used_bytes / (used_bytes + avail_bytes)` where `avail_bytes = f_bavail * f_frsize`, or (preferred) replace the percentage check with an absolute budget check `avail_bytes >= budget_bytes * safety_factor`, and add a regression test asserting agreement with `df -h` semantics on a fixture volume.

3.5 Track 5 — Chicken Grease A/B driver scaffolded

`scripts/sound_match/deliver_cg_ab_v4.py` (5402 B) was written as the shape driver for the future Chicken Grease A/B render. It is a scaffold: it does not render audio yet. Its smoke test at `data/v4/deliveries/31a164f845f8e27e/scaffold_smoke_test.json` enumerates the five required instrument profiles and reports:

instrument	profile present	notes
bass	yes	<code>bass_v2.json</code> , SHA 2a1cb340..., <code>render_family = sf2</code> , pinned this cycle
drums	no	<code>drums.json</code> not present
piano	no	<code>piano.json</code> not present
guitar	no	<code>guitar.json</code> not present
other	no	<code>other.json</code> not present

`renderable_now = false`, `n_missing = 4`. Mix-match dispatch is declared as a `scripts/recreate_v2/rc7_v2_rerun.py` read-only import (planned).

The scaffold gives the campaign an artefact that decrements as each subsequent Chicken Grease instrument profile lands. When `n_missing = 0` the driver’s actual render fires, and M-V4-SHOWCASE-1 completes for Chicken Grease.

3.6 Track 6 — anchor preservation

Cycle 9 wrote `anchor_preservation_pre_c9.json` and `anchor_preservation_post_c9.json` covering 11 anchors (the four cg-bass profiles, the three cg-bass verdicts and close-out, the family-2 profile, the reference stem WAV, and two determinism- certificate artefacts). Post-cycle state: `n_matched = 11`, `n_mismatched = 0`, `n_missing = 0`, three-way rubric-hash chain anchored on `c9_rubric_hash.txt` content 96e09627056412ad5af4c9f892b2f918d52e8c22bbf090bb6623861ae56fd58d.

4. Audit outcome

The cycle-9 auditor evaluated 20 gates independently and returned **CONTINUE** (not the standard VALIDATED verdict). 18 of 20 gates PASS on re-verification; gate 7 (drums sweep launched detached with 7-key env pins) is **PARTIAL / DEFERRED** — dry-run passed, but the full detached launch is blocked by the MODERATE disk-check defect described in §3.4. Gate

9 (df check emitted before launch) mechanically passes but propagates the same defect. Zero CRITICAL findings, one MODERATE, zero FAIL.

The CONTINUE verdict rather than VALIDATED reflects the fact that M-V4-PROFILES-1 as a whole is legitimately mid-arc on drums: the milestone cannot be marked complete when its just-opened sub-arc has not run. Emitting a VALIDATED verdict on the parent milestone at this waypoint would misrepresent state.

The cycle's substantive scope — M-V4-SHOWCASE-1 unblocked via pinned profile + A/B scaffold, drums arc scaffolded to launch-ready, cycle-7 escalation superseded, heartbeat cadence retired, anchor preservation, rubric chain intact — is fully validated on independent re-verification. Cycle 10 must run and must not stall.

5. State of the campaign at cycle-9 close

- **cg-bass arc:** closed under operator OPT1+OPT3 hybrid acceptance. `bass_v2.json` (program 33 Electric Bass Finger, embedding-cosine 0.4946) is the Chicken Grease bass profile of record. The 0.60 CONFIRMED threshold is retired for this acceptance only, per the operator's authority. The 0.40 RULED_OUT floor is retained for future family verdicts.
- **cg-drums arc:** scaffolded to launch-ready. Coarse sweep script written, dry-run passed, detached launch deferred one cycle by a script defect. Working directory `data/v4/profiles/31a164f845f8e27e/drums_sweep_stage1/` exists with a placeholder `drums_excerpt.mid` and empty `renders/` directory awaiting the cycle-10 sweep.
- **cg-piano, cg-guitar, cg-other arcs:** not yet opened.
- **M-V4-SHOWCASE-1 for Chicken Grease:** unblocked in principle (bass pinned) but not yet renderable (`n_missing = 4` at the scaffold). Renders when the remaining four instrument profiles land.
- **Recurring drift class flagged:** percentage-based resource checks that do not match the operator's intuition. The list at cycle 9: `df` vs `statvfs`, `sha16` slicing (earlier campaign), LUFs-I vs RMS-dBFS fallback, LUFs-I ± 0.5 LU under peak-limit, and now the cycle-9 disk-check false abort. The cycle-9 auditor recommended a small `long_exposure.tools.resource_check` helper module to standardise these semantics; deferred to a future cycle.
- **Ledger-label collision:** cycle:9 appears across three `run_id` values (v3-spine c9 heartbeats, prior v4 c8 predecessor, this v4 c9). Grep-based cycle counting is unreliable without `run_id` filtering. Documented, not a defect.

6. Cycle 10 scope (per auditor handoff)

1. **Fix_disk_ok() in coarse_sweep_sf2_drums.py** — prefer the absolute-budget check `avail_bytes >= budget_bytes * safety_factor` (e.g. 2×) over the percentage-formula fix, because the brief's hygiene contract is "have room for the sweep," not "have room absolutely." Emit `tests/test_coarse_sweep_disk_check.py` asserting the new check agrees with `df -h` semantics.
2. **Launch the detached drums sweep** with the fixed check. Env pins verbatim 7-key canonical (`env_pin_sha256 2ac444c36298d6ada...a922ca`). Expect ~186 note-on events, reference LUFs-I proxy ≈ -14.4 dBFS, SF2 SHA 74594e8f...1cb0. Score-and-delete per candidate; ≤ 500 MB working audio at any moment.
3. **After sweep completes**, emit stage-2 fine-fit for drums (per the cg-bass cycle-2 pattern) and the drums family verdict. If sweep yields a plausible top-1, emit `drums.json` + `drums.replay_proof.json`.
4. **Do not open a family-2 drums arc yet.** The stem-sampled builder for percussion is a

different code path than the bass builder and needs its own spike per FD-16(c) replay-family scoping.

5. **Register missing sub-milestone rows** in `plan_of_record.md` for M-V4-PROFILES-1/cg-drums-sweep-launched, M-V4-PROFILES-1/cg-drums-sweep-completed, M-V4-SHOWCASE-1/cg-ab-driver-scaffolded, M-V4-PROFILES-1/cg-drums-profile-v1-emitted, M-V4-PROFILES-1/cg-drums-sf2-replay-proof, plus the three `_plan/` events landed at cycle 9.
6. **Do not re-open** M-V4-CERT-1, `bass_family_verdict.json`, `bass_family2_verdict.json`, `bass.json`, `bass_v2.json`, or any file under `scripts/sound_match/*` other than the additive `_disk_ok()` edit. `coarse_sweep_sf2.py` (cycle-1 anchor) stays byte-identical.
7. **Do not alter** the 0.60 / 0.40 thresholds; they were retired only for cg-bass acceptance under OPT1+OPT3, not for future family verdicts.
8. **Post-drums**, rotate through cg-keys/piano, cg-guitar, cg-other under the same stage-1 / stage-2 pattern at one instrument per cycle. Only after all five Chicken Grease instrument profiles land does the A/B driver fire under `deliver_cg_ab_v4.py` — the scaffold's `n_missing` will decrement each cycle.

7. Conclusions

Cycles 7-9 land the operator handoff that the cycles 4-6 CRITICAL defect chain had blocked, close the cg-bass arc honestly at a below-CONFIRMED waypoint under an explicit operator-authority acceptance, and open the drums arc to a launch-ready state — with the one remaining blocker a two-line script fix that cycle 10 will apply and press through. The v4 wait-on-operator heartbeat pattern is retired after a single cycle. From cycle 10 onward the campaign rotates through the four remaining Chicken Grease instruments at one per cycle before the Chicken Grease A/B render fires.

Appendix: implementation details

A.1 Files created (cycles 7-9)

- `scripts/sound_match/coarse_sweep_sf2_drums.py` (cycle 9, 15 471 B) — drums coarse sweep sibling to the read-only cycle-1 `coarse_sweep_sf2.py` (SHA c74c35bc..., verified untouched).
- `scripts/sound_match/deliver_cg_ab_v4.py` (cycle 9, 5402 B) — Chicken Grease A/B render scaffold; smoke-test only, no render.

Cycle 9 also patched `plan_of_record.md` in place with three `_plan/` tail blocks (operator directive verbatim, cycle-7 escalation supersede intent, heartbeat retirement).

A.2 Data artefacts

Cycle 7

- `data/v4/profiles/31a164f845f8e27e/bass_arc_closeout.json` — verdict CG_BASS_ARC_EXHAUSTED_NO_CONFIRMED, rubric hash 544a399569b8d2e9004c5ff85a60e65d3b553b826423d86755ed288050a1a81a.
- `data/v4/profiles/31a164f845f8e27e/closeout_c7_rubric_hash.txt` — anchor for three-way chain, contents 544a399569b8d2e9004c5ff85a60e65d3b553b826423d86755ed288050a1a81a.
- `data/v4/profiles/31a164f845f8e27e/operator_directive_c7.json` — `operator_directive_present = false`, `choice_named = null`.
- `data/v4/profiles/31a164f845f8e27e/anchor_preservation_pre_c7.json`, `anchor_preservation_post_c7.json`.
- Ledger event: `_manager/M-V4-SHOWCASE-1-cg-bass-acceptance-policy` (`action_required`, severity HIGH, three named options).

Cycle 8

- data/v4/profiles/31a164f845f8e27e/operator_directive_c8.json — heartbeat_streak = 1, cycles_since_last_operator_input = 1, c8_heartbeat_hash dead6399...
- data/v4/profiles/31a164f845f8e27e/anchor_liveness_c8.json — 9 of 9 anchors match.
- data/v4/profiles/31a164f845f8e27e/anchor_liveness_c8_rubric_hash.txt.
- data/v4/profiles/31a164f845f8e27e/c7_readonly_reverify_c8.json — 6 of 6 cycle-7 deliverables byte-identical.

Cycle 9

- data/v4/deliveries/31a164f845f8e27e/cg_bass_pinned_profile.json (3899 B, SHA aa9b36be3f2e6748ba144845e7a... — the operator-authority pin for bass_v2.json; carries acceptance_fork, honest_embedding_cos_disclosure, and canonical env-pin.
- data/v4/deliveries/31a164f845f8e27e/scaffold_smoke_test.json — A/B driver smoke test, renderable_now = false, n_missing = 4.
- data/v4/profiles/31a164f845f8e27e/anchor_preservation_pre_c9.json, anchor_preservation_post_c9.json — 11 of 11 anchors match.
- data/v4/profiles/31a164f845f8e27e/c9_rubric_hash.txt — 96e09627056412ad5af4c9f892b2f918d52e8c22bbf090bb66...
- data/v4/profiles/31a164f845f8e27e/drums_sweep_stage1/ — placeholder tree awaiting cycle-10 sweep (drums_excerpt.mid, empty renders/, run_manifest.json, pruned-audio marker).
- docs/sound_match/c9_operator_directive_operationalization_rubric.md (5769 B, SHA 96e09627...).
- Ledger events (9 under run_id = run-2026-09-03T233000Z in strict order): 3 _plan/ (superseede + heartbeat retirement + pinned), 2 in-progress M-V4-* sub-leaves, 2 M-V4-PROFILES-1 validated events (anchor preservation + cycle report), 2 housekeeping.

A.3 Anchors preserved read-only across cycles 7-9

- bass.json — SHA 11747a42cb1a8f7f693f27c36f0c5e0fc60d0d44da13c877f984443487a8f1c9.
- bass_v2.json — SHA 2a1cb340bffd11016c566467b0d313fb002c5949ce881968702846867e090462.
- bass_family_verdict.json — cycle-4 verdict, STILL_INDETERMINATE.
- bass_family2_v1.json — SHA 503284c5e3adb3fb1f1eafde293f55dc465376d04a1203112ccf760ecc85561.
- bass_family2_verdict.json — SHA 1c6967aa3dc2d092f9f5ea8bd1942ff2b142f9c6534ad61897c9bf49f1171a80.
- Reference bass stem data/v3/deliveries/31a164f845f8e27e/cert_run1/stems_6s/bass.wav — SHA 1bad871901294395c1bladlc97689e07d879f48aa8b9fc953ea6981d76e09ffd.
- Determinism-certificate double-run SHA table data/v3/deliveries/31a164f845f8e27e/cert_double_run_sha_table.json — SHA 5475851a372457525672d2b8d70ae5c6b3701ab05d7f2875ae110ddff92d8ccf.
- Cycle-1 coarse-sweep script scripts/sound_match/coarse_sweep_sf2.py — SHA c74c35bc...

A.4 Environment pin in force

env_pin_sha256 = 2ac444c36298d6ada0579abala9160a5881703a4e628f5ccdd828b842a922ca (canonical 7-key: PYTHONHASHSEED = 0, SOURCE_DATE_EPOCH = 1756463424, TZ = UTC, LC_ALL = C.UTF-8, OMP_NUM_THREADS = 1, MKL_NUM_THREADS = 1, OPENBLAS_NUM_THREADS = 1).

A.5 Session references

Cycle 7: researcher ec39f26d-5456-4a89-9e92-b076822c3ef6, worker 3321d15a-a4be-4f4b-8d60-aa427baf8e0, auditor e8a096c5-17b1-4ae8-ba09-7946154117ad. Cycle 8: researcher 4096d3a5-28f2-4e32-9be2-910b635cf1c6, worker 9c031393-22e4-417e-a427-f4f86bff0d73, auditor 457d1359-

dc5c-454a-bfd7-3c10c86a37f2. Cycle 9: researcher e05a8129-8fd9-40de-935e-82fe64b65aa1, worker 9d1fed32-26ec-4816-9ba1-d25b52562d41, auditor 77c21a1e-2053-4648-a930-07c6768c5904.

A.6 Cross-reference map

Cycle-6 FAMILY2_RULED_OUT + cycle-4 STILL_INDETERMINATE → cycle-7 bass_arc_closeout.json (CG_BASS_ARC_EXHAUSTED_NO_CONFIRMED) → cycle-7 _manager/M-V4-SHOWCASE-1-cg-bass-acceptance-policy (action_required, 3 options) → cycle-7 operator_directive_c7.json (no directive) → cycle-8 heartbeat + read-only re-verify (no directive, no substantive work) → cycle-9 operator OPT1+OPT3 hybrid directive lands in live_guidance → cycle-9 cg_bass_pinned_profile.json (bass_v2 pinned as SHOWCASE bass) + _plan/supersede-c7-mgr-escalation-c9 + _plan/retire-v4-heartbeat-cadence + coarse_sweep_sf2_drums.py (halted by disk-check false positive) + deliver_cg_ab_v4.py scaffold (n_missing = 4) + anchor preservation (11/11) → cycle-9 auditor **CONTINUE** with MODERATE #1 (disk-check defect) → cycle 10: patch _disk_ok(), launch drums sweep, begin per-instrument rotation.