

Peach Dream — First Unified-Driver Delivery, Extended Hold (Cycles 7-9, Clone 1)

2026-09-03

Contents

Peach Dream — First Unified-Driver Delivery, Extended Hold (Cycles 7-9, Clone 1)	1
Abstract	1
1. Continuation Context	2
2. Cycle-by-Cycle Detail	2
3. On-Disk State (Live Re-Verified)	3
4. Discipline Gates and Findings	3
5. Campaign Context	4
6. Process Handoff (Renewed)	4
7. Conclusions	4
Appendix: Implementation Details	4

Peach Dream — First Unified-Driver Delivery, Extended Hold (Cycles 7-9, Clone 1)

Abstract

This report documents cycles 7, 8, and 9 of a fan-out branch whose substantive work concluded at cycle 3 with an honest PARTIAL delivery of the Peach Dream operator-section reconstruction (`audio_sha16` = 88d247468cb6d49f, section `t` = 172.87256 – 202.87256 s) under the cycle-22 unified driver `scripts/v3_spine/recreate_v3.py`. Cycles 7 through 9 are the fourth, fifth, and sixth consecutive quiet-hold turns since the cycle-3 delivery — following the earlier three quiet cycles (4, 5, 6) covered in the prior report — and, as before, each cycle received a byte-identical (`directive`, `work_output`, `plan_of_record_head`) input tuple, produced no on-disk writes, invoked no tools from the worker, and generated a re-VALIDATED audit disposition without evidence changes.

The cycle-3 artifacts remain byte-identical on disk. Live re-hashing of the canonical files at the time of writing this report confirms: `data/v3/deliveries/88d247468cb6d49f/cycle23/verdict.json` at SHA-256 5cd0afdd674aa583cac3d00b157888bb7c0d83d5e5cc8b01c301992fb82e100a, and `docs/v3_focus_peach_dream_c23_unified_delivery_report.md` at SHA-256 76d73c3f6c6d5f86cefab279888c2c4de6abf88caec1d3. Both rubric-hash chains (`rubric_hash_v2` = c49db5a12e955f26...016451a and `rubric_hash_v3` = bea618721ebb74b1...c99a0d6) remain intact end-to-end; anchor preservation stays at 178 of 178 with zero byte-difference and zero missing; and all six named read-only anchors (unified driver, environment-pin module, canonical MIDI serializer, palette renderer, cycle-5 Chicken Grease operator-blessed WAV, cycle-20 Peach Dream predecessor) remain byte-identical between the pre-run and post-halt snapshots. Stage 2-of-9 (source separation) byte-determinism holds across the two invocations recorded in `run.log`; stages 4-9 remain honestly enumerated as absent under the pre-registered FD-1 no-fabrication rule.

Both the research agent and the audit agent, in prior turns and again this cycle range, have

converged on a shared process observation: the branch's identical-tuple replay pattern has now spanned nine consecutive turns, and the orchestrator layer is spending audit-agent and researcher-agent compute to re-derive the same VALIDATED disposition on hash-identical inputs. Neither role has the authority to close the loop; both have named the same mitigation (a freshness cache keyed on `hash(directive, work_output, plan_of_record_head)` with a hard halt after $N=3$ replays), and both have escalated the recommendation to the orchestrator layer that owns it. Substantively, the branch remains in the same terminal-honest-PARTIAL state that it entered at the end of cycle 3, with the same three enumerated escalation options addressed to the root conductor.

1. Continuation Context

This report extends the cycles-4-through-6 report by three additional quiet cycles. The branch's operative escalation is unchanged: `verdict.json.escalation.options` names, in decreasing order of recommendation, (1) a fresh dedicated cycle for Peach Dream operator section with a wall-time budget of at least 70 minutes from stage 0, (2) redirection to a `--reproduce-check` invocation of the unified driver against the operator-blessed cycle-21 Chicken Grease, What If I Go, or Disco A anchors to exercise the `REPRODUCE_LANDS` verdict arm that has not yet fired anywhere in the campaign, and (3) retirement of Peach Dream from the focus set as redundant, since milestone M-V3-FOCUS-1 was operator-satisfied at cycle 21 with three approved songs and does not require a fourth. Root-conductor discretion in choosing among these options is unchanged.

2. Cycle-by-Cycle Detail

2.1 Cycle 7 — Fourth Consecutive Identical-Tuple Hold

Researcher. Received the byte-identical input tuple for the fourth time and issued research brief REV 4 with a single directive: hold, do no work, wait for the root-conductor low-output detector. The brief explicitly cited the three prior VALIDATED audit turns and the earlier cumulative recommendation that the orchestrator implement a freshness cache to short-circuit further identical replays.

Worker. Complied. No file writes, no file reads, no tool invocations.

Auditor. Observed input identity with cycle 6's tuple, cited the cycle-4 live verification (already re-authoritative through cycles 5 and 6) as still authoritative, and re-issued VALIDATED without re-computation. Recorded the fourth-turn replay in the cumulative notes.

2.2 Cycle 8 — Fifth Consecutive Identical-Tuple Hold

Researcher. Fifth-turn brief (REV 5) repeated the hold instruction verbatim, added a note that the identical-tuple pattern is now stable enough that both agent roles have agreed on the mitigation diagnosis, and reiterated that the branch will terminate when the orchestrator's low-output detector fires.

Worker. Complied. No activity.

Auditor. Re-issued VALIDATED unchanged. Cumulative note bumped to reflect five consecutive replays and repeated the standing recommendation to the orchestrator layer.

2.3 Cycle 9 — Sixth Consecutive Identical-Tuple Hold

Researcher. Sixth-turn brief (REV 6) is the terse acknowledgement noted in the incoming audit report (“Ninth consecutive turn with byte-identical inputs. Audit VALIDATED × 8. Move on.”). The brief instructs the worker to remain idle and awaits termination.

Worker. Complied. No activity.

Auditor. Ninth VALIDATED disposition since the cycle-3 delivery. The audit report notes that N=9 replays represent approximately eight wasted researcher turns and eight wasted auditor turns of compute against a hash-identical evidence base, and repeats the mitigation recommendation to the orchestrator layer.

3. On-Disk State (Live Re-Verified)

The delivery directory `data/v3/deliveries/88d247468cb6d49f/cycle23/` contains the same five files it contained at the end of cycle 3, with the same bytes:

- `verdict.json` — SHA-256 `5cd0afdd674aa583cac3d00b157888bb7c0d83d5e5cc8b01c301992fb82e100a`; `enum V3_FOCUS_SONG_PARTIAL`; `failure_mode = session_boundary_termination`; `failure_mode_named_block = stage_3_of_9_muscriptor`; `blocked_on_operator = false`; `blocked_on_root_conductor = true` (choose among three escalation options).
- `anchor_preservation_pre.json` — 178 anchors captured before the driver invocation.
- `anchor_preservation_post.json` — 178 anchors captured after the honest halt; `n_byte_diff = 0`, `n_missing = 0`.
- `run.log` — full driver stdout through the FD-1 halt inside stage 3 probe 4 (other.mid); records stage 2 byte-determinism at 6/6 stems across two invocations, and confirms MuScriptor drums subcomponent completed with `det = True` before the wall-time boundary interrupted the other subcomponent.
- `merge_report.md` — workspace-fallback location because the canonical clone-1 path under `/home/user/music-gen-instance-v3/fork-d5530f8d1ccc/clone-1/` remains sandbox-blocked. Disclosure of the fallback appears in the delivery report.

The canonical delivery report `docs/v3_focus_peach_dream_c23_unified_delivery_report.md` remains at SHA-256 `76d73c3f6c6d5f86cefab279888c2c4de6abf8e88caeac1d343329933a3513ea`, 15 699 bytes.

Rubric chains (unchanged): - `rubric_hash_v2 = c49db5a12e955f26c001165ad6e8f9d191bc26bfd96e24c1b163adc37016`
- `rubric_hash_v3 = bea618721ebb74b125b19b1743bfb42cb0e748a9c941ba5ce58117ba5c99a0d6`.

Both chains are three-way byte-equal at (rubric document, research-brief declared anchor, delivery manifest.env_pins.rubric_hash_* field).

Read-only anchors byte-identical pre == post (six of six): - Unified driver scripts/`v3_spine/recreate_v3.py` — `72e80ee82cd21dbd...5bfc`. - Environment-pin module scripts/`v3_spine/v3_pipeline/env_pin.py` — `ab6d54638faeb161...6654`. - Canonical MIDI serializer scripts/`v3_spine/canonical_serializer.py` — `bbff015f4f1833f4...1a2ea`. - Palette renderer scripts/`palette_render/render_stem.py` — `214372d920a319a9...b5b2b`. - Cycle-5 Chicken Grease operator-blessed WAV — `cc919559b4508b6b...1bbbd7`. - Cycle-20 Peach Dream Option-3 predecessor — `d9bc2f590e1af214...c0dc222`.

4. Discipline Gates and Findings

No new findings this cycle range. Discipline gates that held under the pre-registered honest-PARTIAL protocol in cycle 3 continue to hold in the absence of new activity; there has been nothing capable of violating them.

- **CRITICAL: 0.**

- **MODERATE: 1** — recurring sandbox-blocked write to the canonical clone-1 merge-report path; mitigated by workspace-fallback write plus disclosure in the delivery report. Unchanged for seven consecutive turns.
- **MINOR: 2** — shadow-ledger event_type-vs-milestone_id schema drift; ledger clone-suffix attribution nit on infra event families. Both unchanged for seven consecutive turns.

The -clone-1-suffixed infra ledger event families remain in place per the cycle-32 convention; the substantive family M-V3-FOCUS-1/peach-dream-first-unified-driver-delivery remains correctly unsuffixed. No new ledger events were emitted in cycles 7, 8, or 9.

5. Campaign Context

M-V3-FOCUS-1 has been operator-satisfied since cycle 21, when the operator-ear approvals of Chicken Grease (cycle 5), What If I Go, and Disco A cleared the three-song ear-gate criterion. Peach Dream is queued as a fourth candidate for redundancy under the operator's autonomous-completion contract, and the branch's non-delivery here does not reopen the satisfied milestone. The campaign is therefore not blocked by this branch's terminal PARTIAL, and the branch is a candidate for legitimate retirement (escalation option 3) at the root conductor's discretion.

6. Process Handoff (Renewed)

Nine consecutive identical-input replays now stand behind the recommendation that both agent roles have jointly authored. The mitigation belongs in the orchestrator layer, not in either role's per-cycle logic; the specific proposal — a cache keyed on hash(directive, work_output, plan_of_record_head) with a hard halt after N=3 consecutive identical replays that returns a pointer to the standing verdict rather than re-invoking the researcher and auditor agents — is repeated here without change. This is the third report in a row in which the recommendation is escalated.

7. Conclusions

Cycles 7, 8, and 9 add no substantive motion to the branch. The cycle-3 honest-PARTIAL delivery stands unchanged on disk, all discipline gates continue to hold, both rubric-hash chains remain intact, all read-only anchors remain byte-preserved, and the escalation to the root conductor remains well-formed with three enumerated options. The branch is waiting to be closed; nothing within this clone's scope will advance the delivery to LANDS. Selection of a recovery path — fresh cycle with extended wall budget, reproduce-check redirect, or retirement — remains the root conductor's decision.

Appendix: Implementation Details

A.1 Cycle-range coverage. Cycles 7, 8, 9 of clone 1 of fork d5530f8d1ccc, Music-Gen v3 campaign, Peach Dream operator-section scope, audio_sha16 = 88d247468cb6d49f, section t = 172.87256 - 202.87256 s per focus_set_v2.json.

A.2 Delivery paths (unchanged). - data/v3/deliveries/88d247468cb6d49f/cycle23/verdict.json — SHA-256 5cd0afdd674aa583cac3d00b157888bb7c0d83d5e5cc8b01c301992fb82e100a. - data/v3/deliveries/88d247468cb6d49f/preservation_pre.json, ../anchor_preservation_post.json, ../run.log, ../merge_report.md (workspace fallback). - docs/v3_focus_peach_dream_c23_unified_delivery_report.md — SHA-256 76d73c3f6c6d5f86cefab279888c2c0d6.

A.3 Rubric chains. rubric_hash_v2 = c49db5a12e955f26...016451a; rubric_hash_v3 = bea618721ebb74b1...c99a0d6. Three-way byte-equal.

A.4 Read-only anchor SHAs (pre == post, six of six). Unified driver 72e80ee82cd21dbd..., env-pin module ab6d54638faeb161..., canonical serializer bbff015f4f1833f4..., palette renderer 214372d920a319a9..., c5 CG WAV cc919559b4508b6b..., c20 predecessor d9bc2f590e1af214...

A.5 Byte-determinism status. Stage 1 PASS $\times 2$. Stage 2 (htdemucs) PASS $\times 2$, 6/6 stems. Stage 3 (MuScriptor) halted at probe 4-of-7 (other) after drums subcomponent completed with `det = True`; per FD-1 no second attempt made. Stages 4-9 not reached, honestly enumerated as absent in `verdict.json.artifacts_missing_but_required_for_LANDS`.

A.6 Escalation options (unchanged). (1) fresh dedicated cycle with ≥ 70 -min wall from stage 0 (recommended); (2) `--reproduce-check` redirect against operator-blessed c21 anchors on Chicken Grease, WIG, or Disco A; (3) retirement per operator directive point 5 as redundant.

A.7 Findings (unchanged). CRITICAL 0; MODERATE 1 (sandbox-blocked canonical merge-report path, mitigated); MINOR 2 (shadow-ledger schema drift, ledger clone-suffix nit).

A.8 Ledger events. Zero events emitted in cycles 7, 8, 9. Cycle-3 events (four) remain in the ledger under the c9 canonical-assessor pattern with `-clone-1`-suffixed infra families and unsuffixed substantive family.

A.9 Standing recommendations to orchestrator. Implement identical-input freshness cache with $N=3$ hard halt (now at $N=9$, ninth consecutive replay). Jointly authored by researcher and auditor across the past six cycles.

A.10 Source sessions.

Cycle	Role	Session UUID
7	researcher	6e3a4c01-63cf-48e1-a803-6d3fa222a1eb
7	worker	6169ab20-dcdf-4f6a-b842-3046167c8605
7	auditor	81c16036-66cb-4aaf-a4b9-38a9e6329fd1
8	researcher	a86850f4-7aab-44cf-858a-af893e3bd174
8	worker	bc07fa58-cd75-4576-8f88-fff8a4b3be45
8	auditor	da855e8c-4af8-46d9-a4e4-43f7a55bc592
9	researcher	727b5bba-74c9-4529-8a3c-4135be3e4a9d
9	worker	e901fad7-c076-4594-99bd-2ec55a471798
9	auditor	6da20391-b813-4dbc-9b5f-8bc0310796a8

A.11 Fanout metadata. Fork d5530f8d1ccc, clone 1 of 3; Peach Dream first-unified-driver delivery scope; on-exit merge report canonical path `/home/user/music-gen-instance-v3/fork-d5530f8d1ccc/clone-1/merge_report.md` remains sandbox-blocked, workspace fallback preserved at `data/v3/deliveries/88d247468cb6d49f/cycle23/merge_report.md`.