


ECS Design including the Octagon as Control Device

I. Octagonal controls


The image below depicts one of six possible alignments of the user vis-à-vis the octahedron and the cube nested within. Four sectors are defined on the four faces of the octahedron. Clicking or pressing on one or the other of these faces are commands that cause particular things to happen, in the below case regarding “how?”. Things would work the same way for the other five faces.



II. Editing Pages

Below is the possible look for the respective editing pages. In the above case of “How?”, the ECS consisting of octahedron and cube would remain in its place but faded out (like a watermark on a sheet of paper you can write on), and instead of the question “How?” you would faintly see its inverted (cubic) correspondent “Why?” on the “other” side of the cube.

Editing for how? and why? would use the , for where and when the , and for who

 and what the  inside the faded octahedral “watermark.”

1. Access Workspace: a) scroll-over: description of click functions; b) long click: accesses lockable-readable-editable workspace; c: short click: accesses editable workspace.
2. Access short description: a) scroll-over: description of click functions; b) long click: accesses lockable-readable-editable workspace; c: short click: accesses editable workspace.
3. Access long description: a) scroll-over: description of click functions; b) long click: accesses lockable-readable-editable workspace; c: short click: accesses editable workspace.
4. Access 5WiH Processor Interface with LLM: a. a) scroll-over: description of click functions; b) long click: accesses lockable-readable-editable workspace; c: short click: accesses readable (only) workspace.


Edits occur on a page looking something like this:

**Headers: “HOW?—Genre/Corpus Dimension” or “HOW?—
Brief Descriptions/Questions-Dimension”**



[Link: return to ECS](#)

III. Possible ECS homepage:



IV. On gauging how “true” the simulation is, would it be possible to build these in to figure out the level of “wobble” when a given ECS is activated?

1. Vertical Consistency Gauge: Uses generative AI, via prompts set by managers/instructors, to set/gauge consistency of genre/corpus description level, brief descriptions/questions level, and the data that has been input.
2. Horizontal consistency Gauge: Uses generative AI, via prompts set by managers/instructors, to set/gauge consistency of genre/corpus descriptions, brief descriptions/questions, and/or input data *across* the 5W1H spectrum/spectra.
3. Completion Gauge: Uses AI to gauge the degree to which any criteria/questions made at the descriptions/questions level have been met as opposed to there being gaps.

IV. Can we design/code a UI that functions analogous to a volumetric [Greimas \(Semiotic\) Square](#)? The basic assumptions of the latter is that the meaning of A is both **against** B and **not** C. The square is filled out by C, in turn, being both against D and not A.

I.

Binary **AGAINST** of

Who?  What?

—

—



II.

Is **NOT** the tetrahedral Againsts of

Who?  What?

Where?  Went?




III.

Are not the cubic Againsts of

Who?  What?

Where?  Went?

How?  Why?



I.
Binary **AGAINST** of
Who? ← What?



II.
Is **NOT** the tetrahedral Againsts of
Who? ← What?
Where? ← Went?



III.
Are not the cubic Againsts of
Who? ← What?
Where? ← Went?
How? ← Why?

“Against” is not “absolute”: see for example the relations of faces in the tetrahedron
“Not” seems to have reference to the degrees of the edges.
COULD THE ABOVE BE A CODABLE SIMULATION PROCESSOR?