



D1 Commercial, Nespak Cooperative Housing Society (NECHS), Lahore. UAN: 051 111 000 432, 03 111 000 432

Visit Date: 04-Apr-2024 3:55PM

Final Report

Report Date: 04-Apr-2024 5:26PM

Test Name

Results

Reference Ranges

## Special Chemistry

04-Apr-24

2404-01-021176

FSH

4.04

Prepubertal: &lt; 10.0 mIU/mL

Follicular Phase: 3.03-8.08

Mid-Cycle Peak: 2.55-16.69

Luteal Phase: 1.38-5.47

Postmenopausal:

26.72-133.41 ⓘ

LH

6.18

Prepubertal: &lt; 1.0 mIU/mL

Normally Menstruating Females:

Follicular Phase: 2.39 - 6.60

Midcycle peak: 9.60-74.24

Luteal Phase: 0.9-9.88

10 -13 Years: 4 - 12 ⓘ

Prolactin

12.25

Non-pregnant Female: 5 - 27 ng/mL

Pregnant women: 10-209 ⓘ

Please Note: Test (s) are performed on the state - of - the - art ARCHITECT MODULAR Ci8200 from Abbott Diagnostics, U.S.A.  
Disclaimer: Every diagnostic test has scientific acceptable technology or technique based limitations of uncertainty of measurement, false positive or false negative and so do not fall under the domain of negligence. In case of any such scenario, we offer free repeat of test within 24-48 hours.

