


Data Package	PP Comments - INT	Created By	Josh Souders	Data Package
Created	8/4/2025, 7:09 PM			Documents

## Properties

### Image

\*Refer to Standards Manual for all details not in Tech Pack.  
 \*See BOM pages for Half Moon & Non-Half Moon skus.  
 \*No topstitching unless otherwise noted.



Style	SS ESSENTIAL TEE S261240040	Department	124 - ANF MENS KNITS	Sourcing Contact	Kendall Hollis
Style Code	S261240040	Imports Category	Knits	Tech Design Contact	Tejaswini Lankipalli
Year	2026	Fit Pattern Name	SP26 A SS ESSENTIAL CREW 8-1-25	Referenced Styles	124R0734
Brand	Abercrombie & Fitch	Design Contact	Nick Uvjagi		
Group	Men's	Global Merchant Contact	Molly Shulan		

A&amp;F PROD Server

SS ESSENTIAL TEE S261240040

PP Comments - INT 7/24

Approved 8/4/2025, 8:05 PM

Size Chart	SS ESSENTIAL TEE [SP26 A SS ESSENTIAL CREW 8-1-25]	Base Size	M / Regular	Review By
Grade Rule	Knit Tops - Mens Alpha (A&F)	Supplier Request	S261240040-INT, S.A-Fit	Review Date
Tolerance	Knit Tops - Mens Alpha (A&F)	Review Type	CF Team	
Size Range	Mens Tops (XXS-3XL)	Next Stage	Tech Bulk Approved	

**Evaluation**

QA	POM	Description	Tol (- )	Tol (+)	M / Regular						
					Sample	Target	Vendor Sample	Vendor Delta	Sample	Delta	Revised
	L077	Front Length from HPS (Internal Use Only)	- $\frac{1}{2}$	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	$26\frac{3}{4}$					
✓	L036	CF Length from HPS	- $\frac{1}{2}$	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	$26\frac{3}{4}$	$26\frac{5}{8}$	$-\frac{1}{8}$	$26\frac{1}{2}$	$-\frac{1}{4}$	
✓	X007	Across Shoulder - Seam to Seam	- $\frac{3}{8}$	$\frac{3}{8}$	Bulk PP Sample - INT - INT, S.A	$17\frac{1}{2}$	$17\frac{3}{4}$	$\frac{1}{4}$	$17\frac{3}{4}$	$\frac{1}{4}$	
	X023	Across Front Position from HPS	0	0	Bulk PP Sample - INT - INT, S.A	$6\frac{1}{2}$	$6\frac{1}{2}$	0			
	X028	Across Front Width - Seam to Seam	- $\frac{3}{8}$	$\frac{3}{8}$	Bulk PP Sample - INT - INT, S.A	$15\frac{1}{2}$	$15\frac{1}{2}$	0	$15\frac{1}{2}$	0	
	X029	Across Back Width - Seam to Seam	- $\frac{3}{8}$	$\frac{3}{8}$	Bulk PP Sample - INT - INT, S.A	16	16	0	16	0	
✓	B001	Chest Width - 1" below Armhole	- $\frac{1}{2}$	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	$20\frac{3}{4}$	$20\frac{3}{4}$	0	$20\frac{3}{4}$	0	
✓	B013	Bottom Opening - Straight	- $\frac{1}{2}$	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	$20\frac{3}{4}$	$20\frac{3}{4}$	0	$20\frac{7}{8}$	$\frac{1}{8}$	
	X025	Shoulder Seam Forward from Fold @ Armhole	- $\frac{1}{8}$	$\frac{1}{8}$	Bulk PP Sample - INT - INT, S.A	$\frac{1}{2}$	$\frac{1}{2}$	0	$\frac{1}{2}$	0	
	X001	Shoulder Slope - Set-in Sleeve	- $\frac{1}{4}$	$\frac{1}{4}$	Bulk PP Sample - INT - INT, S.A	$1\frac{5}{8}$	$1\frac{3}{4}$	$\frac{1}{8}$	$1\frac{3}{4}$	$\frac{1}{8}$	

Displaying 1 - 10 of 29 results

Units: Fractions of inches

## Evaluation

QA	POM	Description	Tol (-)	Tol (+)	M / Regular						
					PP Comments - INT 7/24						
					Sample	Target	Vendor Sample	Vendor Delta	Sample	Delta	Revised
✓	S004	Sleeve Length from Shoulder (Short)	- $\frac{1}{4}$	$\frac{1}{4}$	Bulk PP Sample - INT - INT, S.A	$8\frac{1}{2}$	$8\frac{1}{2}$	0	$8\frac{1}{2}$	0	
	S008	Underarm Seam Length (Short)	- $\frac{1}{8}$	$\frac{1}{8}$	Bulk PP Sample - INT - INT, S.A	3	3	0	3	0	
✓	SY012	Left Sleeve Length Difference from Right -Short	- $\frac{1}{4}$	$\frac{1}{4}$	Bulk PP Sample - INT - INT, S.A	0			0	0	
	A001	Armhole Length - Straight	- $\frac{3}{8}$	$\frac{3}{8}$	Bulk PP Sample - INT - INT, S.A	$9\frac{1}{2}$	$9\frac{1}{4}$	$-\frac{1}{4}$	$9\frac{1}{4}$	$-\frac{1}{4}$	
✓	S018	Sleeve/Cuff Opening - Relaxed (Short)	- $\frac{1}{4}$	$\frac{1}{4}$	Bulk PP Sample - INT - INT, S.A	$7\frac{1}{2}$	$7\frac{3}{8}$	$-\frac{1}{8}$	$7\frac{1}{2}$	0	
	C003	Neckband Height	- $\frac{1}{16}$	$\frac{1}{16}$	Bulk PP Sample - INT - INT, S.A	$\frac{3}{4}$	$\frac{3}{4}$	0	$\frac{3}{4}$	0	
✓	N001	Neck Width - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	Bulk PP Sample - INT - INT, S.A	$7\frac{1}{2}$	$7\frac{3}{8}$	$-\frac{1}{8}$	$7\frac{1}{2}$	0	
	N005	Front Neck Drop - from HPS to Seam	- $\frac{1}{8}$	$\frac{1}{8}$	Bulk PP Sample - INT - INT, S.A	4	4	0	$4\frac{1}{4}$	$\frac{1}{4}$	$4\frac{1}{8}$
	N006	Back Neck Drop - from HPS to Seam	- $\frac{1}{8}$	$\frac{1}{8}$	Bulk PP Sample - INT - INT, S.A	$\frac{5}{8}$	$\frac{1}{2}$	$-\frac{1}{8}$	$\frac{5}{8}$	0	
✓	N004	MINIMUM Neck Stretch (Total)	0	1	Bulk PP Sample - INT - INT, S.A	24					
	N014	MINIMUM Neck Tape Length - Shldr Pt to Pt - Stretch	0	1	Bulk PP Sample - INT - INT, S.A	$22\frac{1}{2}$					$21\frac{7}{8}$
	N015	MINIMUM Neck Tape Length - HPS to HPS - Stretch - KNIT	0	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	$8\frac{1}{4}$					
	N015	MINIMUM Neck Tape Length - HPS to HPS - Stretch - WOVEN	0	$\frac{1}{2}$	Bulk PP Sample - INT - INT, S.A	8					

Displaying 11 - 23 of 29 results

Units: Fractions of inches

**Evaluation**

QA	POM	Description	Tol (-) )	Tol (+)	M / Regular PP Comments - INT 7/24							
					Sample	Target	Vendor Sample	Vendor Delta	Sample	Delta	Revised	
<b>TORQUE EVALUATION:</b>												
	T001	Seam Position @ Btm Opening - ON FLAT	0	½	Bulk PP Sample - INT - INT, S.A	0			0	0		
<b>INTERNAL USE ONLY:</b>												
	X033	Across Shoulder - Seam to Seam ON BODY	-¾	¾	Bulk PP Sample - INT - INT, S.A	18 ¾						
	X064	ON BODY CF Length from Collarbone	-½	½	Bulk PP Sample - INT - INT, S.A	22 ½						
	S002	Sleeve Length from CBN (Short)	-¾	¾	Bulk PP Sample - INT - INT, S.A	17 ¼						

Displaying 24 - 29 of 29 results

Units: Fractions of inches

**Evaluation Samples**

Sample	Size	Type	Subtype	Sample Stage	Status	Sample Rating	Sample Vendor	Sample Factory	Sample Tag Date	Fit Date	Fit Comment Date	Requested Sample Color	Actual Sample Color	Requested Sample Wash	Actual Sample Wash	Matches Handfeel Standard
Bulk PP Sample - INT - INT, S.A	M / Regular	Fit	Physical	PP	Approved	100	INT, S.A	JS International, S.A.	7/15/2025	7/17/2025	8/4/2025		Bright White		Silicon Wash	

Displaying 1 result

A&F PROD Server	SS ESSENTIAL TEE S261240040	PP Comments - INT 7/24	Approved 8/4/2025, 8:05 PM
	Sample: Bulk PP Sample - INT - INT, S.A  Subtype: Physical  Sample Tag Date: 7/15/2025  Fit Date: 7/17/2025  Fit Comment Date: 8/4/2025	Sample Rating: 100  Supplier: INT, S.A  Sample Vendor: INT, S.A  Sample Factory: JS International, S.A.	

ITP COMMENTS 07/14/25

This style is pending Bulk Approval. **TL 7/24: This style is Tech bulk approved with the following comments.**

### Pattern/ Fits/ Specs:

Block pattern used

**TL 7/24: We are sending revised pattern block, "SP26 A SS ESSENTIAL CREW 8-1-25" – see attached screenshot. Pattern has 0% shrinkage & no seam allowance. Pls submit updated graded nest for reference only.**

## Fitting Recap:

**1. Neckline was slightly flat. Spec is increased and pattern adjusted accordingly. PIs ensure FTY follows pattern shaping during sewing/handling & uses pressing templates to maintain smooth collar shape**

1. Attached screenshot of the PP pattern against the Block pattern.
  2. Attached screenshot of the GN pattern
  3. Photos of the garment on Form (front/ side/ back) available, dummy is used

## Construction:

1. Sample construction details matched to the TP and standards manual.
  2. BNT adjusted to HPS to HPS as per the updated BOM page.
  3. Neckline shaping is much improved. JS: see above for neckline callout.
  4. Body length followed revised specs. PP sample measured within tolerance.
  5. Stitch in the ditch at the armhole is slightly exposed. The factory will be monitored for sewing and improved with bulk production.

Trims/ Marketing/ Fabric/ Color/ Wash/ Handfeel

1. Sample punch weight was 180/g/m<sup>2</sup>, it is within +/-5% tolerance of the approved fabric weight.
  2. Wash/Handfeel:
  3. Interior construction handfeel is soft

Thank you.

Reviewed by: Helen Moises


Reviewed by: Teju Lankipalli & Katie Johnson

**PATTERN REVISIONS**

## 1. Increase FND

Black = Old Pattern "SP26 A SS EVERYDAY CREW 6-24-25"

Red = Revised Pattern "SP26 A SS ESSENTIAL CREW 8-1-25"



FIT PHOTOS



**Labeled Images**

\*Refer to Standards Manual for all details not in Tech Pack.

\*See BOM pages for Half Moon & Non-Half Moon skus.

\*No topstitching unless otherwise noted.


**Description:**

Image Data Sheet: Main Sketch

Modified: 5/21/2025, 5:09 PM

Modified By: Tejaswini Lankipalli

A&F PROD Server	SS ESSENTIAL TEE S261240040	SS ESSENTIAL TEE [SP26 A SS ESSENTIAL CREW 8-1-25]	Draft-Sample 8/26/2025, 1:24 PM
Size Chart	SS ESSENTIAL TEE [SP26 A SS ESSENTIAL CREW 8-1-25]	Tolerance	Knit Tops - Mens Alpha (A&F)
Description		Size Range	Mens Tops (XXS-3XL)
DTC Specs	✓	Selected Sizes	XXS-3XL / Regular, XXS-3XL / Long-Tall
Fit Pattern Name	SP26 A SS ESSENTIAL CREW 8-1-25	Base Size	M / Regular
Fit Pattern Override		Grade Rule	Knit Tops - Mens Alpha (A&F)
		Shape	

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Hide	Length	XXS	XS	S	M	L	XL	XXL	3XL
	L077	Front Length from HPS (Internal Use Only)	-½	½		Regular	-1	-1	-1	26 ¾	½	¾	¾	¾
						Long-Tall	-1	-1	-1	2	½	¾	¾	¾
✓	L036	CF Length from HPS	-½	½		Regular	-1	-1	-1	26 ¾	½	¾	¾	¾
						Long-Tall	-1	-1	-1	2	½	¾	¾	¾
✓	X007	Across Shoulder - Seam to Seam	-¾/8	¾/8			-½	-½	-½	17 ½	½	1	1	1
	X023	Across Front Position from HPS	0	0			-¼	-¼	-¼	6 ½	¼	¼	¼	¼
	X028	Across Front Width - Seam to Seam	-¾/8	¾/8			-½	-½	-½	15 ½	½	1	1	1
	X029	Across Back Width - Seam to Seam	-¾/8	¾/8			-½	-½	-½	16	½	1	1	1
✓	B001	Chest Width - 1" below Armhole	-½	½			-1	-1	-1	20 ¾	1 ¼	1 ¾	1 ¾	1 ¾
✓	B013	Bottom Opening - Straight	-½	½			-1	-1	-1	20 ¾	1 ¼	1 ¾	1 ¾	1 ¾
	X025	Shoulder Seam Forward from Fold @ Armhole	-¼/8	¼/8			0	0	0	½	0	0	0	0
	X001	Shoulder Slope - Set-in Sleeve	-¼/4	¼/4			0	0	0	1 5/8	0	0	0	0
✓	S004	Sleeve Length from Shoulder (Short)	-¼/4	¼/4		Regular	-¼	-¼	-¾/8	8 ½	¾/8	½	½	½
						Long-Tall	-¼	-¼	-¾/8	½	¾/8	½	½	½

Displaying 1 - 11 of 29 results

Units: Fractions of inches Grade Rule Display: Increment

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Hide	Length	XXS	XS	S	M	L	XL	XXL	3XL
	<b>S008</b>	Underarm Seam Length (Short)	-1/8	1/8		Regular	0	0	-3/8	3	1/8	1/8	1/8	1/8
						Long-Tall	0	0	-3/8	1/2	1/8	1/8	1/8	1/8
✓	<b>SY012</b>	Left Sleeve Length Difference from Right -Short	-1/4	1/4			0	0	0	0	0	0	0	0
	<b>A001</b>	Armhole Length - Straight	-3/8	3/8			-3/8	-3/8	-1/2	9 1/2	1/2	3/4	3/4	3/4
✓	<b>S018</b>	Sleeve/Cuff Opening - Relaxed (Short)	-1/4	1/4			-1/4	-1/4	-1/2	7 1/2	3/8	5/8	5/8	5/8
	<b>C003</b>	Neckband Height	-1/16	1/16			0	0	0	3/4	0	0	0	0
✓	<b>N001</b>	Neck Width - Seam to Seam	-1/4	1/4			-1/4	0	-1/4	7 1/2	0	1/4	0	1/4
	<b>N005</b>	Front Neck Drop - from HPS to Seam	-1/8	1/8			-1/8	0	0	4 1/8	0	1/8	0	1/8
	<b>N006</b>	Back Neck Drop - from HPS to Seam	-1/8	1/8			-1/8	0	0	5/8	0	1/8	0	1/8
✓	<b>N004</b>	MINIMUM Neck Stretch (Total)	0	1			-3/4	0	-1/2	24	0	3/4	0	3/4
	<b>N014</b>	MINIMUM Neck Tape Length - Shldr Pt to Pt - Stretch	0	1			-5/8	-1/2	-1/2	21 7/8	1/2	1 1/8	1	1 1/8
	<b>N015</b>	MINIMUM Neck Tape Length - HPS to HPS - Stretch - KNIT	0	1/2			-1/4	0	-1/4	8 1/4	0	1/4	0	1/4
	<b>N015</b>	MINIMUM Neck Tape Length - HPS to HPS - Stretch - WOVEN	0	1/2			-1/4	0	-1/4	8	0	1/4	0	1/4

## TORQUE EVALUATION:

	<b>T001</b>	Seam Position @ Btm Opening - ON FLAT	0	1/2			0	0	0	0	0	0	0	0
--	-------------	---------------------------------------	---	-----	--	--	---	---	---	---	---	---	---	---

## INTERNAL USE ONLY:

	<b>X033</b>	Across Shoulder - Seam to Seam ON BODY	-3/8	3/8			-1/2	-1/2	-1/2	18 3/4	1/2	1	1	1
	<b>X064</b>	ON BODY CF Length from Collarbone	-1/2	1/2		Regular	-1	-1	-1	22 1/2	1/2	3/4	3/4	3/4
						Long-Tall	-1	-1	-1	2	1/2	3/4	3/4	3/4

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Hide	Length	XXS	XS	S	M	L	XL	XXL	3XL
	<b>S002</b>	Sleeve Length from CBN (Short)	$-\frac{3}{8}$	$\frac{3}{8}$		Regular	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{7}{8}$	$17\frac{1}{4}$	$\frac{5}{8}$	1	1	1
						Long-Tall	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{7}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	1	1

Displaying 29 - 29 of 29 results

Units: Fractions of inches Grade Rule Display: Increment

A&F PROD Server	SS ESSENTIAL TEE S261240040	SS ESSENTIAL TEE [SP26 A SS ESSENTIAL CREW 8-1-25]	Draft-Sample 8/26/2025, 1:24 PM
Size Chart	SS ESSENTIAL TEE [SP26 A SS ESSENTIAL CREW 8-1-25]	Tolerance	Knit Tops - Mens Alpha (A&F)
Description		Size Range	Mens Tops (XXS-3XL)
DTC Specs	✓	Selected Sizes	XXS-3XL / Regular, XXS-3XL / Long-Tall
Fit Pattern Name	SP26 A SS ESSENTIAL CREW 8-1-25	Base Size	M / Regular
Fit Pattern Override		Grade Rule	Knit Tops - Mens Alpha (A&F)
		Shape	

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Length	XXS	XS	S	M	L	XL	XXL	3XL
	L077	Front Length from HPS (Internal Use Only)	-½	½	Regular	23 ¾	24 ¾	25 ¾	26 ¾	27 ¼	28	28 ¾	29 ½
					Long-Tall	25 ¾	26 ¾	27 ¾	28 ¾	29 ¼	30	30 ¾	31 ½
✓	L036	CF Length from HPS	-½	½	Regular	23 ¾	24 ¾	25 ¾	26 ¾	27 ¼	28	28 ¾	29 ½
					Long-Tall	25 ¾	26 ¾	27 ¾	28 ¾	29 ¼	30	30 ¾	31 ½
✓	X007	Across Shoulder - Seam to Seam	-¾/8	¾/8		16	16 ½	17	17 ½	18	19	20	21
	X023	Across Front Position from HPS	0	0		6 ⅛	6 ¼	6 ¾/8	6 ½	6 ½/8	6 ¾	6 ¾/8	7
	X028	Across Front Width - Seam to Seam	-¾/8	¾/8		14	14 ½	15	15 ½	16	17	18	19
	X029	Across Back Width - Seam to Seam	-¾/8	¾/8		14 ½	15	15 ½	16	16 ½	17 ½	18 ½	19 ½
✓	B001	Chest Width - 1" below Armhole	-½	½		17 ¾	18 ¾	19 ¾	20 ¾	22	23 ¾	25 ½	27 ¼
✓	B013	Bottom Opening - Straight	-½	½		17 ¾	18 ¾	19 ¾	20 ¾	22	23 ¾	25 ½	27 ¼
	X025	Shoulder Seam Forward from Fold @ Armhole	-⅛/8	⅛/8		½	½	½	½	½	½	½	½
	X001	Shoulder Slope - Set-in Sleeve	-¼/4	¼/4		1 ⁵/₈	1 ⁵/₈	1 ⁵/₈	1 ⁵/₈	1 ⁵/₈	1 ⁵/₈	1 ⁵/₈	1 ⁵/₈
✓	S004	Sleeve Length from Shoulder (Short)	-¼/4	¼/4	Regular	7 ¾/8	7 ¾/8	7 ¾/8	8 ½	8 ¾/8	9 ¾/8	9 ¾/8	10 ¾/8
					Long-Tall	7 ¾/8	8 ¼/8	8 ¾/8	9	9 ¾/8	9 ¾/8	10 ¾/8	10 ¾/8

Displaying 1 - 11 of 29 results

Units: Fractions of inches Grade Rule Display: Absolute

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Length	XXS	XS	S	M	L	XL	XXL	3XL
	S008	Underarm Seam Length (Short)	-1/8	1/8	Regular	2 5/8	2 5/8	2 5/8	3	3 1/8	3 1/4	3 3/8	3 1/2
					Long-Tall	3 1/8	3 1/8	3 1/8	3 1/2	3 5/8	3 3/4	3 7/8	4
✓	SY012	Left Sleeve Length Difference from Right -Short	-1/4	1/4		0	0	0	0	0	0	0	0
	A001	Armhole Length - Straight	-3/8	3/8		8 1/4	8 5/8	9	9 1/2	10	10 3/4	11 1/2	12 1/4
✓	S018	Sleeve/Cuff Opening - Relaxed (Short)	-1/4	1/4		6 1/2	6 3/4	7	7 1/2	7 7/8	8 1/2	9 1/8	9 3/4
	C003	Neckband Height	-1/16	1/16		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
✓	N001	Neck Width - Seam to Seam	-1/4	1/4		7	7 1/4	7 1/4	7 1/2	7 1/2	7 3/4	7 3/4	8
	N005	Front Neck Drop - from HPS to Seam	-1/8	1/8		4	4 1/8	4 1/8	4 1/8	4 1/8	4 1/4	4 1/4	4 3/8
	N006	Back Neck Drop - from HPS to Seam	-1/8	1/8		1/2	5/8	5/8	5/8	5/8	3/4	3/4	7/8
✓	N004	MINIMUM Neck Stretch (Total)	0	1		22 3/4	23 1/2	23 1/2	24	24	24 3/4	24 3/4	25 1/2
	N014	MINIMUM Neck Tape Length - Shldr Pt to Pt - Stretch	0	1		20 1/4	20 7/8	21 3/8	21 7/8	22 3/8	23 1/2	24 1/2	25 5/8
	N015	MINIMUM Neck Tape Length - HPS to HPS - Stretch - KNIT	0	1/2		7 3/4	8	8	8 1/4	8 1/4	8 1/2	8 1/2	8 3/4
	N015	MINIMUM Neck Tape Length - HPS to HPS - Stretch - WOVEN	0	1/2		7 1/2	7 3/4	7 3/4	8	8	8 1/4	8 1/4	8 1/2
<b>TORQUE EVALUATION:</b>													
	T001	Seam Position @ Btm Opening - ON FLAT	0	1/2		0	0	0	0	0	0	0	0
<b>INTERNAL USE ONLY:</b>													
	X033	Across Shoulder - Seam to Seam ON BODY	-3/8	3/8		17 1/4	17 3/4	18 1/4	18 3/4	19 1/4	20 1/4	21 1/4	22 1/4
	X064	ON BODY CF Length from Collarbone	-1/2	1/2	Regular	19 1/2	20 1/2	21 1/2	22 1/2	23	23 3/4	24 1/2	25 1/4
					Long-Tall	21 1/2	22 1/2	23 1/2	24 1/2	25	25 3/4	26 1/2	27 1/4

Displaying 12 - 28 of 29 results

Units: Fractions of inches Grade Rule Display: Absolute

## POMs

QA	POM	Description	Tol (-)	Tol (+)	Length	XXS	XS	S	M	L	XL	XXL	3XL
	<b>S002</b>	Sleeve Length from CBN (Short)	$-\frac{3}{8}$	$\frac{3}{8}$	Regular	$15\frac{3}{8}$	$15\frac{7}{8}$	$16\frac{3}{8}$	$17\frac{1}{4}$	$17\frac{7}{8}$	$18\frac{7}{8}$	$19\frac{7}{8}$	$20\frac{7}{8}$
					Long-Tall	$15\frac{7}{8}$	$16\frac{3}{8}$	$16\frac{7}{8}$	$17\frac{3}{4}$	$18\frac{3}{8}$	$19\frac{3}{8}$	$20\frac{3}{8}$	$21\frac{3}{8}$

Displaying 29 - 29 of 29 results

Units: Fractions of inches Grade Rule Display: Absolute