

RTW UT BABY LONG SLEEVE TEE

Product Attributes

Product ID

PID-0L853L

Status

PRODUCTION

Brand

Universal Thread

Department

13:UNIVERSAL THREAD

Division

6:READY-TO-WEAR

Class

Primary Material

FAB-L5RG8

Secondary Material


Vendor Style Number

Additional Product Details

System Tags

New

Tags



Workspace Details

Workspace Name

C425 D13 Universal Thread Knit Tops - Product

Workspace ID

WRK-E0XP

Design Cycle

C4 2025

Set Dates

# Tables of Contents

Section	Page Title
OVERVIEW	<b>RTW UT BABY LONG SLEEVE TEE</b>
BILL OF MATERIALS	<b>1 bill of materials</b>
MEASUREMENTS	<b>2 measurements</b>
PRODUCT DETAILS	<b>1 product details</b>
FILES	<b>2 files</b>
SAMPLES	<b>4 samples</b>
DISCUSSION	<b>2 discussions</b>

BOM-MW389 BOM C4

ACCEPTED

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Materials

Product Materials												
Row	Section	Use	Material Type	Connected Material Asset	Additional Material Details	Origin	Certifications	Yield/ Consumption	Weight	Size	Supplier	Facility/ Laundry
1	FABRIC	BODY	Fabric	FAS-38L18 Rib 1x1, 200gsm, 50% Cotton / 50% Polyester Recycled, 22x35, 30 Ne CM RS, Spray/Tumble, UT - 11.1 Slub Long Sleeve CBO-ZXPR7				0.979 yd 60 in (Cutable Width)	272.85 gram		YS CLARO, S.A. 2024-04-145T	
2	WASH	BODY	Wash	WSH-RWE51, SOFTENER WASH, APPAREL LINKS, S.A., Handfeel, FAB-L5RG8, C4 2025								KIMS GLOBAL, S.A.
3	LABEL	CB	Trim	UT18_03A01T, Universal Thread, Label, Printed, Loop, Apparel, Label, UT18_03A01T, Universal Thread, Apparel						64 (L) x 50 (W) (mm (millimeters)) (Finished) Length x Width	Avery Dennison	(AD) Paxar Packaging Guangzhou Limited (Panyu)
4	LABEL	CB	Trim	UT18_02G02T, Universal Thread, Label, Woven, Size & COO, use with loops, Label, UT18_02G02T, Universal Thread, use with loops						16 (L) x 45 (W) (mm (millimeters)) (Finished) Length x Width	Avery Dennison	(AD) Paxar Packaging Guangzhou Limited (Panyu)
5	LABEL	WL	Trim	EON23_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, EON B&W QR Code - Avery Dennison, SML, or Checkpoint ONLY, Label, EON23_03F01T, Target, EON B&W QR Code - Avery Dennison, SML, or Checkpoint ONLY						43 (L) x 24 (W) (mm (millimeters)) (Finished) Length x Width		
6	LABEL	WL	Trim	TA05_05A1T, Target, Label, Printed, 1 Sided Sew, Care w/o size, TNB Satin Generic Care , Label, TA05_05A1T, Target, TNB Satin Generic Care						24 (L) x 55 (W) (mm (millimeters)) (Finished) Length x Width	Etiquetas y Bordados de Guatemala , S.A	EtigBord
7-13 on next page												

BOM-MW389 BOM C4

ACCEPTED

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Product Materials												
Row	Section	Use	Material Type	Connected Material Asset	Additional Material Details	Origin	Certifications	Yield/ Consumption	Weight	Size	Supplier	Facility/ Laundry
⬆ 1-6 on previous page						⬆						
7	LABEL	WL	Trim	TNB16_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, DPCI Tracking-soft recycled, Label, TNB16_03F01T, Target, DPCI Tracking- soft recycled						23 (L) x 13 (W) (mm (millimeters)) (Finished) Length x Width	Etiquetas y Bordados de Guatemala, S.A	EtigBord
8	THREAD	BODY	Trim		100% POLYESTER SEWING THREAD					T27	Y. KWANG GUATEMALA, S.A.	
9	PACKING	CB	Other		UT18_50A03 RTW_JA_RESPONSIBLES TYLE_HT							
10	PACKING	HANGER	Other		T15BN SIZES XS-M							
11	PACKING	HANGER	Other		T17BN SIZES L-XXL							
12	PACKING	HANGER	Other		T19BN SIZES 1X-4X							
13	PACKING	SIZE CAP	Other		TGC5000							

BOM-MW389 BOM C4 ACCEPTED Updated on Jun 30, 2025 19:17 by Jaimee Howard

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Impressions

Product Impressions					
Row	Use	Connected Material Asset	Additional Material Details	HEATHER GRAY	NAVY
1	BODY	FAS-38L18 Rib 1x1, 200gsm, 50% Cotton / 50% Polyester Recycled, 22x35, 30 Ne CM RS, Spray/Tumble, UT - 11.1 Slub Long Sleeve CBO-ZXPR7		BC03 Heather + Micro Eco Soft Wash - REFCLR-G3MP9	BLUE MIDNIGHT - TARARC CLR-0L8XK
2	BODY	WSH-RWE51, SOFTENER WASH, APPAREL LINKS, S.A., Handfeel, FAB-LSRG8, C4 2025		Applies	Applies
3	CB	UT18_03A01T, Universal Thread, Label, Printed, Loop, Apparel, Label, UT18_03A01T, Universal Thread, Apparel		Ground Color STUCCO TARARCCLR-4489E  Text Color JAMESTOWN BLUE TARARCCLR-WRWE4	Ground Color STUCCO TARARC CLR-4489E  Text Color JAMESTOWN BLUE TARARC CLR-WRWE4
4	CB	UT18_02G02T, Universal Thread, Label, Woven, Size & COO, use with loops, Label, UT18_02G02T, Universal Thread, use with loops		Ground Color JAMESTOWN BLUE TARARCCLR-WRWE4  Text Color STUCCO TARARCCLR-4489E	Ground Color JAMESTOWN BLUE TARARC CLR-WRWE4  Text Color STUCCO TARARC CLR-4489E
⌵ 5-13 on next page ⌵					

BOM-MW389 BOM C4

ACCEPTED

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Product Impressions					
Row	Use	Connected Material Asset	Additional Material Details	HEATHER GRAY	NAVY
⬆ 1-4 on previous page ⬆					
5	WL	EON23_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, EON B&W QR Code - Avery Dennison, SML, or Checkpoint ONLY, Label, EON23_03F01T, Target, EON B&W QR Code - Avery Dennison, SML, or Checkpoint ONLY		Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P	Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P
6	WL	TA05_05A1T, Target, Label, Printed, 1 Sided Sew, Care w/o size, TNB Satin Generic Care , Label, TA05_05A1T, Target, TNB Satin Generic Care		Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P	Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P
7	WL	TNB16_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, DPCI Tracking- soft recycled, Label, TNB16_03F01T, Target, DPCI Tracking- soft recycled		Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P	Ground Color <b>TRUE WHITE V2 (UV CALIBRATED)</b> TARARCCLR-9KKEW  Text Color <b>EBONY</b> TARARCCLR-YP94P
⬇ 8-13 on next page ⬇					

BOM-MW389 BOM C4

ACCEPTED

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Updated on Jun 30, 2025 19:17 by Jaimee Howard

Product Impressions					
Row	Use	Connected Material Asset	Additional Material Details	HEATHER GRAY	NAVY
⬆ 5-7 on previous page ⬆					
8	BODY		100% POLYESTER SEWING THREAD	DTM	DTM
9	CB		UT18_50A03 RTW_JA_RESPONSIBLEST YLE_HT		
10	HANGER		T15BN SIZES XS-M		
11	HANGER		T17BN SIZES L-XXL		
12	HANGER		T19BN SIZES 1X-4X		
13	SIZE CAP		TGC5000		

MST-E5G6R Plus meas- follow per Missy

IN PROGRESS

Updated on May 29, 2025 02:16 by Crystal Schmeltz

Updated on Jul 11, 2025 21:03 by VICTOR QUEVEDO

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	XX Large	1X	2X	3X	4X
Neck	NECK WIDTH SEAM POM-N3GG • A16S.R		in inch	0.25	0.25	7.625	7.75	8.125	8.5	8.875
Neck	FRT NECK DROP SEAM POM-JM9Y • A26FS.R	Use for neck drop above mid armhole	in inch	0.25	0.25	4.125	4.25	4.5	4.75	5
Neck	BK NECK DROP SEAM POM-NYRG • A36BS.R		in inch	0.25	0.25	1.5	1.5	1.625	1.75	1.875
Chest <div>Critical</div>	BUST/CHEST BELOW A/H POM-N9KG • B15.R		in inch	.75	.75	40	42	46	50	54
Waist	HPS TO FRT WAIST POSITION POM-JR0G • C01.R		in inch	0.5	0.5	16.75	17	17.625	18.25	18.875
Waist	WAIST BODICE TOP POM-JK59 • C15.R		in inch	0.75	0.75	38.5	41	45	49	53
Sweep <div>Critical</div>	SWEEP-Grade as Hip POM-NLX4 • E01.H		in inch	0.75	0.75	44.25	46.5	51	55.5	60
Shoulder	ACROSS BK POM-N596 • F16.R	Across Back measurement to be taken _____inches down from HPS (neck/shoulder seam intersect)	in inch	0.375	0.375	15.125	15.5	16.5	17.5	18.5
Sleeve <div>Critical</div>	CB TO SLEEVE EDGE POM-NPKG • G01.R		in inch	0.5	0.5	32.875	33.25	33.75	34.25	34.75
Sleeve	A/H DROP FRM HPS POM-NG14 • H15.R		in inch	0.375	0.375	9.625	9.75	10.125	10.5	10.875
⌵ 11-13 on next page										

MST-E5G6R Plus meas- follow per Missy

IN PROGRESS

Updated on May 29, 2025 02:16 by Crystal Schmeltz

Updated on Jul 11, 2025 21:03 by VICTOR QUEVEDO

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	XX Large	1X	2X	3X	4X
⬆ 1-10 on next page										
Sleeve	MUSCLE/BICEP 1" BELOW A/H POM-NLZL • J01.R	Vendor to grade	in inch	0.5	0.5	13.5	14	15	16	17
Sleeve	SLEEVE OPENING HEM - Performance POM-N9MM • L02.PRF	Vendor to use percent under body grading method		0.5	0.5	7.75	8	8.5	9	9.5
Length	HPS FRT LENGTH POM-JYLZ • M25.R		in inch	0.5	0.5	25.625	26.125	27.125	28	28.75

MST-W36X9 PID-0L853L Regulas Size

IN PROGRESS

Updated on May 22, 2025 20:54 by Jaimee Howard

Updated on Jul 01, 2025 15:38 by VICTOR QUEVEDO

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	XX Small	X Small	Small	Medium	Large	X Large
Neck	NECK WIDTH SEAM POM-N3GG • A16S.R		in inch	0.25	0.25	6	6.25	6.5	6.75	7	7.125
Neck	FRT NECK DROP SEAM POM-JM9Y • A26FS.R	Use for neck drop above mid armhole	in inch	0.25	0.25	2.875	3.125	3.375	3.625	3.875	4
Neck	BK NECK DROP SEAM POM-NYRG • A36BS.R		in inch	0.25	0.25	0.875	1	1.125	1.25	1.375	1.5
Chest <div>Critical</div>	BUST/CHEST BELOW A/H POM-N9KG • B15.R		in inch	.75	.75	23.5	25.5	27.5	30	33	35
Waist	HPS TO FRT WAIST POSITION POM-JR0G • C01.R		in inch	0.5	0.5	14.25	14.5	14.75	15	15.75	16.25
Waist	WAIST BODICE TOP POM-JK59 • C15.R		in inch	0.75	0.75	21	23	25	28	32	34
Sweep <div>Critical</div>	SWEEP-Grade as Hip POM-NLX4 • E01.H		in inch	0.75	0.75	27	29	31	34	37	39
Shoulder	ACROSS BK SHOULDER POM-J31W • F02.R		in inch	0.375	0.375	12.5	13	13.5	14	14.75	15.125
Sleeve <div>Critical</div>	CB TO SLEEVE EDGE POM-NPKG • G01.R		in inch	0.5	0.5	29.625	30.25	30.875	31.5	32	32.25
Sleeve	A/H DROP FRM HPS POM-NG14 • H15.R		in inch	0.375	0.375	8.875	9.25	9.625	10	10.375	10.5
11-14 on next page											

MST-W36X9 PID-0L853L Regulas Size

IN PROGRESS

Updated on May 22, 2025 20:54 by Jaimee Howard

Updated on Jul 01, 2025 15:38 by VICTOR QUEVEDO

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	XX Small	X Small	Small	Medium	Large	X Large
⬆ 1-10 on next page											
Sleeve	MUSCLE/BICEP 1" BELOW A/H POM-NLZL • J01.R		in inch	0.5	0.5	8.75	9.5	10.25	11	11.75	12
Sleeve	SLEEVE OPENING HEM POM-NZPW • L02.R		in inch	0.5	0.5	6.25	6.5	6.75	7	7.25	7.375
Length <span>Critical</span>	HPS FRT LENGTH POM-JYLZ • M25.R		in inch	0.5	0.5	20.5	21	21.5	22	22.75	23.25
Shoulder	SHOULDER SLOPE FRM HPS POM-NGRG • F01.R		in inch	0.125	0.125	1.375	1.375	1.375	1.375	1.375	1.375

PDTL-PY598 Construction Details







IN PROGRESS

Updated on May 22, 2025 20:54 by Jaimee Howard

Updated on Jun 30, 2025 19:16 by Jaimee Howard

Section	Category	Subcategory	Detail	Special Instructions
	Construction Soft Product	Topstitch	Overlock (New Detail)	@ neckt trim inset 5/8
	Construction Soft Product	Topstitch	301 Lockstitch, all topstitching unless otherwise specified DTL-JX66	@ back neck tape 3/8
	Construction Soft Product	Topstitch	607 4 needle, 6 thread coverstitch, (gauge here) inch all topstitching unless otherwise specified DTL-NG14	@ armholes coverstitch 0 margin
	Construction Soft Product	Topstitch	605 3 needle, 5 thread coverstitch, (gauge here) inch all topstitching unless otherwise specified DTL-JW3M	@ Bottom & Sleeve hem 5/8
	Construction Soft Product	SPI	12,+2/-1 DTL-J36G	

3 Files

Preview	File Name	Date Uploaded	
	PID-0L853L.ai	May 22, 2025 15:09 by Grace Jung  Target	PRODUCT
	PID-0L853L 2nd Fit APC.pptx	Jun 27, 2025 18:51 by Jaimee Howard  Target	DISCUSSION
	0L853L Proto Plus LS crew INT APC 6.19.pptx	Jul 02, 2025 01:12 by Crystal Schmeltz  Target	DISCUSSION

PID-0L853L.ai Page 1 of 1  
May 22, 2025 15:09 by Grace Jung

PRODUCT

Universal Thread

GOODS CO.

C3 2024

RTW UT BABY LONG SLEEVE TEE PID-0L853L

Placeholder: xxxxxx-xx X/XX/XXXX

RTW Women's 10  
Universal Thread

☐ In-Store

☐ T.com Only

☐ Preferred

☐ Back up

88.5"

5/8" Neck trim height self fabric  
Neck tape

SN # 605 Chainstitch  
Coverstitch at center seam of  
armhole and shoulder

5/8" Neck trim height self fabric  
Neck tape

SN # 605 Chainstitch  
Coverstitch 5/8" hem turnback

NECK BASE

NECK

WAIST

HIGH HIP

LOW HIP

MID THIGH

KNEE

CALF

ANKLE

5/8" Neck trim height self fabric  
Neck tape

SN # 605 Chainstitch  
Coverstitch at center seam of  
armhole and shoulder

5/8" Neck trim height self fabric  
Neck tape

SN # 605 Chainstitch  
Coverstitch 5/8" hem turnback

NECK BASE

NECK

WAIST

HIGH HIP

LOW HIP

MID THIGH

KNEE

CALF

ANKLE

Program Name:

Vendor & Set Date: INT/GT 8.1

Target Code / Description	Size	Placement	Sample ydg Impression	Sample ydg Impression
000001 / PID	01			
Pattern FAB / FAB	02			
	03			
	04			
Exception Fabric (if any)				
Attach Name to				
Title, artwork, Brand	01			
	02			
	03			
	04			
	05			

Updated: JANUARY 2024

croch version 3.1

Inspiration/EOF

Target respects the intellectual property rights of all art. The photographs contained in this creative packet are intended to be used only for inspiration in creating new, original products and should not be directly copied. Likewise, the company logo or "Standard by me" should never be used in any way, and should not serve as an inspiration to copy the products and/or their logos etc.

Additional Notes

Generated on July 14,2025 4:43 PM by Sara Jeung © 2025 Target Brands Inc.

Page 14 of 29

PID-0L853L 2nd Fit APC.pptx Page 1 of 4  
Jun 27, 2025 18:51 by Jaimee Howard

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , 2nd FIT, size: M  
APC

Garment Photos on Mannequin



**Vendor Comments:**

Is Balance Approved? Balance looks good on dress from  
Is Movement Approved? N/A  
Other General Comments:

BP Digital

Available care & size label actual for placement and sewing method purpose, main label actual

**TGT TD Comments:**

Noted and agreed. Balance good  
Noted no movement issues  
Just a reminder that tops should be fit on mannequin with a pair of UT high rise denim on the mannequin as well.

# PID-0L853L 2nd Fit APC.pptx

Page 2 of 4

Jun 27, 2025 18:51 by Jaimee Howard

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , 2nd FIT, size: M  
APC



## TGT TD Comments:

Fit model measures - State any out-of-tolerance deviations compared to mannequin:

- Chest 38.625" (0.125" larger standard)
- Natural waist 32.0" (1.0" smaller than standard)
- Low hip 42.0" (1.0" larger than standard)
- Inseam 31.75" (2" longer than standard)
- Across back shoulder 16.5" ( 0.875" wider than standard)
- Upper arm 12.0" (0.5" smaller than standard)

2

PID-0L853L 2nd Fit APC.pptx Page 3 of 4  
Jun 27, 2025 18:51 by Jaimee Howard

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , 2nd FIT, size: M  
APC

Logo/Label placement

Exterior Logo/Label Placement



BP Digital

Interior Logo/Label Placement



3" from  
bottom  
hem

BP Digital

IGT TD Trim Comments:

Label placement approved as sample

PID-0L853L 2nd Fit APC.pptx Page 4 of 4  
Jun 27, 2025 18:51 by Jaimee Howard

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , 2nd FIT, size: M  
APC

Garment on Hanger

Photo of garment on hanger

IGT ID Hanger Comments:

BP digital evaluation missing photo of garment on Target hanger

0L853L Proto Plus LS crew INT APC 6.19.pptx Page 1 of 6

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , Proto , size:  
1X OPTION 2

Garment Photos on Mannequin



Vendor Comments:

Is Balance Approved? Balance looks good on both options.

Is Movement Approved? N/A

Other General Comments:

Available label for placement purpose only. TGT T  
Noted

Measurements not matching to spec since we follow measurements from avatar. TGT TD: I am confused



0L853L Proto Plus LS crew INT APC 6.19.pptx Page 2 of 6

DISCUSSION

Jul 02, 2025 01:12 by Crystal Schmeltz

PID# 0L060W, Oversized Graphic Tee, Proto , size: M

Slimmer body- body is good, but major fit issue with armhole



More relaxed body- still have same issue with armhole



IGT ID Response:

0L853L Proto Plus LS crew INT APC 6.19.pptx

Page 3 of 6

Jul 02, 2025 01:12 by Crystal Schmeltz

DISCUSSION

PID# 0L853L, Oversized Graphic Tee, Proto , size: M

Measurements									
Point of Measure Name	Base Size (Medium)						Plus XXL	Plus Size 1X	TGT ID update
	XX Small	X S mall	S mall	Me diu m	L a r g e	X La rg e			
NECK WIDTH SEAM	6	6.25	6.5	6.75	7	7.125	7.625	7.75	
FRT NECK DROP SEAM	2.875	3.125	3.375	3.625	3.875	4	4.125	4.25	
BK NECK DROP SEAM	0.875	1	1.125	1.25	1.375	1.5	1.5	1.5	
BUST/CHEST BELOW A/H	23.5	25.5	27.5	30	33	35	40	42	
HPS TO FRT WAIST	14.25	14.5	14.75	15	15.25	16.5	16.75	17	
WAIST BODICE TOP	21	23	25	28	32	34	38.5	41	
SWEEP-Grade as Hip	27	29	31	34	37	39	44.25	46.5	
					4.1	15			

IGT ID Response:

More important to have Plus XXL spec in here

BP Digital

3

## DISCUSSION

PID# 0L060W, Oversized Graphic Tee, Proto , size: M



0L853L Proto Plus LS crew INT APC 6.19.pptx Page 5 of 6  
Jul 02, 2025 01:12 by Crystal Schmeltz

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , Proto , size:  
1X OPTION 1

Regular fit and inspiration image



BP Digital

IGT ID Response:

0L853L Proto Plus LS crew INT APC 6.19.pptx Page 6 of 6

Jul 02, 2025 01:12 by Crystal Schmeltz

DISCUSSION

PID# 0L853L, RTW UT BABY LONG SLEEVE TEE , PROTOTYPE FIT,  
size: M Failed



**TGT TD Comments:**

- In general, garment is too big. Shoulder too wide and shoulder slope too deep. Body and sleeve fit too big. Armhole drop too low





**TGT TD Comments:**

Fit model measures - State any out-of-tolerance deviations compared to mannequin:







- Chest 38.625" (0.125" larger than standard)
- Natural waist 32.0" (1.0" smaller than standard)
- Low hip 42.0" (1.0" larger than standard)
- Inseam 31.75" (2" longer than standard)
- Across back shoulder 16.5" ( 0.875" wider than standard)
- Upper arm 12.0" (0.5" smaller than standard)
- Total height 67" (1.5" taller than standard)








BP Digital

4 Samples

Sample Type	Sample ID	Sample Description	Evaluation Status
Graded	SMP-082ZE1	PRE PRODUCTION GSA	<div>APPROVED</div> Jul 11, 2025 at 17:18 PM by Jaimee Howard  Target
Prototype	SMP-964Z4Z	0L853L-Plus GSA	<div>APPROVED</div> Jul 14, 2025 at 15:54 PM by Crystal Schmeltz  Target
Prototype	SMP-Y1XY35	0L853L-Plus 1X fit	<div>APPROVED PENDING CHANGE</div> Jul 02, 2025 at 01:18 AM by Crystal Schmeltz  Target
Prototype	SMP-11XXZ1	PROTOTYPE FIT SAMPLE	<div>APPROVED PENDING CHANGE</div> Jun 27, 2025 at 18:51 PM by Jaimee Howard  Target

# Discussions

Discussion Title	Comments
<div>Prototype: SMP-11XXZ1 - PROTOTYPE FIT SAMPLE</div> <div>5 comments</div>	<div><div>#1</div><div>Jun 16, 2025 14:41 by VICTOR QUEVEDO  Target</div><div>Hi Jaimee Please be noted, we are sending 2nd Fit sample for your evaluation, attached PP Evaluation BPTD Victor Quevedo</div></div> <div><div>#2</div><div>Jun 26, 2025 14:57 by Sara Jeung  Target</div><div>Hi Jaimee, Just wanted to check in do you know when the fitting is going to be? Appreciate your help as always!</div></div> <div><div>#3</div><div>Jun 27, 2025 18:45 by Jaimee Howard  Target</div><div>Hello Sara Sorry for the delay. Due to when the sample arrived, I just fit on live model on Wednesday. I am completing approved eval right now. Jaimee</div></div> <div><div>#4 <span>Important</span></div><div>Jun 27, 2025 18:51 by Jaimee Howard  Target</div><div>see attached for comments. 3D GSA will be acceptable for this style. Notify me when 3D renders are attached to GSA request to review. Jaimee</div></div> <div><div>#5</div><div>Jun 27, 2025 19:41 by VICTOR QUEVEDO  Target</div><div>Hi Jaimee Your points well noted with thanks. Best Victor Quevedo</div></div>
<div>Prototype: SMP-Y1XY35 - 0L853L- Plus 1X fit</div> <div>13 comments</div>	<div><div>#1</div><div>May 29, 2025 02:21 by Crystal Schmeltz  Target</div><div>Hi Victor Quevedo, Thank you for the note. Plus spec been created based on current Missy meas. Understand Missy sample been submitted to Missy TD for approval. Please let me know if Missy make any spec adjustment. I might need to modify Plus spec. Also I noticed a lot of meas error with Missy spec- chest, sweep, slv opening all should be "full meas" - not 1/2 meas- since grading are full grading. I don't usually like to give armhole straight meas as well as X-chest/X-bk- please reference attached pattern for proportion of X-shoulder with the relationship of X-chest/ X-bk. I don't provide shoulder slope- follow attached reference pattern. This pattern- body is more fitted than your style. You may adjust based on spec Best Crystal</div></div>

Discussion Title	Comments
	<div><div>#2</div><div>May 29, 2025 14:55 by VICTOR QUEVEDO  Target</div><div>Hi Crystal Will let you know once received missy comments, about measurements will change in next step to "full meas". thanks for the pattern. Best Victor Quevedo</div></div>
	<div><div>#3</div><div>May 30, 2025 19:24 by Sara Jeung  Target</div><div>Hi Crystal , Just to let you know we got comments on the missy fit. We got some measurements adjusted and working on the 2nd fit. Thanks</div></div>
	<div><div>#4</div><div>May 30, 2025 19:50 by Crystal Schmeltz  Target</div><div>Hi Sara Jeung, Thank you for the note. I updated Plus spec to align with Missy update (more fitted). However I am a big concern. Can you please send 2 options of Plus sample (based on the 2 spec I created)- that way we can save time. Best Crystal</div></div>
	<div><div>#5</div><div>Jun 09, 2025 15:33 by VICTOR QUEVEDO  Target</div><div>Hi Crystal Just to let you know we sent Fit sample for your evaluation, we named as option 2. Best Victor Quevedo</div></div>
	<div><div>#6</div><div>Jun 19, 2025 19:56 by Crystal Schmeltz  Target</div><div>HI Victor Quevedo &amp; team, Thank you for being proactive and sent 2 options- We can move forward with the EOF closer to Missy-slimmer option. However Plus can not issue eval before Missy. I need your help with 2 things. 1- Please make these adjustment based on attached and send me a screen shot of revised pattern compare to one of the knit top reference pattern I sent you in the past 2- Once you receive Missy final approval. Please review and let me know anything adjustment Missy made that Plus should consider adjust as well. Best Crystal</div></div>
	<div><div>#7</div><div>Jun 19, 2025 20:26 by VICTOR QUEVEDO  Target</div><div>Hi Crystal Your points well noted with thanks, will send screen shot and let you know about missy approval, asap. Best Victor</div></div>
	<div><div>#8</div><div>Jun 23, 2025 21:04 by VICTOR QUEVEDO  Target</div><div>Hi Crystal About point 1 we already adjusted pattern accordingly with your comments, please review and let us know if any, about Missy approval will let you know once we received approval. Best Victor Quevedo</div></div>

Discussion Title

Comments

#9 Jun 27, 2025 19:48 by VICTOR QUEVEDO  Target

Hi Crystal Please be noted that Missy has been approved by Jaimee. Best Regards Victor

#10 Jun 28, 2025 00:54 by Crystal Schmeltz  Target

Hi Victor, Since you read Missy's fit comment. I need your help when you notify me of Missy update as it. Please let me know what do you think Plus should update based on Missy's comment. Best Crystal

#11 Jul 01, 2025 15:50 by VICTOR QUEVEDO  Target

Hi Crystal Will do next, for this style we need to update A/H drop since it looks as straigth not drop we modified it in missy to 10". Best Victor

#12  Jul 02, 2025 01:18 by Crystal Schmeltz  Target

See final eval

#13 Jul 02, 2025 14:45 by VICTOR QUEVEDO  Target

Hi Crystal Will you request GSA sample ? if yes could I approve from our end. Best Victor

0 TCIN/DPCIs

Preview	TCIN	DPCI	Item Description	Date Created	Date Launched	Color	Size
---------	------	------	------------------	--------------	---------------	-------	------