


GFMN CHASE WASH PROGRAM LS POCKET TEE



Product Attributes

Product ID
PID-KLM9L7

Status

PRODUCTION

Brand
Goodfellow & Co

Department
43:MENS TOPS/SWEATERS

Division
8:MENS

Class
14:GOODFELLOW LS KNIT TOPS

Primary Material
FAS-YWG4Y

Secondary Material
FAS-G2WGM

Vendor Style Number

Additional Product Details

System Tags
New

Tags

Workspace Details

Workspace Name

Workspace ID

C1 2026 D43 GF MEN'S KNIT TOPS-PRODUCTWRK-Z6ZM

Design Cycle
C1 2026

Set Dates

Copyright 2020 Target Corporation. This document and the contents within are the property of Target Corporation and its subsidiaries (collectively "Target"). They are for the sole use of designated employees of Target as well as certain authorized business partners and shall not be reproduced, disseminated, or disclosed in any form to any party whatsoever without the express written consent of Target.

Tables of Contents

Section	Page Title
OVERVIEW	GFMN CHASE WASH PROGRAM LS POCKET TEE
BILL OF MATERIALS	1 bill of materials
MEASUREMENTS	1 measurements
PRODUCT DETAILS	1 product details
FILES	2 files
SAMPLES	1 samples
DISCUSSION	1 discussions

BOM-339GR REG sizing ACCEPTED Updated on Oct 15, 2025 20:54 by veronica shin

Updated on Oct 15, 2025 20:54 by veronica shin

Materials

Product Materials																
Row	Section	Use	Material Type	Connected Material Asset	Additional Material Details	Origin	Certifications	Yield/Consumption	Weight	Quantity	Size	Supplier	Facility/ Laundry	Notes		
1	FABRIC	BODY	Combination	FAS-YWG4Y Jersey, 185gsm, 100% Cotton, 28x36, 20 Ne CM RS, Spray/Tumble, Art# 2024-02-134, LS Cotton Tee - CHASE CBO-5Z1G5				1.13 yd 79 in (Cuttable Width)	559.79 gram	1 PIECE (piece)		YS CLARO, S.A. 2025-f2t-134				
2	FABRIC	TRIM	Combination	FAS-G2WGM Rib 1x1, 270gsm, 100% Cotton, 28x32, 20 Ne CM RS, Spray/Tumble, Art# TBD, LS COTTON TEE CHASE (RIB) CBO-386PY				0.07 yd 77 in (Cuttable Width)	33.8 gram	1 PIECE (piece)		YS CLARO, S.A. 2025-f6t-199				
3	TRIM	HEAT TRANSFER LABEL	Trim	GF17_08B01T, Goodfellow, Label, Heat transfer, Brand logo, Coo, Callout, Size, Main with callout option, Label, GF17_08B01T, Goodfellow, Main with callout option						1 PIECE (piece)	40 (W) x 36 (H) (mm (millimeters)) Width x Height	Subli Inc.	Subli Honduras S. DE R.L. DE C.V.			
4	TRIM	CARE LABEL	Trim	TA05_05A1T, Target Non-Branded, Label, Printed, 1 Sided Sew, Care w/o size, TNB Satin Generic Care , Label, TA05_05A1T, Target Non-Branded, TNB Satin Generic Care						1 PIECE (piece)	24 (L) x 55 (W) (mm (millimeters)) (Finished) Length x Width	Etiquetas y Bordados de Guatemala , S.A	EtiqBord	See Label Placement Sketch		
5	TRIM	DPCI LABEL	Trim	TNB16_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, DPCI Tracking-soft recycled, Label, TNB16_03F01T, Target, DPCI Tracking- soft recycled						1 PIECE (piece)	23 (L) x 13 (W) (mm (millimeters)) (Finished) Length x Width	Etiquetas y Bordados de Guatemala , S.A	EtiqBord	See Label Placement Sketch		
6	TRIM	SEWING THREAD	Trim	TGT22_62N01V, Thread, Spun cotton, Spun cotton thread, Thread, TGT22_62N01V, Spun Cotton Thread	100% COTTON THREAD - For pigment dye / COATS HONDURAS						T-30 () Fixed Size			Supplier: Coats Facility: Honduras Vendor still working to get supplier, Coats, to populate in BOM		

▼ 7-11 on next page

▼

BOM-339GR REG sizing ACCEPTED Updated on Oct 15, 2025 20:54 by veronica shin

Updated on Oct 15, 2025 20:54 by veronica shin

Product Materials														
Row	Section	Use	Material Type	Connected Material Asset	Additional Material Details	Origin	Certifications	Yield/Consumption	Weight	Quantity	Size	Supplier	Facility/ Laundry	Notes
✖ 1-6 on previous page												✖		
7	PACKAGING	RFID HANG TAG	Paper Substrate	Paperboard	Reg Sizing : GF17_50A01				2 gram	1 PIECE (piece)	REGULAR			
8	PACKAGING	SECONDARY HANG TAG	Paper Substrate	Paperboard	GF25_01C11				2 gram	1 PIECE (piece)	REGULAR			
9	PACKAGING	TERTIARY HANG TAG	Paper Substrate	Paperboard	DISCLAIMER TAG / GF25-01C05				2 gram		REGULAR			
10	PACKAGING	HANGER - REG SIZE	Plastics	PP, (Polypropylene)	HANGER				36 gram	1 PIECE (piece)	REGULAR			
11	PACKAGING	HANGER SIZE	Plastics	PP, (Polypropylene)	HANGER SIZE				1 gram	1 PIECE (piece)	REGULAR			

BOM-339GR REG sizing **ACCEPTED** Updated on Oct 15, 2025 20:54 by veronica shin

Updated on Oct 15, 2025 20:54 by veronica shin

Impressions

Product Impressions							
Row	Use	Connected Material Asset	Additional Material Details	CORNELIAN BLUE (PIGMENT DYE)	GOLD MEDAL (PIGMENT DYE)	GRAY PATINA (PIGMENT DYE)	PALE ORCHID (PIGMENT DYE)
1	BODY	FAS-YWG4Y Jersey, 185gsm, 100% Cotton, 28x36, 20 Ne CM RS, Spray/Tumble, Art# 2024-02-134, LS Cotton Tee - CHASE CBO-5Z1G5					
2	TRIM	FAS-G2WGM Rib 1x1, 270gsm, 100% Cotton, 28x32, 20 Ne CM RS, Spray/Tumble, Art# TBD, LS COTTON TEE CHASE (RIB) CBO-386PY					
3	HEAT TRANSFER LABEL	GF17_08B01T, Goodfellow, Label, Heat transfer, Brand logo, Coo, Callout, Size, Main with callout option, Label, GF17_08B01T, Goodfellow, Main with callout option		STONE HEARTH TARARCCLR-0LXY9	RAILROAD GRAY TARARCCLR-P6ZPK	STONE HEARTH TARARCCLR-0LXY9	RAILROAD GRAY TARARCCLR-P6ZPK
4	CARE LABEL	TA05_05A1T, Target Non-Branded, Label, Printed, 1 Sided Sew, Care w/o size, TNB Satin Generic Care , Label, TA05_05A1T, Target Non-Branded, TNB Satin Generic Care		Ground Color TRUE WHITE V2 (UV CALIBRATED) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATED) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATE D) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATE D) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P

▼ 5-11 on next page ▼

BOM-339GR REG sizing ACCEPTED Updated on Oct 15, 2025 20:54 by veronica shin

Updated on Oct 15, 2025 20:54 by veronica shin

Product Impressions							
Row	Use	Connected Material Asset	Additional Material Details	CORNELIAN BLUE (PIGMENT DYE)	GOLD MEDAL (PIGMENT DYE)	GRAY PATINA (PIGMENT DYE)	PALE ORCHID (PIGMENT DYE)
▲ 1-4 on previous page ▲							
5	DPCI LABEL	TNB16_03F01T, Target Non-Branded, Label, Printed, 1 Sided Sew, DPCI Tracking-soft recycled, Label, TNB16_03F01T, Target, DPCI Tracking- soft recycled		Ground Color TRUE WHITE V2 (UV CALIBRATED) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATED) TARARCCLR-9KKEW Text Color EBONY TARARCCLR-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATE D) TARARCCL R-9KKEW Text Color EBONY TARARCCL R-YP94P	Ground Color TRUE WHITE V2 (UV CALIBRATE D) TARARCCL R-9KKEW Text Color EBONY TARARCCL R-YP94P
6	SEWING THREAD	TGT22_62N01V, Thread, Spun cotton, Spun cotton thread, Thread, TGT22_62N01V, Spun Cotton Thread	100% COTTON THREAD - For pigment dye / COATS HONDURAS	CREAM TARARCCLR-2KG82	CREAM TARARCCLR-2KG82	CREAM TARARCCL R-2KG82	CREAM TARARCCL R-2KG82
7	RFID HANG TAG	Paperboard	Reg Sizing : GF17_50A01				
8	SECONDARY HANG TAG	Paperboard	GF25_01C11				
9	TERTIARY HANG TAG	Paperboard	DISCLAIMER TAG / GF25-01C05				
10	HANGER - REG SIZE	PP, (Polypropylene)	HANGER				
11	HANGER SIZE	PP, (Polypropylene)	HANGER SIZE				

MST-1G7EL REG SIZING

IN PROGRESS

Updated on Sep 08, 2025 20:14 by Sheila Voss

Updated on Sep 23, 2025 18:46 by Sheila Voss

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	X Small	Small	Medium	Large	X Large	XX Large
Neck	FRT NECK DROP SEAM POM-JM9Y • A26FS.R	HPS to Seam	in inch	0.25	0.25	3.625	3.75	4	4.25	4.5	4.75
Neck	BK NECK DROP SEAM POM-NYRG • A36BS.R		in inch	0.25	0.25	1	1.125	1.5	1.75	1.875	2
Neck	NECK WIDTH SEAM POM-N3GG • A16S.R		in inch	0.25	0.25	7.5	7.75	8	8.25	8.5	8.75
Neck Critical	MIN NECK STRTCH POM-JELO • A55.R		in inch	0	0.0	26	26	26	26	26	26
Chest Critical	BUST/CHEST BELOW A/H POM-N9KG • B15.R		in inch	0.75	0.75	39.5	41.5	44.5	48.5	52.5	56.5
Sweep Critical	SWEEEP - Grade as Chest/Bust POM-N59G • E01.R		in inch	1	1	39.5	41.5	44.5	48.5	52.5	56.5
Shoulder	ACROSS BK SHOULDER POM-J31W • F02.R		in inch	0.375	0.375	18	18.5	19.5	20.5	21.5	22.5
Sleeve Critical	CB TO SLEEVE EDGE POM-NPKG • G01.R		in inch	0.5	0.5	33	34	35	36	37	38
Sleeve	MUSCLE/BICEP 1" BELOW A/H POM-NLZL • J01.R		in inch	0.5	0.5	13.75	14.75	15.75	16.75	17.75	18.75
	FOREARM MEASURED 8" UP FROM SLEEVE EDGE	VENDOR TO GRADE	in inch	0.5	0.5	11	11.5	12	12.75	13.5	14.25

▼ 11-17 on next page

MST-1G7EL REG SIZING

IN PROGRESS

Updated on Sep 08, 2025 20:14 by Sheila Voss

Updated on Sep 23, 2025 18:46 by Sheila Voss

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	X Small	Small	Medium	Large	X Large	XX Large
▲ 1-10 on next page											
Sleeve	SLEEVE OPENING MID RIB POM-JR4W • L05.R		in inch	0.5	0.5	7.5	7.75	8	8.5	9	9.5
Sleeve	A/H DROP FRM HPS POM-NG14 • H15.R		in inch	0.375	0.375	11.125	11.375	11.75	12.125	12.5	12.875
Length Critical	HPS FRT LENGTH POM-JYLZ • M25.R		in inch	0.5	0.5	26.5	27.125	27.75	28.375	29.125	29.875
Pocket	FRT POCKET POSITION HPS POM-NW75 • N25.R		in inch	0.25	0.25	8	8.25	8.5	8.5	9	9
Pocket	POCKET LENGTH CTR POM-JGX8 • N01.R		in inch	0.25	0.25	4.25	4.5	4.75	5	5.25	5.25
Pocket	POCKET WIDTH TOP EDGE POM-J557 • N03.R		in inch	0.25	0.25	3.75	4	4.25	4.5	4.75	4.75
Pocket	FRT POCKET POSITION CF - Chest Pocket POM-NYE0 • N24.R		in inch	0.125	0.125	1.75	1.75	2	2.25	2.5	2.75

PDTL-M0G9W LS Construction Details ACTIVE

Updated on Sep 25, 2025 17:37 by Sheila Voss

Section	Category	Subcategory	Detail	Special Instructions
	Construction Soft Product	Topstitch	401 Chainstitch, 1/8 margin (New Detail)	@ front neck line, neck trim height 3/4
	Construction Soft Product	Topstitch	301 Lockstitch, back neck tape (New Detail)	@ back neck tape 3/8
	Construction Soft Product	Topstitch	406 2 needle coverstitch, 1/4 gg straddle seam (New Detail)	@ armholes
	Construction Soft Product	Topstitch	401 Chainstitch, 1/8 margin (New Detail)	@ cuff, cuff height 2 1/4" height
	Construction Soft Product	Topstitch	406 1/8 gg (New Detail)	@ 3/4 bottom hem height
	Construction Soft Product	Pocket Details	406 1/8 gg (New Detail)	@ pkt hem height 3/4
	Construction Soft Product	Pocket Details	301 1/16 margin around (New Detail)	@ edge around pocket with triangle at top corners, (1/4 at top finish at 0 pkt hem refer to sample)
	Construction Soft Product	SPI	12,+2I-1 DTL-J36G	
	Care Critical	Apparel	VENDOR IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH CARE LABELING REGULATIONS AND GUIDANCE - If appropriate for the product, Target prefers that owned brand products use the following care labeling instructions - "Machine Wash-Tumble Dry". VENDOR provides settings per FTC Reg + Bleach/Iron. See https://www.ftc.gov/tips-advice/business-center/guidance/clothes-captioning-complying-care-labeling-rule#writing . If product's care labeling deviates from "machine wash tumble dry", VENDOR must contact Target TD. DTL-J1MJ	


3 Files

Preview	File Name	Date Uploaded	
	GFMN LS VINTAGE POCKET TEE NEW.ai	Sep 25, 2025 17:54 by veronica shin	Target PRODUCT
	Adult Top-Dress HTL Placement with Fiber&Care (1).pdf	Oct 01, 2025 15:40 by Sheila Voss	Target PRODUCT
	PID-KLM9L7 APC.pptx	Sep 25, 2025 17:51 by Sheila Voss	Target DISCUSSION

GFMN LS VINTAGE POCKET TEE NEW.ai Page 1 of 1

Sep 25, 2025 17:54 by veronica shin

PRODUCT




Adult Top-Dress HTL Placement with Fiber&Care (1).pdf

Page 1 of 2

Oct 01, 2025 15:40 by Sheila Voss

PRODUCT




*This generic image is for interior label placement only. Follow the style specific image for all details.

Adult Top-Dress HTL Placement with Fiber&Care (1).pdf

Page 2 of 2

Oct 01, 2025 15:40 by Sheila Voss

PRODUCT



*This generic image is for interior label placement only. Follow the style specific image for all details.

PID-KLM9L7 APC.pptx

Page 1 of 3

Sep 25, 2025 17:51 by Sheila Voss

DISCUSSION

PID# ZX2452GKLM9L7, GFMN CHASE WASH PROGRAM LS POCKET TEE, FIT
REGULAR , size: M

APC

Garment Photos on Mannequin



Vendor Comments:

Is Balance Approved? Balance looks good on dress from, side seam a falling down a little bit.

BP Digital

Is Movement Approved? N/A

Other General Comments:

Pattern follow adjustments on PID-6Z8563.

Muscle bicep increase 1" actual meas 15.75

Forearm increase $\frac{1}{2}$ " actual 12". could you allow us to update meas sheet?

Mobilon not applied due to washing process

TGT TD Comments:

Sample looks good.

1

Approved measurement updates for bicep and forearm.

PID-KLM9L7 APC.pptx

Page 2 of 3

Sep 25, 2025 17:51 by Sheila Voss

DISCUSSION

PID# ZX2452GKLM9L7, GFMN CHASE WASH PROGRAM LS POCKET TEE, FIT
REGULAR , size: M

APC

Trim information

Trim Description, Supplier Article #, Supplier Name/Info

Trim image in/on garment

BP TD Trim Comments:

No mobilon at shoulder due to washing process.

BP Digital

TGT TD Trim Comments:

Noted.

2

PID-KLM9L7 APC.pptx

Page 3 of 3

Sep 25, 2025 17:51 by Sheila Voss

DISCUSSION

PID# ZX2452GKLM9L7, GFMN CHASE WASH PROGRAM LS POCKET TEE, FIT
REGULAR , size: M

APC

Logo/Label placement

Exterior Logo/



In



Placement

BP TD Trim Comments:

BP Digital

BP Digital

Heat transfer & care label available for placement and sewing method only.

H/T $\frac{3}{4}$ from neck tape, care label 3" from bottom opening edge.

TGT TD Trim Comments:

Label placement approved,

Pls ensure the care label is still able to read after garment wash on all colorways.

3

Discussions

Discussion Title	Comments
Prototype: SMP-KE9ZE0 - Proto Fit 12 comments	
	#1 Sep 23, 2025 14:58 by VICTOR QUEVEDO  Target Hi Chelsey / Sheila Please be noted that we sent Fit sample for your evaluation, ppt and meas uploaded. thank you. Best Regards Victor Quevedo Apparel links TD
	#2 Sep 23, 2025 16:51 by Sheila Voss  Target Hi Victor, The PPT is missing. Please attach. Thanks! Sheila
	#3 Sep 23, 2025 17:08 by VICTOR QUEVEDO  Target Hi Sheila For any reason didnt uploaded sent second message but doesn't appears. Sorry for the inconvenience. Best Victor Quevedo Apparel Links TD
	#4 Sep 23, 2025 19:40 by Sheila Voss  Target Thanks Victor! It came through this time. I need to review with Design. I can send comments tomorrow. Rgds, Sheila
	#5 Sep 25, 2025 15:20 by veronica shin  Target Hello Sheila, Hope all is well. Just following up on your review with Design. Could you please share your comments for PID-KLM9L7 GFMN CHASE WASH PROGRAM LS POCKET TEE? Thank you Best Regards, Veronica Shin
	#6 Important Sep 25, 2025 17:51 by Sheila Voss  Target Hi Team, Find attached APC PPT. Sample looks good. GSA can be approved based on PID-6Z8563. No need to submit GSA samples for this PID. Rgds, Sheila
	#7 Sep 26, 2025 15:29 by Sheila Voss  Target Attaching images on TGT live model for reference.

Discussion Title	Comments	
	<p>#8</p> <p>Hello Chelsey, We've received confirmation that GSA is approved for PID-6Z8563. Could you please confirm if PID-KLM9L7 is approved as well? Thank you. Best Regards,</p>	Oct 06, 2025 18:30 by veronica shin  Target
	<p>#9  Important</p> <p>Hi Team - Pls apply the same grading as on PID-6Z8563 to this PID. Let me know when packet is updated and complete and we will move to Production status for you. Rgds, Sheila</p>	Oct 06, 2025 19:33 by Sheila Voss  Target
	<p>#10</p> <p>Hello Sheila, I have updated the packet accordingly. Please help updating the status to PRODUCTION for TPR review. Thank you, Best Regards, Veronica Shin</p>	Oct 15, 2025 16:28 by veronica shin  Target
	<p>#11</p> <p>Hi - Done. :)</p>	Oct 15, 2025 17:43 by Sheila Voss  Target
	<p>#12</p> <p>Hello Sheila, Thank you for the update. Best Regards, Veronica Shin</p>	Oct 15, 2025 18:39 by veronica shin  Target

0 TCIN/DPCIs

Preview	TCIN	DPCI	Item Description	Date Created	Date Launched	Color	Size
---------	------	------	------------------	--------------	---------------	-------	------