# Hello IATEX

An Introduction to the Typesetting Tool

Aaron English

and

Ghassan Arnouk

Date: January 16, 2021

# Contents

| 1 | Motivation   | 3             |  |  |
|---|--|---------------|--|--|
| 2 | Base Packages  | 3             |  |  |
| 3 | Sections         3.1      and subsections          3.1.1      and subsubsections | <b>4</b><br>4 |  |  |
| 4 | Equations  |               |  |  |
| 5 | Figures  | 5             |  |  |
| 6 | Tables   |               |  |  |
| 7 | Additional Helpful Packages  |               |  |  |
| 8 | Bibliography 8.1 Writing the .bib File   | <b>7</b><br>7 |  |  |
| R | eferences  | Q             |  |  |

#### 1 Motivation

- High quality documents
- Automation
- Widely available and extrodinarily flexible
- Open-Source (and free)
- Enormous and extremely helpful user base
- Nearly unlimited skillcap

### 2 Base Packages

There are a few base packages that you should always import:

- 1. import
- 2. geometry
- 3. hyperref
- 4. amsmath
- 5. amsfonts
- 6. amssymb
- 7. inputenc
- 8. fontenc
- 9. biblatex
- 10. float
- 11. graphicx

```
\usepackage{import}
\usepackage[left=1in, right=1in, top=1in, bottom=1in]{geometry}
\usepackage{hyperref}
\usepackage[tbtags]{amsmath}
\usepackage{amsfonts}
\usepackage{amssymb}
\usepackage[utf8]{inputenc}
\usepackage[T1]{fontenc}
\usepackage[style=ieee,backend=biber]{biblatex}
\usepackage{float}
\usepackage{graphicx}
```

Listing 1: .

- Sections... 3
- ...and subsections... 3.1
- ...and subsubsections...

#### **Equations** 4

How about some equations?

$$\delta = -\frac{B^2}{180,000} + \frac{B}{173} + 0.5$$
$$= -\frac{533^2}{180,000} + \frac{533}{173} + 0.5$$
$$= 2.0$$

Or even a matrix 1

$$A = \begin{bmatrix} -\alpha - \beta & 2 & \frac{1}{c} \\ -4i & \sqrt{5 - \alpha} & -6 \\ c & \beta & 9 + i \end{bmatrix}$$

Calculus!

$$\frac{\mathrm{d}x}{\mathrm{d}t} = \sigma(y - x) \tag{1}$$

$$\frac{\mathrm{d}y}{\mathrm{d}t} = x(\rho - z) - y \tag{2}$$

$$\frac{\mathrm{d}t}{\mathrm{d}t} = x(\rho - z) - y \tag{2}$$

$$\frac{\mathrm{d}z}{\mathrm{d}t} = xy - \beta z \tag{3}$$

# 5 Figures

You can add lovely figures, and then reference them like this "As stated in Figure 1". It's even a hyperlink \*click\*\* \*click\*




Figure 1: A test figure

#### 6 Tables

What are tables like? Like this!

Table 1: Table of specified parameters and achieved values

|                      | Target     | Values        | Results |
|----------------------|------------|---------------|---------|
| $NF_{dsb}$           | $\leq 4$   | 11.17         | 5.95    |
| IIP3                 | $\geq -22$ | $\geq -2.73$  | -4.98   |
| 1 dB Compression     | $\geq -32$ | $\geq -12.73$ | -14.2   |
| Gain                 | $\geq 16$  | $\geq -3.26$  | -4.58   |
| $I_{bias}$           | _          | -             | -       |
| $\overline{I_{buf}}$ | -          | -             | -       |
| $I_{ref}$            | -          | 1             | 1       |
| $R_D$                | ≤ 10       | 570           | 600     |
| $\overline{V_{lo}}$  | ≤ 1        | -             | -       |
| $\overline{V_{rf}}$  | ≤ 1        | -             | -       |

# 7 Additional Helpful Packages

• siunitx I strongly recommend using the siunitx package for formatting all units.

Hz

 $100\,\mathrm{nm}$  to  $200\,\mathrm{nm}$ 

 $100 \, \mathrm{kg}$ 

Convenient!

- xcolor for colourful text!
- listings

```
def string2bits(s=''):
    return [bin(ord(x))[2:].zfill(8) for x in s]

def bits2string(b=None):
    return ''.join([chr(int(x, 2)) for x in b])

s = 'Hello, World!'
b = string2bits(s)
s2 = bits2string(b)

print 'String:'
print s

print '\nList of Bits:'
for x in b:
    print x

print '\nString:'
print s2
```

Listing 2: .

• chemformula A chemistry equation!

$$^{2}H + ^{2}H \longrightarrow ^{3}He + n^{0}$$
 (4)

## 8 Bibliography

#### 8.1 Writing the .bib File

```
@incollection{ref:01,
    author = {Berger, M.J. and Hubbell, J.H. and Seltzer, S.M. and Chang
, J. and Coursey, J.S. and Sukumar, R. and Zucker, D.S. and Olsen, K.},
    title = {XCOM: Photon Cross Sections Database},
    publisher = {NIST, PLM, Radiation Physics Division},
    year = {2010},
    booktitle = {NIST Standard Reference Database 8 (XGAM)},
    chapter = {Copper},
    url = {https://physics.nist.gov/cgi-bin/Xcom/xcom3_1},
}
```

Listing 3: .

#### 8.2 Using the References

Here I am making a statement that should be backed up with a reference placed here -> [1] Now it will show up in the bibliography and the reference above will link to it and be correctly numbered. For Free!

# References

[1] M. Berger, J. Hubbell, S. Seltzer, J. Chang, J. Coursey, R. Sukumar, D. Zucker, and K. Olsen, "Xcom: Photon cross sections database," in *NIST Standard Reference Database 8 (XGAM)*, NIST, PLM, Radiation Physics Division, 2010, ch. Copper. [Online]. Available: https://physics.nist.gov/cgi-bin/Xcom/xcom3\_1.