WCAG 2.2 (Level A & AA)

ACCESSIBILITY TEST REPORT

LEVEL-3

FOR

Standard Securities & Investment Intermediates Ltd

Website: https://www.standardsec.com/

Varun Bansal
October 19, 2026

Varun Bansal
Digitally signed by Varun Bansal
Date: 2026.10.22 12:35:36 +05'30'

1. Management Summary

1.1 Document Title

Document Title	WCAG 2.2 Accessibility Test Report
Organization Name	Standard Securities & Investment Intermediates Ltd
Application / Website	Standard Securities & Investment Intermediates Ltd — https://www.standardsec.com
Document Version	2.0
Report No.	WCAG/SSII/02
Last Edit Date	October 19, 2026

1.2 Prepared By

This report compiles WCAG 2.2 test results and evidence supplied by the requester, who advised that manual verification of all previously-open items has now been completed. Claude (Anthropic) formatted and organised this document but did not independently re-run the underlying browser-based tests; it has not been signed off by a certified accessibility professional. Fields below are left for your reviewer to complete.

Created By	Mr.Varun Bansal
Certification Number	SOCPACC12939
Mobile no	+91 9718047400

1.3 Overall Accessibility Status

This review confirms 23 Success Criteria failures out of the 56 assessed under WCAG 2.2 (a 41% failure rate), against 22 passes and 11 not-applicable criteria. Several of the confirmed failures are Level A issues that block core functionality outright — most critically, the entire primary navigation menu (About Us, Login, Quick Links, KYC, Complaints) is unreachable by keyboard or mouse at common viewport widths because the hamburger-menu toggle does not work, and the page's own "Skip to main content" link is permanently hidden from view even when it holds keyboard focus. WCAG 2.2 Level AA conformance is not met in the site's current state. Section 8 details every confirmed issue with recommended fixes; Section 3 lists the narrower points that still need direct confirmation before any associated result above is treated as final.

1.4 Key Findings (at a glance)

- Primary navigation is completely unreachable by keyboard or mouse at common viewport widths — the hamburger-menu toggle is broken (a JavaScript bug), which cascades into reflow, hover-content, and "multiple ways to navigate" failures as well (1.4.10, 1.4.13, 2.1.1, 2.4.5)
- The "Skip to main content" link is permanently clipped out of view via CSS, even while it holds keyboard focus, so it can never actually be used (2.4.1)
- Every page on the site shares the exact same, non-descriptive title, giving users and screen-reader software no way to distinguish one page from another (2.4.2)

- The Contact and “Create Account” forms have no programmatic or visible field labels and no input validation of any kind (1.3.1, 2.4.6, 3.3.1, 3.3.2, 3.3.3)
- Text and interface colour contrast fails in multiple places, down to as low as approximately 1.9:1 against the 4.5:1 minimum required for body text (1.4.3, 1.4.11)
- 27 interactive elements, mostly footer links, measure under the required 24×24 CSS pixel minimum target size (2.5.8)
- Duplicate element IDs and a non-functional English/Hindi language toggle point to broader markup and script-quality issues beyond accessibility alone (4.1.1, 3.1.2)

2. Scope, Scan (Test) and Report Details

Scope of work:

Name	Standard Securities & Investment Intermediates Ltd
URL	https://www.standardsec.com/index.html

Scan / Test details:

Date	October 19, 2026
Duration	2

Report created / reviewed / approved by:

Report Created By	Mr. Varun Bansal
Report Reviewed By	Mr. Mudit Gupta
Report Approved By	Mr. Varun Bansal

3. Assessment Constraints

Unlike a review limited to static markup alone, this assessment included direct, hands-on browser-based checks: computed colour-contrast ratios, computed focus styles, keyboard tab-order testing, and viewport-width resizing to identify responsive breakpoints. A small number of narrower checks were not carried to full completion, for the reasons below, and are flagged here rather than silently folded into the results above:

- Full 200% text-resize content-loss check (1.4.4): pinch-zoom is confirmed not blocked at the viewport level, but a complete pass checking for content loss or overlap at 200% zoom across every page was not finished in this environment.
- True 320 CSS px reflow (1.4.10): the reflow failure identified was observed at an 894px breakpoint (where the hamburger toggle breaks); a separate, dedicated check at exactly 320 CSS px was not performed.
- Form-submission behaviour (3.3.1, 3.3.3, 4.1.3): the contact form's native required-field validation was not triggered by an actual submission, to avoid tripping reCAPTCHA or sending an unwanted message to the business; the related findings are based on markup and attribute inspection rather than an observed submission attempt.
- Session and timing limits (2.2.1): no session timeout was observed on the public pages reviewed, but this was not exhaustively tested across every page and state.
- No live screen-reader session (NVDA, JAWS, or VoiceOver) was part of this round of testing.

We recommend the residual items in Section 9 be confirmed before treating any associated result above as final, particularly ahead of a formal compliance determination.

4. Tools / Methods Used

The following tools/methods were used for this review:

- Browser developer tools — computed-style and colour-contrast inspection
- Keyboard-only navigation testing (Tab / Shift+Tab / Enter / Esc)
- Manual viewport-width resizing to identify responsive breakpoints

- HTML/DOM structural analysis: headings, landmarks, form labels, ARIA attributes, id uniqueness, and lang attributes
- W3C WCAG 2.2 Success Criteria used as the assessment reference

Not used in this round: an automated scanner report (axe / WAVE / Lighthouse), a live screen-reader session, a physical touchscreen device, or an actual form submission — see Section 3.

5. Standard Followed

- Web Content Accessibility Guidelines 2.2 (WCAG 2.2), Levels A and AA

6. WCAG 2.2 Accessibility Guidelines

Legend: Pass = confirmed · Fail = confirmed issue, see Section 8 · N/A = criterion does not apply to this site.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
Guideline 1.1 – Text Alternatives					
1	1.1.1 - Non-text Content	A	All non-text content that is presented to the user has a text alternative that serves the equivalent purpose	**Pass**	Images carry alt/decorative empty-alt correctly; icon links have aria-labels (e.g. "Open a new trading account").
Guideline 1.2 – Time-based Media					
2	1.2.1 - Audio-only and Video-only (Prerecorded)	A	An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content and video-only content.	**N/A**	No audio-only or video-only content found on the site.
3	1.2.2 - Captions (Prerecorded)	A	Captions are provided for all prerecorded audio content in synchronized media.	**N/A**	No prerecorded video-with-audio found.
4	1.2.3 - Audio Description or Media Alternative (Prerecorded)	A	An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media.	**N/A**	No synchronized media found.
5	1.2.4 - Captions (Live)	AA	Captions are provided for all live audio content in synchronized media.	**N/A**	No live media found.
6	1.2.5 - Audio Description (Prerecorded)	AA	Audio description is provided for all prerecorded video content in synchronized media.	**N/A**	No prerecorded video found.
Guideline 1.3 – Adaptable					
7	1.3.1 - Info and Relationships	A	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	**Fail**	Heading order broken (H3 before H1, duplicate H1s in hero carousel); identical service content marked as H5 in one section and H3 in a repeated section; contact form fields have no programmatic <label>.
8	1.3.2 - Meaningful Sequence	A	When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	**Pass**	DOM order matches visual reading order on pages reviewed.
9	1.3.3 - Sensory Characteristics	A	Instructions provided for understanding and operating	**Pass**	No instructions relying solely on shape/position/color observed.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.		
10	1.3.4 - Orientation	AA	Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	**Pass**	No CSS orientation lock; viewport meta doesn't restrict orientation.
11	1.3.5 - Identify Input Purpose	AA	The purpose of each input field collecting information about the user can be programmatically determined.	**Fail**	Name/Email/Phone fields on homepage have no autocomplete attribute.
Guideline 1.4 – Distinguishable					
12	1.4.1 - Use of Color	A	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	**Pass**	Price ticker uses ▲/▼ symbols alongside red/green color, not color alone.
13	1.4.2 - Audio Control	A	If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	**N/A**	No auto-playing audio.
14	1.4.3 - Contrast (Minimum)	AA	The visual presentation of text and images of text has a contrast ratio of at least 4.5:1 Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;	**Fail**	Measured failures: hero heading/"Open an Account" button (~1.9:1), price-ticker badges (2.1:1), accessibility toolbar buttons (3.98:1), footer "Need help?" text (2.86:1) — all below required 4.5:1/3:1.
15	1.4.4 - Resize text	AA	Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.	**Fail**	Viewport allows pinch-zoom (no user-scalable=no); full 200%-zoom content-loss check not completed in this environment.
16	1.4.5 - Images of Text	AA	If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text	**Pass**	Hero headings are real HTML text over a photo, not baked-in text images; logo is exempt.
17	1.4.10 - Reflow	AA	Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions	**Fail**	At 894px width the entire primary navigation collapses to a hamburger that is non-functional (JS bug), causing loss of functionality; true 320px reflow not separately testable in this environment.
18	1.4.11 - Non-text Contrast	AA	The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s	**Fail**	Contact form input borders measured at rgb(229,229,229) on white = 1.26:1, well under the 3:1 minimum for UI component boundaries.
19	1.4.12 - Text Spacing	AA	In content implemented using markup languages that support	**Fail**	Applying WCAG's text-spacing overrides (line-height 1.5, letter-

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size.		spacing 0.12em, word-spacing 0.16em) causes "Currency"/"Commodities" service headings to visually clip inside their fixed-height containers.
20	1.4.13 - Content on Hover or Focus	AA	Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true: Dismissible,Hoverable,Persistent	**Fail**	Dropdown/hover menus live inside the navigation that is currently broken (see #31 / #21), so hover/focus content behavior couldn't be exercised.
Guideline 2.1 – Keyboard Accessible					
21	2.1.1 - Keyboard	A	All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes	**Fail**	Primary navigation (About Us, Login, Quick Links, KYC, Complaints) is unreachable by keyboard or mouse at the tested viewport because the hamburger-menu toggle is broken.
22	2.1.2 - No Keyboard Trap	A	If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface.	**Pass**	No traps found in tabbing tests performed.
23	2.1.4 - Character Key Shortcuts	A	If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to include one or more non-printable keyboard keys (e.g., Ctrl, Alt); Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.	**Pass**	No single-character keyboard shortcuts implemented.
Guideline 2.2 – Enough Time					
24	2.2.1 - Timing Adjustable	A	For each time limit that is set by the content, at least one of the following is true: Turn off: The user is allowed to turn off the time limit before encountering it; or Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or	**N/A**	No session timeout observed on public pages; not exhaustively verified.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times;		
25	2.2.2 - Pause, Stop, Hide	A	User-controllable mechanisms must be provided for pausing, stopping, or hiding automatically moving, blinking, scrolling, or updating information, unless such actions are essential to the associated activity.	**Fail**	Homepage hero carousel auto-advances continuously with no visible pause/stop control (only non-labeled slide-select dots).
Guideline 2.3 – Seizures and Physical Reactions					
26	2.3.1 - Three Flashes or Below Threshold	A	Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.	**Pass**	No flashing content observed.
Guideline 2.4 – Navigable					
27	2.4.1 - Bypass Blocks	A	A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	**Fail**	A "Skip to main content" link exists but is permanently CSS-clipped (clip: rect(0,0,0,0)) even when it receives keyboard focus, so it's never visible or usable.
28	2.4.2 - Page Titled	A	Web pages have titles that describe topic or purpose.	**Fail**	Every page (home, contact, about, accessibility) shares the identical, non-descriptive title "Standard Securities & Investment Intermediates Ltd." with no page-specific topic.
29	2.4.3 - Focus Order	A	If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	**Pass**	Tab order followed logical visual sequence in tests performed (skip link → language select → header buttons).
30	2.4.4 - Link Purpose (In Context)	A	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context	**Pass**	Links carry descriptive aria-labels (e.g. "Learn more about Equity Trading") rather than generic "click here" text.
31	2.4.5 - Multiple Ways	AA	More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	**Fail**	With primary nav broken, the footer links and direct URLs are the only way to reach most pages at this viewport — a fragile single point of failure.
32	2.4.6 - Headings and Labels	AA	Headings and labels describe topic or purpose.	**Fail**	Contact form fields have no associated labels at all (placeholder-only); some headings are non-descriptive stat values ("#1", "~30ms", "0.0").

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
33	2.4.7 - Focus Visible	AA	Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	**Fail**	Custom buttons (e.g. "Open Account") compute outline: none with no replacement focus style; confirmed via computed styles on the focused element.
34	2.4.11Focus Not Obscured (Minimum)	AA	When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.	**Pass**	No sticky headers/chat widgets observed obscuring focused elements in tests performed.
Guideline 2.5 – Input Modalities					
35	2.5.1 - Pointer Gestures	A	All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.	**Pass**	No multipoint/path-based gestures required anywhere on the site.
36	2.5.2 - Pointer Cancellation	A	For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion	**Pass**	Standard click-based activation observed; no down-event-only triggers found.
37	2.5.3 - Label in Name	A	For user interface components with labels that include text or images of text, the name contains the text that is presented visually.	**Fail**	Header buttons "Open Account" (aria-label "Open a new trading account") and "Fund Transfer" (aria-label "Transfer funds securely") — visible text is not a substring of the accessible name.
38	2.5.4 - Motion Actuation	A	navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	**N/A**	No motion-triggered functionality present.
39	2.5.7-Dragging Movements	AA	All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.	**N/A**	No drag-and-drop interactions present.
40	2.5.8-Target Size (Minimum)	AA	The size of the target for pointer inputs is at least 24 by 24 CSS pixels	**Fail**	27 interactive links measured under 24×24px, mostly footer links (~15px tall) and the 1×1px skip link.
Guideline 3.1 – Readable					
41	3.1.1 - Language of Page	A	The default human language of each Web page can be programmatically determined.	**Pass**	<html lang="en"> correctly set.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
42	3.1.2 - Language of Parts	AA	The human language of each passage or phrase in the content can be programmatically determined.	**Fail**	Site offers an English/Hindi toggle, but clicking "ि5 दी" does nothing (no translation occurs, no lang change) — the feature is non-functional, so this can't be verified as working when needed.
Guideline 3.2 – Predictable					
43	3.2.1 - On Focus	A	When any user interface component receives focus, it does not initiate a change of context.	**Pass**	Focusing controls in testing did not trigger unexpected context changes.
44	3.2.2 - On Input	A	Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.	**Pass**	No unexpected context changes observed on input in tests performed.
45	3.2.3 - Consistent Navigation	AA	Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	**Pass**	Header/footer structure consistent across home, about, and contact pages.
46	3.2.4 - Consistent Identification	AA	Components that have the same functionality within a set of Web pages are identified consistently.	**Pass**	Chat, accessibility toolbar, and header buttons consistently labeled across pages tested.
47	3.2.6-Consistent Help	A	If a Web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple Web pages within a set of Web pages, they occur in the same order relative to other page content, unless a change is initiated by the user: Human contact details; Human contact mechanism; Self-help option; A fully automated contact mechanism.	**Pass**	Chatbot and accessibility toolbar appear in the same location on every page tested.
Guideline 3.3 – Input Assistance					
48	3.3.1 - Error Identification	A	If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	**Fail**	Homepage "Create Account" form has no required-field validation at all (submits empty via GET); contact form's native required validation wasn't submitted to avoid triggering reCAPTCHA/real submission.
49	3.3.2 - Label or Instructions	A	Labels or instructions are provided when content requires user input.	**Fail**	Contact form (Name/Email/Message) relies solely on placeholder text; no visible required-field indicators.
50	3.3.3 - Error Suggestion	AA	If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.	**Fail**	Same limitation as #48.

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
51	3.3.4 - Error Prevention (Legal, Financial, Data)	AA	For web pages involving legal commitments, financial transactions, or data modifications, there must be a mechanism: either submissions are reversible, user-input data is checked for errors with correction opportunities, or there is a confirmation process before finalizing submissions.	**N/A**	No legal/financial transactions are finalized on-site (account opening/trading happens on external subdomains, out of this audit's scope).
52	3.3.7-Redundant Entry	A	Information previously entered by or provided to the user that is required to be entered again in the same process is either: auto-populated, or available for the user to select.	**Pass**	Forms tested are single-step; no re-entry of prior data required.
53	3.3.8-Accessible Authentication (Minimum)	AA	A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following: Alternative: Another authentication method that does not rely on a cognitive function test. Mechanism: A mechanism is available to assist the user in completing the cognitive function test. Object Recognition: The cognitive function test is to recognize objects. Personal Content: The cognitive function test is to identify non-text content the user provided to the Web site.	**N/A**	No in-page login/authentication; Login links route to external systems outside this site.
Guideline 4.1 compatible					
54	4.1.1 - Parsing	A	In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	**Fail**	Duplicate IDs found sitewide (lang-en, lang-hi each appear twice).
55	4.1.2 - Name, Role, Value	A	For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.	**Fail**	Mobile-nav toggle button has no aria-expanded state; Google Map iframe has an empty title; homepage JS throws console exceptions (null addEventListener, duplicate translations declaration).
56	4.1.3 - Status Messages	AA	In content implemented using markup languages, status	**Pass**	One aria-live="polite" region exists (chat widget); form-submission status

#	WCAG 2.2 SC	Level	What it requires	Result	Remarks
			messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.		messaging wasn't verified since real forms with reCAPTCHA/real data were not submitted.

7. Summary of Key Findings


Confirmed issues from this review (detailed in Section 8):

Sr. No.	Confirmed Issue	Status L1	Status L2
1	Broken Heading Hierarchy and Duplicate Heading Content	OPEN	OPEN
2	Contact Form Fields Have No Programmatic or Visible Labels	OPEN	OPEN
3	Missing Autocomplete Attributes on Input Fields	OPEN	CLOSED
4	Insufficient Colour Contrast (Text and UI Components)	OPEN	OPEN
5	Incomplete Verification of Text Resize to 200%	OPEN	OPEN
6	Text Clipping Under WCAG Text-Spacing Overrides	OPEN	CLOSED
7	Non-Functional Hamburger Menu Breaks Navigation, Keyboard Access, and Hover Content	OPEN	OPEN
8	Continuously Auto-Advancing Carousel with No Pause Control	OPEN	OPEN
9	Permanently Hidden "Skip to Main Content" Link	OPEN	OPEN
10	Identical, Non-Descriptive Page Titles Sitewide	OPEN	CLOSED
11	No Visible Focus Indicator on Custom Buttons	OPEN	OPEN
12	Accessible Name Does Not Contain the Visible Label Text	OPEN	OPEN
13	Interactive Targets Below Minimum Size	OPEN	OPEN
14	Non-Functional Hindi Language Toggle	OPEN	CLOSED
15	No Input Validation and Error Suggestions on Homepage and Contact Forms	OPEN	OPEN
16	Duplicate Element IDs Sitewide	OPEN	OPEN
17	Broken ARIA States and Console JavaScript Errors	OPEN	OPEN

8. Detailed Technical Report with Recommendations


8.1 Broken Heading Hierarchy and Duplicate Heading Content

STATUS	OPEN
WCAG 2.2 REFERENCE	1.3.1 Info and Relationships (Level A)
DESCRIPTION	Heading order is broken across the site: H3 elements appear before the page's H1, and the hero carousel contains duplicate H1s. Separately, identical service content is marked up as an H5 in one section and as an H3 in a repeated section, so the same content has two different heading levels depending on where it appears.
IMPACT ON USERS	• Screen-reader users commonly navigate by heading level; a broken or duplicated hierarchy makes the page's outline unreliable and disorienting. • Inconsistent heading levels for identical content suggest the underlying template is duplicated or diverges between sections, risking further hidden inconsistencies.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Establish a single, logical heading outline per page: one H1, followed by H2s for major sections and H3+ for subsections, with no level skipped. • Ensure the hero carousel renders one H1 regardless of which slide is active.

POC	• Standardise the heading level used for repeated service-content blocks so the same content is always marked up the same way. 

8.2 Contact Form Fields Have No Programmatic or Visible Labels

STATUS	OPEN
WCAG 2.2 REFERENCE	1.3.1 Info and Relationships (Level A) / 2.4.6 Headings and Labels (Level AA) / 3.3.2 Labels or Instructions (Level A)
DESCRIPTION	The contact form's Name, Email, and Message fields rely solely on placeholder text for identification — none has a programmatic <label> element, and there are no visible required-field indicators. Some headings elsewhere on the page are also non-descriptive stat values (e.g. “#1”, “~30ms”, “0.0”) rather than text describing their topic or purpose.
IMPACT ON USERS	• Screen readers announce a field's purpose from its label; with placeholder-only fields, users may hear no field name at all, or lose the prompt entirely once they begin typing. • Sighted users with cognitive or attention difficulties lose the field's purpose as soon as they start typing, since placeholder text disappears on input. • Non-descriptive headings give screen-reader users navigating by heading no indication of what a section contains.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Add a visible, programmatically-associated <label> (or aria-label/aria-labelledby) to every Contact form field. • Mark required fields with both a visible indicator and the required/aria-required attribute. • Replace stat-value headings with short descriptive text (the stat value can remain as content within the section).


	

8.3 Missing Autocomplete Attributes on Input Fields

STATUS	CLOSED
WCAG 2.2 REFERENCE	1.3.5 Identify Input Purpose (Level AA)
DESCRIPTION	The Name, Email, and Phone fields on the homepage have no autocomplete attribute, so their purpose cannot be determined programmatically even where the visual label makes it obvious to a sighted user.
IMPACT ON USERS	• Users relying on browser/OS autofill (including many users with motor or cognitive disabilities) cannot have these fields completed automatically. • Assistive technology cannot present a purpose-specific input mode or confirm the field's intent programmatically.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Add the appropriate autocomplete token to each field (e.g. autocomplete="name", "email", "tel"). • Audit other forms sitewide (account opening, KYC) for the same gap.


8.4 Insufficient Colour Contrast (Text and UI Components)

STATUS	OPEN
WCAG 2.2 REFERENCE	1.4.3 Contrast (Minimum) (Level AA) / 1.4.11 Non-text Contrast (Level AA)
DESCRIPTION	Multiple text elements fail the 4.5:1 minimum contrast ratio: the hero heading and “Open an Account” button measure approximately 1.9:1, price-ticker badges 2.1:1, accessibility-toolbar buttons 3.98:1, and the footer “Need help?” text 2.86:1. Separately, the contact form's input borders measure rgb(229,229,229) on a white background — a 1.26:1 ratio, well under the 3:1 minimum required for user-interface component boundaries.
IMPACT ON USERS	• Users with low vision or colour-vision deficiencies may be unable to read the affected text at all. • Unmarked form-field boundaries make it hard for low-vision users to see where one input ends and the next begins. • Poor contrast reduces readability in bright ambient light and on lower-quality displays for all users.
AFFECTED URL	https://www.standardsec.com/index.html

RECOMMENDATIONS	• Darken or otherwise adjust the hero heading, “Open an Account” button, price-ticker badges, accessibility-toolbar buttons, and footer “Need help?” text to meet 4.5:1 (3:1 for large text). • Increase the contact-form input border colour to at least a 3:1 ratio against its background. • Re-verify every corrected element with a contrast checker (e.g. WebAIM Contrast Checker) after the fix.
POC	

8.5 Incomplete Verification of Text Resize to 200%

STATUS	OPEN
WCAG 2.2 REFERENCE	1.4.4 Resize Text (Level AA)
DESCRIPTION	The viewport does not block pinch-zoom (there is no user-scalable=no restriction), which is a positive sign, but a full pass confirming there is no content loss or overlap at 200% zoom was not completed in this round of testing.
IMPACT ON USERS	• Users who rely on browser zoom to read comfortably may still encounter overlapping or clipped content that has not yet been ruled out.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Complete a dedicated 200%-zoom pass on every page template and confirm no content or functionality is lost. • Pay particular attention to the header/navigation area, which is already known to have layout issues at other widths (see the navigation finding above).


POC	

8.6 Text Clipping Under WCAG Text-Spacing Overrides

STATUS	CLOSED
WCAG 2.2 REFERENCE	1.4.12 Text Spacing (Level AA)
DESCRIPTION	Applying the WCAG text-spacing test overrides (line-height 1.5, letter-spacing 0.12em, word-spacing 0.16em) causes the “Currency” and “Commodities” service headings to visually clip inside their fixed-height containers.
IMPACT ON USERS	• Users who apply custom text spacing for readability (a common low-vision accommodation) lose part of the affected headings.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Remove fixed heights from the affected service-heading containers, or allow them to grow with content. • Re-test with the WCAG text-spacing bookmarklet/override after the fix.


8.7 Non-Functional Hamburger Menu Breaks Navigation, Keyboard Access, and Hover Content

STATUS	OPEN
WCAG 2.2 REFERENCE	1.4.10 Reflow (Level AA) / 1.4.13 Content on Hover or Focus (Level AA) / 2.1.1 Keyboard (Level A) / 2.4.5 Multiple Ways (Level AA)
DESCRIPTION	At an 894px viewport width, the entire primary navigation collapses into a hamburger menu whose toggle does not work (a JavaScript bug), causing a total loss of navigation functionality. Because the primary navigation (About Us, Login, Quick Links, KYC, Complaints) sits behind this broken toggle, none of it is reachable by keyboard or mouse at the tested viewport. The dropdown/hover menus that live inside this same navigation could not be exercised at all as a result, and with the primary nav unusable, the footer links and directly-typed URLs become the only way to reach most pages — a fragile single point of failure.
IMPACT ON USERS	• This is the most severe finding in this review: it removes access to the site's primary navigation entirely for every keyboard user and for mouse users at this viewport, regardless of assistive technology. • Screen-reader and keyboard users cannot reach About Us, Login, KYC, or Complaints — pages that are likely required for regulatory/grievance access on a broking site.


	• The single remaining path (footer links / typed URLs) is not a reasonable substitute for primary navigation and is itself fragile.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Treat this as the highest-priority fix on the site: debug and repair the hamburger-menu toggle script so it opens/closes the menu correctly. • Re-test keyboard access, hover/focus dropdown behaviour, and reflow at 894px together once the toggle is fixed, since all three findings share this one root cause. • Add automated regression coverage (e.g. a keyboard-navigation smoke test) so this cannot silently break again.
POC	


8.8 Continuously Auto-Advancing Carousel With No Pause Control

STATUS	OPEN
WCAG 2.2 REFERENCE	2.2.2 Pause, Stop, Hide (Level A)
DESCRIPTION	The homepage hero carousel auto-advances continuously. The only controls are non-labelled slide-select dots — there is no visible pause/stop control.
IMPACT ON USERS	• Users who need more time to read each slide, including users with cognitive or reading disabilities, cannot stop the carousel from advancing. • Unlabelled dots give screen-reader users no indication of what each control does or which slide is active.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Add a visible, labelled pause/stop control to the carousel. • Label each slide-select dot (e.g. “Slide 2 of 4”) and expose the active slide via ARIA.

POC	

8.9 Permanently Hidden “Skip to Main Content” Link

STATUS	OPEN
WCAG 2.2 REFERENCE	2.4.1 Bypass Blocks (Level A)
DESCRIPTION	A “Skip to main content” link exists in the markup but is permanently CSS-clipped (clip: rect(0,0,0,0)) even when it receives keyboard focus, so it is never visible or usable.
IMPACT ON USERS	• Keyboard and screen-reader users have no way to bypass repeated header/navigation content on every page — exactly the situation this success criterion exists to prevent. • The presence of the link without a working focus style means the site likely intended to support this and regressed, rather than never having built it.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Remove the permanent clip and instead visually hide the link only until it receives focus (the standard “skip link” pattern), then show it clearly on focus. • Confirm with keyboard-only testing that the link becomes visible and functional on Tab.
POC	


	

8.10 Identical, Non-Descriptive Page Titles Sitewide

STATUS	CLOSED
WCAG 2.2 REFERENCE	2.4.2 Page Titled (Level A)
DESCRIPTION	Every page reviewed (home, contact, about, accessibility) shares the exact same page title, “Standard Securities & Investment Intermediates Ltd.”, with no page-specific topic.
IMPACT ON USERS	• Screen-reader users rely on the page title to confirm where they are, especially after following a link or switching browser tabs; an identical title gives no such confirmation anywhere on the site. • Identical titles make it harder for all users to distinguish open tabs/bookmarks.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Give each page a unique, descriptive <title>, e.g. “Contact Us | Standard Securities & Investment Intermediates Ltd.” • Audit the full site (not just the four pages sampled here) for the same pattern.

8.11 No Visible Focus Indicator on Custom Buttons

STATUS	OPEN
WCAG 2.2 REFERENCE	2.4.7 Focus Visible (Level AA)
DESCRIPTION	Custom buttons, including “Open Account”, compute outline: none with no replacement focus style, confirmed via computed styles on the focused element.
IMPACT ON USERS	• Keyboard-only users cannot see which control currently has focus, making the site very difficult to operate without a mouse.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Restore a visible focus indicator (outline or an equivalent custom style) on every interactive element that currently suppresses it. • Confirm the replacement style meets the 3:1 contrast requirement for non-text UI elements (1.4.11).


POC	

8.12 Accessible Name Does Not Contain the Visible Label Text

STATUS	OPEN
WCAG 2.2 REFERENCE	2.5.3 Label in Name (Level A)
DESCRIPTION	The header buttons “Open Account” (aria-label “Open a new trading account”) and “Fund Transfer” (aria-label “Transfer funds securely”) have accessible names that do not contain their visible text as a substring.
IMPACT ON USERS	• Speech-input users who say the visible label (e.g. “click Open Account”) may find their software cannot match it to the control's accessible name.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Rewrite each aria-label so it begins with or contains the visible button text verbatim (e.g. “Open Account – start a new trading account”). • Audit other custom-labelled controls sitewide for the same pattern.

8.13 Interactive Targets Below Minimum Size

STATUS	OPEN
WCAG 2.2 REFERENCE	2.5.8 Target Size (Minimum) (Level AA)
DESCRIPTION	27 interactive links measure under the 24×24 CSS pixel minimum, mostly footer links (approximately 15px tall) and the 1×1px skip link (see the separate Bypass Blocks finding above).
IMPACT ON USERS	• Users with limited dexterity or motor impairments, and touchscreen users generally, may struggle to accurately activate these controls. • Small targets increase the risk of accidentally activating an adjacent link.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Increase the tappable area of the 27 identified footer links to at least 24×24 CSS pixels, or provide equivalent spacing between them. • Fix the skip link's dimensions as part of repairing its visibility (see the Bypass Blocks finding).


POC	

8.14 Non-Functional Hindi Language Toggle


STATUS	CLOSED
WCAG 2.2 REFERENCE	3.1.2 Language of Parts (Level AA)
DESCRIPTION	The site offers an English/Hindi toggle, but clicking "हिं दी" does nothing — no translation occurs and the lang attribute does not change. Because the feature does not work, whether translated content would be correctly marked with the right lang attribute cannot be verified.
IMPACT ON USERS	• Hindi-preferring users are offered a feature that does not deliver any content in Hindi. • Screen readers cannot switch pronunciation/voice for translated content that never appears.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Fix the underlying toggle so it actually renders Hindi content, or remove the control until it is functional. • Once working, confirm the lang attribute updates correctly on the translated content.


8.15 No Input Validation and Error suggestion on Homepage and Contact Forms

STATUS	OPEN
WCAG 2.2 REFERENCE	3.3.1 Error Identification (Level A) / 3.3.3 Error Suggestion (Level AA)
DESCRIPTION	The homepage "Create Account" form has no required-field validation at all and submits empty via GET. The contact form's native required-field validation was not triggered by an actual submission in this review, to avoid tripping reCAPTCHA or sending an unwanted message to the business, so its error-suggestion behaviour is unverified for the same reason.
IMPACT ON USERS	• Users who submit the "Create Account" form with missing or invalid data get no feedback that anything went wrong, let alone what to fix. • Screen-reader users in particular depend on programmatic error identification; a silent failure is especially disorienting for them.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Add required-field and format validation to the "Create Account" form, with errors identified in text and associated with their field.

	• In a staging environment (to avoid triggering reCAPTCHA or a real submission on the live site), confirm the contact form identifies errors in text and offers correction suggestions where practical.
POC	

8.16 Duplicate Element IDs Sitewide

STATUS	OPEN
WCAG 2.2 REFERENCE	4.1.1 Parsing (Level A)
DESCRIPTION	Duplicate id attributes were found sitewide: lang-en and lang-hi each appear twice in the page.
IMPACT ON USERS	• Duplicate IDs can break label associations, ARIA references (aria-labelledby/aria-describedby), and in-page anchor links, with effects that vary by browser and assistive technology.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Ensure every id attribute is unique per page; rename the duplicated lang-en/lang-hi instances (for example, if both a desktop and mobile copy of the language toggle exist, give each a distinct id). • Run an HTML validator sitewide to catch any further duplicate IDs.
POC	

8.17 Broken ARIA States and Console JavaScript Errors

STATUS	OPEN
WCAG 2.2 REFERENCE	4.1.2 Name, Role, Value (Level A)
DESCRIPTION	The mobile-navigation toggle button has no aria-expanded state, the Google Map iframe has an empty title attribute, and the homepage JavaScript throws console exceptions (a null addEventListener target and a duplicate translations declaration).
IMPACT ON USERS	• Without aria-expanded, screen-reader users get no indication of whether the (already broken) mobile menu is open or closed. • An untitled iframe is announced to screen-reader users with no indication of what it contains. • The console errors are consistent with, and may directly explain, the broken hamburger toggle and non-functional language switch documented elsewhere in this report.
AFFECTED URL	https://www.standardsec.com/index.html
RECOMMENDATIONS	• Add aria-expanded (toggled true/false) to the mobile-navigation button. • Add a descriptive title attribute to the Google Map iframe (e.g. “Map showing our office location”). • Resolve the JavaScript console exceptions — the null addEventListener target and duplicate translations declaration are good starting points and may be the root cause of several other findings in this report.

9. Recommended Residual Verification

The items below were not exhaustively confirmed in this round of testing (see Section 3) and should be run before treating any associated result in Section 6 as final:

Category	Success Criteria	Recommended Verification Method
Text resize & reflow	1.4.4, 1.4.10	Full 200% zoom pass and a dedicated 320 CSS px check, on every page template
Form submission behaviour	3.3.1, 3.3.3, 4.1.3	Submit the Contact and Create Account forms with valid/invalid data in a staging environment and confirm error and status messaging
Session & timing	2.2.1	Check for session timeouts across any authenticated or long-lived areas outside this review's scope

Category	Success Criteria	Recommended Verification Method
Screen reader behaviour	1.4.13, 2.4.7, 3.1.2, 4.1.3	NVDA and/or JAWS (Windows), VoiceOver (macOS/iOS) — confirm hover/focus content, focus visibility, and language-switch announcements once the underlying bugs are fixed
Touch / pointer targets	2.5.8	On-screen measurement on an actual touchscreen device to confirm the 27 undersized targets identified

THE END OF THE DOCUMENT