Steamgears

Roadmap, dokumentation og tid til 100 %

Udarbejdet 2026-11-06 · alle tal beregnet fra projektstatus.json og roadmap-filerne i repoet.

Kilder: docs/roadmap.md · plugins/steamgears-autopilot/ROADMAP.md · docs/library/command-center/ (hentet fra humle93/command-center)

1. Status og tid til 100 %

Procenterne er beregnet som gennemført divideret med estimeret total. Rest-tiden er total minus gennemført, omregnet til kalenderdage med den takt der blev målt 2/11 2026 (site 9,5 dev-dage pr. dag, plugin 3,0, rebrand 8,5 timer pr. dag). Blokerede dele kan ikke tælles med, og de står i kolonnen Blokeret.

Projekt	Status	Rest	Til 100 % (takt)
steamgears.eu — site-optimering	53,47 %	11,05 af 23,75 d	1,16 dag
Steamgears Autopilot — plugin	34,09 %	16,05 af 24,35 d	5,35 dag
Dark academia-rebrand	62,96 %	5 af 13,5 t	0,59 dag
SEO-indholdsproduktion	57,14 %	3 af 7 guides	1 dag
Døde internlinks	100 %	0 af 39 links	—

Hvad der mangler, projekt for projekt

steamgears.eu — site-optimering — 53,47 %, rest 11,05 d

Næste: Publicér de fire guides + hub-copyen og S2.2 /shipping/ + /returns/ når WordPress-adgang er der; S1.1 Herbarium kræver varianter i Printify; S0.4 kræver én Redirection-gruppe (ejer); S0.9 kræver en browser-session med GA4 DebugView (to page_view i samme session)
Blokeret af: S1.1 Herbarium kræver varianter i Printify; S0.4 5 vanity-301 kræver én Redirection-gruppe (ejer)

- S0 — brudt/akut: 0,95 af 2,85 d tilbage
- S1 — butik og indhold: 2,45 af 4,6 d tilbage
- S2 — struktur og SEO: 2,7 af 7,5 d tilbage
- S3 — hygiejne: 1,1 af 3,55 d tilbage
- S4 — salgsklar butik: 3,85 af 5,25 d tilbage

Steamgears Autopilot — plugin — 34,09 %, rest 16,05 d

Næste: P3.1/P3.2-hygiejne; P0.6 er blokeret af Command Center
Blokeret af: 7.27.0 kan ikke installeres af agenten (OAuth-token tilbagekaldt, intet application password); P1.5 kræver Pinterest-token (401) og Meta-review; P0.6 kræver Command Center; P1.4 kræver P1.5

- P0 — reliability: 0,8 af 4 d tilbage
- P1 — paritet: 6,5 af 11,35 d tilbage
- P2 — kanaler: 7 af 7 d tilbage
- P3 — hygiejne: 1,75 af 2 d tilbage

Dark academia-rebrand — 62,96 %, rest 5 t

Næste: Batch 4 — mockups (~130 billeder)
Blokeret af: Printify-adgang

- Batch 4: mockups: 5 af 5 t tilbage

SEO-indholdsproduktion — 57,14 %, rest 3 guides

Næste: Publicér de fire guides — copy, FAQ og links er klar (292, 296, 295 + ny side /steampunk-corset-guide/)
Blokeret af: Publicering kræver WordPress-adgang. Filer der nu venter kun på det: docs/library/guides-2026-11-03.md (post 292, 296, 295) og docs/library/guides-2026-11-03-corset.md (ny side), plus fotos, HowTo/FAQPage-schema i Rank Math og selve publish. Copy er skrevet og verificeret i repoet (tools/guide_check.py).

- Publicerede guides (id 292, 296, 295): 3 af 3 guides tilbage

Døde internlinks — 100 %, rest 0 links

Næste: Vedligehold: tjek nye indlæg mod live-URL'er
Blokeret af: —

Samlet svar på »hvor lang tid til 100 %?«

Ren arbejdsmængde: 27,1 udviklerdage tilbage på tværs af site og plugin, plus 5 timer mockups i rebrand og 3 SEO-guides.

Med den målte takt er sitet færdigt i løbet af 1–2 dage og pluginnet i 6–7 dage, hvis P1 og P2 arbejdes uden stop — men P1/P2 er ikke påbegyndt, så de tal er planlægnings-tal, ikke målinger. Realistisk planlægningshorisont: site 2 dage, plugin 8–10 dage, rebrand 1 dag (når Printify-adgang er der), SEO-guides 1 dag. Blokeringerne hos host, Printify og Redirection kan ikke arbejdes væk herfra og skal trækkes ud af regnestykket.

Site — roadmap

Steamgears site — optimisation roadmap

Last audited: 2026-11-02 · production: WordPress 7.1.4, PHP 8.5.12, MySQL 8.4.11, WooCommerce 11.2.1, 33 active plugins · companion to plugins/steamgears-autopilot/ROADMAP.md, which is imported in §5.

This is the roadmap for steamgears.eu itself — structure, content, store and hygiene. The plugin has its own roadmap; this document tracks what the site needs, and §5 pulls every plugin item in with its site-side
dependency so there is one place to read the whole plan.

---

0. Short version

• The 25/10 hub structure is still missing. /start-here/, /build/, /inspiration/, /shipping/ and /returns/ all return 404 today, seven days after mangler-og-plan-25-10.md flagged them. This is the single biggest structural gap on the site.

• AI Engine is now the agent's only way into the site. Production runs 3.9.0, active, and it serves the MCP endpoint /wp-json/mcp/v1/http (OAuth approved 2/11 2026, 206 tools). The earlier note — "3.8.9,
inactive, MCP surface removed" — described 1/11 and is superseded (measured 2/11 2026 with wp_list_plugins and tools/list). The CVE history in docs/library/sikkerhed-ai-engine-2026-11-01.md still stands; deleting the plugin would remove agent access (see §2b).

• The plugin's CI matrix is behind production. The site runs PHP 8.5.12 and WP 7.1.4; CI lints 8.0–8.4 and tests WP 6.4 + latest. Imported item P3.3 is therefore not hygiene any more — it is the one change that verifies the code we actually ship to the runtime we actually run.

• The store is behind the content pipeline: 23 products in draft (including a complete 12-SKU Herbarium
line) and 8 draft posts against 39 published products. See docs/library/indholdsaudit-2026-11-01.md.

• The page cache should be re-measured. The homepage and /faq/ were serving mwai-popup-container and
ai-engine/themes/glass.css while AI Engine was reported inactive. AI Engine is active again, so that markup may now be legitimate: check a cache-busted request before purging (S0.8), or the purge hides a
real difference.

• Effort: S0 2.85 d · S1 4.6 d · S2 7.5 d · S3 3.55 d · S4 5.25 d = 23.75 developer-days, before external approvals — the same sum projektstatus.json computes. (The old 21.1 d line summed stale band headers; the
0.65 d that used to differ is S1's 0.1 d campaign pre-validation and S3's 0.55 d PDF export and commit guard,
both now visible in the tables. Roadmap and JSON must change in the same pass from here on.)

---

1. Method and what is verified

What · How
Runtime and stack · wp_get_site_status / wp_get_site_info / wp_get_plugins over the MCP connection, 2026-11-01
Content and store state · wp_count_posts, wp_get_posts, wp_get_pages, wc_get_products, wc_get_product — see the content audit
URL status · curl against production, one request per path, no auth, no cache busting
Page identity · wp_get_page for ids 35, 41, 42, 550, 713, 22 to confirm real slugs

Plugin CI · .github/workflows/plugin-ci.yml read in full

Not verified: no Lighthouse/Core Web Vitals run, no GA4 data, no order or revenue data. GSC gives aggregate
clicks and impressions for 25–31/10, but Crawl stats -> By response has not been read (S0.6), and the 24
published posts have not been crawled link by link. Statements below are limited to what the table above covers.

---

2. Stack snapshot (live)

Item · Value
WordPress · 7.1.4
PHP · 8.5.12 (memory 2048M, max execution 300 s, upload 1 GB)
MySQL · 8.4.11
Theme · Extendable 2.1.9
WooCommerce · 11.2.1 (39 published products)
Active plugins · 33 of 38 installed
Caching · W3 Total Cache 2.11.0 + advanced-cache.php + object-cache.php
SEO · Rank Math 1.0.280, Redirection 5.10.1
Mail · WP Mail SMTP 4.10.3 (relevant for imported P0.1)
Agent access · New MCP server at /wp-json/mcp/v1/http (AI Engine) since 2/11: 401 rest_forbidden without a credential, OAuth + PKCE published, dynamic client registration works. The connection waits for one owner click on the approval link — mcp-auth.md

2b. Deployment status (2026-11-02)

The repo ships two things to the site, and they are not always at the same version. The "live" column is read
from the site itself (wp_get_plugins), never inferred from this repo, so it can be re-measured in one call.

What · In this repo · Live on steamgears.eu · Gap
Steamgears Autopilot · 7.25.0 (plugins/steamgears-autopilot-v7.25.0.zip, byte-identical to source) · 7.22.0, active (measured 2/11 2026) · One version — 7.25.0 waits for the update; the plugin's own steamgears-autopilot/update ability can run it from MCP; nothing else is missing
MCP server · AI Engine 3.9.0 (site-side, not in this repo) · /wp-json/mcp/v1/http, OAuth approved 2/11 2026, 206 tools · Read access only — AI Engine's *Drafts Only* is on, so queue-post is refused

Measured 2/11 2026, after the owner approved the OAuth client: wp_list_plugins returns
{"Name": "Steamgears Autopilot", "Version": "7.22.0"} and steamgears-autopilot/status reports
version: 7.22.0 with latest_on_github: 7.22.0. The release that sat blocked on one click is therefore on the
site, and step 1 below passes. 7.25.0 is built, tested and zipped but not installed yet; it carries 7.24.0's campaign name (the setting plus a per-post field) and 7.25.0's angle/content_type/format on queue-post.
Until it is installed the site keeps emitting the old hardcoded campaign value, and a hand-written post can only
enter the queue as angle_a/post.

Measured 2/11 2026 with the new OAuth token: status reports version: 7.22.0, latest_on_github: 7.22.0 and a queue of 35 queued / 10 published, publish_mode: rss, Publer configured. POST
/wp-json/sgap/v1/queue with the same Bearer token answers 401 (Sorry, you are not allowed to do that):
the token authenticates AI Engine's MCP surface, not the plugin's own REST namespace. The plugin's 31 abilities
are exposed over MCP, but AI Engine's *Drafts Only* mode refuses every write ability: both
steamgears-autopilot_update and a deliberately invalid queue-post answer *"This site lets assistants work on

drafts only, so this was not done"*. Read-only abilities (status, check-post, list-queue, list-plugins) answer normally. So the write path that tools/load_campaign.py --post now uses is correct but cannot be used
until the owner switches *Drafts Only* off — and the plugin cannot be updated from here either, for the same
reason, so 7.25.0 still needs the owner's *Plugins -> Update* click.

The quality gate is live but could only be half-proven here. status reports quality_gate: {mode: block, banned_words: 0}, and check-post refuses a post that links to a placeholder (placeholder_link, severity block, ok: false) — the block path works. What could not be exercised is the *write* half: queue-post never
reaches the gate, because AI Engine answers *"This site lets assistants work on drafts only, so this was not
done"*. Two owner-side settings therefore stand between the gate and its real test:

- AI Engine -> MCP -> Drafts Only is on. With it on, the agent can read the site and nothing else, so queue-post, generate and publish are refused by AI Engine before the plugin sees them. Re-measured 2/11 2026 after the owner reported switching it off: still refused, and wp_get_option {"key":"mwai_options","raw":true} shows mcp_drafts_only: true in the database itself (object cache bypassed), with mcp_role: admin, mcp_approvals: off and mcp_dynamic_rest: true. So the token is strong
enough and nothing else is in the way — the switch simply is not saved yet. Recipe in mcp-auth.md.

Re-measured 3/11 2026: mcp_drafts_only is still true in mwai_options, and steamgears-autopilot_update still answers *"This site lets assistants work on drafts only, so this was not done. It would change the live site; ask the owner to do it."* Nothing is different from 2/11 — the switch has
not been saved, so 7.25.0 stays one version behind and the campaign fields it carries stay unused. The gate was
then read in AI Engine 3.9.0's own source: it refuses every tool outside its 10 draft-safe and 21 post tools,
including wp_update_option, so no agent-side route can lift it — and an unsaved toggle looks saved until
the page is reloaded. Recipe and verification in library/mcp-drafts-only-gaten-2026-11-03.md. The 7.25.0 zip is
reachable at the URL the plugin's updater uses (HTTP 200, 161 KB), and status already reports latest_on_github: 7.25.0, so the owner's *Plugins -> Update* click is enough.

- Settings -> General -> Banned words is empty (banned_words: 0), so the headline check of 7.22 cannot fire
on anything until the owner adds at least one word. The other three checks (dead links, missing alt text, duplicate captions) work without it.

Why the gap exists: a plugin folder can only be replaced by WordPress itself. The MCP surface reads plugins
but cannot install or activate them, so the last step of every release belongs to the owner — *Plugins -> Update*
or *Dashboard -> Updates*, which the plugin's own self-updater feeds from the zip on main. Nothing has to be
uploaded anywhere for 7.22.0; the update is already offered.

Verifying a release after the click — in this order, because each step can hide the one before it:

1. wp_get_plugins -> the steamgears-autopilot row reports the new version and active: true. This site's
AI Engine does expose the plugin list (wp_list_plugins), measured 2/11 2026 — the Pro-only tool set is not
what is installed here, so a missing tool means something else.

2. A feature *from the release* answers from the site, not just "no error": for 7.22 a post that fails a block check must be refused with the reason named. check-post proves the decision without writing; a queue-post refusal additionally proves the gate sits in the queue's own path, but needs *Drafts Only* off.

3. steamgears-autopilot/status -> quality_gate.mode reports block (the default).

A release that fails step 1 is a failed upload, not a failed build: the zip is compared with diff -r locally and in CI, so the difference is always on the WordPress side. The procedure itself, with the build commands,
is in plugins/steamgears-autopilot/README.md §Updates.

---

3. Findings

3.1 URL status (2026-11-01)

Path · Status · Note
/, /shop/, /faq/, /steampunk-costumes/, /steampunk-halloween/ · 200 · Core funnel intact
/start-here/, /build/, /inspiration/ · 404 · Planned hubs, never built (hub pages 1183/1185 were built 1/11; this row is the 1/11 measurement)
/shipping/, /returns/ · 200 (målt 6/11) · Rigtige sider med titel, H1 og canonical, med i page-sitemap.xml; var 404 1.–3/11. Forsiden linker dem ikke — se §9 P1
/sitemap_index.xml, /robots.txt · 200 · —
/about/, /journal/ · 200 · Real slugs; /workshop-journal/ is 404
/the-clockwork-herbarium-short-story/ · 200 · Published story whose products are drafts

3.2 Homepage

Title: "Steampunk Costumes & Gear: Goggles, Corsets, Posters | Steamgears". H1: "Steampunk Gear & Costumes –
Shop the Looks" (page 42 is the front page). The H1 and title agree with each other but neither carries the
"Build Your Own Steampunk Story" framing from the workshop plan — that mismatch is now a deliberate choice to
make, not a bug.

3.3 Plugins worth attention

- AI Engine 3.9.0, active — it *is* the MCP server: /wp-json/mcp/v1/http answers 401 with WWW-Authenticate: Bearer realm="MCP" until OAuth (working since 2/11 2026), and /wp-json/mwai/v1/*
answers 401 rest_forbidden, not 404. The chatbot is off. changelog.txt still reports an old number, so it is not a reliable way to read the installed version — use wp_list_plugins.
- Two Health Check entries active ("Health Check & Troubleshooting" 1.7.1 and "Health Check Troubleshooting Mode" 1.9.2) — one is redundant.
- Coming Soon / Maintenance 6.20.10 active — confirm it never serves a holding page to crawlers.
- TikTok 1.4.3 + Smash Balloon TikTok Feed 1.9.0 — overlapping scope.
- WP Pusher 3.0.20 active — a deploy path outside the GitHub-Actions + zip flow this repo documents.
- robots.txt contains two User-agent: * groups; source not confirmed (host mu-plugin managed-wordpress-robots.php vs Rank Math vs W3TC).

3.4 Store and content state

From docs/library/indholdsaudit-2026-11-01.md: 24 published posts / 8 drafts, 21 published pages, 39 published products / 23 drafts / 43 trashed, 245 media files. All published products are instock. Draft post 750 duplicates live post 699 and has waited since 25/10.

---

4. Roadmap

Owner-facing PDF of this section, with the manual click list, time-to-100 % estimates and every roadmap in one document: reports/roadmap-og-dokumentation-2026-11-03.pdf. Generated by tools/roadmap_pdf.py — the older five-page docs/pdf/manual-roadmap-2026-11-02.pdf was a duplicate of it and is removed.

Effort is developer-days for one person who knows this site. Nothing here requires a code release except
S0.3, which is a repo change.

S0 — broken or urgent (2.85 d)

· Item · Why · Effort
S0.1 · ✅ Done 1/11 — AI Engine case closed in sikkerhed-ai-engine-2026-11-01.md (new §0) and in README.md; confirmed 3.8.9 at the time — superseded 2/11 2026: 3.9.0, active, serving MCP over OAuth · A security doc that describes an old state trains people to ignore it · 0.25 d
S0.2 · Resolve the two User-agent: * groups in robots.txt and record which plugin owns the file · Conflicting robots directives can silently deindex paths · 0.5 d
S0.3 · ✅ Done 1/11 — CI matrix now lints PHP 8.0–8.5 and tests WP 6.4 / 7.1 / latest (imported P3.3) · Production runs 8.5.12 / 7.1.4, CI stopped at 8.4 · 0.25 d
S0.4 · Stop the 404 bleed: 301 map for /start-here/, /build/, /inspiration/, /shipping/, /returns/ to the closest live page until S2.1 lands them. Blocked 1/11 — targets chosen (/steampunk-cosplay-for-beginners/, /how-to-make-a-steampunk-costume/, /steampunk-cosplay-gallery/, /delivery/, /refund_returns/), but Redirection has no groups (wp_redirection_groups is empty -> Red_Item::create fails with "Invalid group") and the MCP surface cannot create one. Unblock: create one group in Tools -> Redirection (group dropdown -> "Add Group"), or add the five rows by hand. Note: merely opening the screen does *not* help — Redirection 5.10.1 is active but its installer only seeds groups on activation/upgrade, so wp_redirection_groups stayed empty and group_id 1/2 are rejected too. Once a group exists the five redirects take one call · Any nav, pin or ad pointing there loses the visitor entirely · 0.5 d
S0.5 · Remove Health Check and its own drop-in (health-check-troubleshooting-mode.php). Corrected 2/11: the second entry is not a redundant second plugin — it is the drop-in Health Check installs itself. Deleting the plugin removes both · A troubleshooting tool left active on a live shop is failure surface with no benefit · 0.25 d
S0.6 · ✅ Omskrevet 2/11 — præmissen var forkert. 455 «Security Incident Detected» er Simplys spoof-værn, ikke en Google-blokering: samme URL svarer 200 til neutral curl-UA og 455 til Googlebot-/bingbot-UA fra denne maskines datacenter-IP, mens Google beviseligt indekserer sitet (site: 2/11 viser forside, guides med dato 16/10 og de kommercielle sider) og GSC viser sitemap hentet 31/10 (25–31/10: 3 klik, ~110 visninger). Simply hvidlister allerede Googlebot, bingbot, OpenAI og Anthropic på IP, og en ny tjeneste kræver en offentlig IP-liste, som denne container ikke har — »bed Simply hvidliste søgemaskine-bots« var derfor aldrig rettelsen, og at fjerne WAF'en ville være en sikkerhedsregression. Tilbage: læs GSC -> Crawl stats -> By response for de sidste 7 dage og bekræft at Googlebot har 0 × 455/5xx; kun hvis det ikke holder, åbnes en sag hos Simply med webserver-loggen fra Control Panel (waf-diagnose §6) · Indekseringen er forudsætningen for hvert andet SEO-punkt; det eneste der stadig ikke er målt, er Googles eget svar pr. crawl · 0.25 d
S0.7 · ✅ Done 2/11 — all 121 sitemap URLs crawled (post 31, page 24, product 40, product_cat 20, category 5), 121 × 200, no 404 or redirect in the sitemap · Cheap sanity check on the entry point crawlers use · 0.5 d
S0.8 · ✅ Done 1/11 — W3TC purged ({"purged": true, "scope": "all"}); homepage and /faq/ verified free of mwai-/ai-engine/ markup, both still 200 · Cached HTML referenced a plugin that is not running · 0.1 d
S0.9 · Analytics: afklar de to tag-id'er, før noget fjernes — the homepage loads G-3MYLFKY8MY and GT-PL9L67B4; measure two page_view events in one session (GA4 DebugView) and remove only the redundant one. Added 6/11, not done · Two containers can double-count every session, but a guess breaks the only measurement the store has (see library/site-maalinger-2026-11-06.md) · 0.25 d
S0 total · 2.85 d

S1 — store and content that earns (4.6 d)

· Item · Why · Effort
S1.1 · Launch the Herbarium line: publish the 12 SKUs (953–956, 965–968, 969–972) and link them from story 973 · The story is live and sells nothing; the merch is finished and invisible · 0.5 d
S1.2 · Decide and execute on Atelier jewellery (940–942) and DIY/digital (765–767) · Six finished products with SKUs and prices, all drafts · 0.5 d
S1.3 · ✅ Done 1/11 — 897/898/789/988/989 published, 750 merged into 699 (five-piece rule + reading note) and 938 merged into 974 (materials, dieselpunk conversion, trenchpunk hybrid); both merged drafts trashed · 8 drafts carrying

duplicate intent against live posts · 1.0 d
S1.4 · Empty the product trash (43) and page trash (3) after a link check · Trash inflates admin, sitemaps and any naive count · 0.5 d
S1.5 · Product-link coverage: every published guide links at least one product, through the /go// tracking path · Traffic without a path to the shop is the leak this site can least afford · 1.0 d
S1.6 · Two lead-magnet pages (801, 764) get a real capture path and a thank-you state · They exist but the funnel behind them is unverified · 1.0 d
S1.7 · Done 2/11 — the 12 campaign posts pre-validated against the live quality gate (check-post): 12 clean, 0 warnings · A warning found before queueing costs nothing; the same warning after queueing costs a publish slot · 0.1 d
S1 total · 4.6 d

S2 — structure and SEO (7.5 d)

· Item · Why · Effort
S2.1 · Build the hubs for real: /start-here/ + 5 children, /build/ + 6 children, /inspiration/ — partial 2/11: both hubs (1183, 1185) and five children (/start-here/glossary/, /characters/, /occasions/, /build/tools-and-materials/, /build/weathering/) are live with 0 bad links. The other six children would duplicate existing posts, so they are deliberately not built; /inspiration/ is covered by the gallery and should 301 instead. 1,6 of 3,0 d · The plan's spine; 404 today · 3.0 d
S2.2 · /shipping/ and /returns/ pages (or 301 to the existing policy pages) · Commercial trust pages, currently absent · 0.5 d
S2.3 · Navigation restructure: Start Here · Build · Shop · Inspiration · Info · Nothing can link to hubs that do not exist · 0.5 d
S2.4 · Homepage H1/title decision (shop framing vs workshop framing) and apply consistently · The two currently disagree with the plan, agree with each other · 0.25 d
S2.5 · Rank Math meta pass over the 24 published posts: title length, description, focus keyword, OG image · 24 posts, no evidence of a per-post pass · 1.0 d
S2.6 · Internal linking: stories and guides -> relevant products and hubs · Fixes orphan-ish pages without new content · 0.75 d
S2.7 · HTML- and script budget per template — homepage 215,638 B HTML, 33 tags, 28 inline blocks; budget: HTML < 100 KB, < 20 scripts, no inline block over 4 KB. Added 6/11, not done · Every measured page is 200–216 KB before a single image; warm response is 2.4–2.6 s · 1.0 d
S2.8 · Contextual hub links on the remaining posts — 2/11, 20 of 30 published posts had no contextual link to /start-here/ or /build/; the 3/11 plan covered 7 older guides. The rest is planned and verified with tools/link_plan_check.py. Added 6/11, not done · Orphan-ish posts pass no authority to the hubs and receive none back · 0.5 d
S2 total · 7.5 d

S3 — hygiene (3.55 d)

· Item · Why · Effort
S3.1 · Delete the 3 private design pages (692, 870, 871) once the theme direction is locked · Staging leftovers with public URLs · 0.25 d
S3.2 · Remove draft page 72 (duplicate Privacy Policy) · Duplicate legal page, one accidental publish from a mess · 0.1 d
S3.3 · Media pass: 245 files, Imagify/webp coverage, alt text on the images the guides use · Weight and accessibility in one sweep · 0.75 d
S3.4 · Plugin rationalisation: 33 active -> remove the duplicate Health Check, decide TikTok vs Smash Balloon, review WP Pusher against the documented deploy flow. Audited 2/11 in library/plugin-audit-2026-11-02.md: 36 plugins + 4 drop-ins, 33 active, 5 behind on WordPress.org (not 16 — that number came from premium channels and cannot be reproduced), 5 overlap pairs (HTTPS ×2, snippets ×2, TikTok ×2, Google tags ×2, Health Check + its own drop-in), 3 inactive plugins to decide on. Biggest find: Royal Links (installed, inactive) is link cloaking and can deliver the /go// path that S1.5 needs — the blocked Redirection group may not be needed at all. Click list is 1,75 h total, not 1,0 d. 0,35 d done — removals still need the owner · Every plugin is update surface and failure surface · 1.0 d
S3.5 · Weekly maintenance log entries continue in docs/library/vedligehold-ugentlig-log.md with the numbers from this roadmap's checks · The log only helps if it is fed · 0.5 d
S3 total · 3.55 d (3.0 d i tabellen + 0.55 d PDF-eksport af biblioteket og commit-besked-værnet, dokumenteret i projektstatus.json)

S4 — butik og salgsklar (5.25 d)

Full evidence in library/butiksaudit-2026-11-01.md. This band is what stands between "a store that exists" and "a store that can take money from strangers": both orders ever placed were a zero-value

completed order and one refund. S4.1–S4.5 are blocking before any ad spend.

· Item · Why · Effort
S4.1 · Complianz to EU opt-in — currently regions: [us], consent_types: [optout], so a US opt-out banner sits in front of EU customers and non-essential cookies can fire first; only US legal docs are generated · 2026 Danish enforcement priority; wrong consent model = unusable consent · 0.25 d
S4.2 · Legal identity — CVR, registered name, address and phone do not appear anywhere; Complianz imprint is mode: none; contact is a gmail address · Forbrugerombudsmanden requires them one click from the front page · 0.25 d
S4.3 · Currency and price model — store runs in USD; switch to EUR or DKK *and* recalculate all 39 prices (changing the currency code alone would turn $21.90 into 21.90 kr) · EU shoppers cannot price-compare a dollar store; VAT display becomes meaningless · 0.5 d
S4.4 · Withdrawal function — page with procedure + EU model form shipped 1/11 as /right-of-withdrawal/; the one-click digital function from 19/6 2026 still needs a form plugin (WPForms Lite cannot create forms via MCP) · Statutory since 19 June 2026; without it the 14-day clock may not start · 0.45 d (0.15 d done)
S4.5 · Payment methods — Stripe only; add MobilePay, PayPal, optionally Klarna · Payment apps overtook cards in Danish e-commerce in 2024 and shoppers abandon stores that lack them · 0.4 d + acquirer wait
S4.6 · Shipping — verify Printify live rates in a real cart, exclude cart/checkout from W3TC, set DK/EU/UK/RoW zones and tee/hoodie/poster/mug classes, free-shipping threshold above blended AOV · Mixed carts bill two first-item rates; cached checkout silently loses rates · 0.4 d
S4.7 · Product images — all 39 products have fewer than 3 images (max 2) · Printify mockups alone underperform; 5–8 images is the POD norm · 1.0 d (top 10 first)
S4.8 · Size charts on every apparel product, in cm and inches, plus the flat-measurement tip · Wrong size is the single biggest apparel-return driver, and POD production is non-refundable · 0.5 d
S4.9 · Product copy — fit note, production time, delivery window and the GPSR responsible-operator block on each listing · GPSR has required this since 13/12 2024; none of it is present · 0.5 d
S4.10 · Reviews — 0 reviews site-wide and no collection tool; pick a platform, automate the request, show how reviews are verified · Cheapest trust available to an unknown store, and the Omnibus rules are enforced · 0.4 d
S4.11 · /shop/ performance — measured 5.8 s / 470 KB against 2.1 s on the homepage · 17% of Baymard abandonments are slow or failing pages; shop is the expensive page · 0.4 d
S4.12 · Order confirmation email carries the withdrawal information itself, not just a link (durable-medium requirement) · A link on the website does not satisfy the duty · 0.2 d
S4.13 · Merchant schema — shippingDetails + MerchantReturnPolicy in the product JSON-LD; the answers now exist on /shipping/ and /returns/, and the code sits in library/produkt-schema-fix-2026-11-02.md. Added 6/11, not done · Merchant listings show shipping and returns from structured data, not from page copy · 0.25 d
S4 total · 5.25 d

---

5. Imported from plugins/steamgears-autopilot/ROADMAP.md

The plugin roadmap is the authority for plugin work; this table is the site-side view of it, so a reader of this document knows what is blocked, by what, and who fixes it. Effort stays as estimated there.

Plugin item · Effort · Site-side dependency · Status on the site
P0.1 Failure alerting · 0.5 d · None — WP Mail SMTP 4.10.3 is installed and active · Unblocked
P0.2 "Running dry" alert · 0.5 d · None · Unblocked
P0.3 Retry with backoff · 1.0 d · None · Unblocked
P0.4 Cron honesty · 0.5 d · W3TC + advanced-cache.php are active, so WP-Cron is at real risk of firing late; needs the host's cron or Action Scheduler · Raise priority
P0.5 Publish audit log · 1.0 d · None · Unblocked
P0.6 Cross-system duplicate guard · 0.5 d · Command Center side · Blocked on CC
P1.1 Pre-flight channel validation · 1.0 d · None · Done 2/11 in 7.20.0 — includes/preflight.php refuses an invalid post before the first Publer call (Instagram JPEG/size/aspect, Pinterest board, caption and hashtag ceilings) and repairs what is mechanical
P1.3 Blackout calendar · 0.5 d · None · Done 2/11 in 7.21.0 — includes/blackout.php holder poster ude i angivne datointervaller og flytter dem til næste frie dag samme klokkeslæt
P1.4 Evergreen recycling · 2.5 d · P0.6 · Blocked on P0.6
P1.5 Platform analytics ingestion · 4.0 d · Pinterest API token still 401 (see mangler-og-plan-25-10.md) + Meta App Review · Blocked externally
P2.1–P2.3 Bluesky / Mastodon / Telegram · 2.0 d · Telegram needs a BotFather token; WP Mail SMTP already covers P0.1 · Needs tokens

P2.4 Etsy import or hide the settings · 2.5 d / 0.25 d · Owner decision (§6.2) · Awaiting decision
P3.3 PHP 8.5 + WP 7.1 in CI · 0.25 d · None — and production already runs both · Done as S0.3 in this change
P1.6 Quality gate before queueing · 1.0 d · None · Done 2/11 in 7.22.0 — live (§2b) — includes/quality.php stopper bandeord, døde links, manglende alt-tekst og næsten-dubletter, før posten når køen
P1.7 Whole-site SEO/GEO/AEO audit · 1.0 d · None · Done 2/11 in 7.19.0 — includes/site-seo.php scans every published URL in one pass and fixes the weakest meta
P1.8 utm_campaign som parameter · 0.25 d · None · Done 2/11 in 7.24.0 — venter på Update-klikket (§2b) — kampagnenavnet er en indstilling (utm_campaign) plus et felt pr. post i /queue og queue-post, så en navngivet kampagne kan måles i GA4 ved siden af evergreen-strømmen

Net effect of importing: the plugin's P0 block (4.0 d) is not blocked by anything on the site, except P0.4, which this audit shows is *more* urgent than the plugin document assumed because page caching is
confirmed active. P1.5 remains the one genuinely external blocker.

---

6. Decisions needed from the owner

1. Hubs — build /start-here/, /build/, /inspiration/ as planned (S2.1, 4.0 d), or formally drop them and rewrite navigation around the existing pages (0.5 d)? Everything in S2 depends on this.
2. Etsy — build the OAuth import or hide the five settings (plugin P2.4).
3. Herbarium launch — publish the 12 drafts and link from story 973, or hold the line until a campaign date.
4. Draft 750 — merge into live 699, or rewrite as a distinct angle.
5. Homepage framing — keep "Steampunk Gear & Costumes – Shop the Looks" or move to the workshop-plan H1.
6. Cron — accept the Action Scheduler migration (2.0 d, plugin optional item) or configure host cron for
wp-cron.php (0.25 d on Simply).

---

7. Ordering

S0.1 S0.3 S0.5 (independent, no risk) ⟶ same day
S0.2 (config, needs a decision on robots ownership)
S0.6 S0.7 ⟶ GSC-læsning og genmåling, ingen ændring på sitet
S0.4 ⟶ immediately, buys time until S2.1
S1.1 S1.2 ⟶ after decision 3; revenue first
S1.3 S1.4 ⟶ after decision 4
S2.1 S2.2 S2.3 ⟶ after decision 1
plugin P0.1–P0.3, P0.5 ⟶ parallel, different repo, nothing blocks them

---

8. Change log for this document

Date · Change
2026-11-06 (indarbejdet) · §9 P2–P5 indarbejdet som bevidst scope_change. Nye punkter: S2.7 HTML-/scriptbudget 1,0 d, S2.8 hub-links på de resterende indlæg 0,5 d, S4.13 merchant-schema 0,25 d og S0.9 analytics-afklaring 0,25 d; P1 bliver liggende i S2.2. Nævneren går 21,75 -> 23,75 d (S0 2,85 · S1 4,6 · S2 7,5 · S3 3,55 · S4 5,25), done står stille på 12,7 d, så site går 58,4 % -> 53,5 % med årsagen i historik-rækken. Alle fem bånd-overskrifter og -totaler er rettet, S1's 0,1 d kampagneprevalidering har fået række S1.7, og S3's 0,55 d er navngivet i totalen, så roadmap og JSON summerer ens.
2026-11-06 (forslag efter måling) · Fem forslag i §9, ingen procent flyttet. Målt 6/11: /shipping/ og /returns/ svarer nu 200 med rigtig titel/H1/canonical (404 1.–3/11) og står i sitemappen, men linkes ikke fra forsiden; forsiden er 215.638 B HTML med 33 scripts og 28 inline style-blokke, og varme responstider er 2,4–2,6 s. Forslag: S2.2-footerlinks (P1), HTML-/scriptbudget S2.7 (P2), hub-links på resterende indlæg S2.8 (P3), merchant-schema S4.13 (P4) og analytics-afklaring S0.9 (P5) — 2,0 nye dage, der først må ind som scope_change. Målingerne står i

library/site-maalinger-2026-11-06.md.
2026-11-03 (natlig niche-scanning) · Tre-dages-gaten passer nu sig selv. .github/workflows/niche-scan.yml scanner kl. 02:30 dansk tid (en halv time efter den natlige push) de 11 søgeord fra tools/niche_seeds.txt mod Pinterest Trends, skriver reports/niche-scan-.md/.json og committer måledagen i reports/niche-scan-history.json med tre genforsøg ved afvist push. For at gaten ikke skulle kunne snyde sig selv, blev to fejl rettet i tools/niche_scanner.py: en kørsel uden data skrev dagens rapport og overskrev dermed den sidste gode, og historikken blev skrevet med alle seeds via ... or terms, så tre forgæves nætter ville have givet «Anbefalet» uden en måling. Nu er exit-koden 2, intet skrives, og kun målte søgeord får en dato. Mangler PINTEREST_ACCESS_TOKEN, springes scanningen over med en ::notice — er den udløbet (401), fejler jobbet rødt. Dertil: docs/library/niche-scan-ci-2026-11-03.md + PDF, 40 tests (var 38), og AGENTS §4's automatiseringsliste er opdateret. Ingen procenter flyttet: værktøj uden estimatlinje i de fem projekter.
2026-11-03 (niche-scanneren færdig) · De tre §7-krav fra library/niche-scan-procedure-2026-11-02.md er nu kodet i tools/niche_scanner.py: momentum læses fra Pinterests eget pct_growth_mom i stedet for at blive udregnet af den min-max-normaliserede serie; rapporten viser Lavsæson (gennemsnit af nederste kvartil) og Top (måned); nuller tælles som censur, holdes ude af gennemsnittene, og en serie der kun består af nuller rangeres ikke. Dertil en tre-dages-gate: reports/niche-scan-history.json husker hvilke dage et søgeord er målt, og Status skriver først «Anbefalet» ved 3 måledage. TikTok-eksporten har ingen serie og bliver derfor hverken kaldt censureret eller tildelt en lavsæson — det skel var den første version af koden selv ude om at sløjfe. 38 tests, alle offline. Undervejs blev tools/md_to_pdf.py rettet: en tabelkolonne med et enkelt-tegns-hoved (#) kunne blive smallere end et tegn og kaste FPDFException. Ingen procenter flyttet: værktøjet har ingen estimatlinje i de fem projekter.
2026-11-02 (round 18 — alle værn) · Alle repoets værn er samlet i tools/natlige-vaern.sh: php -l på alle plugin-filer, projektstatus.py --selftest, projektstatus.py --check, load_campaign.py --selftest, plugins/tests/smoke.php (229 checks), test_mcp_rest.py, test_mcp_oauth.py og test_niche_scanner.py — otte værn, der alle kører offline. Dommen falder på exit-koden, ikke på teksten, fordi projektstatus' selftest med vilje skriver en [FEJL]-linje fra et negativt fixture og afslutter 0. Fejler noget, skrives en tabel plus de fejlende linjer til job-summaryen, hvert fejlende værn får sin egen ::error-annotation, og scriptet afslutter 1. Den natlige kørsel kalder nu bare scriptet, så listen står ét sted og kan køres lokalt før et push. Begge veje er afprøvet: 8/8 grønne -> exit 0, og en konstrueret Parse error i en midlertidig fil -> exit 1, annotation og Parse error-linjen i summaryen. Ingen procenter flyttet: fortsat repo-infrastruktur uden estimatlinje.
2026-11-02 (round 17 — natlig smoke) · Den natlige kørsel kører nu også plugin-smoke: PHP 8.5 via shivammathur/setup-php, derefter php plugins/tests/smoke.php — samme 229 checks som CI's lint+smoke-job. En rød test giver ::error-annotation, skriver de fejlende FAIL-linjer i job-summaryen og fejler jobbet. Testen ligger efter commit/push med vilje: den natlige push skal ikke holdes tilbage af en testfejl, men en rød test skal kunne ses i Actions og i mailen. Både den grønne og den røde vej er afprøvet lokalt (229/0 -> exit 0; en konstrueret FAIL -> annotation + exit 1). Ingen procenter flyttet: stadig repo-infrastruktur uden estimatlinje.
2026-11-02 (round 16 — natlig push) · Ny regel: alt arbejde skal ende på main, og senest af en natlig kørsel kl. 02 dansk tid. .github/workflows/natlig-push.yml kører værnene (--selftest, --check), opdaterer daglig status + brief, committer alt i træet (git add -A) og pusher til main med tre genforsøg og pull --rebase --autostash ved afvist push. Fordi GitHub cron er UTC og dansk tid skifter mellem UTC+1 og UTC+2, ligger kørslen på begge de timer der kan være kl. 02 lokalt og springer selv over hvis den lokale time ikke er 2 — ingen sommertids-rettelse nødvendig. Grænsen står i AGENTS.md §4: kørslen kan kun pushe det der ligger i repoet, så ucommittet arbejde i en sandkasse ser den ikke; push i samme tur er stadig reglen, nattens kørsel er sikkerhedsnettet. Ingen procenter flyttet: reglen er repo-infrastruktur og har ingen estimatlinje i de fem projekter.
2026-11-03 (round 23 — link-plan, S2.6 lukket) · Link-planen for de ældre publicerede guides (library/guide-links-aeldre-2026-11-03.md, PDF reports/guide-links-aeldre-2026-11-03.pdf): tolv /go//-links på syv guides, med den samme struktur som de fire nye (link ved første omtale, ét pr. produkt, hub i bunden, ingen produktboks på /build/*). Nye tools/link_plan_check.py kontrollerer hver række mod ID-mappingen og pristabellen og har 8 selftest-fixtures; den er værn nr. 12 og 13 i den natlige kørsel (plan + selftest). Seks ID'er fra 2/11-planen (766, 767, 940, 941, 942, 968) står ikke i mappingen og er derfor navngivet som blokerede i stedet for gættet — det rammer /build/weathering/ og /steampunk-gift-guide-2026/ helt. S2.6: 0,7 -> 0,75 af 0,75 d = 100 % (planen er den del der kan verificeres i repoet; indsættelsen kræver adgang og er noteret som blokeret). S2: 4,75 -> 4,8 af 6 d. Site-projektet 56,8 % -> 57,0 % (12,4 af 21,75 d)
2026-11-03 (round 22 — hub-copy) · Hub-copy til /steampunk-costumes/ (side 550) (library/hub-steampunk-costumes-2026-11-03.md, PDF reports/hub-steampunk-costumes-2026-11-03.pdf): titel 56 tegn, meta 151, H1, 955 ord, quick answer, fem sektioner, tre figurer med udregnede totaler (99,85 · 126,80 · 149,80 · 151,80), otte FAQ og 15 /go/-links. Siden routes til de fire guides i stedet for at gentage deres budgettabeller — hubben står i GSC som *Discovered — currently not indexed* siden 1/11, og det er copyen, ikke linkmængden, der var problemet. Verificeret med samme værn som guidene (titel/meta/H1/ordtal, ID-mapping, pristabel, produktnavne) plus guide-klyngens fire links. Modul S2: 4,65 -> 4,75 af 6 d (S2.6 0,6 -> 0,7 af 0,75), fordi hub-siden er hub-delen af den samme linkstruktur. Site-projektet 56,3 % -> 56,8 % (12,35 af 21,75 d)
2026-11-03 (round 21 — guide-klynge, S2.6) · De fire guides er nu én linket klynge (library/guide-hub-2026-11-03.md, PDF reports/guide-hub-2026-11-03.pdf): hver guide har en “Read next — the four-guide cluster”-sektion med de tre

søsterguides og hubben /steampunk-costumes/, så ingen af dem er en død ende, og guides-2026-11-03.md/-corset.md er re-renderet (ordtal 884–1.271). tools/guide_check.py håndhæver det nu med tre nye værn — hub-link, fuld klynge (alle Slug-felter er sandheden, også på tværs af filer) og produktnavn på hvert /go// (linktekstens ord skal gå igen i ID-mappingens titel, så et kopieret link med gammelt id afvises). Selftest 7 -> 11 fixtures, alle grønne; 4/4 guides grønne. Værnet fandt straks to korte linktekster (475 “goggles”, 567 “tee”) og tvang reglen “kort navn skal gå igen i titlen” i stedet for “mindst to fælles ord” — ellers havde det afvist korrekt copy. Modul S2: 4,45 -> 4,65 af 6 d (S2.6 0,4 -> 0,6 af 0,75), fordi de sidste 0,15 d er de samme links på de ældre publicerede guides. Site-projektet 55,4 % -> 56,3 % (12,25 af 21,75 d)
2026-11-03 (round 20 — corset-guide) · Corset-guiden skrevet (library/guides-2026-11-03-corset.md, PDF reports/guides-2026-11-03-corset.pdf, 4 sider): "Steampunk Corset: How to Choose, Style and Wear One", 1.167 ord, titel 51 tegn, meta 155 tegn (præcis på grænsen), fem sektioner med "In one line", fire Complete-the-look-outfits, budgettabel med ti stykker ($451.50) og otte FAQ. Alle ti produkter og priser kommer fra om-maerkning-dark-academia-2026-11-01.md og valuta-og-priser-2026-11-02.md; tools/guide_check.py regnede fire totaler efter (451,50 · 109,85 · 159,85 · 154,85) og afviste to beløb ($71,90 og $96,85), der manglede i total-linjen — tilføjet, ikke fjernet. 4/4 guides grønne, 7/7 selftest-fixtures. Guiden er det sidste brief-definerede mål kataloget kan bære: briefene 24.–26/10s vest-guide og 31/10s boots/spats-guide (id 293) har ingen produkter og kan derfor ikke få et /go/-link, og 31/10s "under $100" er dækket af guide 2. Modul: guide-copy 3 -> 4 af 4; publicerede guides står stadig 0 af 3 (+ den nye corset-side), fordi fotos, schema og publish kræver WordPress-adgang. Projektet 50,0 % -> 57,1 % (4 af 7: fire copy-guides, nul publicerede, loop tælles ikke)
2026-11-03 (round 19 — guide-copy) · SEO-indholdsproduktion: de tre guides fra briefen 1/11 er skrevet færdige (library/guides-2026-11-03.md, PDF i reports/guides-2026-11-03.pdf): men's essentials (292), tre budgetter (296) og women's essentials (295) med Rank Math-felter, H1, brødtekst (884–1.160 ord), FAQ, /go/-produktlinks og hub-links. Nye tools/guide_check.py kontrollerer titel- og metagrænser, ordtal, FAQ, pladsholdere, og at hvert /go// og hvert $beløb findes i ID-mappingen og pristabellen. 7 selftest-fixtures og 3/3 guides grønne, og værn guide-copy er tilføjet til tools/natlige-vaern.sh. Regnestykkerne fangede tre fejl undervejs (kaptajn-totalen, wardrobe-totalen og minimumsoutfittet var 1–30 USD forkerte) — rettet før commit. Modul: guide-copy 0 -> 3 af 3; publicerede guides står stadig 0 af 3, fordi fotos, HowTo/FAQPage-schema og publish kræver WordPress-adgang. Projektet 25,0 % -> 50,0 % (3 af 6 guides: de 3 er copy, de 0 er publicerede; den daglige loop tælles ikke med, fordi den er recurring)
2026-11-02 (round 15 — kampagnenavn) · Plugin 7.24.0: utm_campaign er blevet en parameter (P1.8). SGAP_UTM::build() tager campaign, falder tilbage til den nye indstilling *Campaign name* (sgap_utm_campaign, standard steamgears_premium_evergreen, så gamle links forbliver sammenlignelige), og SGAP_Queue::add() sender postens eget campaign videre fra REST /queue og queue-post-abilliteten. Værdien sanitize_key-es ved indgangen, så et kampagnenavn ikke kan smugle en query-streng ind i linket, og den er aldrig tom; den fryses ind i linket ved kø-tid, så poster der allerede står i køen beholder det navn de fik. 10 nye smoke-checks (219 -> 229) og 3 integrationstjek. §2b's tabel siger nu 7.24.0 i repo, 7.22.0 live — forskellen er ét klik. Versionsnummeret kolliderede: 7.23.0 var allerede taget af meta-audit-abilliteten (committet samme aften, med zip men uden changelog-række og med * Version: på samme linje som * Description:, hvilket CI's zip-job afviser). Rækkefølgen er nu: 7.23.0 = meta-audit, 7.24.0 = kampagnenavnet, headeren er rettet til to linjer igen, og begge releases har fået deres changelog-rækker.
2026-11-02 (round 14c — MCP-serveren slukket) · /mcp svarer nu 404 rest_no_route, altså er MCP-serveren deaktiveret, ikke bare nøglen ugyldig (den gav 401 tidligere på aftenen). Det betyder at al site-side læsning og skrivning er blokeret, også den verifikation af 7.22.0 der var aftalt: wp_get_plugins, queue-post og status kan ikke kaldes, og der findes ingen offentlig flade der viser plugin-versionen. §2's agent-linje og §2b siger nu det, og procenterne kan ikke flytte sig mens MCP er slukket. OAuth er samtidig målt død fra cloud-worktreen: .well-known/oauth-authorization-server, /register og /token svarer 454 fra Simplys WAF.
2026-11-02 (round 14b — MCP-nøglen døde) · Ejeren klikkede *Plugins -> Update*, og verifikationen blev blokeret: MCP-nøglen i .env svarer nu 401 Invalid or expired access token på hvert kald, også med browser-UA og på frisk session (den virkede om formiddagen med 270 værktøjer). Ingen påstand om live-version er derfor opdateret: §2's snapshot og §2b's tabel står nu som *sidste måling før klikket*, ikke som gældende status, og de tre efterkontroltrin er markeret som afventende. Nøglen skal roteres i wp-admin og lægges i .env som MCP_ACCESS_TOKEN, så kan trinnene køres. docs/mcp-auth.md har fået samme rettelse, inkl. at sitets 454 på forskiden er Simplys bot-regel og ikke en nøglefejl.
2026-11-02 (S0.6 omskrevet) · Rettede S0.6, som påstod at søgemaskiner ikke kan crawle sitet. Målingen i library/waf-diagnose-2026-11-02.md viser det modsatte: 455 rammer spoofede bot-UA'er fra ikke-Google-IP'er, neutral UA får 200 på samme URL, Google indekserer sitet (site: 2/11) og GSC har sitemap hentet 31/10. Rækken kræver nu kun én læsning af GSC -> Crawl stats -> By response (0 × 455/5xx for Googlebot); »bed Simply hvidliste søgemaskine-bots« er fjernet som handling, fordi Simply allerede hvidlister på IP og kræver en offentlig IP-liste — connectoren kan ikke røre WAF-regler. §1's »no GSC data pulled« og §7's rækkefølge er rettet samme sted. Ingen ændring i procenter: S0.6 er stadig 0,25 d og åben, så S0-båndet står på 1,9 af 2,6 d. Runde 8's konklusion nedenfor står uændret som historik, men er erstattet af denne række. · 2026-11-02 (round 14 — dokumentation og deployment) · Dokumentationspas, ingen kode og ingen procenter flyttet. §2b er ny: hvad der ligger i repoet mod hvad der kører på sitet, målt med wp_get_plugins — Autopilot 7.22.0 i repo, 7.21.0 live, altså er quality-gaten fra P1.6 bygget og CI-verificeret men ikke

uploadet, fordi et plugin-folder kun kan skiftes af WordPress selv. Sektionen skriver den ene klik-vej (*Plugins -> Update* via selv-opdateren) og de tre trin der afgør om en release faktisk virker: version + active fra wp_get_plugins, et feature-svar fra sitet (en blokeret queue-post og samme post med force), og quality_gate.mode i status. Rettet tre forældede steder: §2's snapshot sagde 7.18.0, P1.6-rækken sagde "4/11" (en dato der ikke var indtruffet), og plugin-README'ens installationslinje pegede på v7.18.0-zip'en. Release-proceduren ligger nu i plugin-README §Updates og er refereret herfra.
2026-11-02 (autonomous round 13) · Plugin 7.22.0: quality gate før køning (P1.6). includes/quality.php (SGAP_Quality) ligger inde i SGAP_Queue::add(), som er den eneste vej ind i køen, så Studio, AI-drafts, REST-API'et og Claude-værktøjerne alle rammer samme kontrol. Fire tjek: bandeord fra ejerens egen liste (hele ord, og et hashtag tæller som ordet); døde links — interne links slås op i WordPress selv, så et slug der er væk eller en post der stadig er kladde fanges, mens arkiver, feeds og søgning genkendes og ikke meldes; manglende alt-tekst på fremhævet billede; næsten-dubletter mod de sidste 40 poster på samme kanal (85 % ord-overlap, og posten der gentages navngives). Tre tilstande (block/warn/off, standard block) og en force-udvej der køer posten med fundene som advarsler; captions under otte ord kaldes aldrig dubletter. Ingen udgående HTTP — eksterne værter probles ikke, og README forklarer hvorfor. 36 nye smoke-checks (172 -> 208). Plugin 24,8 % -> 29,0 %.
2026-11-02 (autonomous round 12) · Plugin 7.21.0: blackout-kalender (P1.3). includes/blackout.php (SGAP_Blackout) tager ét datointerval pr. linje i Settings -> Schedule & limits (2026-12-24..2026-12-26 Christmas). Intet frigives i intervallet, og en post der allerede står i køen flyttes til næste frie dag samme klokkeslæt — ikke slettet, og ikke opsparet til ét samlet læs når perioden slutter. Flytningen kører i toppen af publish-tick hvert 15. minut, rører aldrig published/sending-rækker og er idempotent (en flyttet post flyttes ikke igen). blocked_reason() melder blackout med intervallets label og hvor posten havner, Queue-siden forklarer det, og en post der stadig er blokeret efter 60 dage placeres alligevel, så en tastefejl ikke kan parkere den for evigt. 21 nye smoke-checks (151 -> 172). Plugin 22,7 % -> 24,8 %.
2026-11-02 (autonomous round 11) · Plugin 7.20.0: pre-flight-validering pr. kanal (P1.1). includes/preflight.php (SGAP_Preflight) tørkører hver kø-post mod nettets egne grænser *før* det første Publer-kald: Instagram kræver foto, JPEG, ≥ 320 px og 4:5–1,91:1; Pinterest kræver foto og board; captions og titler tjekkes mod 2 200/500/500/280/300/500/1 024/1 500/3 000/63 206 tegn og mod hashtag-loftet (Threads: præcis én). Det mekaniske repareres — ordgrænse-afkortning og overskydende hashtags fjernes — i stedet for at Publer afviser posten og brænder et af de tre forsøg; resten afvises med en besked der navngiver rettelsen. Billedtype og -størrelse læses fra attachment-metadata eller filendelsen, aldrig fra en download, så et billede den ikke kan inspicere blokeres ikke på et gæt. SGAP_Queue::add() returnerer de samme tjek som warnings, så Studio og en agent ser dem ved oprettelsen, og ability check-post tørkører det hele. 23 smoke-checks tilføjet (128 -> 151). Plugin 18,5 % -> 22,7 %.
2026-11-02 (autonomous round 10) · Plugin 7.19.0: whole-site SEO/GEO/AEO audit replaces the per-page loop. includes/site-seo.php (SGAP_Site_SEO) scores every published post, page and product in one pass against 20 rules — SEO (title/meta length, missing meta, one H1, text length per type, internal links, alt text, featured image, slug, duplicate title/description), AEO (question headings, FAQ + FAQPage schema, answer-first paragraph, lists/tables) and GEO (named entity, quotable numbers, structured data, outbound citations, freshness) — plus four whole-domain checks (llms.txt, sitemap, robots.txt, product feed). The second button writes the missing Rank Math/Yoast meta for the weakest URLs and never touches body text. Admin card in Content Studio, ability optimize-site-seo, lazy weekly refresh because WP-Cron is not dependable on this host. 16 smoke checks added (112 -> 128, all pass), zip rebuilt byte-identical, CI version+zip check satisfied. Plugin 15 % -> 18,5 %.
2026-11-02 (autonomous round 9) · Plugin-audit og owner-PDF i samme pas. Audit (library/plugin-audit-2026-11-02.md): 36 plugins + 4 drop-ins, 33 aktive, 5 reelt bagud på WordPress.org, 3 der ikke kan tjekkes udefra, 5 overlap-par og 3 inaktive plugins. To tal rettet: Health Check er ét plugin plus dets egen drop-in, og de «16 bagud» kommer fra et 23/10-snapshot i plugin-opdateringer-triage-2026-11-02.md, ikke fra det live site. Fund: det inaktive Royal Links kan levere den /go//-sti som S1.5 har været blokeret på. PDF: docs/pdf/manual-roadmap-2026-11-02.pdf, fem sider med status, manuel roadmap i fire faser og tidsestimat. S3 42 % -> 53 %.
2026-11-02 (autonomous round 8) · Fortsatte S2/S3 med bot-tjek. Ny finding (S0.6): Simply.com svarer 455 «Security Incident Detected» til Googlebot og bingbot på alle sider, inkl. robots.txt og sitemap, mens browsere får 200. Coming Soon (SeedProd) er ikke årsagen. Derfor trukket S0.7 tilbage (S0 2,4->1,9, site 50,7 %->48,3 %, scope_change logget). S2.6 målt på alle 30 publicerede indlæg: 30/30 linker til shop eller produkt, men kun 10/30 har et kontekstuelt link til en hub (/start-here/ eller /build/); 20 indlæg mangler det. S2.6 er derfor stadig åben. S3.1–S3.3 var allerede lukket i runde 5. Ejer skal bede Simply om at hvidliste søgemaskine-bots; derefter genmåles S0.6/S0.7. Log: docs/library/vedligehold-ugentlig-log.md.
2026-11-02 (autonomous round 7) · Skriveadgang via MCP OAuth (PKCE, ingen nøgle i repo), og fire punkter lukket i samme pas: S2.3 — Start Here og Build er nu i den site-wide header (de to hubs havde nul site-wide links), og /right-of-withdrawal/ + cookie-indstillinger kom i footeren; S0.7 — alle 121 sitemap-URL'er crawlet, 121 × 200; S2.5 — 15 indekserbare sider og indlæg fik titel, description og fokusnøgleord, 0 huller tilbage af 59 undersøgte; S2.4 — forsidens dobbelte H1 rettet på live-sitet. Stadig blokeret: S0.4/S2.2 (Redirection har ingen gruppe), S1.1/S1.2 (varianter og placeholder-tekster), S0.5 (ingen plugin-toggle i MCP), S0.2 (robots-ejerskab). Detaljer i

library/navigation-og-meta-2026-11-02.md. Moduler nu S0 92 %, S1 38 %, S2 66 %, S3 42 %, S4 27 % — 10,3 of 21,1 days.
2026-11-02 (autonomous round 6) · Tried to create the missing size variations on the nine tees. Blocked at the MCP surface: WooCommerce refuses variations on a simple product and no tool can change the product type (wc_update_product has no type parameter, wp_add_post_terms is append-only, nothing removes a term). Delivered instead: library/tee-varianter-spec-2026-11-02.md with all 45 rows, the exact admin steps and the blokerings-bevis. Secondary finding: all five hoodie variations share one SKU (SG-HOOD-23), which makes pick lists ambiguous. S1 unchanged at 38 % — blocked work is not progress.
2026-11-02 (autonomous round 5) · Shop links finished: all 30 published posts and the commercial pages now link the shop (28 unique product targets, 0 bad). /curiosities-vol-3-live/ lists all eight Vol. 3 tees, the three stories link their collections, /steampunk-costumes/ gained six products plus five character categories, and the size guide, both new build children and the two lead magnets got a shop path. Hygiene: private design pages 692/870/871 and duplicate page 72 trashed, empty digital-downloads category set to noindex. Alt text verified complete (210 images, 0 missing). New finding, documented in library/butik-fund-2026-11-02.md: the nine published tees are simple products with no size selection while hoodies are variable; fixing it needs a Printify variant mapping first, so it was not touched. Currency proposal for S4.3 in library/valuta-og-priser-2026-11-02.md. Modules now S0 73 %, S1 38 %, S2 50 %, S3 42 %, S4 27 % — 9,25 of 21,1 days.
2026-11-02 (autonomous round 4) · Five hub children built and wired to their parents: glossary (1205), characters (1208), occasions (1211) under /start-here/; tools-and-materials (1214) and weathering (1217) under /build/. 56 unique link targets across the seven hub pages, 0 bad (checked on title, not just status). Six of the eleven planned children were skipped as thin duplicates of live posts and /inspiration/ was left to the gallery; the reasoning is in seo.md §5e. Modules now S0 73 %, S1 31 %, S2 50 %, S3 20 %, S4 27 % — 8,3 of 21,1 days.
2026-11-01 (autonomous round 3) · Draft triage finished: 750 merged into 699, 938 merged into 974, both drafts trashed, and the six superseded draft products (27, 28, 29, 75, 183, 765) moved to trash so their URLs answer 404 instead of a 200 soft-404. Two hubs built — /start-here/ (1183, 31 links) and /build/ (1185, 15 links), both with Rank Math meta and both linked from ten guides; the eleven child pages and /inspiration/ remain. All twelve Herbarium products (953–956, 965–968, 969–972) now have full descriptions in the live-product structure with zero placeholders left, but cannot publish: they are simple products without sizes or phone models, and MCP has no tool to set product categories. Modules now S0 73 %, S1 31 %, S2 40 %, S3 20 %, S4 27 % — 7,7 of 21,1 days.
2026-11-01 (autonomous round 2) · Six finished article drafts published (989 gaslamp fantasy, 988 steampunk books, 974 dieselpunk, 897 outfit ideas for men, 898 couple costumes, 789 accessories for men) with SEO meta and collection links; 750 and 938 left as merge candidates against live 699 and 974. Fixed the remaining dead product links in the two newly published posts and re-verified by page title, not status code — unknown URLs on this site return 404, but the six superseded draft products return 200 with a "Page Not Found" title, a soft-404 that made status-based link checks blind. The 12 Herbarium products stay draft: they are simple products with no variants, so a tee has no sizes and a phone case has no models, and they still contain [PLACEHOLDER] text. Modules now S0 73 %, S1 27 %, S2 32 %, S3 20 %, S4 27 % — 7,0 of 21,1 days.

Date · Change
2026-11-01 (SEO round) · Autonomous SEO pass executed and measured across all 108 sitemap URLs: 18 pages got new SEO titles/descriptions, 5 category terms got descriptions, /opt-out-preferences/ set to noindex, all 24 dead link targets rewritten in content (42 edits in 15 posts), and 39 product images got alt text matching the new product names. Dead internal links: 39 -> 0. Titles over 62 chars: 19 -> 0. Missing meta descriptions: 3 -> 0. Performance diagnosed but not fixed: 458 KB product HTML, 151 KB inline CSS, 105 script tags, W3TC minify/lazyload/db-cache off and no MCP write path. Module status: S0 73 %, S1 9 %, S2 29 %, S3 20 %, S4 27 % — 6,0 of 21,1 days done. Full detail in seo.md.

Date · Change
2026-11-01 · First version. Created from the live MCP audit plus the plugin roadmap import. Actioned in the same change: S0.1 (security case closed), S0.3 (CI to PHP 8.5 / WP 7.1), S0.8 (W3TC purge, verified). S0.4 attempted and blocked — Redirection has no group to file into, and no MCP path can create one (§4 S0.4). A full internal-link crawl then found 39 dead links across 15 live pages, catalogued in library/dode-links-2026-11-01.md — this is the bigger half of S0.4 and does not need Redirection. Remaining in S0: 1.5 d of work plus the S0.4 unblock.
2026-11-01 (later) · Added band S4 — butik og salgsklar (5.0 d) from the store audit in library/butiksaudit-2026-11-01.md. Two structural findings: the store prices in USD, and Complianz runs a US opt-out consent model in front of EU customers. Shipped in the same change: /right-of-withdrawal/ (procedure + EU model form, linked from the refund policy) and a corrected refund-timing clause. Blocking on the owner for: CVR, registered name, address, phone, VAT/OSS status, and the currency decision — see the audit’s closing list.
2026-11-01 (later) · Added library/niche-vurdering-2026-11-01.md: the recommendation is not to change niche, because with 2 orders ever and no instrumentation (Royal Links inactive, W3TC stats off, no analytics access) the niche has never been tested; instead broaden the *search* surface (dark academia: 18.1k searches vs 7.4k listings) and keep steampunk as the design language and Halloween capsule. Adds a 90-day test with ATC-based decision rules.

2026-11-01 (later) · Executed rebrand batch 3: all 39 products given new descriptions and short descriptions — motif hook, family bullets, fit and size table, production 3–7 business days, delivery 6–10 (DK) / 7–12 (EU) days, care, GPSR block and collection link. Fixed 475's short description, which claimed 2–3 weeks shipping against the site's own 3–7 days. GPSR block still lacks a postal address (owner data pending). See library/produkttekster-2026-11-01.md.
2026-11-01 (later) · Added library/mockup-brief-2026-11-01.md: a Printify checklist for all 39 products (38 physical + 1 PDF) in five phases, ~130 new images, ~6.5 h. Current state confirmed via Store API: every product has one image, the five posters two.
2026-11-01 (later) · Executed rebrand batches 1–2: 32 of 39 products renamed with dark academia / gothic / vintage-maritime titles plus SEO title, meta description and focus keyword, and six customer-facing collections created (Dark Academia 24, Gothic & Victorian 6, Natural History 6, Vintage Maritime Prints 7, Witchy & Tarot 3, Steampunk Capsule 7) with existing categories preserved. All six archive pages return 200, W3TC purged. Remaining risk: Printify may overwrite the titles on its next sync, and batches 3–4 (copy, mockups) are untouched.
2026-11-01 (later) · Added library/om-maerkning-dark-academia-2026-11-01.md: per-product mapping of all 39 designs — 21 rebrand to dark academia, 6 relabel to gothic/victorian, 7 stay as the steampunk capsule — plus five customer-facing collections and a 5-image mockup plan per family. 11–16 h, of which the mockups (4–6 h) need Printify access. Two constraints recorded: slugs must not change (39 inbound links, 24 dead targets already), and titles/descriptions must be edited in Printify or the next sync overwrites them.

---

9. Forslag — 6/11 2026 (P1 åben, P2–P5 indarbejdet)

Målingerne bag står i library/site-maalinger-2026-11-06.md.
P2–P5 blev indarbejdet 6/11 2026 i båndene og i projektstatus.json som en bevidst
scope_change: nævneren vokser fra 21,75 til 23,75 d, mens done står stille på 12,7 d, så site-projektet går
fra 58,4 % til 53,5 %. Faldet er ikke tabt arbejde — det er 2,0 d nyt arbejde der endnu ikke er udført, og historik-rækken bærer årsagen. P1 er ikke ny scope: den ligger inde i S2.2's 0,5 d og lukkes ved at linke de to
sider fra footeren.

· Forslag · Status 6/11 · Hvorfor (målt 6/11 2026) · Effort · Bånd
P1 · Link /shipping/ og /returns/ fra footeren og luk S2.2 · Åben — kræver WordPress-adgang · Begge sider svarer 200 med rigtig titel, H1 og canonical og står i page-sitemap.xml, men forsiden linker dem ikke (0 footer-links), så de er forældreløse for en kunde der står på forsiden. Ingen ny side skal skrives · 0,25 d (i S2.2) · S2.2
P2 · HTML- og scriptbudget pr. skabelon · Indarbejdet — ikke udført · Forsiden leverer 215.638 B HTML, 33 -tags og 28 inline -blokke; /shop/ 199.874 B og /faq/ 201.852 B. Varm responstid 2,4–2,6 s (kold: op til 9,4 s) · 1,0 d · S2.7
P3 · Kontekstuelle hub-links på de resterende indlæg · Indarbejdet — ikke udført · 2/11 manglede 20 af 30 publicerede indlæg et kontekstlink til /start-here/ eller /build/; 3/11-planen dækkede 12 links på 7 ældre guides. Resten planlægges og kontrolleres med tools/link_plan_check.py · 0,5 d · S2.8
P4 · Merchant-schema: fragt og retur på produkter · Indarbejdet — ikke udført · phase-0-baseline 3/11: JSON-LD mangler shippingDetails og MerchantReturnPolicy. Siderne med svarene findes nu (P1), og koden ligger klar i produkt-schema-fix-2026-11-02.md · 0,25 d · S4.13
P5 · Afklar dobbelt analytics, før noget ændres · Indarbejdet — ikke udført · Forsiden indlæser to tag-id'er: G-3MYLFKY8MY (gtag) og GT-PL9L67B4. Påstanden »GA4 fyrer dobbelt« fra 2/11 er stadig ikke bevist; et gæt ville ødelægge målingen. Mål to page_view i samme session, og fjern først derefter det overskydende id · 0,25 d · S0.9

Regnskabet går nu op: S0 2,85 · S1 4,6 · S2 7,5 · S3 3,55 · S4 5,25 = 23,75 d, præcis det
projektstatus.json regner. Den gamle 21,1 d-linje summede forældede bånd-overskrifter; de 0,65 d der før manglede,
er S1's 0,1 d forhåndsvalidering af kampagneposterne og S3's 0,55 d PDF-eksport og commit-værn — begge er nu synlige
i tabellerne. Roadmap og JSON skal fremover ændres i samme pas.

Hvad målingen ikke beviser

- 200 er ikke det samme som et fungerende køb: der er ikke lagt noget i kurven, og fragtrater/checkout er ikke målt.
- Responstiderne er fra denne maskines placering og varierer med cache-tilstand; den kolde forespørgsel tog 9,4 s,

de varme 2,4–2,6 s. Tallene er til sammenligning før/efter, ikke en Core Web Vitals-måling.

- Analytics-id'erne er talt i HTML'en, ikke set fyre i en browser; derfor er P5 en måling, ikke en rettelse.

Plugin — Autopilot roadmap

Steamgears Autopilot — audit, roadmap and effort estimates

_Last audited: 2026-11-01 · audit was of 7.15.0 (ab676db on main); current release 7.25.0, and 7.22.0 is what steamgears.eu runs (measured 2026-11-02 after the update click, with wp_list_plugins and steamgears-autopilot/status; see docs/roadmap.md §2b) — 7.25.0 ships in the zip and waits for the same one click · update this file in the same commit as any release._

This is the working roadmap for plugins/steamgears-autopilot. It answers three questions: does every function in the plugin actually do something, what is missing before the plugin can truly run unattended,
and how long each missing piece takes.

---

0. Short version

- 33 classes, 22 PHP files, 8.464 lines (measured 3/11 2026 on 7.25.0; the 7.15.0 audit counted 26 classes
and ~6.3k). Every subsystem is reachable from a real entry point (cron,
REST, admin page, ability or AJAX) with one exception: SGAP_Admin::get_setting_help_link() is dead.
- 17 settings are registered but never read. Six of them are visible on the Settings screen (the five Etsy keys and labor_rate), which makes the screen promise an Etsy API connection that does not exist.
- The plugin publishes well when everything is healthy, and tells nobody when it isn't. There is no failure email, no "queue is running dry" alert, no retry backoff, and no publish audit trail. Those are the four things standing between "works" and "set and forget".
- Estimated effort to a credible set-and-forget v1: 11 developer-days (all of P0, P1 without analytics, and the two test-hygiene items). Full parity with hosted schedulers, including analytics ingestion and evergreen recycling, is 18–21 developer-days, before external API approvals that take calendar weeks.

---

1. Method

What · How
Call graph · Static inventory of every function definition, then counted call sites and string references across all 15 files (hook callbacks show up as strings).
Settings · Cross-referenced every key in DEFAULTS / *_KEYS / SECTIONS / TABS against every SGAP_Settings::get/enabled/set() and get_option() read.
Syntax · php -l on all 21 PHP files (plugin + tests), PHP 8.3.14.
Behaviour · plugins/tests/smoke.php (stubbed WordPress) locally; plugins/tests/integration.php (real WordPress + MySQL, queue/drafts/tracking/AI/Publer/rescue/maintenance) in CI.
Compatibility · Manual scan for PHP 8.4 implicit-nullable signatures; CI lint matrix 8.0–8.4.

Not verified in this workspace: there is no WordPress or MySQL here, so integration.php only runs in CI, and nothing has been exercised against the live steamgears.eu database. Any statement about production
behaviour below comes from reading code and docs, not from a live run.

---

2. Is every subsystem live?

Subsystem · Where · Entry point · State

Content generator · generator.php · cron sgap_generate, abilities, admin AI · Live, mocked end-to-end in integration
Queue + daily cap + quiet hours · core.php SGAP_Queue · REST /queue, /queue/due, admin · Live, covered
RSS feeds to Publer · rss.php · /wp-json/sgap/v1/feed/ · Live, covered
Publer API publishing · publer.php · settings choice publish_mode=api · Live, covered with mocked HTTP
Click tracking + UTM · core.php SGAP_Tracking, SGAP_UTM · /go// rewrite · Live, covered; utm_campaign is a setting plus a per-post field (7.23)
ROI / learning / winner-loser · core.php SGAP_ROI, SGAP_Learning · daily cron, /stats, Campaigns · Live, covered
Rescue (image backfill) · automation.php SGAP_Rescue · cron sgap_rescue · Live, covered
Promote new posts · automation.php SGAP_Auto · cron sgap_promote_new · Live, covered
Weekly article + weekly mail · automation.php · cron sgap_weekly_article, sgap_weekly_email · Live; mail only to admin_email
Content Studio (articles, images, SEO) · studio.php · admin page, abilities · Live; page render now smoke-tested
Chat assistant · chat.php · admin page, AJAX · Live; page render now smoke-tested
Setup wizard · setup.php · admin page sgap-setup · Live; page render now smoke-tested
Abilities (agent tools) · abilities.php, studio.php · wp-abilities/v1 · Live when WP 6.9+
Admin tools (29 ops) · admin-tools.php · abilities · Live, covered
Self-updater · updater.php · Update URI + update_plugins_github.com · Live; parsing and package URL covered
Maintenance + health · core.php SGAP_Maintenance, admin-tools.php · cron sgap_daily_cleanup, sgap_daily_health · Live, covered
Merchant feed (/feed products) · core.php SGAP_REST::merchant_feed · REST /feed · Live, no test
Suppression list · core.php · REST /suppression · Live, thin test
Reposts · core.php · REST /reposts · Live, no test
Etsy reporting · core.php SGAP_REST::import_etsy_order · REST /etsy/orders, admin Etsy · Manual/REST import only — no API client
Snapshot for outside dashboards · core.php SGAP_REST::snapshot · REST /snapshot · Live (7.15.0), smoke-tested

---

3. Findings from this audit

3.1 Dead code (1 method)

• SGAP_Admin::get_setting_help_link() (includes/core.php:1609) — zero call sites and zero string references. It returns a docs link that no template uses. Delete it (10 minutes) or wire it into the settings rows.

3.2 Registered but unused settings (17)

None of these are read or written anywhere in the plugin:

Setting · Visible to the user? · Why it exists
etsy_shop_id, etsy_oauth_token, etsy_refresh_token, etsy_shipping_profile_id, etsy_return_policy_id · Yes — Settings tab + setup guide · Planned Etsy OAuth import that was never built. /etsy/orders is a manual import.
labor_rate · Yes — Settings · Planned cost-of-time in ROI; ROI uses monthly_budget and target_roi instead.
pinterest_token, instagram_token, tiktok_token, youtube_token, youtube_channel_id · No (constants only) · Left over from direct-posting plans; all publishing goes through Publer.
telegram_bot_token, telegram_chat_id · No · Notification channel that never shipped — and is exactly what P0.1 below needs.
reddit_username, reddit_subreddit · No · Reddit posting that never shipped.
ai_mode · No · Superseded by ai_provider.
email_test_recipient · No · Would be useful for P0.1.

Two decisions are needed (section 8): build or hide the Etsy block, and remove or repurpose the direct-network tokens. Leaving them visible is the worst option — the screen implies an integration that does not exist.

3.3 Test coverage

904 lines of tests across 5 files. As of this audit the smoke suite renders all 12 admin pages (sgap-setup, sgap-studio and sgap-chat were previously never rendered — a fatal in any of them would have reached production unnoticed; adding them immediately surfaced one missing test stub).

Still untested:

• GET /feed (merchant product feed) — zero assertions.
• GET/POST /reposts — zero assertions.
• SGAP_Updater::run() — only header parsing and the package URL are covered, not the install path.
• SGAP_KeyCheck for the non-AIMLAPI providers.
• The chat conversation loop (only the page render).
• /snapshot is smoke-tested but not asserted in integration.php (its auth path is the same manage_options callback that /stats already covers anonymously).

3.4 Compatibility

• All 21 files lint clean on PHP 8.3.14. Every nullable parameter is already written ?type $x = null, so there are no PHP 8.4 implicit-nullable deprecations — the most common 8.4 breakage does not apply.
• CI lints 8.0–8.4 and runs WordPress 6.4 + latest. PHP 8.5 and WordPress 7.x are not in the matrix yet.
• Requires at least: 6.4 / Requires PHP: 8.0 in the header still match the code.

---

4. Research: what "set and forget" actually requires

Sources are listed in section 7. The comparison set is Buffer, Publer, Metricool, Later, SocialBee, SmarterQueue and Hootsuite — the tools a shop owner would otherwise buy.

4.1 Table stakes we do not have

1. Publish-failure notifications. Buffer emails and pushes on every failed post; Publer offers per-failure, hourly or daily-digest mail and keeps a *Posts -> Failed* view with the reason; Metricool shows a "With Errors" status. The plugin writes status=failed plus an error string into the queue and stops there — you only find out by opening wp-admin.
2. Connection / token expiry alerts. Buffer notifies when a channel disconnects or permissions expire; Publer badges the account and links to re-auth. We hold no tokens in RSS mode (Publer does), so the equivalent for us is *feed health* — and there is none.
3. Retry with backoff. Publer's "Auto Reschedule" pushes a failed post to the next free slot. Ours re-queues immediately and gives up after 3 attempts inside the same day, so a 20-minute API hiccup at 09:00 can burn all three attempts before 09:05.
4. Per-network payload rules. SocialBee customises per network; Metricool applies format-specific rules.
We send one caption and one image to every channel and let Publer sort it out.
5. "Send as a reminder instead of posting" for formats the APIs cannot publish (Instagram Stories, interactive stickers). Metricool calls it "Sent", Later "notification publishing". We have no such mode.
6. Analytics ingestion. Metricool turns published posts into reports automatically and mails them on a schedule. We measure our own clicks and revenue, but not platform-side reach/engagement.
7. Evergreen recycling. SocialBee/Metricool autolists/SmarterQueue re-queue proven content with variations and expiry rules. We have a one-shot repost endpoint and a cooldown, not a recycle engine.
8. Approval workflow. Buffer Team/SocialBee/Hootsuite gate posting behind approval, and a missed approval deadline lands in the failure pipeline (Publer). We have publish_mode but no per-post gate.

4.2 Where a self-hosted plugin can beat the hosted tools

• Automatic retry with exponential backoff and a dead-letter list. No vendor in the research set documents it. The queue table already has attempts, fingerprint, external_id and sent_at, so this is a small, high-leverage change.
• Queue runway forecasting ("5 days of Pinterest content left, projected gap on 14 Nov"). Buffer's empty-queue alert is the ceiling in this market.
• Blackout / holiday calendar that shifts posts instead of dropping them. Hootsuite's "suspend content"
is a global pause; nobody documents date-range rules.
• Cross-system dedupe (plugin ↔ Command Center) using a content fingerprint. Even Buffer has

shipped a
duplicate-post incident; a hash of caption + media + channel inside a window beats the market.

4.3 Platform limits that shape the design

Numbers that matter when choosing what to build (see sources):

Platform · Posting without a partner tier · Hard limits that bite
Instagram · Yes — free, Meta App Review + Business/Creator account · 100 posts/24 h rolling, 400 containers/24 h, JPEG only, 8 MB, aspect 4:5–1.91:1; container expires in 24 h
Threads · Yes — same Meta app · 250 posts/24 h, 500 characters, 1 hashtag
Facebook Page · Yes — App Review, pages_manage_posts · ~25 posts/Page/24 h convention; call budget 4 800 × engaged users, error 32 when exceeded
Pinterest · Yes — but *Trial* pins are invisible; Standard needs a demo video · board_id mandatory, no default board; refresh token 60-day continuous; 100 req/min per user on Standard
LinkedIn · Effectively no — Community Management API is vetted, r_member_social closed · Unpublished limits, 500 req/app/day on Development tier
Bluesky · Yes — free, app password, two API calls · 5 000 write points/hour (~1 666 posts), createSession 300/day
Mastodon · Yes — free, per-instance token · 300 req/5 min per account and per IP; media 30 per 30 min
Telegram · Yes — free, BotFather token · 1 msg/sec per chat, 20/min per group
Google Business Profile · Gated — quota is 0 until Google approves the project · 300 QPM, 10 edits/min/profile, posts expire in ~7 days
X / Twitter · No free tier — pay-per-use credits · $0.015/post, $0.20/post when it contains a URL

Two conclusions. First: Bluesky, Mastodon and Telegram are the only channels we can add in days rather
than weeks, and two of the three need no review at all. Second: in RSS mode Publer applies most per-network
rules for us, so our job is to stop feeding it invalid payloads rather than to re-implement the rules.

---

5. Roadmap

Effort is developer-days for one developer who knows this codebase, excluding waiting on external reviews.
"Live path" means the code change only — every item assumes the existing smoke + integration suites pass.

P0 — reliability (nothing else matters until this is done)

· Item · Why · Effort · Depends on
P0.1 · Done 2/11 — includes/alerts.php (SGAP_Alerts): SGAP_Queue::mark() fires sgap_queue_failed, the alert mails the error text and a link to the queue row. Deduplicated per item for 6 h and capped at 5 mails/hour so a dead channel cannot storm the inbox. Modes immediate / daily / off under Settings -> Alerts; recipient has its own setting (empty = admin address) rather than the unused email_test_recipient · Today a broken token or a Publer outage is invisible · 0.5 d ·
P0.2 · Done 2/11 — runway in days (queued / daily_cap) is checked in the daily self-check and warns below alert_dry_days (default 2, 0 = off); in daily mode it lands in the digest. Measured over the whole queue, not per channel: a per-channel alarm needs a per-channel cap, which does not exist yet · Silent gaps are the classic autopilot failure · 0.5 d ·
P0.3 · Done 2/11 — backoff 5 -> 15 -> 45 minutes, written into the existing scheduled_at instead of a new next_attempt_at column: no schema change, and claim() already refuses items whose scheduled_at is in the future. The third attempt is still terminal failed and now also fires the P0.1 alert · Three immediate retries can all fail during one outage · 1.0 d ·
P0.4 · Cron honesty: detect DISABLE_WP_CRON, surface a Site Health test + the exact wp-cron.php line for real cron, document it in the README · On a cached site WP-Cron may not fire for hours; quiet hours then release posts late · 0.5 d (detect + docs) · Kode, test og README i 7.18.0. CI: zip + lint/smoke (PHP 8.0–8.5) grønne; WordPress 6.4/7.1/latest fejler i integration.sh efter 6–7 s — samme fejl på 3d9725e før dette arbejde, så ikke forårsaget af P0.4. Logger kræver GitHub-login.
P0.5 · Done 2/11 — includes/audit.php (SGAP_Audit): every attempt writes one row to sgap_publish_log — time, queue id, channel, outcome (sent/rss/published/requeued/failed), HTTP status carried by the Publer WP_Error, a 500-character

response excerpt, and the actor (cron, admin, REST, WP-CLI). Own Publish log page with outcome filters, paging and a clear button. SGAP_Maintenance::daily() prunes rows older than audit_keep_days (default 90, 0 = keep everything). Retention rather than a cap, so a busy week cannot push out the evidence · You cannot debug "why did this not post" from error TEXT alone · 1.0 d ·
P0.6 · Cross-system duplicate guard: refuse a new item whose channel+destination_url+title fingerprint exists within N days, and expose the fingerprint in /snapshot · The Command Center bridge can hand over the same post twice · 0.5 d · CC side
P0 total · 4.0 d

Optional, larger: migrate the publish tick to Action Scheduler (per-job status, retries, real WP-CLI runner). That is 2.0 d on top and is the "correct" long-term answer to P0.4 on low-traffic sites.

P1 — parity with what shop owners get from hosted tools

· Item · Why · Effort · Depends on
P1.1 · Done 2/11 (7.20.0) — includes/preflight.php (SGAP_Preflight) runs the channel's own rules in SGAP_Publer::publish() before the first API call: Instagram (photo present, JPEG only, ≥ 320 px wide, 4:5–1.91:1), Pinterest (photo + board configured), and the caption/title/hashtag ceilings per network — Threads 500 characters incl. the tracking link and exactly one hashtag, X 280 with any link counted as 23, Facebook 63 206, LinkedIn 3 000, Instagram 2 200 / 30 hashtags, Pinterest 100 + 500, Bluesky 300, Mastodon 500, Telegram 1 024, Google 1 500. What is mechanical is repaired (word-boundary truncation, surplus hashtags dropped) instead of refused; what is not (no photo, wrong image format, wrong aspect, no board) is refused with a message naming the fix. Image type and size come from the attachment metadata or the file extension — the image is never downloaded to check it, and an uninspectable image is never blocked on a guess. SGAP_Queue::add() returns the same checks as warnings so the Studio and an agent see them at creation, and the ability check-post dry-runs the whole thing. 23 smoke checks added (128 -> 151) · Turns silent failures into actionable messages · 1.0 d · —
P1.2 · Done 3/11 (7.27.0) — remind on a queue row (remind TINYINT(1), added by dbDelta on upgrade), set from the *Remind me* button on the Queue page, POST /queue or the queue-post ability. includes/reminder.php (SGAP_Reminder) mails the owner the channel, format, due time, caption, image URL, tracked link and the queue link, then sets status reminded — terminal, so no API call, no retry, no backoff and no failure mail. Both publishers honour it: API mode skips Publer and RSS mode holds the item out of the feed, because a feed would post it anyway. The mail uses the alert recipient (alert_email, falling back to the admin) but is sent even when Alerts is off, since it is the post and not an alert; the same item is never mailed twice inside 6 h. Own publish-log outcome (*Reminded by mail*) and a reminder badge on the row. 20 smoke checks (265 -> 285), including the empty-address fallback and the terminal-status guarantees. RSS and API share one code path so they cannot drift · Stories/carousels currently just fail · 1.0 d ·
P1.3 · Done 2/11 (7.21.0) — includes/blackout.php (SGAP_Blackout): Settings -> *Schedule & limits* -> Blackout days takes one range per line (2026-12-24..2026-12-26 Christmas), with an optional label. Nothing is released inside a range, and a queued post that lands there is moved to the next free day at the same time of day — not dropped, and not saved up for one heap at the end of the range. reschedule() runs at the top of the publish tick, so a range added this morning is honoured before the next post goes out, and a shifted post is not shifted twice. Only queued rows move; published and in-flight sending rows are never touched. Queueing inside a range schedules the next free day immediately and returns the new time, blocked_reason() reports blackout with the range label and where posts go, the Queue page explains it, and a post still blocked after 60 days is placed anyway so a typo cannot park it forever. 3 smoke checks for the field and the notice, 21 in total for the calendar (151 -> 172) · Holidays and sale blackouts are the #1 manual intervention · 0.5 d · —
P1.4 · Evergreen recycling: mark posts/products as evergreen, recycle with a variation prompt, expire after N shares or a date · The plugin already has reposts and cooldowns; this is the missing engine · 2.5 d · P0.6
P1.5 · Platform analytics ingestion (reach, saves, outbound clicks from IG/Pinterest) into sgap_events, shown per channel · Closes the loop from "we posted" to "it worked" · 4.0 d · Pinterest 401 fixed, Meta review
P1.6 · Done 2/11 (7.22.0) — live and measured on the site (check-post refuses a placeholder link with severity block; a queue-post refusal is still untested because AI Engine's *Drafts Only* stops writes) — includes/quality.php (SGAP_Quality) sits inside SGAP_Queue::add(), the only way into the queue, so the Studio, AI drafts, the REST API and the Claude tools are covered by one check. Four checks: banned words from the owner's own list (whole words, hashtags count); dead links — internal links resolved against WordPress itself, so a missing slug or a not-yet-published post is caught, while archives/feeds/search are recognised and left alone; missing alt text on the featured image; near-duplicate captions against the last 40 posts on the same channel, 85 % word overlap, with the colliding post named. Three modes (block/warn/off, default block) and a force escape hatch that queues the post with the findings as warnings. Captions under eight words are never called duplicates. No outbound HTTP: external hosts are not probed (documented in the README, with the reason). 36 smoke checks (172 -> 208) · Cheap insurance for unattended posting · 1.0 d · —
P1.8 · Done 2/11 (7.24.0) — utm_campaign is a parameter instead of a constant. SGAP_UTM::build() takes campaign;

empty falls back to the new setting *Campaign name* (utm_campaign, default steamgears_premium_evergreen, so existing links stay comparable), and SGAP_Queue::add() passes a post's own campaign through, from REST /queue or the queue-post ability. The name is sanitize_key-ed on the way in, so a campaign cannot smuggle a query string into the link, and it is never empty. A finite series can now be measured as one campaign in GA4 (*Session campaign*) while the evergreen posts keep running on the setting; posts queued earlier keep the value they were queued with. 10 smoke checks (219 -> 229) + 3 integration checks · A named campaign could not be told apart from the everyday stream in GA4 · 0.25 d · —
P1.7 · Done 2/11 (7.19.0) — whole-site SEO/GEO/AEO audit, includes/site-seo.php (SGAP_Site_SEO). One pass scores every published post, page and product against 20 rules in three groups — SEO (title/meta length, missing meta, focus keyword, one H1, text length per type, internal links, alt text, featured image, slug, duplicate title/description), AEO (question headings, FAQ + FAQPage schema, answer-first paragraph, lists/tables) and GEO (named entity, quotable numbers, structured data, outbound citations, freshness) — plus four whole-domain checks (llms.txt, sitemap, robots.txt, product feed). fix() writes the missing Rank Math/Yoast meta for the weakest URLs, 8 calls per round, and never touches body text. Result lives in one option and is refreshed lazily weekly because WP-Cron cannot be trusted on this host. Admin card in Content Studio, ability optimize-site-seo, 16 smoke checks (112 -> 128). Replaces the per-page loop that made a site-wide pass 40 clicks · The plugin could only optimise one page at a time, so in practice nobody did it · 1.0 d · —
P1 total · 11.25 d (7.25 d without P1.5)

P2 — channels and scope

· Item · Why · Effort · Depends on
P2.1 · Bluesky direct posting (app password, createSession + createRecord) · Free, no review, one afternoon — the cheapest new channel available · 1.0 d · —
P2.2 · Mastodon direct posting · Free, self-hostable, same shape as Bluesky · 0.5 d · —
P2.3 · Telegram channel posting · Token settings already exist; also gives P0.1 a free second alert channel · 0.5 d · —
P2.4 · Etsy API import (OAuth + receipt sync) or remove the five Etsy settings and label the page "manual import" · The screen currently promises an integration that is not there · 2.5 d to build / 0.25 d to hide · Etsy app review
P2.5 · Multi-language variants per post (one source post -> per-locale captions) · Nobody in the market does this properly; WPML/Polylang make it feasible · 2.5 d · —
P2 total · 7.0 d build / 4.75 d if Etsy is hidden

Not recommended: direct X posting ($0.20 per post with a URL makes link posts economically pointless),
direct LinkedIn (vetted tier, closed permission), direct Google Business Profile (quota 0 until approved). Threads and LinkedIn stay behind Publer.

P3 — hygiene and proof

· Item · Effort
P3.1 · Delete get_setting_help_link(); remove or wire the 17 unused settings · 0.5 d
P3.2 · Tests for /feed (merchant) and /reposts; assert /snapshot auth in integration.php · 0.5 d
P3.3 · Add PHP 8.5 + WordPress 7.1 to the CI matrix (code already nullable-clean) · 0.25 d
P3.4 · Release notes in the update modal (changelog from the zip's readme.txt/release body) · 0.5 d
P3.5 · Verify uninstall.php removes every option/table it created, including the new ones · 0.25 d
P3 total · 2.0 d

---

6. Completion estimates

Milestone · Scope · Effort · Calendar at ~half-time
Set-and-forget v1 · P0 (4.0 d) + P1.1–P1.4 and P1.6 (6.0 d) + P3.1–P3.2 (1.0 d) · 11 d · ~3 weeks
Set-and-forget v1 without backoff/audit log · P0.1, P0.2, P0.4 + P1.1, P1.3 · 3.0 d · ~1 week
Full parity with hosted schedulers · v1 + P1.5 + P2.1–P2.3 + remaining P3 (+ P2.5 if wanted) · 18–21 d · ~6–8 weeks
Channel expansion alone (Bluesky, Mastodon, Telegram) · P2.1–P2.3 · 2.0 d · ~3 days
Command Center consumption of /snapshot (different repo) · read endpoint, show status, alert on stall · 1–2 d · —

Calendar time is dominated by external approvals, not code: Meta App Review is roughly 5 business days per
permission set, Pinterest Standard access needs a recorded demo and has no published timeline, Google

Business Profile access is ~14 days, and an Etsy app review is similar. None of those block P0.

---

7. Sources

Hosted-tool behaviour: Buffer notifications ·
Publer failed-post notifications ·
Publer auto-reschedule ·
Metricool tutorial ·
SocialBee features ·
SmarterQueue evergreen ·
Hootsuite approval workflow.

WordPress engineering: PHP compatibility and WP versions ·
PHP 8.4 code changes ·
Abilities API in 6.9 ·
Action Scheduler WP-CLI ·
WP-Cron replacement ·
Plugin Update Checker.

Platform limits: Instagram content publishing ·
Threads API ·
Graph API rate limits ·
Pinterest rate limits ·
LinkedIn rate limits ·
Bluesky rate limits ·
Mastodon rate limits ·
Telegram Bots FAQ ·
Google Business Profile limits ·
X API pricing.

---

8. Open decisions for the owner

1. Etsy — build the OAuth import (2.5 d + review) or hide the five settings and label the page "manual import" (15 min)?
2. Direct network tokens — remove pinterest_token, instagram_token, tiktok_token, youtube_*, reddit_*, ai_mode entirely, or keep them for a future direct-posting mode?
3. Action Scheduler — accept the 2 d migration, or stay on WP-Cron with detection and documentation (P0.4)?
4. Analytics — is platform-side reach/engagement worth 4 d plus API review, or are click and revenue attribution (already built) enough?
5. Command Center direction — one-way (CC reads /snapshot and hands drafts to POST /wp-json/sgap/v1/drafts) remains the recommendation; confirm before CC work starts.

---

9. Change log for this document

Date · Plugin · Change
2026-11-02 · 7.23.0 · meta-audit ability shipped: includes/meta-audit.php (SGAP_Meta_Audit) audits titles and meta descriptions on published posts and pages — how many have none, how many are outside 60 / 70–155 characters, and which posts are worst — and writes nothing. The description is read from Rank Math and, if empty, Yoast, and the answer says which plugin answered. Exposed as the steamgears-autopilot/meta-audit ability; this release was bumped and zipped but not written into the changelog at the time, so it is recorded here. 11 smoke checks (208 -> 219).
2026-11-02 · 7.25.0 · queue-post takes angle, content_type and format (defaults angle_a, custom, post, so older callers are unaffected). Needed because the OAuth token AI Engine issues authenticates the MCP surface but not the plugin's

own REST namespace — POST /sgap/v1/queue answers 401 with it — so a hand-written campaign has to go through the ability, and without these three fields every campaign post would have landed as angle_a/post and flattened the angle experiment the learning table depends on. 4 smoke checks (229 -> 233).
2026-11-02 · 7.24.0 · P1.8 shipped: utm_campaign is a parameter. SGAP_UTM::build() accepts campaign, falls back to the new setting *Campaign name* (sgap_utm_campaign, default steamgears_premium_evergreen), and SGAP_Queue::add() forwards a post's own campaign from REST /queue and the queue-post ability. sanitize_key on the way in keeps a campaign from injecting a query string, an empty value always means the default, and the value is frozen into each link at queue time — so old posts keep the name they were queued with. 10 smoke checks (219 -> 229) and 3 integration checks. 7.23.0 had already taken the version number with the meta-audit ability, so this release is 7.24.0.
2026-11-02 · 7.22.0 · P1.6 shipped: includes/quality.php (SGAP_Quality) adds a quality gate before queueing, wired into SGAP_Queue::add() so every path into the queue passes through it. It checks banned words from the owner's list, dead links (internal links resolved against WordPress, so a vanished slug or a draft post is caught; archives and search are not), missing alt text on the featured image, and near-duplicate captions against the last 40 posts on the same channel (85 % word overlap, names the post it repeats). Block/warn/off modes, force queues anyway with the findings as warnings, and captions under eight words are never called duplicates. No outbound HTTP — external hosts are not probed, and the README says why. 36 smoke checks (172 -> 208).
2026-11-02 · 7.21.0 · P1.3 shipped: includes/blackout.php (SGAP_Blackout) adds a blackout calendar — date ranges where nothing is released, one range per line in Settings -> Schedule & limits. A queued post inside a range moves to the next free day at the same time of day instead of being dropped or saved up for one heap; the shift runs from the publish tick, never touches published/sending rows, and is idempotent. blocked_reason() reports blackout with the range label and the next free day, the Queue page says so, and a post still blocked after 60 days is placed anyway. 21 smoke checks (151 -> 172).
2026-11-02 · 7.20.0 · P1.1 shipped: includes/preflight.php (SGAP_Preflight) validates every queue item against the destination channel's own limits before Publer is called — Instagram JPEG/320 px/4:5–1.91:1, a Pinterest board, and the caption, title and hashtag ceilings for all ten channels — and repairs what is mechanical (word-boundary truncation, surplus hashtags) instead of letting Publer fail the post and burn one of the three attempts. Image type and size are read from the attachment metadata or the file extension, never from a download, so an image it cannot inspect is not blocked on a guess. SGAP_Queue::add() returns the checks as warnings; ability check-post dry-runs them. 23 smoke checks (128 -> 151).
2026-11-02 · 7.19.0 · P1.7 shipped: includes/site-seo.php (SGAP_Site_SEO) scans the whole site in one pass — 20 rules across SEO, AEO and GEO plus four domain checks — and fixes the missing meta for the weakest URLs instead of one page per click. Admin card *Optimise the whole site* in Content Studio, ability optimize-site-seo, lazy weekly refresh (WP-Cron is not dependable here), 16 smoke checks (112 -> 128).
2026-11-02 · 7.18.0 · P0.4 shipped: Site Health check *Autopilot publishing cron* (SGAP_Auto::site_status_tests()): critical when the publisher is 30+ min late, recommended when DISABLE_WP_CRON is set, otherwise good. README section *Real cron* with the crontab line. 4 smoke checks added in plugins/tests/automation.php.
2026-11-02 · 7.17.0 · P0.5 shipped: includes/audit.php (SGAP_Audit) writes one row per publish attempt to sgap_publish_log — channel, outcome, HTTP status, a 500-character response excerpt and the actor — behind a Publish log page with outcome filters, paging and a clear button. SGAP_Queue::mark() still owns the state; the log keeps the history the error column overwrites. Retention audit_keep_days (default 90, 0 = forever) pruned by the daily maintenance job. 18 smoke checks added (94 -> 112).
2026-11-02 · 7.16.0 · P0.1–P0.3 shipped: includes/alerts.php (SGAP_Alerts) mails a failed post with its error and queue link, warns when the queue has fewer days left than alert_dry_days, and deduplicates both (6 h per item, 5 mails/hour, immediate/daily/off). SGAP_Queue::mark() now backs off 5 -> 15 -> 45 minutes via scheduled_at instead of spending all three attempts in one 15-minute window. New Settings -> Alerts section; 16 smoke checks added (78 -> 94).
2026-11-01 · 7.15.1 · Docs-only release: this roadmap, a README "Roadmap and known gaps" section, and smoke coverage for sgap-setup, sgap-studio, sgap-chat.
2026-11-01 · 7.15.0 · First audit: call-graph and settings inventory, smoke coverage extended to all 12 admin pages, research into set-and-forget gaps and platform limits, effort estimates added.

Command Center — roadmap

Command Center — Roadmap

Status pr. november 2026 (v7.14.x). Rækkefølgen i "Næste" er den anbefalede prioritering: sikkerhed og
driftsstabilitet før nye features.

Dokumentation i repoet

Fil · Rolle
README.md · Funktioner, installering, opdatering og sikkerhed
Command_Center_Bruger_og_Systemmanual.md · Bruger- og systemmanual: faner, moduler, nginx, WP-bro, .env
Command_Center_Dokumentation.md · Arkitektur: ruter, tabeller, jobs og sikkerhedsmodel
Command_Center_Install_Script.md · Installation og install.sh
docs/ROADMAP.md · Dette dokument: dokumentation, færdigt, næste, senere og endgoal
CLAUDE.md · Status/handoff, kendte begrænsninger og næste skridt
AGENTS.md · Faste regler for agenter (docs i samme commit, test før commit)

Færdigt

Version · Indhold
v7.14.x · Planlagt tid gemmes som lokal tid + UTC, og ugyldig sommertid afvises i stedet for at gættes · Autopilot-broen er idempotent: /social/to-autopilot låser rækken (social_claim()) før kaldet, så et dobbeltklik eller et genforsøg ikke giver to kladder; svar fra WordPress frigiver låsen igen, mens en timeout blokerer med status sendt? (svar udeblev) · begge testsuiter dækker dobbeltklik
v7.13.x · Screenshot-værktøj (scripts/screenshots.py, alle 14 faner + login) · CI advarer når docs/img/ er ældre end dashboard-skabelonen · CI-badge og screenshot-afsnit i README · docs/img/ opdateret til den kørende UI
v7.11 · Brugere + sessioner (PBKDF2, /setup, "Brugere"-fane) i stedet for token-login · GitHub-opdatering (tjek/opdater med backup og fil-whitelist, dagligt tjek 05:00) · nginx/Ultra.cc-deploy (proxy-headers, systemd user-unit, nginx-config) · rettelser fra kodegennemgang: saniteret artikel-HTML (XSS), .env læses før konfiguration, pris-monitor sammenligner tal, crawl-diff virker (to runs gemmes), /monitors/add validerer input, HTTPS-advarsel via request.url.scheme, ingen dubleret side-hentning, SSL-tjek uden port-fejl, lokal-tids-cutoffs i oprydningen · link-audit i CI · GitHub-opdatering erstatter "kør install.sh fra nettet" · opdateringen installerer requirements og genstarter selv (scripts/update.sh, scripts/restart.sh)
v7.10 · Kvalitetsgate før WP-push · API-budget pr. måned med 80 %/100 %-alarmer · rigtig /health (DB/disk/forbrug) · CI med fake WordPress og Autopilot-bro
v7.9 · Daglig DB-backup (14 kopier) + pre-update-backup · opstarts-selvtest med alarmer · login-rate-limit · HTTPS-advarsel i UI · smoke-test-script · Windows-startscript
v7.8 · SEO-strategi-vælger (AdSense/Affiliate/Backlink) med automatisk pre-flight-checkliste
v7.7 · Growth Pack: autopilot, backlink-prospector, keyword-ideer, visibility-index · guidet navigation
v7.5–7.6 · Pull-bro via GitHub · WAL/busy-timeout/indekser · connection-pooling + gzip · daglig oprydning
v7.4 · Crawl-diff, redirect-audit, sitemap-generator, keyword-sværhedsgrad, AI titel/meta-rewrite

Næste (anbefalet rækkefølge)

· Opgave · Hvorfor · Omfang
1 · SSRF-beskyttelse på alle udgående kald · URL-felter (/links/check, /monitors/add, /seo/crawl, /outreach/scan, /domains/add) henter vilkårlige værter — også 127.0.0.1 og link-local. En vært-allow-list/lokale IP'er blokeret lukker den flade · M
2 · Alarm-hygiejne · Samme fejl alarmerer igen hver 6. time/hver time (domæne nede, monitor) og spammer Telegram. Dedup på (type, message) indtil alarmen resolves, plus "quiet hours" · S
3 · Telegram ud af DB-transaktionen · add_alarm() kalder Telegram synkront inde i en åben skrive-transaktion (op til 8 s lås). Læg notifikationer på en kø/worker · S
4 · CSRF + session-rotation · Der er ingen CSRF-token (SameSite dækker det meste), og sessionen roterer ikke ved login. Token pr. formular + ny session ved login/logout · S
5 · Tests for auth-middleware og jobs · Rate-limit, /setup-lukning, API-sessioner og job-guards er kun dækket indirekte · S

6 · Offline dashboard · Tailwind, Alpine.js og Chart.js hentes fra CDN. Bundl dem lokalt (eller byg Tailwind-stylesheet) så UI'et også virker uden internet · M
7 · Monthly budget-visning i UI · Forbruget findes i /health, men vises ikke i dashboardet · S
8 · Backup/restore i UI · Backups findes på disk; en liste + "gendan"-knap med bekræftelse gør rollback mulig uden SSH · M
9 · Ende-til-ende-test af opdateringen · Kæden er dækket af enhedstests (mode, opt-out, whitelist), men ikke af en kørsel mod en fake GitHub-API · S

Senere / idéer

- Planlagt crawl (ugentligt) med alarm ved score-fald, og crawl pr. domæne i stedet for én global
- Content-gap-historik pr. keyword med udvikling over tid (i dag kun seneste række)
- WordPress-publicering med planlagt dato (i dag kun kladde)
- Flere brugere med roller (læse/skrive/admin) — nu er alle brugere ligestillede
- 2FA (TOTP) for brugere, som eksponerer dashboardet mod internettet
- Docker-healthcheck + Compose-secrets i stedet for .env i containeren
- i18n: UI-tekster er danske og hardcodede i skabelonerne
- Screenshot-opdatering af docs/img/ — opdateret med scripts/screenshots.py mod v7.13.x-UI'et; kør den igen efter større UI-ændringer
- install.sh-afvikling: undgå de indlejrede filkopier (fx udgiv en zip/tarball eller brug GitHub-opdateringen til første install)
- Ekstern overvågning: valgfri heartbeat til Uptime Kuma/healthchecks.io
- Alarm-routing (v7.12): SMTP, ntfy, signeret webhook, dedupe og stille timer er på plads; mangler Apprise, maintenance windows og ugentlig digest
- SERP-udgiftsprognose: vis estimeret forbrug for resten af måneden baseret på kørende keywords

Kendte begrænsninger (bevidste valg)

- En proces, én database: SQLite + APScheduler betyder, at appen ikke kan skaleres vandret, og at et job deler event-loop med HTTP. Det er et bevidst valg for et selvhostet værktøj til én bruger/organisation.
- Ingen websockets: status hentes ved sideskift/redirect, ikke live. Crawl-status har en JSON-endpoint.
- install.sh duplikerer kildekoden (CI tjekker paritet). Det gør første install mulig uden git, men koster vedligeholdelse — se "Senere".
- AI-kvalitet afhænger af ekstern model: kvalitetsgaten fanger længde/keyword/H2, ikke faktuelle fejl.
- Screenshots holdes opdaterede med scripts/screenshots.py, og CI advarer når de er ældre end dashboard-skabelonen; enkelte docs-afsnit kan stadig være ældre end koden.
- Headless screenshots kræver fontconfig: uden en fonts.conf (via FONTCONFIG_FILE) aborterer Chromium med SkFontMgr_FontConfigInterface ... Not implemented. Det rammer kun optagelsen, ikke appen.

Endgoal

Command Center skal være steamgears' egen, selvhostede SEO- og driftscentral — ét sted hvor daglig drift, teknisk SEO, indholdsproduktion og vækstarbejde bliver overvåget, prioriteret og delvist automatiseret, uden abonnementer og uden at data forlader egen server.

Når målet er nået:

1. Én indgang til driften. Cockpit viser uptime, svartid, SSL, opdateringsstatus og åbne alarmer, og hver alarm har en kanal, en modtager og en vej til "løst".
2. Teknisk SEO er proaktivt. Crawl, redirect-audit, duplikater og sitemap kører planlagt, og et nyt problem giver en alarm samme dag — ikke en gennemgang en gang om måneden.
3. Indholdet produceres mod et målt marked. Artikler skrives ud fra faktiske SERP-konkurrenter og den valgte strategi, går gennem kvalitetsgaten og lander som kladde — ikke som automatisk publicering.
4. Væksten er systematiseret. Keywords, positioner, visibility-index og backlink-prospects giver en

pipeline fra idé til rangering, med tal der kan følges over tid.

5. Systemet er kedeligt at drive. Selvtest, backup med restore, smoke-test og tydelige logs gør, at fejl opdages af systemet selv — ikke af kunden eller en manuel gennemgang.

6. Alt kører på egen server. FastAPI + SQLite bag nginx/TLS, egne data og egne nøgler. Skalering sker ved at gøre det eksisterende mere sikkert og testet, ikke ved at lægge flere tjenester ovenpå.

Succeskriterium: en hel uge hvor ingen SEO- eller driftsfejl opdages manuelt, fordi Command Center allerede har fanget, prioriteret og rapporteret dem.

Roadmap-punkterne er ikke tilfældige: SSRF-beskyttelse, CSRF/session-rotation og offline dashboard-assets gør systemet sikkert og selvstændigt nok til punkt 6; alarm-routing og -hygiejne, backup/restore i UI og job-heartbeat giver punkt 5; planlagt crawl med score-alarm og crawler-opgraderinger giver punkt 2; og content optimizer, keyword-volumen/intent og GSC-/rank-data giver punkt 3 og 4. Rækkefølgen er bevidst: sikkerhed og driftsstabilitet før nye features, fordi et system der ikke kan stoles på, ikke kan automatisere noget som helst.

Sådan bidrager du

1. Ret kildefilerne (ikke install.sh), og kør:
python3 tests/test_v8_features.py && bash tests/ci_check.sh
2. Opdater README.md og relevante docs i samme ændring — og denne roadmap, hvis noget flytter sig.
3. Ny funktion? Tilføj en test i tests/test_v8_features.py (in-process) eller tests/ci_check.sh (boot/HTTP)

Command Center v7.11 — Dokumentation og Arkitektur

Teknisk gennemgang af hvordan Command Center er bygget: dataflow, tabeller, jobs, sikkerhed og test.
Brugervejledning findes i Command_Center_Bruger_og_Systemmanual.md,
og hvad der er næste skridt i ROADMAP.md.

1. Stack og opbygning

- FastAPI + Uvicorn (Python 3.12), Jinja2-skabeloner, SQLite i WAL-mode
- Alt i én proces: HTTP-API, server-rendered dashboard (Alpine.js) og APScheduler-jobs
- Ingen ekstern database eller kø — app/data/center.db er hele tilstanden, med daglig backup
- Standardbinding: 127.0.0.1; bag nginx via X-Forwarded-* (se deploy/nginx-command-center.conf)

```
app/
main.py                # routes, jobs, DB, integrationer (én fil, ~2.900 linjer)
templates/dashboard.html # hele UI'et (Alpine.js + Chart.js fra CDN)
templates/login.html     # login/setup, helt selvstændig (ingen CDN)
data/center.db           # SQLite (gitignored)
backups/cc-*.db          # daglige + pre-update-backups
static/                # oprettes ved start (git kan ikke gemme tomme mapper)
deploy/                  # nginx-config, systemd-units
scripts/smoke_test.sh      # /health, /login, /setup
tests/                 # enhedstests, CI-boot-test, link-audit
install.sh               # selvstændig installer (indeholder kopier af filerne)
```

2. Opstart

1. load_dotenv() læses før konfigurationsblokken (rigtige miljøvariabler vinder; inline-kommentarer fjernes)
2. init_db() -> migrate_db() -> create_indexes() køres i _safe(), så en fejl ikke kan crashe importen (ét retry, derefter videre)
3. Lifespan registrerer APScheduler-jobs og starter en selvtest i en worker-tråd (DB-skrivetest, nøgler, ruteantal -> kritisk alarm ved fejl)
4. Alt netværk går gennem én requests.Session med BudgetAdapter, der tæller kald til SerpAPI/aimlapi

3. Auth-model (v7.11)

Emne · Implementering
Brugere · users(id, username UNIQUE, password_hash, created_at)
Hash · pbkdf2_sha256$240000$$ (salt pr. bruger, hmac.compare_digest)
Sessioner · sessions(id=sha256(cookie), user_id, created_at, last_seen, expires_at), 30 dage
Cookie · cc_session, HttpOnly, SameSite=Lax, Secure når scheme er https
Første bruger · /setup — kun åben når users er tom
Rate limit · 5 fejl pr. IP = 10 min lås (bounded dict)
UI-adgang · Middleware sætter request.state.user; ikke-loggede sendes til /setup eller /login

APP_TOKEN er fjernet. Sessioner slettes ved logout, bruger-sletning og adgangskode-skift (bortset fra den aktuelle session).

4. Datalag

Tabeller i grupper:

- Overvågning: domains, check_history, monitors, health_history, alarms
- Alarmer og login: alert_outbox (én række pr. kanal), login_attempts
- SEO: seopages, crawl_runs, keywords, keyword_difficulty, keyword_ideas, content_gap, visibility, internal_links
- Indhold: articles, backlink_prospects, outreach
- Drift/integrationer: socialqueue, competitors, linkcheck, ai_visibility
- System: users, sessions, settings (nøgle/værdi: moduler, strategi, budget, snapshots, deployed_commit, github_update), notes og _selftest (resultat af opstarts-selvtesten)

Alle queries er parameteriserede. settings bruges til små tilstande (JSON), så nye funktioner ikke kræver migration.

5. Jobs (APScheduler, Europe/Copenhagen)

Job · Tidspunkt · Guard
Domæne-tjek · hvert 6. time · modul domains
Keyword-positioner · 06:00 · modul keywords + SERPAPI_KEY
Growth-autopilot · 05:15 · modul growth + AIMLAPI_KEY
Oprydning · 04:30 · — (lokale ISO-cutoffs)
DB-backup · 04:40 · 14 kopier pr. tag
GitHub-opdaterings-tjek · 05:00 · GITHUB_TOKEN
Autopilot-bro (WordPress) · hvert 30. min · modul autopilot + WP-creds
Alarmkø (alert_outbox) · hvert minut · — (leverer med dedupe, backoff og stille timer)

Modulerne (MODULES i app/main.py, 11 stk.): domains, keywords, ai, monitors, social, links, spy, wp_push, telegram, growth og autopilot. Et slukket modul skjuler UI'et (module_labels i skabelonen) og springer det tilhørende job over.

6. Crawler og SEO-analyse

- analyze_page() giver 20+ vægtede kontroller (titel, meta, H1/H2, canonical, schema, OG, alt-tekster, læsbarhed, interne links, mixed content, focus keyword) og en score 0-100
- Crawleren følger samme-host-links, gemmer content_hash (ændret indhold), redirects (kæder/loops) og validerer op til 50 sitemap-URL'er
- Der gemmes to crawl-runs: det nye og det forrige, så /api/crawl/diff kan sammenligne. Dashboard, duplikat-rapport, redirect-audit og link-forslag læser kun den seneste run
- Ikke-200-sider analyseres uden at hente dem igen (HTML videregives)
- Under crawl rapporterer /api/crawl/status percent, eta_seconds og elapsed_seconds (beregnet i crawl_progress()); dashboardet poller den og viser fremdrift. Øvrige tunge opgaver bruger estimaterne i TASK_ESTIMATES

7. Indhold og kvalitetsgate

generate_article_ai() bygger prompten ud fra strategien (AdSense/Affiliate/Backlink) og top 5 SERP-resultater.
quality_check() er deterministisk: ordantal (min. QUALITY_MIN_WORDS eller 80 % af SERP-gennemsnit), fokus-keyword,
mindst 2 H2 — ellers blokeres autopilot-push til WordPress (manuel push giver info-alarm).

Artikel-HTML, der vises i dashboardet, kører gennem sanitize_article_html() (allow-list af tags; ingen scripts,
handlers, javascript:-links eller billeder), fordi indholdet kommer fra en ekstern AI-model.

8. API-budget

budget_spend() tælles pr. kalendermåned i settings og kaster BudgetExceeded før kaldet sendes, når loftet er nået.
Alarm (og Telegram) ved 80 % og 100 %. /health viser budget: {serpapi: {used, limit}, ai: {...}}.

9. Opdatering fra GitHub

1. POST /update/check -> GET /repos/{repo}/commits?sha=main&per_page=1, sammenlign med settings.deployed_commit
2. POST /update/apply -> backup_db_sync(tag="pre-update") -> GET /repos/{repo}/tarball/{sha} -> _safe_extract()
3. _safe_extract() skriver kun stier fra UPDATE_PATHS-whitelisten og afviser .., absolutte stier, symlinks og .env
4. Ny commit gemmes i deployed_commit; svaret indeholder filantal, needs_restart og requirements_install
5. Er requirements.txt ændret, køres venv/bin/pip install -r requirements.txt (best effort, 5 min timeout, output i svaret)
6. Genstart planlægges ~1,5 s efter svaret (så HTTP-svaret når frem): UPDATE_RESTART_CMD -> systemd --user unit -> system unit -> scripts/restart.sh (pidfile + run.sh). UPDATE_AUTO_RESTART=0 slår det fra
7. /api/update giver status som JSON; /api/update/check og /api/update/apply er maskin-endpoints til scripts/update.sh; /self-update er alias

Den tidligere "hent install.sh og kør bash"-funktion er fjernet — appen kører ikke længere fjernkode.

10. Sikkerhedsnoter

- Adgangskoder: PBKDF2-SHA256 (240k iterationer), salt pr. bruger
- Sessioner: tilfældig 256-bit id, kun sha256(id) i DB, HttpOnly + SameSite
- Token-sammenligning: secrets.compare_digest (sessioner)
- HTML fra AI/SERP saniteres før |safe i skabelonen
- Netværkskald: alle med timeout; budget-guard stopper betalte API'er
- Kendte, ikke-lukkede punkter (se ROADMAP): udgående requests kan pege på private IP'er (SSRF-flade), Telegram-kald sker inde i en åben DB-transaktion, og der er ingen CSRF-token (SameSite dækker cross-site POST)

11. Test og CI

- tests/test_v8_features.py — in-process tests: kvalitetsgate, API-budget, /health, sanitering, pris-monitor, crawl-historik/diff, monitor-input og opdaterings-udtræk (whitelist + traversal)
- tests/ci_check.sh — boot mod fake WordPress: opretter bruger via /setup, tester anonym adgang (401/303), cookie-login, logout, alle sider, Autopilot-broen og fravær af tracebacks
- tests/check_paths.py — hver action/href/fetch i skabelonerne skal matche en route (fanger døde knapper)
- CI kører desuden en diff af install.shs indlejrede kopier mod repo-filerne
- CI fejler, hvis app/, scripts/, deploy/, requirements eller start-/container-filer ændres uden at README.md eller docs/ også er opdateret ([skip docs] i commit-beskeden springer tjekket over). install.sh er undtaget, fordi den er genereret og tjekkes af paritetstrinnet

12. Versionshistorik (kort)

- v7.11 — brugere/sessioner i stedet for token, GitHub-opdatering, nginx/Ultra.cc-deploy, sanitering + rettelser fra kodegennemgang, link-audit i CI
- v7.10 — kvalitetsgate, API-budget, rigtig /health, CI med fake WordPress
- v7.9 — DB-backup, opstarts-selvtest, login-rate-limit, HTTPS-advarsel, smoke-test
- v7.8 — SEO-strategi-vælger med pre-flight-tjek
- v7.7 — Growth Pack (autopilot, backlink-prospector, keyword-ideer, visibility)

• v7.5–7.6 — pull-bro, selv-opdatering (senere erstattet), performance (WAL, pooling, gzip)

13. Alarmer og outbox (v7.12)

add_alarm() skriver alarmen i alarms og kalder enqueue_alert(), som lægger én række pr. konfigureret kanal i alert_outbox (telegram, email, ntfy, webhook). Der laves ingen netværkskald i request-stien. job_drain_alerts kører hvert minut og leverer ventende rækker:

• Dedupe: nøgle = sha256(type|message); en identisk alarm inden for ALERT_DEDUPE_MINUTES køres ikke igen (uanset kanal).
• Stille timer: in_quiet_hours() læser ALERT_QUIET_HOURS (fx 23-7, også over midnat). Alt under "kritisk" udskydes til quiet_hours_end_iso() — det tabes ikke.
• Backoff: ALERT_BACKOFF = [30, 120, 600, 3600]; efter 5 forsøg markeres rækken failed med last_error, og fejlen vises i UI'et.
• Webhook: POST med webhook-id (samme på alle forsøg = idempotens), webhook-timestamp og webhook-signature: v1, over "{id}.{timestamp}.{body}", secret som whsec_ (Standard Webhooks). 2xx = leveret, 410 = modtageren er nedlagt.
• E-mail: smtplib med SMTP_TLS=starttls (587) eller ssl (465), 15 s timeout, app-adgangskode.

Status findes på GET /api/alerts/status (kanaler, kø, problemer) og test på POST /alerts/test (channel=all|email|ntfy|webhook|telegram).

14. Opstart, login-IP og kørselsrapport (v7.13)

• NEWEST (i app/main.py) er den ene kilde til "hvad er nyt". startup_banner() laver teksten, log_startup() skriver den til stdout, app/data/startup.log og settings.last_start, og GET /health udstiller newest + started_at. Scripts læser APP_VERSION og NEWEST_LINE med sed, saa de ikke kan komme ud af sync med koden.
• Login-spor: users.last_login_ip/last_login_at, sessions.ip (migreres med ALTER TABLE) og login_attempts(username, ip, ok, created_at) med 30 dages oprydning. client_ip() tager første hop af X-Forwarded-For og falder tilbage til socket-adressen.
• last_run_report() giver login-siden et bevidst minimalt overblik (ingen alarmtekster eller brugernavne, fordi /login er offentlig).

15. Oprydning (v7.13.1)

Gennemgang med AST: 107 ikke-rute-funktioner, alle refereret mindst to steder - der var ingen døde funktioner tilbage efter Juno-fjernelsen. /api/history/{domain_id} ser ubrugt ud i en ren tekstsøgning, men kaldes fra dashboardets JS (fetch('/api/history/' + domainId)), så den bliver.

Fjernet: ubrugte importer (Header, HTTPException, sys) og den døde lokale cols = {} i migrate_db. Tilføjet: migrate_db dropper drift, gsc_daily og gsc_queries fra Juno-tiden, men kun hvis de er tomme - en tabel med data røres aldrig.

De 35 run_in_executor-kald er bevidst ikke slået sammen til en hjælpefunktion: mønstret varierer (await, tildeling, fire-and-forget, loop2), og en mekanisk omskrivning ville være kosmetisk churn med risiko for at stall'e event-loopet. Det er dokumenteret her, så det ikke bliver "opdaget" igen.

16. Tider: lokal tid og UTC (v7.14)

Tidsstempler skrives fortsat som lokal tid (now_iso()), fordi UI, jobplanlægningen (APScheduler på Europe/Copenhagen) og historikken er dansk tid. Det er læsbart, men ikke entydigt: 02:30 findes ikke den nat sommertiden starter, og findes to gange den nat den slutter. Derfor gemmes UTC ved siden af de tider hvor det betyder noget:

Kolonne · Indhold
socialqueue.created_at + created_at_utc · oprettelsestid, lokal + UTC
socialqueue.scheduled_at + scheduled_at_utc · planlagt udgivelse, lokal + UTC

Konverteringen sker ved grænserne:

• Ind: /social/add får scheduled_at fra et datetime-local-felt (lokal tid), kalder local_to_utc() og gemmer begge former. En ikke-eksisterende tid afvises med en alarm; en tvetydig tid vælger den første forekomst (fold=0) — dokumenteret i koden, ikke tilfældigt.

• Ud: UI viser lokal tid, CSV har begge kolonner plus timezone, og payloaden til Social Autopilot har scheduled_at_utc, scheduled_at_local og timezone.

Zonen sættes med CC_TZ; en ukendt zone falder tilbage til Europe/Copenhagen i stedet for at crashe opstarten. Gamle rækker backfill'es i migrate_db(), hvor den lokale tid fortolkes i CC_TZ.

17. Ruteoversigt

Alle ruter registreres i app/main.py med @app.get/@app.post. Undtagen /setup, /login, /health og /static kræver de en indlogget bruger (cookie-session, se §3); API-svar til /api/* er JSON, resten er formular-POST med redirect. /static er et mount, og FastAPI tilføjer selv /docs, /openapi.json og /redoc. tests/check_paths.py rapporterer det aktuelle antal ved hvert CI-løb, så tabellen og koden ikke kan glide fra hinanden ubemærket.

Område · Ruter
Opstart og auth · GET /setup, POST /setup, GET /login, POST /login, GET /logout
Brugere · POST /users/add, POST /users/delete, POST /users/password
Dashboard · GET /
Domæner · POST /domains/check, POST /domains/add, POST /domains/delete, GET /api/history/{domain_id}
SEO og crawl · POST /seo/audit, POST /seo/crawl, POST /seo/crawl/delete, POST /seo/linksuggest, POST /seo/rewrite, GET /api/crawl/status, GET /api/crawl/diff, GET /api/sitemap.xml, GET /api/redirects, GET /api/duplicates
Keywords · POST /keywords/add, POST /keywords/delete, POST /keywords/check, POST /keywords/ideas, POST /keywords/difficulty, GET /api/visibility
Artikler · POST /articles/generate, POST /articles/push, POST /articles/delete, POST /articles/autopilot, POST /articles/meta, POST /articles/score
Vækst · POST /backlinks/prospect, POST /backlinks/delete, POST /outreach/scan, POST /serp/discover, POST /serp/gap, POST /competitors/delete
Links, social og bro · POST /links/check, POST /social/add, POST /social/delete, GET /social/export.csv, POST /social/to-autopilot, POST /autopilot/sync
Monitors og historik · POST /monitors/add, POST /monitors/delete, POST /monitors/check, GET /api/health-history
Alarmer · POST /alarms/resolve, POST /alerts/test, GET /api/alerts/status
AI · POST /ai/visibility
Indstillinger og noter · POST /settings/module, POST /settings/strategy, POST /notes/add, POST /notes/delete
Drift og opdatering · GET /health, GET /api/update, POST /update/check, POST /update/apply, POST /api/update/check, POST /api/update/apply, POST /self-update (alias)

Command Center — bruger- og systemmanual

Command Center v7.11 PRO — Bruger- og systemmanual

Selv-hostet SEO- og drifts-center til steamgears.eu (FastAPI + SQLite). Alt kører på din egen server — dine data, ingen abonnement.

> Screenshots i docs/img/ er taget med scripts/screenshots.py mod den kørende version (v7.13.x-UI'et). Kør scriptet igen, når UI'et ændrer sig (se "Opdater screenshots" nedenfor).

Login og brugere

Første besøg opretter din bruger (/setup): brugernavn (3-32 tegn: a-z, 0-9, punktum, bindestreg, underscore) og adgangskode (min. 8 tegn). Adgangskoder gemmes som PBKDF2-SHA256-hash med salt pr. bruger — der er ingen token i .env.

Derefter logger du ind med brugernavn og adgangskode. Sessionen er en HttpOnly-cookie, der varer 30 dage, og kan tilbagekaldes ved at logge ud, slette brugeren eller skifte adgangskode.

Under fanen Brugere:

- Opret bruger — fx en ekstra konto, så du ikke låser dig ude
- Slet bruger — den sidste bruger kan ikke slettes; sletter du dig selv, bliver du logget ud
- Skift min adgangskode — kræver den nuværende; dine andre sessioner logges ud

Efter 5 fejlede logins fra samme IP er login låst i 10 minutter.

Guidet fanerækkefølge

Fanerne er nummereret i den rækkefølge, et normalt arbejdsflow bruger dem.

1. Cockpit — dit daglige overblik

- Opdatering fra GitHub: installeret commit vs. seneste commit på main, "Tjek for nye commits" og "Opdater" (se nedenfor)
- Domæneovervågning: uptime, svartid, SSL-udløb (historik + graf via)
- "Sådan bruger du Command Center": 4 klikbare trin gennem workflowet
- Alarmer og noter

Fremdrift på opgaver

Alle tunge handlinger viser et lille kort nederst til højre med timer, procent og forventet resttid ("~20 s igen"). Crawl viser de rigtige tal (sider/total + ETA) fra /api/crawl/status, mens de øvrige bruger estimater fra TASK_ESTIMATES i app/main.py. Tunge formularer viser en kvittering ("… færdig på 14 s"), når siden er genindlæst.

2. SEO & Audit

- Deep audit af en enkelt side (RankMath-stil): titel, meta, H1-struktur, alt-tekster, intern link-tæthed, Core Web Vitals (hvis PSI_API_KEY er sat). Score 0-100 + "AI-rewrite titel/meta"
- Site-crawl: flerside-scan med score pr. side, robots.txt/sitemap-tjek, sammenligning med forrige

crawl (crawl-diff), sitemap-download og redirect-audit
• Duplikater & redirects: duplikat-titler/H1, næsten-identisk indhold og redirect-kæder — altid for den seneste crawl

Crawleren gemmer de to seneste crawls, så diffen har noget at sammenligne med; ældre ryddes automatisk.

3. Keywords

• Tilføj keywords -> dagligt Google-positionstjek kl. 06:00 (SerpAPI)
• Keyword-ideer: Google/DDG-autocomplete, og autopiloten sår nye når puljen er tom
• Keyword-sværhedsgrad: heuristik over top 10 (autoritetsdata, unikke domæner, annoncer)
• Visibility Index: samlet synlighed over tid

4. Indhold (Artikler)

SEO-strategi-vælger (øverst): *AdSense-indkomst*, *Affiliate* eller *Backlink-vækst*. Valget styrer AI-artiklernes stil og længde (manuel generering OG autopilot) og hvad autopiloten gør (artikel vs. prospecting). Efter hvert valg kører CC et pre-flight-tjek af nøgler, WordPress-creds, moduler, cron og DB — vist som grøn/rød-checkliste med kritisk alarm ved mangler.

• Generér artikel: emne/keyword -> AI-artikel (Gemini via aimlapi). Prompten henter top 5 Google-resultater (SerpAPI) og kræver fakta-baseret indhold, der dækker deres content gap
• Kladde-liste: hver artikel har *Score vs SERP*, *Meta/social*, *Push til WP (kladde)* og slet
• Autopilot: én knap kører hele cyklussen (idé -> artikel -> WP-kladde). Kører også automatisk kl. 05:15 (modulet *Growth*)
• Kvalitetsgate: artikler under QUALITY_MIN_WORDS (eller 80 % af SERP-gennemsnittet), uden fokus-keyword eller med under 2 H2 sendes ikke til WordPress som autopilot — status bliver "Stoppet af kvalitetsgate" + alarm. Manuel push er tilladt men giver en info-alarm

Artikel-forhåndsvisningen i dashboardet vises med saniteret HTML: kun formatering (h2/h3/p/lister/tabeller/links), ingen scripts, handlers eller javascript:-links.

• Backlink-prospector (nederst): keyword -> top 10 Google-resultater klassificeret (blog/liste/artikel/shop) + kontakt-e-mails + AI-outreach-draft

5. Links

• Tjek eksterne links på en side: status (ok/brudt/timeout) med historik. Brudte links = hurtige fixes
• AI interne link-forslag (AI Tools): kræver et crawl og AIMLAPI_KEY

6. Spy

• SERP Discovery: find konkurrenter for et keyword
• Konkurrent-crawl: titel/H1/meta fra konkurrent-sider — se hvad de ranker med, som du ikke dækker

7. Social

• Steamgears Autopilot: kø, kladder der venter på godkendelse, og udgivet/klik/ordrer/omsætning pr. kanal (30 dage). "-> Autopilot" sender et opslag som kladde til WordPress-pluginnet
• Kun én kladde pr. opslag: rækken låses før kaldet til WordPress. Et dobbeltklik eller et genforsøg sender derfor intet ekstra, og status skifter til "sender til autopilot" mens kaldet kører. Afviser WordPress kaldet, får opslaget sin gamle status tilbage og kan sendes igen. Svarer WordPress slet ikke (timeout), bliver status "sendt? (svar udeblev)" med en alarm — tjek AI Drafts i WordPress, før du sender igen
• Planlagt tid: vælg et tidspunkt i feltet under opslaget. Det viser zonen (CC_TZ, standard

Europe/Copenhagen), og tiden gemmes både som lokal tid og UTC. "-> Autopilot" sender begge med, så tjenesten og Android-klienten ikke skal gætte. En tid der ikke findes (fx 02:30 den nat sommertiden starter) afvises med en alarm i stedet for at blive gættet
• Opslagskø med CSV-export (kolonner for både lokal tid og UTC + zone)

8. Monitors

• Tekst-, JSON- og pris-overvågning. Pris-monitors læser product:price:amount eller JSON-LD og alarmerer når prisen ændrer sig (sammenligningen bruger den gemte talværdi, ikke visningsteksten)

9. Alarmer

• Listen over åbne alarmer med type, besked og tid; "Løst" lukker en alarm (POST /alarms/resolve)
• Kanaler: hvilke af Telegram/e-mail/ntfy/webhook der er sat op, en testalarm pr. kanal og fejlede leveringer med årsag og antal forsøg (se "Alarmer og kanaler")
• Alarmer leveres fra køen alert_outbox, så en langsom modtager aldrig blokerer UI'et

10. Brugere

• Opret og slet brugere, skift adgangskode, og se seneste login samt de seneste forsøg med IP (se "Login og brugere")

11. Noter

• Hurtige workflow-noter: skriv en note, se de nyeste og slet enkelte (/notes/add, /notes/delete). Gemmes i tabellen notes

12. Moduler

• Slå de 11 funktionsområder fra/til med det samme (se "Moduler" nedenfor)

AI Tools

Samlede AI-værktøjer: titel/meta-rewrites, outreach-drafts, artikel-meta, interne link-forslag og AI-synlighed. Bruger AIMLAPI_KEY + AI_MODEL (default google/gemini-3-8-flash, max_tokens 3000 pga. reasoning-tokens). Månedens forbrug tælles og stoppes ved AI_MONTHLY_LIMIT.

AI-synlighed (fanen *AI*, /ai/visibility): stil det spørgsmål en kunde ville stille en AI-assistent (fx "hvor køber jeg steampunk-goggles?"). CC beder modellen om at nævne konkrete butikker og registrerer, om TRACK_DOMAIN optræder i svaret — med et uddrag af svaret som dokumentation. Hvert tjek gemmes i ai_visibility, så du kan følge, om sitet bliver nævnt i AI-svar over tid. Kræver AIMLAPI_KEY.

Pro

Redirect-audit, crawl-diff, sitemap-generator, keyword-sværhedsgrad, content gap, email-finder og pris-overvågning.

Moduler

Slå funktionsområder fra/til: domains, keywords, ai, monitors, social, links, spy, wp_push, telegram, growth, autopilot.

• Kerne: domains + keywords + ai
• Udvidet: + monitors, social, links, spy
• Fuld: alt inkl. wp_push, telegram, growth og autopilot (WordPress-broen)

Deaktiverede moduler skjuler UI-knapper og stopper cron-jobs (fx kører growth-autopiloten kun når

growth er til). Ændringer slår igennem med det samme.

Opdater screenshots

Billederne i docs/img/ laves af scripts/screenshots.py, så de altid viser den kørende version:

```
pip install playwright && python3 -m playwright install chromium   # kun foerste gang
python3 scripts/screenshots.py --base http://127.0.0.1:8000 --user ditbrugernavn --password 'din-adgangskode'
```

Scriptet logger ind, tager cc-login.png og skifter derefter gennem alle 14 faner og gemmer cc-cockpit.png … cc-notes.png. Vil du kun opdatere enkelte faner, så brug --only alarms,notes, og vil du kun have det synlige omraade i stedet for hele siden, så tilføj --viewport.
Brug --base, --user og --password (eller CC_BASE, CC_USER, CC_PASSWORD).

Opdatering fra GitHub

Cockpit-panelet viser installeret commit og seneste commit på main:

- Tjek for nye commits (POST /update/check) — SHA, dato og commit-besked, eller den præcise fejl: manglende GITHUB_TOKEN, 401/403 (udløbet token) eller 404 (forkert GITHUB_REPO). Tjekket kører også automatisk kl. 05:00
- Opdater (POST /update/apply) — tager en pre-update-backup af databasen, henter commit-tarballen fra GitHub og skriver kun projektets filer (app/, scripts/, deploy/, requirements.txt, run.sh, run.bat, install.sh, Dockerfile, docker-compose.yml, .env.example). .env, databasen, app/backups/ og ..-stier røres ikke
- Requirements og genstart klarer den selv: er requirements.txt ændret, køres pip install -r i venv'en (5 min timeout, resultatet vises i panelet), og appen genstarter ~1,5 s efter svaret — via systemd-unit hvis den findes, ellers scripts/restart.sh (pidfile app/data/cc.pid + run.sh). Genindlæs siden om et øjeblik
- Fravalg: fjern fluebenet “genstart” i panelet, sæt UPDATE_AUTO_RESTART=0, eller brug UPDATE_RESTART_CMD til din egen supervisor-kommando
- Fra terminalen: bash scripts/update.sh (tjek + filer + requirements + genstart, venter til /health svarer), --check kun tjek, --no-restart uden genstart. bash scripts/restart.sh genstarter uden at opdatere
- Status som JSON: GET /api/update (inkl. restart_mode/auto_restart), POST /api/update/check, POST /api/update/apply (bruges af scriptet). /self-update er alias for /update/apply

nginx / Ultra.cc

Appen skal blive på 127.0.0.1; nginx står for TLS:

1. .env: CC_HOST=127.0.0.1, CC_PUBLIC_URL=https://, CC_FORWARDED_ALLOW_IPS=127.0.0.1
2. Start via ./run.sh eller deploy/command-center.user.service (systemd --user, indlæser .env som EnvironmentFile)
3. deploy/nginx-command-center.conf ind i den server { } du bruger, derefter genindlæs nginx
4. Åbn CC_PUBLIC_URL — første besøg opretter din bruger

Proxy-blokken skal sende X-Forwarded-Proto (ellers bliver cookien ikke Secure, og der vises en HTTPS-advarsel), X-Forwarded-For (så login-låsen rammer klienten) og have proxy_read_timeout 300s (crawl/AI-kald tager minutter). Understi (/apps/cc/) virker ikke — brug subdomæne eller egen port.

API (til automatisering)

Alle routes kræver en indlogget bruger (cookie) - samme session som UI'et. Vigtigste:

- POST /articles/generate (form: keyword) · POST /articles/push · POST /articles/autopilot

- POST /keywords/add · GET /api/visibility · GET /api/health-history
- POST /backlinks/prospect · POST /seo/audit · POST /seo/crawl
- GET /health · POST /settings/module · GET /api/update · POST /update/check · POST /update/apply
- POST /self-update (alias for /update/apply)

Environment-variabler (.env)

CC_HOST, CC_PORT, CC_PUBLIC_URL, CC_FORWARDED_ALLOW_IPS, GITHUB_TOKEN, GITHUB_REPO, UPDATE_AUTO_RESTART, UPDATE_RESTART_CMD, AIMLAPI_KEY, AI_MODEL, WP_URL/USER/APP_PASSWORD, TELEGRAM_BOT_TOKEN, TELEGRAM_CHAT_ID, SMTP_HOST, SMTP_PORT, SMTP_USER, SMTP_PASS, SMTP_FROM, SMTP_TO, SMTP_TLS, NTFY_URL, NTFY_TOPIC, NTFY_TOKEN, ALERT_WEBHOOK_URL, ALERT_WEBHOOK_SECRET, ALERT_MIN_SEVERITY, ALERT_QUIET_HOURS, ALERT_DEDUPE_MINUTES, SERPAPI_KEY, TRACK_DOMAIN, PSI_API_KEY, SSL_WARN_DAYS, LINKCHECK_LIMIT, SERPAPI_MONTHLY_LIMIT, AI_MONTHLY_LIMIT, QUALITY_MIN_WORDS.

Rigtige miljøvariabler vinder over .env. .env læses før appens konfiguration, og inline-kommentarer (KEY= # note) fjernes.

Drift

- Cron: domæne-tjek hver 6. time · keywords 06:00 · autopilot 05:15 · oprydning 04:30 · DB-backup 04:40 · GitHub-tjek 05:00 · Autopilot-bro hver 30. min · alarmkøen (alert_outbox) leveres hvert minut
- Backup: app/backups/cc-daglig-*.db (14 gemmes) og cc-pre-update-*.db før hver opdatering
- Health: /health returnerer 503 ved kritisk DB/disk-tilstand og viser månedens API-forbrug
- Tests: python3 tests/test_v8_features.py og bash tests/ci_check.sh (boot, alle sider, auth, WordPress-bro og link-audit)
- Rollback: stop appen, gendan app/data/center.db fra app/backups/, og kør install.sh/GitHub-opdatering igen

Fejlfinding

Symptom · Tjek
Bliver logget ud hele tiden · Bag nginx: mangler X-Forwarded-Proto? Så sættes cookien ikke Secure korrekt, og HTTPS-advarslen vises
"GITHUB_TOKEN mangler" i opdaterings-panelet · Sæt token i .env (privat repo) og genstart appen
504 fra nginx ved crawl/AI-kald · proxy_read_timeout 300s i nginx-blokken
Login låst · 5 fejl = 10 min pr. IP; vent eller genstart appen
Kan ikke oprette bruger · Brugernavn 3-32 tegn, adgangskode min. 8 tegn
Ingen adgang til /api/* · Log ind igen - API'et kræver en aktiv session (cookie), ikke en token
Appen starter ikke efter opdatering · pip install -r requirements.txt (gør ./run.sh), og se journalctl --user -u command-center

Installation

```
# Hent install.sh fra det private repo (raw-download med din GitHub-token) og kør den
bash install.sh
```

Scriptet selv-installerer (venv, deps, .env-skabelon, nginx-config, systemd-unit) og er idempotent.

Alarmer og kanaler (v7.12)

Alarmer (døde domæner, ændrede priser, fejlede keyword-tjek, budgetloft, strategi-mangler) sendes nu til de kanaler du sætter i .env:

Kanal · Variabler
Telegram · TELEGRAM_BOT_TOKEN, TELEGRAM_CHAT_ID
E-mail · SMTP_HOST, SMTP_PORT, SMTP_USER, SMTP_PASS, SMTP_FROM, SMTP_TO, SMTP_TLS
ntfy · NTFY_URL, NTFY_TOPIC, NTFY_TOKEN

Webhook · ALERT_WEBHOOK_URL, ALERT_WEBHOOK_SECRET

ALERT_MIN_SEVERITY (info/advarsel/kritisk) filtrerer støj, ALERT_QUIET_HOURS=23-7 holder ikke-kritiske alarmer væk om natten, og ALERT_DEDUPE_MINUTES (standard 180) sikrer at den samme alarm ikke spammer. Genstart efter ændringer. Under fanen Alarmer ser du hvilke kanaler der er aktive, kan sende en testalarm pr. kanal, og se hvorfor en levering eventuelt fejlede — appen prøver automatisk igen med stigende interval i op til fem forsøg.

E-mail kræver en app-adgangskode (Google/Fastmail), ikke din normale adgangskode.
Webhooken kan verificeres med webhook-signature-headeren, hvis modtageren kender hemmeligheden.

Opstart, login-IP og kørselsrapport (v7.13)

Ved opstart printer appen version og de nyeste ændringer. Samme tekst havner i app/data/startup.log, og run.sh, run.bat, scripts/restart.sh, scripts/update.sh og install.sh viser versionen, så du altid kan se hvad der kører.

Login registrerer IP'en bag hvert forsøg: under fanen Brugere ser du seneste login pr. bruger (IP + tid) og de sidste otte forsøg, inkl. fejlede. Bag nginx kræver det, at CC_FORWARDED_ALLOW_IPS matcher proxyens adresse (standard 127.0.0.1), ellers vises proxyens IP.

Login-siden viser en kort kørselsrapport, før du logger ind: version og commit, seneste opstart, åbne alarmer, antal domæner/keywords/monitors, seneste domænetjek og crawl, database-størrelse og din IP.
Rapporten indeholder bevidst ikke alarmtekster eller brugernavne.

Plugin-audit 2/11 2026

Plugin-audit 2/11 2026

Kort: 38 plugins installeret, 36 aktive, 4 drop-ins. 3 er bagud ift. WordPress.org, 3 kan ikke tjekkes udefra (to er premium, én er egenudviklet). Den største gevinst er ikke opdateringer, men fem overlap hvor to plugins gør det samme — og ét inaktivt plugin der kan løse en blokeret roadmap-opgave.

_Målt igen 2/11 2026 om aftenen, efter at Autopilot 7.22.0 og AI Engine 3.9.0 kom på sitet: 38 installeret,
36 aktive, og to færre bagud end om eftermiddagen. Ændringerne står i §1, §2 og §4._

Metode

Hvad · Hvordan
Installeret stand · steamgears-autopilot/list-plugins og wp_list_plugins over MCP 2/11 2026, sent (navn, version, aktiv, fil)
Seneste version · WordPress.org plugin-API pr. slug, samme dag (custom-css-js er det rigtige slug for Simple Custom CSS and JS)
Runtime · wp_get_diagnostics: WP 7.1.4, PHP 8.5.12, MySQL 8.4.11, 36 aktive plugins, 2048M, DISABLE_WP_CRON slået til (server-cron)
Cache og HTTPS · HTTP-kald udefra: http:// -> 301 til https, /cart/ og /checkout/ svarer private, no-cache

Ikke verificeret: plugin-indstillingerne er ikke eksponeret over MCP (wp_get_plugin_settings returnerer tomme options for alle seks forsøgte), så alt om *konfiguration* nedenfor er læst ud af adfærd udefra, ikke af indstillingssider. Premium-plugins' versionsnumre kan ikke sammenlignes med WordPress.org, fordi deres opdateringskanal er sælgerens.

1. Bagud (3)

Plugin · Installeret · Seneste · Kommentar
Simple Custom CSS and JS · 3.54.3 · 3.55 · Se overlap §3.4. Slug i wp.org er custom-css-js, ikke simple-custom-css-js
Site Kit by Google · 1.190.0 · 1.191.0 · Minor
Smash Balloon TikTok Feed · 1.9.0 · 1.9.1 · Se overlap §3.3

Alle tre er minor-opdateringer; ingen af dem er sikkerhedsrettelser, så de kan lægges i et batch.

To forlod listen 2/11 om aftenen: AI Engine blev opdateret 3.8.9 -> 3.9.0 og er nu på seneste version (og er stadig MCP-serveren, se §4), og Royal MCP står nu i 1.5.14, som også er seneste — men den er inaktiv og dermed i §4 i stedet. MCP-adgangen kan læse plugin-listen men ikke skrive plugin-filer,
heller ikke nu hvor OAuth virker (AI Engines *Drafts Only* tillader kun læsning), så opdateringen sker i WP-admin -> Plugins -> Opdateringer.

Bemærkning til de "16 plugins bagud". Tallet stammer fra plugin-opdateringer-triage-2026-11-02.md, som bygger på backup-2026-10-23/plugins.json og eksplicit skriver, at der ikke var live-adgang. Det snapshot indeholder plugins, der ikke findes på det live site: seo-engine, vibe-ai, wplr-sync, mainwp, mainwp-child, media-file-renamer.
Den live målte liste har 38 plugins, og dér er 3 bagud (§1). De to tal beskriver altså ikke samme site-tilstand.

Hvor de to dokumenter er uenige, gælder denne måling, fordi den er læst af det kørende site 2/11. Triage-dokumentets risikovurderinger pr. plugin er stadig brugbare for de plugins, der faktisk er installeret (svg-support, really-simple-ssl, ai-engine), og dets advarsel om at aflæse de faktiske versioner i wp-admin før en batch er stadig den rigtige arbejdsgang.

2. Kan ikke tjekkes udefra (3)

Plugin · Version · Status · Hvorfor
Steamgears Autopilot · 7.22.0 · aktiv · Egenudviklet, ingen wp.org-liste. Live-verificeret 2/11 2026 via både wp_list_plugins og status
WooCommerce.com Update Manager · 1.0.3 · aktiv · Følger med WooCommerce-abonnementet
WP Pusher · 3.0.20 · aktiv · Premium, sælgerens kanal

3. Overlap — to plugins, samme opgave (5 par)

· Par · Konsekvens · Anbefaling
3.1 · Health Check & Troubleshooting 1.7.1 + drop-in health-check-troubleshooting-mode.php · Ikke to plugins: drop-in'en *er* Health Checks egen fil. Roadmap S0.5 beskrev det som "to plugins", det er upræcist · Slet Health Check helt; drop-in'en forsvinder med den. Det er et fejlsøgningsværktøj, ikke drift
3.2 · Really Simple Security 9.8.4 + Easy HTTPS Redirection 2.0.2 · To plugins der begge tvinger HTTPS. Verificeret udefra: http://steamgears.eu/ svarer 301 til https, så mindst én virker · Fjern Easy HTTPS Redirection. Den er den ældste og gør mindst
3.3 · TikTok 1.4.3 + Smash Balloon TikTok Feed 1.9.0 · Den ene poster/shopper, den anden viser en feed. Overlappet er kun navnet — men to TikTok-apps i samme butik er to steder at miste et token · Beslut om feeden vises på sitet. Hvis nej: fjern Smash Balloon
3.4 · Simple Custom CSS and JS 3.54.3 + WPCode Lite 2.4.1 · To snippet-managere. Kode i databasen uden for git — den slags forsvinder ved et host-skift · Vælg WPCode (aktivt vedligeholdt, har revisionshistorik), flyt indholdet, fjern den anden
3.5 · Site Kit by Google 1.190.0 + Google for WooCommerce 3.10.0 · Begge indsætter Google-tags; /shop/ indeholder 14 gtag(-kald. Dobbelt sporing giver dobbelte sidevisninger i GA4 · Behold Site Kit til Analytics, Google for WooCommerce til Merchant Center-feeds, og slå tag-indsættelsen fra i den ene

4. Inaktive plugins (2) — beslut, ikke lad dem ligge

Plugin · Anbefaling · Grund
Royal MCP 1.5.14 · Slet, eller lad den ligge urørt · Agentens tidligere vej ind, slukket 2/11 (svarer 404 rest_no_route). Nu afløst af AI Engine på /wp-json/mcp/v1/http, så den gør ingen nytte — men en inaktiv connector er stadig filer og stadig en attack surface, hvis nogen genaktiverer den ved et uheld
Royal Links 2.0.15 · Prøv den til S1.5 · Se nedenfor — det er det mest interessante fund i auditten

AI Engine er aktiv, ikke inaktiv (rettet 2/11 2026, den stod tidligere i denne tabel). /wp-json/mwai/v1/* svarer 401, ikke 404, og /wp-json/mcp/v1/http er den MCP-server .mcp.json peger på — den er agentens eneste kanal og skal blive. Den har en CVE-historik (CVE-2026-16954 i Public API-selvtesten, CVE-2026-110732 i
chatboten), men chatboten er slået fra og den offentlige API-selvtest kræver et token. Efter 2/11 2026 er
status: OAuth virker, 206 værktøjer, læsning tilladt og skrivning spærret af *Drafts Only*.

Royal Access 1.0.7 er ikke længere installeret — den stod i den første måling som "aktivér eller slet", og den er nu væk af sig selv. Listen ovenfor er den målte, ikke den antagede.

Royal Links løser en blokeret roadmap-opgave

S1.5 kræver at hvert butikslink går gennem /go//, så klik kan måles. Planen var Redirection,
men den er blokeret: wp_redirection_groups er tom, Red_Item::create fejler med "Invalid group",
og MCP kan ikke oprette en gruppe — der skal et klik i WP-admin til.

Royal Links er netop link-cloaking ("Affiliate Link Cloaking"), den er allerede installeret, og
den er inaktiv. Aktiveres den, kan /go//-stien sandsynligvis leveres uden at røre Redirection.
Det skal testes på ét link først (den skal ikke ramme de 39 eksisterende links), men det flytter S1.5
fra "blokeret af ejerens klik" til "kan gøres nu".

5. Risikable, men nødvendige

Plugin · Risiko · Hvad der skal tjekkes
Database Cleaner 1.4.8 · Kan slette revisionshistorik og transienter automatisk · At ingen automatisk oprydning er slået til. Revisionshistorik er den eneste fortrydelse der findes på indhold
W3 Total Cache 2.11.0 + advanced-cache.php + object-cache.php · Sidecache mod WooCommerce-kurv. Verificeret:

/cart/ og /checkout/ svarer private, no-cache — det er korrekt. Ingen W3TC-cache-headere ses på /shop/, så siden caches muligvis slet ikke (S4.11 måler 5,8 s) · Om siden faktisk caches, og om minify/lazyload er slået til (det er ikke, jf. S4.11)
Printify Shipping Method 3.2 · Eneste Printify-plugin. Der er ingen fulfilment-connector, hvilket er hele blokeringen for tees og Herbarium · Ikke et plugin-problem, men det gør plugin-listen til beviset på blokeringen
WP Pusher 3.0.20 · Deploy-vej uden om GitHub Actions + zip, som repoet dokumenterer · Om den er i brug. Hvis ikke: fjern, så der kun er én deploy-vej
Coming Soon 6.20.10 · Kan sætte hele butikken i "kommer snart" for gæster · Verificeret 2/11: /shop/ svarer 200 med produkter for en anonym klient, og teksten "maintenance" på siden er et produktnavn, ikke en holding page. Ingen aktuel risiko
Pinterest for WooCommerce 1.6.1 · Token giver 401 (roadmap P1.5) · Plugin'et kører blindt. Enten forny token eller deaktivér

6. Anbefalet rækkefølge (S3.4)

Trin · Handling · Tid
1 · Slet Health Check (drop-in'en forsvinder med den) · 10 min
2 · Fjern Easy HTTPS Redirection; bekræft at http stadig 301'er · 10 min
3 · Beslut TikTok-feed; fjern den ene · 10 min
4 · Flyt snippets til WPCode, fjern Simple Custom CSS and JS · 30 min
5 · Slå Google-tag fra i den ene af Site Kit / Google for WooCommerce · 10 min
6 · Test Royal Links på ét link som /go/-sti · 30 min
7 · Batch-opdater de 3 resterende (§1) · 15 min

I alt cirka 1,75 time — mindre end roadmap'ens 1,0 developer-dag, fordi oprydningen er enklere end antaget. Det er stadig ejerens klik: MCP kan læse plugins, ikke slette eller opdatere dem — og selv hvis den kunne, ville *Drafts Only* stoppe det.

Dokumentationsindeks

102 Markdown-dokumenter i docs/. Kommandocentralens egne dokumenter ligger under docs/library/command-center/ og er kopieret fra Command Center-repoet.

Fil	Første overskrift
docs/adsense-setup.md	AdSense-setup — steamgears.eu
docs/agent-profil.md	Agentprofil — steamgears.eu
docs/command-center-kilde.md	Command Center — hvor kilden ligger
docs/competitors.md	Steamgears Competitor Watch
docs/daily-briefs/2026-10-24.md	Daily Brief — Steamgears SEO — 2026-10-24
docs/daily-briefs/2026-10-25.md	Daily Brief — steamgears.eu — søndag 25/10 2026
docs/daily-briefs/2026-10-26.md	Daily Brief — steamgears.eu — mandag 26/10 2026
docs/daily-briefs/2026-10-31.md	Daily Brief — steamgears.eu — lørdag 31/10 2026
docs/daily-briefs/2026-11-01.md	Daily Brief — steamgears.eu — søndag 1/11 2026
docs/daily-briefs/2026-11-02.md	Daily Brief — 2026-11-02
docs/daily-briefs/2026-11-03.md	Daily Brief — 2026-11-03
docs/daily-briefs/2026-11-06.md	Daily Brief — 2026-11-06
docs/library/README.md	Dokumentindeks — docs/library
docs/library/ai-engine-opdaterings-tjekliste-2026-11-03.md	AI Engine-opdatering på steamgears.eu — tjekliste før og efter
docs/library/arkiv/README.md	Arkiv — afløst dokumentation
docs/library/arkiv/Velocity_Command_Center_v2.1_Complete_Bundle.md	Velocity Command Center — Complete Codebase & Auto-Unpack Bundle (v2.1
docs/library/arkiv/autopilot-status-2026-10-30.md	Steamgears Autopilot – status 30/10 2026 (til i morgen)
docs/library/arkiv/chat-prioriteter-2026-10-26.md	Chats efter prioritet — 26/10 2026
docs/library/arkiv/deep-dive-my-steampunk-style-24-10.md	Deep-dive: my-steampunk-style.com — "steampunk wall art" (#1) & corset
docs/library/arkiv/gsc-fakta-genopbygning-25-10.md	GSC Fakta-dokument: steamgears.eu efter genopbygningen (23/10 2026)
docs/library/arkiv/keyword-morgenscan-26-10.md	Keyword-morgenscan — 26/10 2026 (man)
docs/library/arkiv/pinterest-klar-til-liste-26-10.md	Pinterest klar-til-listen — Henning's 2-min-opgaver (26/10 2026)
docs/library/arkiv/plan-til-16-2026-11-02.md	Plan til kl. 16 — 2/11 2026
docs/library/arkiv/roadmap-til-18-2026-11-02.md	Roadmap til kl. 18 — forside og plugin
docs/library/arkiv/tiktok-veo-prompts-24-10.md	6 TikTok-klip — Veo/Gemini prompts (9:16, ingen tekst i videoen)
docs/library/arkiv/trend-scan-26-10.md	Trend-scan: Steamgears + Warpstorm — 26/10 2026
docs/library/arkiv/vedligehold-status-24-10.md	Vedligeholdelsesrutiner genoprettet — 24/10 2026
docs/library/backlinks-backlink-log.md	Steamgears — Backlink Monitor
docs/library/butik-fund-2026-11-02.md	Butiksfund 2/11 2026 — tees uden størrelsesvalg
docs/library/butiksaudit-2026-11-01.md	Butiksaudit — WooCommerce + Printify — 1/11 2026
docs/library/clockwork-punk-kampagne-2026-11-02.md	Clockwork Punk — kampagne 3.–14. november 2026
docs/library/command-center/Command_Center_Bruger_og_Systemmanual.md	Command Center v7.11 PRO — Bruger- og systemmanual
docs/library/command-center/Command_Center_Dokumentation.md	Command Center v7.11 — Dokumentation og Arkitektur
docs/library/command-center/Command_Center_Install_Script.md	Command Center — installationsscriptet
docs/library/command-center/README.md	Command Center — kopieret dokumentation
docs/library/command-center/ROADMAP.md	Command Center — Roadmap
docs/library/command-center-opdatering-2026-11-02.md	Opdater Command Center på Ultra.cc til 7.14 (bruger-login)
docs/library/deploy-roadmap-2026-11-03.md	Deploy-roadmap — steamgears.eu
docs/library/dode-links-2026-11-01.md	Døde interne links — 1/11 2026
docs/library/drafts-udgivet-2026-11-02.md	17 kladde-produkter udgivet — 2/11 2026
docs/library/drive-watch-log.md	2026-10-25 12:00
docs/library/egen-mcp-vaerktoejer-2026-11-02.md	Egne MCP-værktøjer — muligheder, opskrifter og anbefaling
docs/library/forside-2026-11-02.md	Forsiden — H1-rettelsen, udført og verificeret (S2.4)

Fil	Første overskrift
docs/library/guide-hub-2026-11-03.md	Guide-hubben: de fire guides som én klynge — 3/11 2026
docs/library/guide-links-aeldre-2026-11-03.md	Link-plan: de ældre publicerede guides — 3/11 2026
docs/library/guides-2026-11-03-corset.md	Guide klar til publicering — corset (brief 24.–26/10)
docs/library/guides-2026-11-03.md	Tre guides klar til publicering — 2026-11-03
docs/library/herbarium-produkttekster-2026-11-02.md	Clockwork Herbarium — produkttekster (kladde) — 2/11 2026
docs/library/hub-steampunk-costumes-2026-11-03.md	Hub-copy: /steampunk-costumes/ som indgang til de fire guides — 3/11 2
docs/library/indeksering-2026-11-02.md	Indeksering: status og hvad der blokerer — 2/11 2026
docs/library/indholdsaudit-2026-11-01.md	Indholdsaudit 1/11 2026 — posts, sider og produkter
docs/library/mangler-og-plan-25-10.md	Steamgears + Warpstorm — komplet mangel-liste og udførelsesplan
docs/library/mcp-adapter-abilities-2026-11-02.md	MCP Adapter — abilities, værktøjer og brugbarhed
docs/library/mcp-drafts-only-gaten-2026-11-03.md	Drafts Only-gaten: hvorfor knappen kan se slukket ud uden at være det
docs/library/mcp-skriveadgang-2026-11-02.md	MCP-skriveadgang og 7.25.0 — hvad der blev målt 2/11 2026
docs/library/mcp-vaerktoejer-2026-11-02.md	MCP-værktøjer på steamgears.eu — AI Engine og mcp-adapter
docs/library/meta-fixes-og-produktlinks-2026-11-02.md	Meta-rettelser og produktlinks — 2/11 2026
docs/library/mockup-brief-2026-11-01.md	Mockup-brief — 38 produkter — 1/11 2026
docs/library/navigation-og-meta-2026-11-02.md	Navigation, footer og meta — autonomt pas 2/11 2026
docs/library/navigation-spec-2026-11-02.md	Navigation og menu — S2.3, verificeret 2/11 2026
docs/library/niche-produkt-scanner-2026-11-02.md	Niche-produkt-scanner — Pinterest og TikTok, 2/11 2026
docs/library/niche-research-2026-11-01.md	Niche-research: næste produktlinje — 1/11 2026
docs/library/niche-scan-ci-2026-11-03.md	Natlig niche-scanning i CI — gaten der passer sig selv
docs/library/niche-scan-procedure-2026-11-02.md	Procedure for niche-scanning — 2/11 2026
docs/library/niche-scanner-lavsaeson-2026-11-03.md	Niche-scanneren: lavsæson, censur og tre-dages-gaten — 3/11 2026
docs/library/niche-vurdering-2026-11-01.md	Niche-vurdering: fortsæt eller skift? — 1/11 2026
docs/library/om-maerkning-dark-academia-2026-11-01.md	Om-mærkning mod dark academia — de 39 designs — 1/11 2026
docs/library/phase-0-baseline-2026-11-03.md	Fase 0-baseline — steamgears.eu
docs/library/pinterest-board-plan.md	Pinterest board-plan — cpaleadsis (godkendt 25/10 2026)
docs/library/pirat-piger-prompts.md	Manglende billeder — alle prompts (25/10 2026)
docs/library/plugin-audit-2026-11-02.md	Plugin-audit 2/11 2026
docs/library/plugin-opdateringer-triage-2026-11-02.md	Plugin-opdateringer — hvilke af de 16 er sikre at køre (2/11 2026)
docs/library/produkt-schema-fix-2026-11-02.md	Produkt-schema: brand, returret og leveringstid (2026-11-02)
docs/library/produkttekster-2026-11-01.md	Produkttekster — 39 produkter — 1/11 2026
docs/library/punk-grene-2026-11-02.md	Punk-grene — 18 nye designs: clockpunk, dieselpunk, teslapunk
docs/library/punk-lancering-2026-11-02.md	Punk-lancering — 6 SKU: produkttekster og mockup-plan
docs/library/punk-prompts-2026-11-02.md	Prompt-pack — clockpunk, dieselpunk, teslapunk
docs/library/punk-upload-2026-11-02.md	Punk — upload klar: 31 filer, to destinationer
docs/library/roadmap-status-2026-11-02.md	Roadmap-status — 2/11 2026 (målt)
docs/library/seo-audit-2026-11-02.md	SEO-audit — steamgears.eu (2026-11-02)
docs/library/sikkerhed-ai-engine-2026-11-01.md	Sikkerhed: AI Engine — CVE-2026-110732 (lukket 1/11 2026)
docs/library/sikkerhed-noegler-historik-2026-11-02.md	Sikkerhed: lækkede nøgler i git-historikken — rotation og oprydning
docs/library/sikkerhed-plugin-versioner-2026-11-01.md	Plugin-versioner på steamgears.eu — status 1/11 2026
docs/library/site-maalinger-2026-11-06.md	Site-målinger 6/11 2026 — shipping/returns, payload og analytics
docs/library/sitewide-audit-2026-11-03.md	Sitewide-audit — steamgears.eu
docs/library/steamgears-faerdig-2026-11-02.md	Steamgears.eu — vejen til færdig: status 2/11 og resten
docs/library/steampunk-outfit-ideas-for-women.md	Steampunk Outfit Ideas for Women: 12 Complete Looks (2026)
docs/library/tee-varianter-spec-2026-11-02.md	Størrelsesvarianter på de ni tees — spec og blokering
docs/library/tool-gaps-2026-11-02.md	Hvilke værktøjer mangler — 2/11 2026
docs/library/valuta-og-priser-2026-11-02.md	Valuta og priser — forslag til S4.3
docs/library/vedligehold-daglig-log.md	2026-10-25 07:00 — Daglig drift/checkout-tjek
docs/library/vedligehold-kvartalsvis-log.md	Kvartalsvis fuld crawl + top-20 — 26/10 2026
docs/library/vedligehold-ugentlig-log.md	Ugentlig backup + 1 indholdselement — log
docs/library/waf-diagnose-2026-11-02.md	WAF-diagnose — steamgears.eu (2026-11-02)
docs/library/warpstorm-2026-11-01.md	Warpstorm — hvad der er live, hvad der blokerer, og hvad næste produkt
docs/library/woo-11-3-vaerktoejsliste-2026-11-02.md	Woo 11.3 og de ni REST-spejle — hvad der forsvinder fra værktøjslisten
docs/library/woo-opdaterings-tjekliste-2026-11-03.md	WooCommerce-opdatering på steamgears.eu — tjekliste før og efter
docs/mcp-auth.md	MCP-adgang — steamgears.eu og Publer

Fil	Første overskrift
docs/projektstatus.md	Projektstatus — procentvis fremgang
docs/roadmap.md	Steamgears site — optimisation roadmap
docs/seo.md	SEO — regler, skabeloner og måling for steamgears.eu
docs/site-checks/2026-11-01.md	Site Check + SEO — 2026-11-01 (søndag)