Homework Grading Report

Student Name:	Anathalia Marc-Charles
Assignment:	2.3
Graded On:	September 22, 2025 at 05:33 PM
Final Score:	10.8 / 37.5 points (28.7%)

Score Summary

Overall Performance: Unsatisfactory (28.7%)

Component Scores:

Working Directory: 2.0 pointsPackage Loading: 1.0 points

Data Import: 0.0 points

Data Inspection: 6.0 points

• Reflection Questions: 1.8 points

Performance by Category

■ Excellent Working Directory: 2.0/2 points (100%)

■ Needs Work Package Loading: 1.0/4 points (25%)

■ Needs Work **Data Import:** 0.0/5 points (0%)

■■ Satisfactory **Data Inspection:** 6.0/8 points (75%)

■ Needs Work Reflection Questions: 1.8/12.5 points (14%)

Detailed Analysis:

- Working Directory (2/2 points): Correctly used getwd() and showed output
- Package Loading (1.0/4 points): tidyverse attempted but has errors | readxl attempted but has errors
- ■ CSV Import (0/5 points): Missing sales_df <- read_csv() assignment
- ■ Excel Import (0/6 points): Missing ratings_df import | Missing comments_df import
- Data Inspection (6.0/8 points): head() used and executed | str() used and executed | summary() used and executed | sales_df not analyzed | ratings_df not analyzed | comments_df not analyzed
- Reflection Questions (1.8/12.5 points): Data Types Analysis (0.4/4 points) Focus on the Date and Amount columns from sales_df what data types are they? | Think about this: can you do math with these data types? Can you sort dates chronologically? | You answered the question try adding more detail next time

Data types matter more than you might think. If your dates are stored as text ("2023-01-15"), you can't calculate time differences or trends. If amounts have dollar signs ("\$1,234.56"), you can't do math with them. When I see dates stored properly as date objects, I know you can calculate things like "days between orders" or "monthly sales patterns." When amounts are numeric (1234.56), you can sum, average, and analyze them. This isn't just technical nitpicking - it's about what analysis you can actually do with your data. Check this first, always. It'll save you headaches later. Data Quality Assessment (0.0/4 points) ■ Look at your data outputs - do you see any missing values (NA's) or unusual patterns? ■ Think about this: how would missing data or errors affect your business conclusions? Look for problems that will mess up your analysis. Missing values can throw off your totals. Inconsistent formatting (like "North" vs "NORTH" vs "north") will split your data when you try to group it. Watch for things that don't make business sense - negative sales amounts, future dates, or someone buying 999,999 keyboards (probably a data entry error). I also want to see you think about impact. If 5% of values are missing, that's different from 50% missing. If you have weird outliers, will they skew your averages? This isn't busy work - bad data leads to bad decisions. Spend time here and your analysis will be much more reliable. Analysis Readiness (1.4/4.5 points) You mentioned the datasets - now compare which is most ready for analysis | ■ Think about what you'd need to do to make the messiest dataset analysis-ready | You answered thoughtfully - could expand a bit more Compare the datasets and tell me which one you'd start analyzing first. Think practically - which has fewer missing values? Which has cleaner, more consistent formatting? Which one can answer your most important business questions? For example, if your sales data is mostly complete but your feedback data has lots of gaps and messy text, you'd probably start with sales data to get quick insights, then clean up the feedback data later. In real work, you rarely get perfect data. You have to prioritize where to spend your time. Show me you can think strategically about this - it's a key skill. ■ Overall Reflection Quality: Needs Development The reflection questions are where you really develop your analytical thinking skills. Take more time with these - they're not just busy work! Look carefully at your data outputs, think about what you observe, and explain your reasoning. This kind of thinking is what separates good analysts from great ones.

Code Issues & Fixes

Issues Found:

- · tidyverse loading error
- · readxl loading error
- ERROR: Error in setwd("/workspaces/assignment-2-version3-anathaliajmc/data"): cannot change working directory
- ERROR: Warning message in file(file, "rt"): "cannot open file
 '/workspaces/assignment-2-version3-anathaliajmc/data/messy_sales_data.csv': No such file or
 directory"
- ERROR: Error in file(file, "rt"): cannot open the connection

Specific Code Solutions:

Package Loading Fix

If you get errors, try installing one at a time and restart R between installations. **

```
# Install packages first (only need to do this once)
install.packages("tidyverse")
install.packages("readxl")
# Then load them (do this every time you restart R)
```

```
library(tidyverse)
library(readxl)
```

Data Import Fix

Common fixes: - Check file paths: make sure "data/" folder exists - Check sheet names: they're case-sensitive - Use forward slashes (/) not backslashes (\) in file paths **

```
# For CSV files
sales_df <- read_csv("data/sales_data.csv")
# For Excel files with multiple sheets
ratings_df <- read_excel("data/customer_feedback.xlsx", sheet = "ratings")
comments_df <- read_excel("data/customer_feedback.xlsx", sheet =
"customer_feedback")</pre>
```

Variable Fix - Object Not Found

**

```
# This error means you're using a variable before creating it
# Common causes:
# 1. Typo in variable name (check spelling!)
# 2. Didn't run the cell that creates the variable
# 3. Variables are case-sensitive: sales_df ≠ Sales_df
# Solution: Run cells in order from top to bottom
```

Variable Fix - Object Not Found

**

```
# This error means you're using a variable before creating it
# Common causes:
# 1. Typo in variable name (check spelling!)
# 2. Didn't run the cell that creates the variable
# 3. Variables are case-sensitive: sales_df ≠ Sales_df
# Solution: Run cells in order from top to bottom
```

Variable Fix - Object Not Found

**

```
# This error means you're using a variable before creating it

# Common causes:

# 1. Typo in variable name (check spelling!)

# 2. Didn't run the cell that creates the variable

# 3. Variables are case-sensitive: sales_df ≠ Sales_df

# Solution: Run cells in order from top to bottom
```

Variable Fix - Object Not Found

**

```
# This error means you're using a variable before creating it
```

```
# Common causes:
# 1. Typo in variable name (check spelling!)
# 2. Didn't run the cell that creates the variable
# 3. Variables are case-sensitive: sales_df ≠ Sales_df
# Solution: Run cells in order from top to bottom
```

Variable Fix - Object Not Found

**

#	This error means you're using a variable before creating it	
#	# Common causes:	
#	1. Typo in variable name (check spelling!)	
#	2. Didn't run the cell that creates the variable	
#	3. Variables are case-sensitive: sales_df ≠ Sales_df	
#	Solution: Run cells in order from top to bottom	

Variable Fix - Object Not Found

Study Tip: Go back through the lecture notebook and run the examples yourself. Practice is how you learn R. Come to office hours if you need help. We can work through any concepts that aren't clicking.

```
# This error means you're using a variable before creating it

# Common causes:

# 1. Typo in variable name (check spelling!)

# 2. Didn't run the cell that creates the variable

# 3. Variables are case-sensitive: sales_df ≠ Sales_df

# Solution: Run cells in order from top to bottom
```

Reflection Questions Feedback

Data Types: 0.4/4 points (Needs Improvement)

Data Quality: 0.0/4 points (Needs Improvement)

Analysis Readiness: 1.4/4.5 points (Needs Improvement)

Next Steps

■ Let's Regroup (10.8/37.5 points - 28.7%) This is challenging material, so don't worry if it feels overwhelming. Focus on the basics and ask questions when you're stuck. Here's what to focus on for next time: Package Loading: Check that both `tidyverse` and `readxl` load without errors. If you get error messages, you might need to install them first. Data Import: Make sure all three datasets (sales_df, ratings_df, comments_df) load successfully. Pay attention to file paths and sheet names for the Excel file. Reflection Questions: Take more time with these. Look at your data outputs and explain what you see. These aren't just busy work - they help you think analytically. Code Execution: Fix any

error messages before submitting. Red error text means something went wrong - don't ignore it. Package Loading Fix: ```r # Install packages first (only need to do this once) install.packages("tidyverse") install.packages("readxl") # Then load them (do this every time you restart R) library(tidyverse) library(readxl) "If you get errors, try installing one at a time and restart R between installations. Data Import Fix: ```r # For CSV files sales_df <- read_csv("data/sales_data.csv") # For Excel files with multiple sheets ratings_df <- read_excel("data/customer_feedback.xlsx", sheet = "ratings") comments_df <- read_excel("data/customer_feedback.xlsx", sheet = "customer_feedback") ``` Common fixes: - Check file paths: make sure "data/" folder exists - Check sheet names: they're case-sensitive - Use forward slashes (/) not backslashes (\) in file paths Variable Fix - Object Not Found: ```r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom ``` Variable Fix -Object Not Found: ```r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom ``` Variable Fix - Object Not Found: ""r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom ``` Variable Fix - Object Not Found: ```r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom ``` Variable Fix - Object Not Found: ```r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom ``` Variable Fix - Object Not Found: ```r # This error means you're using a variable before creating it # Common causes: # 1. Typo in variable name (check spelling!) # 2. Didn't run the cell that creates the variable # 3. Variables are case-sensitive: sales_df ≠ Sales_df # Solution: Run cells in order from top to bottom "Study Tip: Go back through the lecture notebook and run the examples yourself. Practice is how you learn R. Come to office hours if you need help. We can work through any concepts that aren't clicking.

Study Tips:

- Review the lecture notebook and practice running the examples yourself
- Make sure to execute all code cells and check for outputs
- Focus on understanding the fundamental concepts before moving to advanced topics