

Asked chatgpt for step by step guide on setup:::

Get Plus x

Give me step by step guide on how can i setup three js in my macos

Here is a **simple step-by-step guide to set up Three.js on macOS**. I'll show you **two methods**:

- **Method 1 (Recommended for learning): Using Vite + npm**
- **Method 2 (Quick test): Using CDN without installation**

Since you're a CS student and working on projects, Method 1 is the **best professional workflow**.

Method 1 — Setup Three.js with Node.js (Recommended)

Step 1 — Install Node.js

Three.js projects usually use **Node + npm**.

1. Go to:
<https://nodejs.org>
2. Download **LTS version**.
3. Install it normally.
4. Verify installation in Terminal:

<> Bash



node -v


[Node.js](#) and npm already installed in mac




PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
hunainamjad@Hunains-MacBook-Air ~ % node -v
npm -v
v25.5.0
11.8.0
hunainamjad@Hunains-MacBook-Air ~ %
```

Created Project folder:



Initialized npm (npm init -y) which created package.json



The installed [three.js](#)


Step 4 — Install Three.js

Now install Three.js:

```
<> Bash
npm install three
```




Created project structure:



The screenshot shows the VS Code interface for a project named 'threejs_course'. The Explorer sidebar on the left displays the file structure: 'THREEJS_COURSE' (expanded) contains 'node_modules', 'public', 'src' (selected), '.gitignore', 'index.html', 'package-lock.json', and 'package.json'. The main editor area shows the 'package.json' file with the following content:

```
1 {
2   "name": "threejs_course",
3   "version": "0.0.0",
4   "private": true,
5   "type": "module",
6   "scripts": {
7     "dev": "vite",
8     "build": "vite build",
9     "preview": "vite preview"
10  },
11  "devDependencies": {
12    "vite": "^8.0.1"
13  },
14  "dependencies": {
```

Pasted code for [main.js](#) and index.html



The screenshot shows the VS Code interface with the 'main.js' file open in the editor. The Explorer sidebar on the left shows the project structure, including 'src' (expanded) with 'assets', 'counter.js', 'main.js' (selected), and 'style.css'. The main editor area shows the following code in 'main.js':

```
1 import * as THREE from 'three';
2
3 const scene = new THREE.Scene();
4
5 const camera = new THREE.PerspectiveCamera(
6   75,
7   window.innerWidth / window.innerHeight,
8   0.1,
9   1000
10 );
11
12 const renderer = new THREE.WebGLRenderer({
13   canvas: document.querySelector('#bg')
14 });
```

Got my cube

localhost:5173

