

PRAIRIE CREEK OFFICE/WAREHOUSE — BUILDING 2

12,000 SF SINGLE-STORY OFFICE / WAREHOUSE — 2201 PRAIRIE CREEK PKWY, PLANO, TX 75074 (FICTIONAL)

BID SET — ISSUED FOR BID 09/12/2026 — SYNTHETIC DEMO DATA, NOT A REAL PROJECT

SHEET INDEX

SHEET	TITLE	REV
G-001	COVER SHEET, INDEX, CODE SUMMARY	2
A-101	FLOOR PLAN	2
A-201	EXTERIOR ELEVATIONS	2
A-601	DOOR, WINDOW & FINISH SCHEDULES	2
S-101	FOUNDATION PLAN & GENERAL NOTES	2
S-201	ROOF FRAMING PLAN	2
M-101	HVAC PLAN & SCHEDULES	2
P-101	PLUMBING PLAN & FIXTURE SCHEDULE	2
E-101	POWER & LIGHTING PLAN, ONE-LINE, PANEL SCHEDULES	2

GENERAL NOTES

- DO NOT SCALE DRAWINGS. FIGURED DIMENSIONS GOVERN.
- SCHEDULES GOVERN OVER PLANS WHERE THEY DIFFER; NOTIFY THE ARCHITECT OF CONFLICTS BY PRE-BID RFI.
- ALL DIMENSIONS ARE TO FACE OF CMU OR FACE OF STUD UNLESS NOTED.
- EXTERIOR WALLS: 8" CMU, GROUTED SOLID, WITH BRICK VENEER AT OFFICE; SEE A-201 AND SPEC 04 22 00.
- INTERIOR PARTITIONS: TYPE P1 3-5/8" MTL STUD 16" OC, 5/8" GWB EACH SIDE TO DECK UNLESS NOTED.
- ROOF: MECHANICALLY FASTENED 60-MIL TPO OVER POLYISO (R-30 AVG), TAPERED CRICKETS; 20-YEAR NDL WARRANTY.
- SPRINKLER SYSTEM IS DESIGN-BUILD BY THE FIRE PROTECTION SUBCONTRACTOR PER NFPA 13.
- SIGNAGE ALLOWANCE \$25,000 — SEE SPEC 01 21 00.

CODE SUMMARY

ITEM	VALUE
BUILDING TYPE	OFFICE / WAREHOUSE (B / S-1)
CONSTRUCTION TYPE	II-B
GROSS AREA	12,000 SF
OFFICE AREA	4,000 SF
WAREHOUSE AREA	8,000 SF
STORIES	1
HEIGHT	OFFICE 14'-0" / WAREHOUSE 24'-0"
SPRINKLERS	YES — NFPA 13, DESIGN-BUILD
OCCUPANT LOAD	B: 40 / S-1: 16
CODES	IBC 2021, IECC 2021, NEC 2023, TAS 2012

ABBREVIATIONS

ABBR	MEANING
CMU	CONCRETE MASONRY UNIT
GWB	GYPSUM WALL BOARD
HM	HOLLOW METAL
NIC	NOT IN CONTRACT
OC	ON CENTER
TYP	TYPICAL
VIF	VERIFY IN FIELD
ACT	ACOUSTICAL CEILING TILE
SOG	SLAB ON GRADE
AFF	ABOVE FINISHED FLOOR

BLACKLAND COMMERCIAL BUILDERS (SYNTHETIC DATA)
PRAIRIE CREEK OFFICE/WAREHOUSE — BUILDING 2

SHEET TITLE
COVER SHEET, INDEX, CODE SUMMARY

SCALE: NONE DATE: 09/12/2026
REV: 2 ADDENDUM 1: 09/19/2026

SHEET NUMBER
G-001