



ANSIBLE NGINX LAB + GITEA MODEL





Cài đặt Github

```
git@git:~$ sudo apt install -y gh
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  gh
0 upgraded, 1 newly installed, 0 to remove and 32 not upgraded.
Need to get 8,836 kB of archives.
After this operation, 45.4 MB of additional disk space will be used.
Get:1 http://vn.archive.ubuntu.com/ubuntu noble-updates/universe amd64
Fetched 8,836 kB in 0s (20.2 MB/s)
```

Authentication xác thực user/mail vào github

```

git@git:~$ gh --version
gh version 2.45.0 (2025-07-18 Ubuntu 2.45.0-1ubuntu0.3)
https://github.com/cli/cli/releases/tag/v2.45.0
git@git:~$ gh auth login
? What account do you want to log into? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: ED76-0FD3
Press Enter to open github.com in your browser...
! Failed opening a web browser at https://github.com/login/device
exec: "xdg-open,x-www-browser,www-browser,wslview": executable file not
Please try entering the URL in your browser manually

✓ Authentication complete.
- gh config set -h github.com git_protocol https
✓ Configured git protocol
! Authentication credentials saved in plain text
✓ Logged in as hungdoan42304
git@git:~$
git@git:~$ git config --global user.name "hungdoan42304"
git@git:~$ git config --global user.email "hungdoan370@gmail.com"
git@git:~$ git config --global --list

```

Kết nối thành công vào github

```

git@git:~$ git config --global --list
credential.https://github.com.helper=
credential.https://github.com.helper=!/usr/bin/gh auth
credential.https://gist.github.com.helper=
credential.https://gist.github.com.helper=!/usr/bin/gh
user.name=hungdoan42304
user.email=hungdoan370@gmail.com

```

Download gitea + connect tới server

```

git@git:~$ wget https://github.com/go-gitea/gitea/releases/download/v1.21.5/gitea-1.
chmod +x gitea
--2026-08-03 13:55:54-- https://github.com/go-gitea/gitea/releases/download/v1.21.5
Resolving github.com (github.com)... 20.205.243.166
Connecting to github.com (github.com)|20.205.243.166|:443... connected.

```

```
3, 185.199.109.133, ...
Connecting to release-assets.githubusercontent.com (release-assets.githubusercontent.com)
HTTP request sent, awaiting response... 200 OK
Length: 137932040 (132M) [application/octet-stream]
Saving to: 'gitea'

gitea                                100%[=====
2026-08-03 13:55:58 (44.1 MB/s) - 'gitea' saved [137932040/137932040]
```

Cấu hình lưu trữ và đăng nhập vào gitea

```
git@git:~$ sudo mv gitea /usr/local/bin/gitea
git@git:~$ sudo mkdir -p /var/lib/gitea/{custom,data,log}
git@git:~$ sudo mkdir -p /etc/gitea
git@git:~$ sudo chown -R gitea:gitea /var/lib/gitea
git@git:~$ sudo chown -R gitea:gitea /etc/gitea
git@git:~$ sudo chmod -R 750 /var/lib/gitea
git@git:~$ sudo chmod -R 750 /etc/gitea
git@git:~$ sudo chmod +x /usr/local/bin/gitea
```

```
git@git:~$ sudo cat /etc/gitea/app.ini
[sudo] password for git:
APP_NAME = Gitea
RUN_USER = gitea
WORK_PATH = /var/lib/gitea
RUN_MODE = prod

[database]
DB_TYPE = mysql
HOST = 127.0.0.1:3306
NAME = gitea
USER = hungdoan42304
PASSWD = Hung@123456
SCHEMA =
SSL_MODE = disable
PATH = /usr/local/bin/data/gitea.db
LOG_SQL = false
```

Cài MySQL

```
git@git:~$ sudo apt update
Hit:1 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:2 http://vn.archive.ubuntu.com/ubuntu noble InRelease
Hit:3 http://vn.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:4 http://vn.archive.ubuntu.com/ubuntu noble-backports InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
32 packages can be upgraded. Run 'apt list --upgradable' to see them.
git@git:~$ sudo apt install -y mysql-server
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
```

Start service gitea

```
git@git:~$ sudo systemctl start mysql
git@git:~$ sudo systemctl enable mysql
Synchronizing state of mysql.service with SysV service script with /usr/lib/systemd/systemd-sysv-install enable mysql
git@git:~$ sudo systemctl status mysql
● mysql.service - MySQL Community Server
   Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
   Active: active (running) since Mon 2026-08-03 14:02:23 UTC; 37s ago
     Main PID: 3065 (mysqld)
    Status: "Server is operational"
       Tasks: 38 (limit: 2205)
      Memory: 363.9M (peak: 378.2M)
         CPU: 800ms
        CGroup: /system.slice/mysql.service
                └─3065 /usr/sbin/mysqld

Aug 03 14:02:22 git systemd[1]: Starting mysql.service - MySQL Community Server
Aug 03 14:02:23 git systemd[1]: Started mysql.service - MySQL Community Server
git@git:~$
```


Mở cấu hình server gitea

```
git@git:~$ sudo chmod 644 /etc/gitea/app.ini
git@git:~$ sudo chown gitea:gitea /etc/gitea/app.ini
git@git:~$ sudo su
root@git:/home/git# cd /var/lib/gitea
root@git:/var/lib/gitea# sudo -u gitea /usr/local/bin/gitea web --config /etc/gitea/app.ini
2026/08/03 14:08:09 cmd/web.go:242:runWeb() [I] Starting Gitea on PID: 3354
2026/08/03 14:08:09 cmd/web.go:111:showWebStartupMessage() [I] Gitea version: 1.21.5 built with GNU Make 4.3, go1.21.6 :
bindata, sqlite, sqlite_unlock_notify
2026/08/03 14:08:09 cmd/web.go:112:showWebStartupMessage() [I] * RunMode: prod
2026/08/03 14:08:09 cmd/web.go:113:showWebStartupMessage() [I] * AppPath: /usr/local/bin/gitea
2026/08/03 14:08:09 cmd/web.go:114:showWebStartupMessage() [I] * WorkPath: /usr/local/bin
2026/08/03 14:08:09 cmd/web.go:115:showWebStartupMessage() [I] * CustomPath: /usr/local/bin/custom
2026/08/03 14:08:09 cmd/web.go:116:showWebStartupMessage() [I] * ConfigFile: /etc/gitea/app.ini
2026/08/03 14:08:09 cmd/web.go:117:showWebStartupMessage() [I] Prepare to run install page
2026/08/03 14:08:09 cmd/web.go:304:Listen() [I] Listen: http://0.0.0.0:3000
2026/08/03 14:08:09 cmd/web.go:308:Listen() [I] AppURL(ROOT_URL): http://172.19.78.62:3000/
2026/08/03 14:08:09 ...s/graceful/server.go:70:NewServer() [I] Starting new Web server: tcp:0.0.0.0:3000 on PID: 3354
```

Các thông số cấu hình đúng:

- ✓ Repository Root: /var/lib/gitea/data/repositories
- ✓ LFS Path: /var/lib/gitea/data/lfs

- ☒ Run User: gitea
- ☒ Domain: 192.168.232.154
- ☒ HTTP Port: 3000
- ☒ Base URL: http://192.168.232.154:3000/
- ☒ Log Path: /var/lib/gitea/log



Tạo organization

Milestones Explore

New Organization

Organization Name *

Organization names should be short and memorable.

Visibility *

☒ Public

☐ Limited (Visible to authenticated users only)

☐ Private (Visible only to organization members)

Permissions ☒ Repository admin can add and remove access for teams

Create Organization

+ New Repository

+ New Migration

+ New Organization

Issues Pull Requests Milestones Explore



VTI-LAB

Follow

Repositories Projects Packages Members 1 Teams 1 Settings

Search... Search Sort

No matching repositories found.

New Repository New Migration

Members 1 >

Teams 1 >

Owners
1 members · 0 repositories

New Team

Tạo repository

```

hint: See the "Note about fast forwards" in "git push" help for details.
cluster1@acn:~/ansible-nginx-lab$ git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 246 bytes | 246.00 KiB/s, done.
From http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab
 * branch          main      -> FETCH_HEAD
 * [new branch]    main      -> origin/main
hint: You have divergent branches and need to specify how to reconcile them.
hint: You can do so by running one of the following commands sometime before
hint: your next pull:
hint:
hint:   git config pull.rebase false  # merge
hint:   git config pull.rebase true   # rebase
hint:   git config pull.ff only       # fast-forward only
hint:
hint: You can replace "git config" with "git config --global" to set a default
hint: preference for all repositories. You can also pass --rebase, --no-rebase,
hint: or --ff-only on the command line to override the configured default per
hint: invocation.
fatal: Need to specify how to reconcile divergent branches.

```

```

fatal: need to specify how to reconcile divergent branches.
cluster1@acn:~/ansible-nginx-lab$ git pull origin main --allow-unrelated-histories --no-rebase
From http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab
 * branch          main      -> FETCH_HEAD
Merge made by the 'ort' strategy.
 README.md | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 README.md
cluster1@acn:~/ansible-nginx-lab$ git pull --no-rebase origin main --allow-unrelated-histories
From http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab
 * branch          main      -> FETCH_HEAD
Already up to date.
cluster1@acn:~/ansible-nginx-lab$ git push -u origin main
Username for 'http://192.168.232.154:3000': admin1
Password for 'http://admin1@192.168.232.154:3000':
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 1.09 KiB | 1.09 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
remote: . Processing 1 references
remote: Processed 1 references in total
To http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab.git
 c845651..2e74851  main -> main
branch 'main' set up to track 'origin/main'.
cluster1@acn:~/ansible-nginx-lab$

```

Upload source lên gitea

```

cluster1@acn:~/ansible-nginx-lab$ git push -u origin main
Username for 'http://192.168.232.154:3000': admin1
Password for 'http://admin1@192.168.232.154:3000':
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 1.09 KiB | 1.09 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
remote: . Processing 1 references
remote: Processed 1 references in total
To http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab.git
 c845651..2e74851  main -> main
branch 'main' set up to track 'origin/main'.
cluster1@acn:~/ansible-nginx-lab$

```

The screenshot shows the Gitea web interface for a repository named 'VTI-LAB / ansible-nginx-lab'. At the top, there are buttons for 'Unwatch', 'Star' (0), and 'Fork' (0). Below this is a navigation bar with links for 'Code', 'Issues', 'Pull Requests', 'Packages', 'Projects', 'Releases', 'Wiki', and 'Activity'. The repository name is displayed as 'Ansible Playbook for Nginx Deployment Lab'. Below the name, it shows '3 Commits', '1 Branch', '0 Tags', and '29 KiB'. There is a dropdown menu for the 'main' branch, a 'Go to file' button, and an 'Add File' button. A green 'HTTP' button is visible next to the repository URL 'http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab'. Below this, a commit history table is shown with columns for the commit hash, the commit message, and the time since the commit. The first commit is by 'Hungdoan42304' with hash '2e74851b3f', titled 'Merge branch 'main' of http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab', and made '1 minute ago'. The subsequent three commits are 'Initial commit' for files 'README.md', 'install-nginx.yml', and 'inventory.ini', all made '1 hour ago'.

Commit Hash	Commit Message	Time
2e74851b3f	Merge branch 'main' of http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab	1 minute ago
	Initial commit	1 hour ago
	Initial commit: Ansible Nginx deployment lab	1 hour ago
	Initial commit: Ansible Nginx deployment lab	1 hour ago

Back up inventory , update project

Thêm vào template , variable và cấu trúc lại playbook


```
cluster1@acn:~/ansible-nginx-lab$ tree
```

```
├── install-nginx-lab1.yml
├── install-nginx.yml
├── inventory.ini
├── README.md
└── templates
```

```
cluster1@acn:~/ansible-nginx-lab$ sudo vim templates/index.html.j2
```

```
cluster1@acn:~/ansible-nginx-lab$ sudo vim templates/index.html.j2
```

```
cluster1@acn:~/ansible-nginx-lab$ sudo vim install-nginx.yml
```

```
<html>

<head>
  <title>{{ page_title }}</title>
</head>

<body>

<h1>{{ message }}</h1>

<hr>

<p><b>Hostname:</b> {{ inventory_hostname }}</p>

<p><b>IP Address:</b> {{ ansible_default_ipv4.address }}</p>

<p><b>OS:</b> {{ ansible_distribution }}</p>

<p><b>Kernel:</b> {{ ansible_kernel }}</p>

<p><b>Managed by:</b> Ansible</p>

</body>
```

```
vars:
  page_title: "VTI LAB - Ansible"
  message: "Welcome to my first Jinja2 Template"

tasks:

  - name: Update apt package cache
    apt:
      update_cache: yes

  - name: Install Nginx
    apt:
      name: nginx
      state: present

  - name: Start and enable Nginx
    service:
      name: nginx
      state: started
      enabled: yes

  - name: Deploy index.html from template
    template:
      src: templates/index.html.j2
```

Test ssh

```
cluster2@web1:~$ cat /var/www/html/index.html
<html>

<head>
    <title>VTI LAB - Ansible</title>
</head>

<body>

<h1>Welcome to my first Jinja2 Template</h1>

<hr>

<p><b>Hostname:</b> cluster2</p>

<p><b>IP Address:</b> 192.168.232.151</p>

<p><b>OS:</b> Ubuntu</p>

<p><b>Kernel:</b> 6.8.0-136-generic</p>

<p><b>Managed by:</b> Ansible</p>

</body>
```

Update source/commit

```
cluster1@acn:~/ansible-nginx-lab$ git add .
cluster1@acn:~/ansible-nginx-lab$ git commit -m "Lab 2: Add Jinja2 template for Nginx page"
[main ee1f0a9] Lab 2: Add Jinja2 template for Nginx page
3 files changed, 79 insertions(+), 14 deletions(-)
create mode 100644 install-nginx-lab1.yml
create mode 100644 templates/index.html.j2
```

```
cluster1@acn:~/ansible-nginx-lab$ git push
Username for 'http://192.168.232.154:3000': admin1
Password for 'http://admin1@192.168.232.154:3000':
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 897 bytes | 897.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0
remote: . Processing 1 references
remote: Processed 1 references in total
To http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab.git
    2e74851..ee1f0a9  main -> main
```

group_vars & host_vars

```
---
server_location: "Ho Chi Minh"
server_environment: "Production"
~
```

```
server_location: "Ha Noi"
server_environment: "Testing"
~
```

Test ssh

```
<p><b>Company:</b> VTI Corporation</p>
<p><b>Admin:</b> admin@vti.lab</p>
<p><b>Location:</b> Ho Chi Minh</p>
<p><b>Environment:</b> Production</p>
```

Handler and notify – chỉ chạy nginx khi có thay đổi

```
cluster1@acn:~/ansible-nginx-lab$ ansible -i inventory.ini webservers \
-m command \
-a "cat /etc/nginx/conf.d/custom.conf"
cluster2 | CHANGED | rc=0 >>
server_tokens off;
cluster3 | CHANGED | rc=0 >>
server_tokens off;
```

```
cluster1@acn:~/ansible-nginx-lab$ ansible-playbook -i inventory.ini install-nginx.yml

PLAY [Install and configure Nginx using Template] *****

TASK [Gathering Facts] *****
ok: [cluster3]
ok: [cluster2]

TASK [Update apt package cache] *****
changed: [cluster3]
changed: [cluster2]

TASK [Install Nginx] *****
ok: [cluster3]
ok: [cluster2]

TASK [Start and enable Nginx] *****
ok: [cluster3]
ok: [cluster2]

TASK [Deploy index.html from template] *****
ok: [cluster3]
ok: [cluster2]

TASK [Deploy custom nginx config] *****

TASK [Deploy custom nginx config] *****
changed: [cluster3]
changed: [cluster2]

TASK [Allow HTTP through UFW] *****
ok: [cluster2]
ok: [cluster3]

RUNNING HANDLER [Reload Nginx] *****
changed: [cluster2]
changed: [cluster3]

PLAY RECAP *****
cluster2      : ok=8    changed=3    unreachable=0    failed=0    skipped=0    rescued=0
ed=0
cluster3      : ok=8    changed=3    unreachable=0    failed=0    skipped=0    rescued=0
ed=0
```

Roles

Tạo roles

```

cluster1@acn:~/ansible-nginx-lab$ ansible-galaxy init roles/nginx
- Role roles/nginx was created successfully
cluster1@acn:~/ansible-nginx-lab$ tree roles
roles
├── nginx
│   ├── defaults
│   │   └── main.yml
│   ├── files
│   ├── handlers
│   │   └── main.yml
│   ├── meta
│   │   └── main.yml
│   ├── README.md
│   ├── tasks
│   │   └── main.yml
│   ├── templates
│   ├── tests
│   │   ├── inventory
│   │   └── test.yml
│   └── vars
│       └── main.yml

```

10 directories, 8 files

Cấu hình, tổ chức lại các thư mục cho các roles tương ứng

```

cluster1@acn:~/ansible-nginx-lab$ cp templates/index.html.j2 \
roles/nginx/templates/
cluster1@acn:~/ansible-nginx-lab$ cp files/custom.conf \
roles/nginx/files/
cluster1@acn:~/ansible-nginx-lab$ sudo vim roles/nginx/tasks/main.yml
cluster1@acn:~/ansible-nginx-lab$ sudo vim roles/nginx/handlers/main.yml
cluster1@acn:~/ansible-nginx-lab$ sudo vim site.yml
cluster1@acn:~/ansible-nginx-lab$ tree -L 3

```



```
cluster1@acn:~/ansible-nginx-lab$ tree -L 3
```

```
.
├── files
│   ├── custom.conf
│   └── nginx.conf
├── group_vars
│   └── webservers.yml
├── host_vars
│   ├── cluster2.yml
│   └── cluster3.yml
├── install-nginx-lab1.yml
├── install-nginx.yml
├── inventory.ini
├── README.md
├── roles
│   └── nginx
│       ├── defaults
│       ├── files
│       ├── handlers
│       ├── meta
│       ├── README.md
│       ├── tasks
│       ├── templates
│       ├── tests
│       └── vars
├── site.yml
└── templates
    └── index.html.j2
```

```
15 directories, 12 files
```

Tags

```
cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
site.yml \
--list-tags

playbook: site.yml

  play #1 (webserver): webserver      TAGS: []
    TASK TAGS: [deploy, firewall, install, service, update]
```

```
cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
site.yml \
--list-tasks

playbook: site.yml

  play #1 (webserver): webserver      TAGS: []
    tasks:
      nginx : Update apt package cache TAGS: [update]
      nginx : Install Nginx            TAGS: [install]
      nginx : Start and enable Nginx   TAGS: [service]
      nginx : Deploy index.html        TAGS: [deploy]
      nginx : Deploy custom nginx config TAGS: [deploy]
      nginx : Allow HTTP through UFW   TAGS: [firewall]
cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
```

Test chạy từng task: deploy

```
cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
site.yml \
--tags deploy

PLAY [webserver] *****

TASK [Gathering Facts] *****
ok: [cluster3]
ok: [cluster2]

TASK [nginx : Deploy index.html] *****
ok: [cluster2]
ok: [cluster3]

TASK [nginx : Deploy custom nginx config] *****
ok: [cluster2]
ok: [cluster3]

PLAY RECAP *****
cluster2 : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
cluster3 : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task install

```

cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
site.yml \
--tags install

PLAY [webservers] *****

TASK [Gathering Facts] *****
ok: [cluster3]
ok: [cluster2]

TASK [nginx : Install Nginx] *****
ok: [cluster3]
ok: [cluster2]

PLAY RECAP *****
cluster2      : ok=2    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
cluster3      : ok=2    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0

```

Chạy 2 task cùng lúc

```

cluster1@acn:~/ansible-nginx-lab$ ansible-playbook \
-i inventory.ini \
site.yml \
--tags "install,service"

PLAY [webservers] *****

TASK [Gathering Facts] *****
ok: [cluster2]
ok: [cluster3]

TASK [nginx : Install Nginx] *****
ok: [cluster3]
ok: [cluster2]

TASK [nginx : Start and enable Nginx] *****
ok: [cluster3]
ok: [cluster2]

PLAY RECAP *****
cluster2      : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
cluster3      : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0

```


VTI-LAB / ansible-nginx-lab

Unwatch 1
Star 0
Fork 0

Code
Issues
Pull Requests
Packages
Projects
Releases
Wiki
Activity
Settings

Ansible Playbook for Nginx Deployment Lab
Manage Topics

8 Commits
1 Branch
0 Tags
40 KiB

main
Go to file
Add File
HTTP
SSH
http://192.168.232.154:3000/VTI-LAB/ansible-nginx-lab

Hungdoan42304	6d6861a11c	Lab 6: Add tags to nginx role	1 hour ago
files		Lab 4: Implement handlers and notify	1 hour ago
group_vars		Lab 3: Add group_vars and host_vars	1 hour ago
host_vars		Lab 3: Add group_vars and host_vars	1 hour ago
roles/nginx		Lab 6: Add tags to nginx role	1 hour ago
templates		Lab 3: Add group_vars and host_vars	1 hour ago
README.md		Initial commit	6 hours ago
install-nginx-lab1.yml		Lab 2: Add Jinja2 template for Nginx page	2 hours ago
install-nginx.yml		Lab 4: Implement handlers and notify	1 hour ago
inventory.ini		Initial commit: Ansible Nginx deployment lab	6 hours ago
site.yml		Lab 5: Refactor playbook into nginx role	1 hour ago

