# **Laboratory 3**

# Load/ Store, Jump & Branch instructions

#### Goals

After this laboratory exercise, you should know how to use load/store, jump and branch instructions. You should also be able to implement high level programming language structures such as conditional statement (if-then-else), loop and selection statement (switch-case)

#### Literature

Behrooz Parhami (CAMS): Section 5.4, 5.5

#### **Preparation**

Before start this laboratory, you should review textbook and read the entire laboratory exercise in detail. You also need to review Laboratory Exercise 2 and try to experience MARS by yourself.

### Assignments at Home and at Lab

# **Home Assignment 1**

This home assignment implements "if-then-else" statement using some fundamental instructions, such as slt, addi, jump and branch.

At first, you should draw the algorithm chart for this statement. After that, you read this example carefully, try to clarify the function of each intructions.

```
#Laboratory Exercise 3, Home Assignment 1
start:

slt $t0,$s2,$s1  # j<i
bne $t0,$zero,else  # branch to else if j<i
addi $t1,$t1,1  # then part: x=x+1
addi $t3,$zero,1  # z=1
j endif  # skip "else" part

else:

addi $t2,$t2,-1  # begin else part: y=y-1
```

```
add $t3,$t3,$t3 # z=2*z endif:
```

#### **Home Assignment 2**

The following example demonstrates how to implement loop statement. This program computes the sum of elements of array A.

```
loop: i=i+step;
Sum=sum+A[i];
If(I !=n) goto loop;
```

Assuming that the index i, the starting address of A, the comparison constant n, step and sum are found in registers \$s1, \$s2, \$s3, \$s4 and \$s5, respectively. You should try to understand each line in this code.

```
#Laboratory 3, Home Assignment 2
.text
loop:
     add $s1,$s1,$s4
                                #i=i+step
     add $t1,$s1,$s1
                                #t1=2*s1
     add $t1,$t1,$t1
                               #t1=4*s1
     add $t1,$t1,$s2
                               #t1 store the address of A[i]
     lw $t0,0($t1)
                               #load value of A[i] in $t0
     add $s5,$s5,$t0
                               #sum=sum+A[i]
     bne $s1,$s3,loop
                                #if i != n, goto loop
```

#### **Home Assignment 3**

A switch/case statement allows multiway branching based on the value of an integer variable. In the following example, the switch variable test can assume one of the three values in [0,2] and a different action is specified for each case.

Assuming that a and b are stored in registers \$s2 and \$s3. You should read this code section carefully, understand how to implement switch/case statement.

```
#Laboratory Exercise 3, Home Assignment 3
.data
test: .word 1

.text
    la $s0,test  #load the address of test variable
    lw $s1,0($s0)  #load the value of test to register $t1
    li $t0,0  #load value for test case
    li $t1,1
```

```
li $t2,2
    beq $s1,$t0,case 0
    beq $s1,$t1,case 1
    beq $s1,$t2,case 2
         default
case 0:
    addi $s2,$s2,1
                      #a=a+1
    b continue
case 1:
    sub $s2,$s2,$t1
                     #a=a-1
       continue
    b
case 2:
    add $s3,$s3,$s3 #b=2*b
    b continue
default:
continue:
```

#### **Assignment 1**

Create a new project to implement the code in Home Assignment 1Home Assignment . Initialize for i and j variable. Compile and upload to the simulator. Run this program step by step, observe the changing of memory and the content of registers at each step.

#### **Assignment 2**

Create a new project implementing the code in Home Assignment 2. Initialize for i, n, step, sum variables and array A. Compile and upload to the simulator. Run this program step by step, observe the changing of memory and the content of registers by each step. Try to test with some more cases (change the value of variables).

# **Assignment 3**

Create a new project implementing the code in Home Assignment 3Home Assignment. Compile and upload to the simulator. Run this program step by step; observe the changing of memory and the content of registers by each step. Change the value of test variable and run this program some times to check all cases.

### **Assignment 4**

Modify the Assignment 1, so that the condition tested is

- a. i < j
- b.  $i \ge j$
- c.  $i+j \le 0$
- d. i+j > m+n

### **Assignment 5**

Modify the Assignment 2, so that the condition tested at the end of the loop is

- a. i < n
- b.  $i \le n$

- c. sum >= 0
- d. A[i] == 0

### **Assignment 6**

Using all of above instructions and statements, create a new project to implement this function: find the element with the largest absolute value in a list of integers. Assuming that this list is store in an integer array and we know the number of elements in it.

#### **Conclusions**

Before you pass the laboratory exercise, think about the questions below:

• Which registers are affected by a branch instruction?