

WHITEHORSE FOODTECH

PACKAGING ARCHITECTURE

The full pack ladder across five categories and four commercial channels: 27 master structures, 29 product forms, 103 pack positions. Structure follows product physics; the graphic system is shared. Concept stage — not production artwork.



READ FIRST

Every dimension, fill weight, barrier structure, seal width, closure and valve position in this document is a design reference. None is a Whitehorse specification and none is a supplier commitment. Final dimensions and printable areas must come from the selected packaging supplier or co-packer after fill, barrier, machinery, shipping and destination-label requirements are confirmed. Where a form, fill, closure or industrial dimension is unconfirmed it reads TBD rather than a plausible guess.

01 Decision order

Product physics and buyer use decide the structure; the structure decides the graphics. Products are not forced into a shared silhouette to look consistent — brand consistency comes from the graphic system, which is shared across every structure and reduced to typography and lot data on industrial packs. A category appears in a channel only where the commercial case is real: not every SKU needs all four.

CHANNEL	BUYER AND TASK	PACKAGING RULE
Buyer Sample / Qualification	Importer, procurement, R&D, roaster — assess quality and trace a lot	Small sealed pack sized for tests, with sample ID, lot, origin, process, date and the Passport QR
Professional / HORECA	Café, hotel, bakery, restaurant, small processor — repeated opening and dispensing	Practical 500 g – 1 kg dry packs, portion packs or a foodservice liquid format; closure and handling first

Retail / Private Label / Single-Serve	Distributor, brand owner or retailer — sell a ready product	Only against a confirmed Whitehorse or buyer programme; destination labelling and co-packer capability govern
Industrial Export / Commercial	Factory and importer — move and identify commercial lots	Commodity-specific sack, lined carton, vacuum carton, aseptic BIB or drum with pallet and handling data

02 The ladder, category by category

COFFEE

FROM VIETNAM'S HIGHLANDS

Green Coffee Beans — Robusta WHCF001

WHCF001 Green Coffee Beans · Robusta

SAMPLE	S01	Whole-Product Sample Pouch NET 250 g	Whole bean is graded partly by eye, so a restrained window is permitted once the film is validated.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 2 – 5 kg	Roaster pilot and evaluation lot; reseals between trial roasts. TBD — Fill range to co-packer confirmation	130 × 190 × 55 mm REF
INDUSTRIAL	S18	Green Coffee Export Sack NET 30 / 60 kg	Jute or PP sack is the trade convention. Hermetic liner specified for high-value or moisture-sensitive lots. TBD — Never a degassing valve on green beans	520 × 720 × 230 mm REF

Green Coffee Beans — Arabica WHCF002

WHCF002 Green Coffee Beans · Arabica

SAMPLE	S01	Whole-Product Sample Pouch NET 250 g	Whole bean is graded partly by eye, so a restrained window is permitted once the film is validated.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 2 – 5 kg	Roaster pilot and evaluation lot; reseals between trial roasts. TBD — Fill range to co-packer confirmation	130 × 190 × 55 mm REF
INDUSTRIAL	S18	Green Coffee Export Sack NET 30 / 60 kg	Jute or PP sack is the trade convention. Hermetic liner specified for high-value or moisture-sensitive lots. TBD — Never a degassing valve on green beans	520 × 720 × 230 mm REF

Fine Green — Robusta WHCF003

WHCF003 Fine Green · Robusta

SAMPLE	So1	Whole-Product Sample Pouch NET 250 g	Whole bean is graded partly by eye, so a restrained window is permitted once the film is validated.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 2 – 5 kg	Roaster pilot and evaluation lot; reseals between trial roasts. TBD — Fill range to co-packer confirmation	130 × 190 × 55 mm REF
INDUSTRIAL	S18	Green Coffee Export Sack NET 30 / 60 kg	Jute or PP sack is the trade convention. Hermetic liner specified for high-value or moisture-sensitive lots. TBD — Never a degassing valve on green beans	520 × 720 × 230 mm REF

Roasted Coffee Beans WHCF004

WHCF004 Roasted Coffee Beans · Whole Bean

PROFESSIONAL	So5	Professional Coffee Pouch, 1 kg NET 1 kg	Café and bakery volume; same valve logic at working size. TBD — Nitrogen flush and shelf life to validate with the filler	170 × 280 × 85 mm REF
RETAIL	So4	Roasted Coffee Valve Pouch NET 250 g	Post-roast CO ₂ must vent while oxygen stays out — a one-way valve is mandatory, a window is not permitted.	140 × 215 × 65 mm REF

Roasted & Ground Coffee WHCF005

WHCF005 Roasted & Ground · A&R Blend

RETAIL	S15	Retail Barrier Pouch NET 250 g	Ground coffee loses aroma fastest; opaque high-barrier, no default valve.	130 × 190 × 55 mm REF
RETAIL	So6	Drip Filter and Individual Sachet NET 10 – 12 g	One brew in a hanging paper filter. The filter is not the barrier — each one is sealed in its own opaque envelope.	90 × 105 × 8 mm REF
RETAIL	So7	Drip Carton, 10 Count NET 10 × 11 g	Ten individually sealed filters in a folding carton; brewing instructions on the back panel.	98 × 150 × 60 mm REF

Instant Coffee — Spray-Dried WHCF007

WHCF007 Instant Coffee · Spray-Dried

SAMPLE	S02	Powder Sample Pouch NET 100 g	Opaque, dust-tight, no valve.	112 × 164 × 46 mm REF
RETAIL	S08	Pure Instant Stick, 2 g NET 2 g	One cup of pure soluble coffee, black — the only form a 2 g stick suits. Premix sits in its own 16 – 20 g stick.	20 × 110 × 8 mm REF
RETAIL	S09	Stick Carton, 20 Count NET 20 × 2 g	Twenty sticks in a compact folding carton. TBD — Stick count and fill tolerance require line confirmation	120 × 88 × 48 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 20 / 25 kg	Lined carton or bag; moisture is the governing risk.	340 × 300 × 260 mm REF

Instant Coffee — 3-in-1 Premix WHCF-PMX

SKU TBD Soluble coffee with creamer and sugar — no code assigned in the locked range

RETAIL	S27	Instant Premix Stick, 16 – 20 g NET 16 – 20 g	One cup of premix: soluble coffee, creamer and sugar. A 2 g stick is only right for pure soluble coffee; a premix needs the larger stick. TBD — Formula, fill weight and SKU code TBD	40 × 155 × 11 mm REF
RETAIL	S28	Premix Stick Carton, 10 / 20 Count NET 10 / 20 × 18 g	Ten- or twenty-stick carton; preparation on the back panel. TBD — Count per carton to confirm	150 × 175 × 60 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET TBD × cartons	Retail cartons packed into a corrugated shipper. TBD — Cartons per shipper to co-packer confirmation	340 × 300 × 260 mm REF

Instant Coffee — Agglomerated WHCF008

WHCF008 Instant Coffee · Agglomerated

SAMPLE	S02	Powder Sample Pouch NET 100 g	Protects granule integrity from moisture.	112 × 164 × 46 mm REF
RETAIL	S08	Pure Instant Stick, 2 g NET 2 g	Same stick architecture; the process is distinguished on the label, not by a new structure.	20 × 110 × 8 mm REF
RETAIL	S09	Stick Carton, 20 Count NET 20 × 2 g	Twenty sticks, process named on the face.	120 × 88 × 48 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 20 / 25 kg	Lined carton or bag.	340 × 300 × 260 mm REF

Instant Coffee — Freeze-Dried WHCF009

WHCF009 Instant Coffee · Freeze-Dried

RETAIL	S08	Pure Instant Stick, 2 g NET 2 g	Stick format only where the co-packer can fill fragile granules reliably. TBD — Fill reliability to confirm	20 × 110 × 8 mm REF
RETAIL	S09	Stick Carton, 20 Count NET 20 × 2 g	Twenty-count carton.	120 × 88 × 48 mm REF
RETAIL	S10	Soluble Coffee Jar NET 100 g	The premium grade earns a rigid jar: moisture-tight reclose a pouch cannot give.	72 × 112 × 72 mm REF
RETAIL	S15	Retail Barrier Pouch NET 100 g	Refill pouch against the jar. TBD — Only if the jar SKU is confirmed	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 20 / 25 kg	Low bulk density and fragile granules — confirm real case cube.	340 × 300 × 260 mm REF

Cold Brew Black Coffee WHCF006

WHCF006 Cold Brew · Black Coffee

SAMPLE	S03	Liquid Qualification Sample NET 250 ml	Qualification sample; structure follows the approved fill process.	62 × 168 × 62 mm REF
RETAIL	S11	RTD Slim Can NET 250 ml	Slim can: full light and oxygen barrier, export-ready, one poured serve. TBD — Chilled, hot-fill or aseptic to be confirmed before any ambient claim	58 × 146 × 58 mm REF
RETAIL	S25	Cold Brew Steep Bag, 20 g NET 20 g	Coarse cold-brew grind in a non-woven steep bag, sealed in its own opaque envelope — one jug steeped overnight at home. TBD — Grind, bag material and steep ratio to confirm	95 × 125 × 12 mm REF
RETAIL	S26	Steep Bag Carton, 10 Count NET 10 × 20 g	Ten steep bags in a folding carton; the steeping method is printed on the back panel.	112 × 160 × 72 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET TBD × 10-count	Retail cartons packed into a corrugated shipper for export. TBD — Cartons per shipper to co-packer confirmation	340 × 300 × 260 mm REF

COCONUT

FROM VIETNAM'S COCONUT COAST

Coconut Milk — Natural WHCO001

WHCO001 Coconut Milk · Natural

SAMPLE	S12	Aseptic Carton NET 330 ml	Aseptic carton at sample size; the smallest honest unit for a liquid.	70 × 200 × 70 mm REF
PROFESSIONAL	S12	Aseptic Carton NET 1 L	Foodservice working size, recloses between uses.	70 × 200 × 70 mm REF
INDUSTRIAL	S13	Aseptic BIB, 20 kg NET 20 kg	Aseptic bag-in-box with dispensing tap.	300 × 290 × 230 mm REF
INDUSTRIAL	S14	Aseptic Bag-in-Drum, 200 kg NET 200 kg	Aseptic bag-in-drum. TBD — Ambient storage depends on the approved aseptic process	230 × 300 × 230 mm REF

Coconut Cream — Natural WHCO002

WHCO002 Coconut Cream · Natural

SAMPLE	S ₁₂	Aseptic Carton NET 330 ml	Aseptic carton at sample size; the smallest honest unit for a liquid.	70 × 200 × 70 mm REF
PROFESSIONAL	S ₁₂	Aseptic Carton NET 1 L	Foodservice working size, recloses between uses.	70 × 200 × 70 mm REF
INDUSTRIAL	S ₁₃	Aseptic BIB, 20 kg NET 20 kg	Aseptic bag-in-box with dispensing tap.	300 × 290 × 230 mm REF
INDUSTRIAL	S ₁₄	Aseptic Bag-in-Drum, 200 kg NET 200 kg	Aseptic bag-in-drum. TBD — Ambient storage depends on the approved aseptic process	230 × 300 × 230 mm REF

Desiccated Coconut WHCO003

WHCO003 Desiccated Coconut · Fine Grade

SAMPLE	S ₀₁	Whole-Product Sample Pouch NET 250 – 500 g	Dry and robust; a restrained window is acceptable where it helps the buyer judge cut and colour.	118 × 176 × 50 mm REF
PROFESSIONAL	S ₁₅	Retail Barrier Pouch NET 1 kg	Professional working size.	130 × 190 × 55 mm REF
INDUSTRIAL	S ₁₇	Industrial Lined Carton / Bag NET 10 – 25 kg	Lined bag or carton; moisture barrier is critical.	340 × 300 × 260 mm REF

Coconut Milk Powder WHCO004

WHCO004 Coconut Milk · Powder

SAMPLE	S ₀₂	Powder Sample Pouch NET 100 – 250 g	Opaque, dust-tight. No window on any powder.	112 × 164 × 46 mm REF
PROFESSIONAL	S ₁₅	Retail Barrier Pouch NET 500 g / 1 kg	Retail-ready and professional size, reseal for repeated use.	130 × 190 × 55 mm REF
INDUSTRIAL	S ₁₇	Industrial Lined Carton / Bag NET 20 / 25 kg	Lined bag or carton with dust-tight seals.	340 × 300 × 260 mm REF

Coconut Blossom Sugar WHCO005

WHCO005 Coconut Blossom Sugar

SAMPLE	S01	Whole-Product Sample Pouch NET 150 – 250 g	Granulated and free-flowing; a small restrained window is plausible if it stays elegant.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 1 kg	Professional size.	130 × 190 × 55 mm REF
RETAIL	S15	Retail Barrier Pouch NET 250 / 300 / 500 g	Premium retail pouch with reseal.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 20 / 25 kg	Lined bulk pack.	340 × 300 × 260 mm REF

BIRD'S NEST

FROM VIETNAM'S COASTAL CAVES

Instant / Ready-to-Prepare WHBN001

WHBN001 Bird's Nest · Instant

RETAIL	S23	Bird's Nest Serving Sachet NET 10 g	A viscous ready-to-prepare portion, not a brew-through filter — its own structure, never the coffee drip sachet. Declared nest content is shown separately: a 10 g sachet is not 10 g of pure nest. TBD — Formula, declared nest percentage and retort or aseptic process pending approval	85 × 115 × 10 mm REF
RETAIL	S20	Bird's Nest Sachet Carton NET 5 × 10 g	Five-count carton, the trial size.	108 × 140 × 56 mm REF
RETAIL	S20	Bird's Nest Sachet Carton NET 10 × 10 g	Ten-count carton, the family size.	108 × 140 × 56 mm REF

Cleaned Edible Bird's Nest WHBN002

WHBN002 Bird's Nest · Cleaned Edible

SAMPLE	S19	Bird's Nest Rigid Box NET Grade-dependent	Protected tray in a restrained carton; the nest is fragile and must not move in transit. TBD — Sample weight by actual grade	180 × 62 × 130 mm REF
RETAIL	S19	Bird's Nest Rigid Box NET 50 g	Premium rigid box over a sealed protective tray.	180 × 62 × 130 mm REF
RETAIL	S19	Bird's Nest Rigid Box NET 100 g	Same construction at the larger grade weight.	180 × 62 × 130 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET TBD	Export configuration is supplier and product specific. TBD — Trade weights TBD	340 × 300 × 260 mm REF

FRUIT

FROM VIETNAM'S TROPICAL ORCHARDS

Mango — Soft-Dried WHFR001

WHFR001 Mango · Soft-Dried

PROFESSIONAL	S15	Retail Barrier Pouch NET 500 g	Professional size; the same medium window lets the buyer judge colour and cut. TBD — Only where a confirmed programme exists	130 × 190 × 55 mm REF
RETAIL	S15	Retail Barrier Pouch NET 100 g	Hero retail pouch; a tasteful window is encouraged — the fruit sells itself.	130 × 190 × 55 mm REF
RETAIL	S15	Retail Barrier Pouch NET 200 g	Family size.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 10 kg	Lined carton sized against crushing and moisture ingress.	340 × 300 × 260 mm REF

Pineapple — Soft-Dried WHFR002

WHFR002 Pineapple · Soft-Dried

PROFESSIONAL	S ₁₅	Retail Barrier Pouch NET 500 g	Professional size; the same medium window lets the buyer judge colour and cut. TBD — Only where a confirmed programme exists	130 × 190 × 55 mm REF
RETAIL	S ₁₅	Retail Barrier Pouch NET 100 g	Hero retail pouch; a tasteful window is encouraged — the fruit sells itself.	130 × 190 × 55 mm REF
RETAIL	S ₁₅	Retail Barrier Pouch NET 200 g	Family size.	130 × 190 × 55 mm REF
INDUSTRIAL	S ₁₇	Industrial Lined Carton / Bag NET 10 kg	Lined carton sized against crushing and moisture ingress.	340 × 300 × 260 mm REF

Banana — Soft-Dried WHFR004

WHFR004 Banana · Soft-Dried

PROFESSIONAL	S ₁₅	Retail Barrier Pouch NET 500 g	Professional size; the same medium window lets the buyer judge colour and cut. TBD — Only where a confirmed programme exists	130 × 190 × 55 mm REF
RETAIL	S ₁₅	Retail Barrier Pouch NET 100 g	Hero retail pouch; a tasteful window is encouraged — the fruit sells itself.	130 × 190 × 55 mm REF
RETAIL	S ₁₅	Retail Barrier Pouch NET 200 g	Family size.	130 × 190 × 55 mm REF
INDUSTRIAL	S ₁₇	Industrial Lined Carton / Bag NET 10 kg	Lined carton sized against crushing and moisture ingress.	340 × 300 × 260 mm REF

Jackfruit — Freeze-Dried WHFR003

WHFR003 Jackfruit · Freeze-Dried

RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 30 g	Fragile and light-sensitive, so only a small slot: enough to show colour and crisp texture, not enough to fade it. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 50 g	Hero retail size, same small slot. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 100 g	Family pack, same small slot. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET TBD	Bulk sized by fragility and low density. TBD — Case cube to confirm	340 × 300 × 260 mm REF

Dragon Fruit — Freeze-Dried WHFR005

WHFR005 Dragon Fruit · Freeze-Dried

RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 30 g	Fragile and light-sensitive, so only a small slot: enough to show colour and crisp texture, not enough to fade it. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 50 g	Hero retail size, same small slot. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
RETAIL	S16	Freeze-Dried High-Barrier Pouch NET 100 g	Family pack, same small slot. TBD — Slot film and light exposure to test	120 × 170 × 48 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET TBD	Bulk sized by fragility and low density. TBD — Case cube to confirm	340 × 300 × 260 mm REF

Fruit Powder WHFR-PWD

SKU TBD Spray-dried powder — no code assigned in the locked range

SAMPLE	S02	Powder Sample Pouch NET 100 – 250 g	Opaque and dust-tight. No window: a powder shows the buyer nothing through film and loses colour to light.	112 × 164 × 46 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 500 g / 1 kg	Professional size with reseal; kept windowless for the same reason.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 10 – 25 kg	Lined carton or bag.	340 × 300 × 260 mm REF

Fruit Purée & Concentrate WHFR006

WHFR006 Passion Fruit · Concentrate

SAMPLE	S03	Liquid Qualification Sample NET 250 – 500 ml	R&D and qualification sample only.	62 × 168 × 62 mm REF
INDUSTRIAL	S13	Aseptic BIB, 20 kg NET 20 kg	Aseptic bag-in-box — the real commercial format.	300 × 290 × 230 mm REF
INDUSTRIAL	S14	Aseptic Bag-in-Drum, 200 kg NET 180 – 200 kg	Aseptic bag-in-drum. TBD — Brix, viscosity and process may change the pack	230 × 300 × 230 mm REF

NUTS, SPICES & BOTANICALS

FROM VIETNAM'S SPICE FOOTHILLS

Cashew Kernel WHNSB001

WHNSB001 Cashew Kernel · Whole

SAMPLE	S01	Whole-Product Sample Pouch NET 250 – 500 g	Whole kernel is graded by eye; restrained window.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 1 kg	Professional size.	130 × 190 × 55 mm REF
RETAIL	S22	Premium Rigid Canister NET 250 g	Rigid canister where a retail programme wants shelf presence. TBD — Only against a confirmed programme	84 × 130 × 84 mm REF
INDUSTRIAL	S21	Cashew Export Carton, Vacuum Inner NET 22.68 kg / 50 lb	Vacuum or inert-gas inner bags in a corrugated case — oxygen and breakage are the risks.	400 × 250 × 300 mm REF

Pepper WHNSB002

WHNSB002 Pepper · Whole Corn

SAMPLE	S01	Whole-Product Sample Pouch NET 250 g	Window only where the pepper is whole and it tells the buyer something.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 1 kg	Professional size.	130 × 190 × 55 mm REF
RETAIL	S15	Retail Barrier Pouch NET 250 – 500 g	Retail or private-label pouch; barrier matched to whole versus ground.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 25 kg	Lined kraft or PP bag, the common export reference.	340 × 300 × 260 mm REF

Cinnamon — Whole Stick WHNSB003-W

WHNSB003 Cinnamon · Stick

SAMPLE	S01	Whole-Product Sample Pouch NET 100 – 200 g	Long rigid sticks need a deeper pack than powder; restrained window.	118 × 176 × 50 mm REF
RETAIL	S15	Retail Barrier Pouch NET 250 – 500 g	Retail or OEM showcase pack.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 10 / 20 kg	Carton sized to avoid crushing and aroma loss.	340 × 300 × 260 mm REF

Cinnamon — Powder WHNSB003-P

SKU TBD Ground — no code assigned in the locked range

SAMPLE	S02	Powder Sample Pouch NET 100 – 250 g	A different product physics from the stick: opaque, dust-tight, no window.	112 × 164 × 46 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 500 g / 1 kg	Professional size.	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 10 – 25 kg	Lined bulk format.	340 × 300 × 260 mm REF

Star Anise WHNSB004

WHNSB004 Star Anise · Whole Pod

SAMPLE	So1	Whole-Product Sample Pouch NET 100 – 200 g	The whole flower is visually valuable — a restrained window is appropriate.	118 × 176 × 50 mm REF
PROFESSIONAL	S15	Retail Barrier Pouch NET 500 g	Professional size. TBD — Only where a programme exists	130 × 190 × 55 mm REF
INDUSTRIAL	S17	Industrial Lined Carton / Bag NET 10 / 20 kg	Whole-flower export carton; 20 kg only where density and damage risk permit.	340 × 300 × 260 mm REF

03 Master structure index

One structure is reused wherever the product physics match, which is what keeps tooling and artwork counts sane. Where the physics differ the structure differs — a whole cinnamon stick and cinnamon powder are two architectures, not one pack with two labels.

CODE	STRUCTURE · REF mm	MATERIAL	BARRIER	CLOSURE	USED BY
So1	Whole-Product Sample Pouch 118 × 176 × 50	Kraft / high-barrier laminate	Oxygen and moisture	Crimp seal, tear notch, reseal zip	COFFEE · COCONUT · NUTS, SPICES & BOTANICALS
So2	Powder Sample Pouch 112 × 164 × 46	Opaque high-barrier laminate	Moisture-tight first	Wide dust-tight seal	COFFEE · COCONUT · FRUIT · NUTS, SPICES & BOTANICALS
So3	Liquid Qualification Sample 62 × 168 × 62	Process-compatible vessel — TBD	Per approved fill process	Tamper-evident cap	COFFEE · FRUIT
So4	Roasted Coffee Valve Pouch 140 × 215 × 65	Opaque high-barrier laminate	Oxygen, light and aroma	Crimp seal, reseal zip, one-way degassing valve	COFFEE
So5	Professional Coffee Pouch, 1 kg 170 × 280 × 85	Opaque high-barrier laminate	Oxygen, light and aroma	Crimp seal, reseal zip, degassing valve	COFFEE
So6	Drip Filter and Individual Sachet 90 × 105 × 8	Opaque high-barrier envelope, paper filter inside	Oxygen and aroma; the filter is not the barrier	Crimped end seals top and bottom, back fin seal, tear notch	COFFEE
So7	Drip Carton, 10 Count 98 × 150 × 60	Uncoated ivory board	None — the sachet carries it	Reverse tuck	COFFEE

So8	Pure Instant Stick, 2 g 20 × 110 × 8	Opaque laminate stick film	Moisture-tight	Crimped end seals top and bottom, back fin seal, tear notch	COFFEE
So9	Stick Carton, 20 Count 120 × 88 × 48	Uncoated ivory board	None — the stick carries it	Reverse tuck	COFFEE
S10	Soluble Coffee Jar 72 × 112 × 72	Glass jar, metal closure	Moisture-tight with induction seal	Screw cap, induction / tamper seal	COFFEE
S11	RTD Slim Can 58 × 146 × 58	Aluminium, internal lacquer	Full — light, oxygen, moisture	Seamed end, ring pull	COFFEE
S12	Aseptic Carton 70 × 200 × 70	Paper / polymer / foil laminate	Aseptic, per approved process	Screw cap on spout	COCONUT
S13	Aseptic BIB, 20 kg 300 × 290 × 230	Corrugated outer, aseptic inner bag	Aseptic inner	Dispensing tap	COCONUT · FRUIT
S14	Aseptic Bag-in-Drum, 200 kg 230 × 300 × 230	Steel or fibre drum, aseptic liner	Aseptic liner	Lever-ring lid	COCONUT · FRUIT
S15	Retail Barrier Pouch 130 × 190 × 55	High-barrier laminate	Oxygen and moisture	Crimp seal, tear notch, reseal zip	COFFEE · COCONUT · FRUIT · NUTS, SPICES & BOTANICALS
S16	Freeze-Dried High-Barrier Pouch 120 × 170 × 48	Opaque high-barrier laminate	Moisture and light; fragile contents	Crimp seal, reseal zip	FRUIT
S17	Industrial Lined Carton / Bag 340 × 300 × 260	Corrugated case with food-grade liner	Liner carries it	Taped case, sealed liner	COFFEE · COCONUT · BIRD'S NEST · FRUIT · NUTS, SPICES & BOTANICALS
S18	Green Coffee Export Sack 520 × 720 × 230	Jute or PP, optional hermetic liner	Liner where the lot needs it	Stitched top	COFFEE
S19	Bird's Nest Rigid Box 180 × 62 × 130	Rigid board, soft-touch ivory wrap	Sealed inner tray	Lift-off lid over a protective tray	BIRD'S NEST
S20	Bird's Nest Sachet Carton 108 × 140 × 56	Uncoated ivory board	None — the sachet carries it	Reverse tuck	BIRD'S NEST
S21	Cashew Export Carton, Vacuum Inner 400 × 250 × 300	Corrugated case, vacuum or inert-gas inner bags	Vacuum inner against rancidity	Taped case, sealed inners	NUTS, SPICES & BOTANICALS

S23	Bird's Nest Serving Sachet 85 × 115 × 10	Opaque high-barrier laminate sachet	Moisture and oxygen; retort or aseptic per approved formula	Crimped end seals top and bottom, back fin seal, tear notch	BIRD'S NEST
S25	Cold Brew Steep Bag, 20 g 95 × 125 × 12	Opaque high-barrier envelope, food-grade non-woven steep bag inside	Oxygen and aroma; the steep bag is not the barrier	Crimped end seals top and bottom, back fin seal, tear notch	COFFEE
S26	Steep Bag Carton, 10 Count 112 × 160 × 72	Uncoated ivory board	None — each envelope carries it	Reverse tuck, steeping method on the back panel	COFFEE
S27	Instant Premix Stick, 16 – 20 g 40 × 155 × 11	Opaque metallised laminate stick film	Moisture-tight; creamer is oxygen-sensitive	Crimped end seals top and bottom, back fin seal, tear notch	COFFEE
S28	Premix Stick Carton, 10 / 20 Count 150 × 175 × 60	Uncoated ivory board	None — each stick carries it	Reverse tuck, preparation on the back panel	COFFEE
S22	Premium Rigid Canister 84 × 130 × 84	Rigid ivory canister, metal closure	Moisture-tight with induction seal	Screw cap, induction seal	NUTS, SPICES & BOTANICALS

04 Technical non-negotiables

VALVE

Roasted whole bean and roasted ground in a sealed pack need a one-way degassing valve. Green coffee never does — a valve on green beans is a defect, not a feature. Instant coffee and every powder are sealed dust-tight with no valve.

VISIBILITY

No window by default. A restrained window is permitted on whole dry product only — green bean, cashew kernel, whole spice, soft-dried fruit — and only after the chosen film and the shelf-life target are validated. Never on a powder, never on freeze-dried by default, and never to make an industrial pack look retail.

SINGLE SERVE

Drip coffee is 10 – 12 g of ground coffee in a hanging paper filter, each filter sealed in its own opaque barrier envelope, ten envelopes to a carton — the filter is not the barrier. Pure soluble coffee is a 2 g stick, twenty to a carton. These are two architectures and must not be merged. A premix needs its own formula and a larger sachet, commonly 18 – 25 g, and must never be shown as pure instant.

LIQUIDS

Chilled, hot-fill and aseptic are different structures. The vessel follows the approved fill specification, never a house shape, and no ambient-stability claim appears before validation.

BIRD'S NEST

A 10 g instant sachet is a serving, not 10 g of pure nest: declared nest content is shown separately and the formula stays pending approval. Dry nest is fragile and takes a sealed protective tray inside a restrained rigid box — no cut window.

PRODUCT NAMING

The locked naming system is product data: main name and variant come from the SKU register and are never derived from the packaging structure. The structure name lives in the technical spec line only.

FINISH

Warm ivory matte base, blind-deboss emblem, restrained bronze on the rule pair, category glyph, provenance line and the Product Passport. Foil, emboss and textured board are secondary decoration and never substitute for the primary barrier.

INDUSTRIAL EXPRESSION

Premium on an export pack comes from disciplined typography, lot identification and traceability — not from decorative luxury finishing. Clean technical type, no foil, no gift-pack cues.

05 What must be confirmed before artwork

Open items in the order they block production artwork. Nothing below is decided in this document.

01	Film structure and measured barrier values per product group, against the target shelf life	SUPPLIER
02	Seal width, seal profile and tear-notch position the filling line can hold	CO-PACKER
03	Valve type, valve position and nitrogen-flush parameters for roasted coffee	CO-PACKER
04	Window film, its barrier contribution and the light-exposure result for each SKU where a window is proposed	SUPPLIER
05	Approved fill process per liquid SKU — chilled, hot-fill or aseptic — and the resulting vessel and cold-chain status	WHITEHORSE
06	Stick fill weight and tolerance the line can hold for spray-dried, agglomerated and freeze-dried grades	CO-PACKER
07	Whether freeze-dried granules can be stick-filled reliably at all	CO-PACKER

08	Drip filter paper, envelope film and the 10 – 12 g dose confirmed against the brewing target	SUPPLIER
09	Bird's nest instant formula, declared nest percentage and ingredient list	WHITEHORSE
10	Real case cube for freeze-dried instant and freeze-dried fruit at low bulk density	SUPPLIER
11	Hermetic liner specification for green coffee lots that warrant it	WHITEHORSE
12	Vacuum or inert-gas specification for the cashew export inner bags	SUPPLIER
13	Product Passport field list signed off, including which certifications are verified and may be shown	WHITEHORSE
14	Destination-market label requirements per target country	WHITEHORSE
15	Print process and substrate per structure, and whether blind deboss and bronze are available on each	SUPPLIER

COMPANION FILES · WH PACKAGING ARCHITECTURE (LAYOUT BOARD) · WH PACKAGING ARCHITECTURE 3D (VIEWER WITH OPEN, EXPLODE AND FAMILY STATES, OBJ / GLB EXPORT)