

Introduction to Computer Science

Lecture 10: ARTIFICIAL INTELLIGENCE

Tian-Li Yu

Taiwan Evolutionary Intelligence Laboratory (TEIL)
Department of Electrical Engineering
National Taiwan University

tianliyu@cc.ee.ntu.edu.tw

Slides made by Tian-Li Yu, Jie-Wei Wu, and Chu-Yu Hsu



【本著作除另有註明外，採取創用CC「姓名標示—非商業性—相同方式分享」台灣3.0版授權釋出】

What is AI?

Cognitive Science

認知科學

Logicists Is that human?

Think like humans	Think rationally
Act like humans	Act rationally



Turing (1950) Test

Eliza: chayden.net/eliza/Eliza.html
www.jabberwacky.com

Rational Agent

Natural language processing
Knowledge representation
Automated reasoning
Machine learning

Strong AI vs. Weak AI

- Weak AI
 - Machines can be programmed to exhibit intelligent behavior.
- Strong AI
 - Machines can be programmed to possess intelligence and consciousness.
- John Searle's [Chinese room argument](#).

Levels of Intelligent Behaviors

- Reflex: actions are predetermined responses to the input data
- More intelligent behavior requires knowledge of the environment and involves such activities as:
 - Goal seeking
 - Learning

Research Approaches in AI

- Performance oriented
 - Engineering track
 - To maximize the performance of the agents.
- Simulation oriented
 - Theoretical track
 - To understand how the agents produce responses.

Understanding Images

- Template matching
- Image processing
 - edge enhancement
 - region finding
 - smoothing
- Image analysis
 - Hough transformation (line, circles)



Natural Language Processing

- Syntactic analysis 語法分析

- Mary gave John a birthday card. Subject: Mary
- John got a birthday card. Subject: John

- Semantic analysis, contextual analysis 語意分析

- John drove me home.
- John drove me crazy.

- The pigpen was built by the barn.
- The pigpen was built by the farmer.


- Do you know what time it is?

Natural Language Processing (contd.)


- Information retrieval / extraction
 - I've got a solution to your problem.
 - Shoot.
 - Right.
 - How was your date last night?
 - He/She has a good personality.
 - You can count on me.
 - Ya, right. That's comforting.

Reasoning

- Production systems
 - Collection of states including initial state & goal state(s)
 - Collection of productions: rules or moves
 - Each production may have preconditions
 - Control system: decides which production to apply next
- Recall prolog
- Similar to finite state automata



Search a Production System




Computer Game Playing

- Let's meet an old friend
 - Tic-tac-toe

○	○	×
	×	
	×	

Game Tree & Minimax Search



Heuristic

- For most games, a complete search is practically impossible.
 - Chess $\sim 10^{47}$; Chinese chess $\sim 10^{48}$; Go $\sim 10^{171}$
- A quantitative estimate of the distance to a goal is needed.
- Requirements for good heuristics
 - Much easier to compute than a complete solution
 - Reasonable estimate of proximity to a goal

Let's Define a Heuristic

XX_	100
X__	10
---	0
OX*	0
O__	-10
OO_	-100


○	○	×
	×	
	×	



$$0+10+10-10+0+10+0+100 = 120$$


The board favors X

Does It Work?



This is the best choice for O based on our heuristic.


How About This?




What's Wrong?

- Heuristics are not perfect
 - Otherwise, we'd call them solutions
- Heuristics are usually more accurate toward the end of the game.
- Need some search procedure for more accurate estimation.

Heuristic + Minimax Search



Alpha-Beta Pruning




Learning




- Supervised vs. unsupervised
- Supervised
 - Learning by provided examples
 - Imitation
 - Parameter tuning
- Unsupervised
 - Learning by experiences
 - Reinforcement
 - Evolutionary (semi-supervised)

Artificial Neural Networks

- Human brain
 - 10^{11} neurons
 - 10^{14} synapses




Perceptron




1 iff greater than or equal to the threshold

Some Building Blocks


- AND




- OR




- SIGN



Some Examples





$x \rightarrow \begin{array}{|c|c|} \hline 1 & 2 \\ \hline \end{array} \rightarrow \text{output}$




$\begin{array}{l} x \\ y \end{array} \rightarrow \begin{array}{|c|c|} \hline 1 & 0 \\ \hline -1 & \end{array} \rightarrow \text{output}$

The XOR Problem




Associative Memory

- Content addressable




How Does It Work

a.




Start: All but the rightmost units are excited

b.




Step 1: Only the leftmost units remain excited

c.




Step 2: The top and bottom units become excited

d.



Final: All the units on the perimeter are excited

Example



BAM applet: <http://www.cbu.edu/~pong/ai/bam/bamapplet.html>

Darwin's Theory of Evolution

- Evolution
 - The change in populations of organisms over generations.
- Darwin's idea: Natural selection
 - Struggle to survive
 - Survival of the fittest
 - Genetic variation: inherited traits

Black-Box Optimization 黑盒子最佳化問題



- Finding the x that yields the **highest** y with an **unknown** f
- Evolving the **giraffe** that is the **fittest** in an **unknown environment**.
- Instead of finding a solution, let's evolve a solution.


(1+1) Evolutionary Strategy

- Simplest evolutionary strategy
- One parent: n-dimension real vector, $P = (p_1, \dots, p_n)$
- Generate one child by mutation: $C = (c_1, \dots, c_n)$
 - $c_i = p_i + N(0, \sigma^2)$
- Replace P by C if C is better.
- Modify σ according to the replacement rate r.
 - One fifth rule


1/5 Rule Intuition

- $\sigma \leftarrow \sigma / C^{1/n}$, if $r > \Theta$
- $\sigma \leftarrow \sigma \cdot C^{1/n}$, if $r < \Theta$
- If replacement rate high, not exploring enough \rightarrow increase step size.
- If replacement rate low, too daring \rightarrow reduce step size.
- $\Theta = 1/5$ (Guessed by Rechenberg) and $C = 0.817$ (Progress analysis by Schwefel)


Visualization of 1/5 Rule





Training NN with (1+1)ES




5 neurons, 17 parameters







Target:



4 neurons, 18 parameters



License

Page	File	Licensing	Source/ author
28			"BAM applet".,Author:kmalasri@hotmail.com, Source: http://dilbert.com/strips/comic/1996-05-02/ , Date:2013/03/06, Fair use under copyright law 46,52,65.
6			"Edge detection applied to a photograph"., Author:JonMcLoone, Source: http://en.wikipedia.org/wiki/File:EdgeDetectionMathematica.png , Date:2013/03/06, This work is licensed under the Creative Commons Attribution-ShareAlike 3.0 License.