

Các em cài Xampp

(nếu máy tính đã có mysql thì không cần cài)

Mục đích: sử dụng csdl mysql

B1- download và cài đặt

B2- sau khi cài xong, tắt chương trình liên quan

B3 – vào ổ C:\xampp

-tìm đến file xamppcontroll.exe

-nhấn phải chuột vào file đó và chọn Run as Administrator


- 1 bảng điều khiển hiện ra

- nhìn vào cột service → tích vào chỗ có 2 dấu gạch chéo (x) đầu tiên (mục đích: enable dịch vụ của mysql và apache)

- click vào 2 button Start tương ứng với 2 dịch vụ apache và mysql

- nhìn vào cột Port: nếu xuất hiện cổng 3306, 80 thì vào trình duyệt chrome gõ: localhost

nếu hiển thị như hình sau là thành công:



XAMPP Apache + MariaDB + PHP + Perl

Welcome to XAMPP for OS X 8.1.17

You have successfully installed XAMPP on this system! Now you can start using Apache, MariaDB, PHP and other components. You can find more info in the [FAQs](#) section or check the [HOW-TO Guides](#) for getting started with PHP applications.

XAMPP is meant only for development purposes. It has certain configuration settings that make it easy to develop locally but that are ~~because if you want to have your installation accessible to others~~

