Bài 1:

```
import java.util.Scanner;
abstract class HinhHoc {
    float PI = 3.14f;
    float chuVi, dienTich;

    abstract void tinhChuVi();
    abstract void tinhDienTich();
}
class HinhTron extends HinhHoc {
    float banKinh;

    void nhap(){
        Scanner sc = new
Scanner(System.in);
        System.out.print("Nhap ban
kinh : ");
        banKinh = sc.nextFloat();
    }
    void tinhChuVi (){
        chuVi = 2 * PI * banKinh;
```

COOP

Được quét bằng CamScanner

```
    }
    void tinhDienTich () {
        dienTich = PI * banKinh * banKinh ;
    }
}

class HinhChuNhat extends HinhHoc {
    float dai, rong ;

    void nhap() {
        Scanner sc = new
Scanner (System.in);
        System.out.print ("Nhap dai: ");
        dai = sc.nextFloat ();
        System.out.print("Nhap rong:");
        rong = sc.nextFloat ();
    }

    void tinhChuVi () {
        chuVi = (dai + rong) * 2 ;
    }

    void tinhDienTich () {
```

COOP

Được quét bằng CamScanner

```
        dienTich = dai * rong;
    }
}
class HinhVuong extends HinhChuNhat {
    void nhapCanh() {
        Scanner sc = new
Scanner (System.in);
        System.out.print("Nhap canh : ");
        dai = rong = sc.nextFloat();
    }
}
class HinhTru extends HinhTron {
    float chieuCao;

    void nhapChieuCao() {
        Scanner sc = new
Scanner (System.in);
        System.out.print("Nhap chieu cao : ");
    ChieuCao = sc.nextFloat();
    }
    void tinhTheTich() {
```

COOP

Được quét bằng CamScanner

```
        float thetich = PI * banKinh * banKinh *
chieuCao;
        System.out.println("the tich : " + thetich);
    }
}

    public class main {
        public static void main (String [] args) {
            HinhTron ht = new HinhTron ();
            ht.nhap ();
            ht.tinhChuVi ();
            ht.tinhDienTich ();

        System.out.println("chu vi : " + ht.chuVi);

        System.out.println("Dien Tich : " + ht.DienTich);

        }
    }
```

Bài 2:

```
    abstract class Person {
    String name;
```

COOP

Được quét bằng CamScanner

```
    String address;

    Person (String name, String address){
        this.name = name;
        this.address = address;
    }
    abstract void display();
}
class Employee extends Person {
    int Salary;
    Employee (String name, String address,
int salary) {
        Super (name, address);
        this.Salary = Salary;
    }
    void Display () {
        System.out.println("name:" + address:
" Salary :" + Salary);
    }
}
class Customer extends Person {
```

COOP

Được quét bằng CamScanner

```
    int balance;
    Customer (String name, String address, int
balance){
        Super (name, address);
        this.balance = balance;
    }
    void display(){
        System.out.println(name+" "+address+
"Balance:"+balance);
    }
}
public class main{
    public static void main(String[] args)
    {
    Employee e = new
Employee("An","HCM",5000);
    Customer c = new
Customer("Binh","HN",2000);

    e.display();
    c.display();
    }
}
```

COOP

Được quét bằng CamScanner