

To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool


web hacking | pentesting | bug bounty



- 1) website working —
- 2) enumeration and information gathering
- 3) common web vulnerabilities —
- 4) burpsuite —→
- 5) owasp 10 —→
- 6) Practice

video







2) ENUMERATION AND INFO GATHERING



To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool

COMMON web vulnerablities





To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool

IDOR

☒ ENCODED IDS

☒ HASHED

☒ UNPREDICATBILE IDOR

FILE inclusion

Path Traversal

Local File Inclusion (LFI)

Remote File Inclusion - RFI

ssrf

☒ Defeating common ssrf defences

☒ REDIRECT

1-

- 34% + ↶ ↷

Go to Exc

To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool

☒ REDIRECT

AUTHENTICATION BYPASS

☒ brute force

☒ What is a Logic Flaw?

☒ cooking tempering

XSS


☒ XSS PAYLOAD

☒ Reflected XSS

☒ Stored XS 


☒ DOM Based XSS

☒ DOM Based XSS



2-2:30

BURPSUITE



To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool

BURPSUIT

Introduction to Burpsuite

Repeater


✓ RESPONSE

✓ INSPECTOR


POSITIONS ✓

✓ PAYLOADS

RPSUITE



OWASP 10



To move canvas, hold mouse wheel or spacebar while dragging, or use the hand tool

OWASP 10


Broken Authentication


Broken Access Control


Cryptographic Failures

Insecure Design

VULNERABLE AND OUTDATED COMPONENTS







PRACTICE

! metasploitable 2

owaspbwa
hackthissite.org
tryhackme

5-6 hours

live/onevideo