## Predict

Take a look at the code on the page below. Read it carefully and try to make a prediction about what might happen when this code is executed.

```
print("---Welcome to Split My Bill---")
1
2
     print("What is the total bill?")
3
     bill_total = float(input())
4
     print("How many people are sharing?")
5
     people = int(input())
     print("What percentage tip would you like to leave?")
6
7
     tip_percentage = int(input())
8
     percentage_decimal = tip_percentage / 100
9
10
     tip_total = bill_total * percentage_decimal
11
     bill_total = bill_total + tip_total
12
13
     cost_per_person = bill_total / people
14
     print(f"Total bill including tip is £{bill_total}")
15
     print(f"Total cost per person is f{cost_per_person}")
16
```



Open and **run** the file with this code. Here's a copy of the <u>program</u> (https://replit.com/@awade05/splitmybill#main.py).

Was your prediction correct? Did anything unexpected happen? Write down your thoughts below:

# Investigate

Questions/activities	Your answers ▽
What is the first question that is asked by the program?	What is the total bill?
What data type is being used for the bill_total?	Real/float/floating point

Why is this data type needed for the bill_total?	Because monetary values use decimal numbers.		
On line 5, what data type is being used for the number of people?	Integer, int		
Why is this data type being used?	People are counted in whole numbers so an integer value is needed.		
Line 7 is used to enter the percentage tip that the group would like to leave. What is happening at line 9?	The percentage entered is being converted to a decimal so that it can be used to calculate the total tip.		
What is calculated at line 10?	Just the amount that is going to be used for the tip.		
On line 11, the variable bill_total is reassigned with the expression bill_total + tip_total. Describe what is happening here.	The tip total that was calculated on line 10 will be added to the original value that was typed in by the user. The variable bill_total will then be updated (reassigned) with the new value.		
What type of error occurs (runtime/syntax/logic) when you enter hello for the first question?	A runtime error, they may also say Value Error due to the error notification from the IDE.		
What could you do to avoid this error from occurring?	Use try and except to validate the data before it is submitted.		



Lines 10 to 12 contain three separate arithmetic expressions that calculate the final total bill. Use your knowledge of BIDMAS to write a single expression that performs the same calculation.

Try writing the expression on a piece of paper first and testing it out with a calculator.

Think about what will need to be calculated first and how you can use BIDMAS to make this happen.

Use # hashtags in front of the original three lines of code so that you can read them for reference whilst testing your new line of code

```
#percentage_decimal =
tip_percentage / 100

#tip_total = bill_total *
percentage_decimal

#bill_total = bill_total +
tip_total
```

Test the code using simple numbers like 100 for the bill, 4 people, and 10 percent tip. This will make it easier to check for errors by performing the calculations in your head.

Brackets are important!

#### THE ANSWER:

```
bill_total = ((tip_percentage / 100) *
bill_total) + bill_total
```

It is important that numbers are entered by the user instead of text. Add data validation checks at each data entry point. This will help to make the program more robust.

Here is a reminder of the try and except code that you saw in Lesson 4:

```
print("Enter a number")

try:
    number = int(input())

except ValueError:
    print("You must enter a number")
    number = int(input())
```

### Make

Due to the success of the 'Split my bill' app, you have been asked to create a new app called 'Split my pizza'. This will tell the user how to equally divide a pizza between their group of friends.

### The app should:

- Ask for the number of slices on the pizza
- Ask how many people are sharing the pizza
- Reveal how many slices each
- Reveal if there will be slices remaining

**Hint**: You will need to use mod % and integer division // for this program. Here is an example of integer division and mod being used for counters. You could apply this to your own solution:

```
counters_each = 10//3
counters_remaining = 10%3
```

### **Explorer task**

The app could also:

• Incorporate the 'Split my bill' code by working out how much each person needs to pay for their share of the pizza