RingMaster Breeder Import guide

Choose your source. Follow its section. Review before saving.

This guide covers every current Breeder import option: Rabbit Register, Kintraks, Global Pedigree, RingMaster Show animals, RingMaster Show history, and RingMaster Club exhibitor profiles.

Start with account and herd setup, then jump to the section for the records you want to bring in. Each source has its own preparation, review, and completion instructions.

Have these ready

- Access to your RingMaster sign-in email and an internet connection.
- Your original program, a current backup, and any XML or CSV export required by your source.
- Your Global Pedigree login if you plan to connect that account.
- An owned destination herd, or a herd name to create one when your membership allows it.

Import animals and Show history separately when needed

If your animals come from a pedigree program, choose that source and optionally add Show history. Show history can be imported without creating animal records. If you select both Show options, they share one Show review step.

Open RingMaster Breeder | support@ringmasterone.com

Illustrations use fictional example accounts and records. Counts and available options will differ. Some navigation moves into the Page menu on a phone. Imports copy information; your source program and original export stay unchanged. Keep your backup until you have checked the results.

CONTENTS

Find your import instructions

Read the shared setup once, then use the links below to open the section for your source. PDF bookmarks also let you move between sections.

Shared setup

Pages 3-5: create your account, sign in, and review the policies

Pages 6-7: select import options and choose or create a herd

Each import option has its own section

Importer	Prepare	What to expect	Pages
Rabbit Register	XML export	Rabbits, pedigrees, and supported tracking records	8-11
Kintraks	All records CSV export	Rabbits, pedigree links, and original source fields	12-14
Global Pedigree	Source account login	Rabbits, ancestors, and collected history	15-17
RingMaster Show: animals	Matching exhibitor profiles	Animal identity records from selected profiles	18-19
RingMaster Show: history	Matching exhibitor profiles	Show entries and results; animals optional	20-21
RingMaster Club: profiles	Matching exhibitor profiles	Exhibitor profiles through Account	22

After importing

Page 23: optional imported contact setup
Page 24: troubleshooting, repeat imports, and support


Startup sequence

Selected sources open one at a time: Rabbit Register, Kintraks, Global Pedigree, then RingMaster Show. Unchecked sources are skipped. Continue setup opens the next selected importer; Skip this import moves past that source. Club profiles are available from Account.

Create your account with your email

1. Open breeder.ringmasterone.com in your browser. Find **Log in or create your account**.

2. Enter your email address and select **Send sign-in code**. The same form handles first-time signup and later sign-ins; you do not need to create a password.



Use your own email address. The pictured address is only an example.


> **Use a consistent email**
>
> If you already use RingMaster Show or Club, use that same email so Breeder can find profiles associated with your verified address.

Keep the Breeder tab open while you check your inbox. The page changes to ask for your sign-in code.

Verify your email and sign in

3. Open the newest RingMaster sign-in email. Return to Breeder and enter its code in **Sign-in code**.

4. Select **Sign in**. Use the code from your own email; the digits in this picture are an example.




Sign-in codes are used once. Request a new code if yours has expired.

No email yet? Check spam or junk and confirm the address shown on the page. When the resend countdown finishes, select **Resend code** and use the newest code.

Wrong address? Select **Use another email**, enter the correct address, and send a new code.

Review the policies

5. At **Review our policies**, open **Review Terms of Service** and **Review Privacy Policy**. Return after reading each document.



Both policy checkboxes must be selected before Agree and continue is available.

6. If you agree, select both checkboxes and then **Agree and continue**. Each family member completes this with their own account.

If a policy check or save fails, reconnect and use the retry option. For a new account, the import checklist appears next. Choose the source sections you need from this guide.

Choose your import options

7. At **Set up your imports**, select each option you want. The five checkboxes cover Show animals, Rabbit Register, Kintraks, Global Pedigree, and Show history.



Example: Rabbit Register records plus optional Show history. Show animals is left unchecked.

8. If Rabbit Register, Kintraks, or Global Pedigree will supply your animal list, leave **Import my animals from RingMaster Show** unchecked unless you need additional Show animal records. Select **Import my show history from RingMaster Show** if you also want entries and results.

9. Choose a destination herd as shown on the next page, then select **Continue with selected imports**.


Multiple sources: selected importers run one at a time in this order: Rabbit Register, Kintraks, Global Pedigree, then RingMaster Show. Unchecked sources are skipped. Both Show choices, when selected, share one Show step.

Not ready? Select **Skip import for now**. You can import later from Account. More import options can be requested at support@ringmasterone.com.

Select or add your herd

10. Open **Destination herd** and choose the owned herd that should receive these records.

11. To create one, choose **Add new herd** in that same dropdown. This option appears only when your active membership allows another herd.



Choose Add new herd to reveal the name field. Create the herd before continuing.

12. Enter your rabbitry or herd name and select **Create herd**. Confirm that the new herd is selected, then choose **Continue with selected imports**. Use **Cancel** to return to an existing destination.

> **If Add new herd is missing**
>
> Check your membership and herd allowance from My Herds or Account > Subscription > Manage membership & billing. You can skip importing, arrange access, and return later. Demo herds and herds owned by another family member are not personal import destinations.

The destination is carried into each selected importer. Check it again before saving. You can also add a herd from the destination dropdown inside the importer.

An optional registration survey may appear after startup import setup, before the normal herd dashboard.


Rabbit Register: export your XML

Before you begin

Have your Rabbit Register database, a current backup, and an XML export ready. This importer brings in rabbits, pedigree links, and supported tracking records. Keep the original export while you check the result.

1. In Rabbit Register, open **Help > About Register for Windows**. Evans specifies Version 15 with Internal Version **15.2610.2468 or later** for the RingMaster export.

2. From the Summary Screen, choose **File > Data Management > Export Data as XML File**. Continue through the informational dialogs.



In the Evans export window, select RingMaster and finish the export.

3. At **Export Database**, select **RingMaster**. Finish the export and wait for **Export Complete**.

4. In Windows **Documents**, open **My Exported Rabbit Data**, then the newest user-numbered folder, usually the highest number. Locate its XML file.

Using Windows in a virtual machine? Copy the XML to a shared folder or another location your browser can access. Windows Documents and Mac Documents may be different folders.

The Rabbit Register **Other** XML format is also accepted. Choose the XML, rather than a SAV, DA15, or ACCDB backup/database file.


Official Evans export instructions

Choose the file and check its contents

5. During startup: the selected Rabbit Register importer opens when its turn arrives. **Later:** use **Account > Import & export > Import from Rabbit Register**.

6. Confirm **Destination herd**. In **Name this import source**, enter a recognizable database name such as **Meadowbrook Rabbit Register**. Reuse that name for later exports of the same database; use a different name for another breeder's database.

7. Select **Choose Rabbit Register XML**, choose the XML, and check the selected filename. Files must be smaller than **10 MB**. XML weights are in grams; Breeder converts them to pounds automatically.




Check the counts, then open About this file for the meaning of missing data and undated weights.

8. At **2. Check your file**, compare the rabbit total and active/historical split with your export. Read **About this file** and any **Needs your review** notes. Supply known missing sexes and resolve conflicting parent links.

Correct parent conflicts in Rabbit Register and export again, or explicitly select links to leave empty. Original values remain in source history. When ready, check **I've reviewed what will be imported** and choose **Preview import**.

Resolve rabbits with matching numbers

9. In **3. Review and import**, compare each possible existing match. Check name, ear number, birth date, sex, breed, variety, sire, and dam. Highlighted details differ. A source ID identifies a file record; it is not an ear number.



Example: Willow shares the same identifying details, but the imported sire differs. The matching decision determines what is preserved.


10. Choose **Same rabbit: use the Breeder record** only for the same animal. It keeps the existing Breeder details, status, sire, and dam, attaches imported records, and directs incoming pedigree references to that existing rabbit.

Choose **Keep as a separate new rabbit** for a different animal, even when the ear number is reused. The file record becomes a new rabbit with its imported parents. Distinct Rabbit Register source IDs do not automatically combine.

After a matching change, select **Review updated choices**. **Potential new rabbits** is provisional until your choices have been reviewed. Use **Rabbit preview** to search names, ear numbers, and source IDs.

Save, check the result, and return later

11. Check the final totals, remaining issues, **Destination**, and **Source**. Refresh the preview after any correction. When correct, select **Import into herd** once and wait for **Import complete**.



Example counts only. The completion screen separates added rabbits, existing rabbits kept, and original records saved.

12. During startup: select **Continue setup** for the next selected source. **From Account:** select **Go to active herd** to open the destination with **Active** selected. Check familiar rabbits, parents, and historical animals too.

13. Use **View Rabbit Register history**, or return through **Account > Imported history > Rabbit Register history**. **Review contacts & account setup** is optional; see page 23.

Where records go: valid rabbits, pedigrees, litters/breedings, show results, sales, and measurements connect to their tracking screens. Undated or zero-weight measurements and other source-only fields remain in history. Picture references do not upload original photos. Sale amounts do not create payment receipts.

Safe repeat imports

Choose the same destination herd and source name for a later export or a retry. Existing source mappings preserve existing rabbits and their parents. Keep your XML and backup; this is an import, not live synchronization.


Kintraks: export and choose the CSV

Before you begin

This importer supports rabbit databases exported as All records CSV. It brings in rabbits and pedigree links while keeping original CSV fields in Kintraks history. Keep a current database backup and the original CSV.

1. In Kintraks, open the database you want to export. Choose **Database > Export Records**.

2. Select **All records** to include pedigree ancestors. Set **CSV delimiter** to **Comma** and **CSV wrap text** to **Double Quotes**. Click **CSV file** and save the export somewhere your browser can access.



The importer includes this export checklist under How to export from Kintraks.

3. During startup: choose Kintraks in the checklist. **Later:** open **Account > Import & export > Import from Kintraks**. Confirm your destination herd.

4. Enter **Name this import source** and choose **Choose Kintraks CSV**. Use a UTF-8 CSV smaller than **10 MB**; a native **.cax** backup is not an import file. Reuse the same source name for the same database.

If the file is rejected, correct the export and select it again. Keep source record IDs and headers intact. Kintraks official help is available for source-program questions.

Review corrections and your current herd


5. At **2. Check your file**, compare the counts and read the file notes. Open **Review and edit rabbits** to search by name, ear number, or source ID. Select **Edit** to review or correct an incoming CSV record.

6. Review original values before changing them. Dates use **YYYY-MM-DD**; parent fields use source IDs. **Apply corrections** keeps your changes, while **Reset to CSV** restores the original values in the editor. The source ID stays fixed.

Kintraks weights are pounds and ounces

3.13 means 3 lb 13 oz, not 3.13 decimal pounds. Ounces must be 0-15. If the editor offers Move Legs value to Weight, review the proposed replacement and use Apply corrections to keep it. Profile weights have no measurement date and do not become dated weight entries.

7. Open **Choose current herd** and check only the living, unsold rabbits currently in your herd. Search to find animals. Leave ancestors and other breeders' rabbits unselected.



Selecting current herd membership is an explicit choice. The example selects Willow and leaves Clover unselected.

8. Unselected living source records remain archived and pedigree-only. Sold and deceased rabbits keep their source status. Existing linked rabbits keep their Breeder status. Resolve known missing sexes or conflicting parent links, then check **I've reviewed what will be imported**.

Review matches and complete the import

9. Choose **Preview import**. Inspect **3. Review and import**, the rabbit preview, and any existing-animal matches. A matching ear number alone is not enough to establish identity.

Same rabbit or separate rabbit?

- **Same rabbit: use the Breeder record** keeps the existing rabbit's details, status, parents, and weights. Imported source information attaches to it.

- **Keep as a separate new rabbit** creates a distinct animal from the file record and its imported parents.

- Different CSV source IDs remain separate unless you explicitly link them to the same existing Breeder rabbit.

10. After changing a match, select **Review updated choices**. Editing source values, current-herd membership, sex, parent omissions, herd, or source name also requires a fresh preview. Corrections may require acknowledging the file again.

11. Check the final totals, destination, source name, and blocking issues. Select **Import into herd** once and wait for **Import complete**. Then use **Continue setup** during startup or **Go to active herd** from Account.

12. Open **View Kintraks history**, or return through **Account > Imported history > Kintraks history**. Review the original fields, corrections, and saved decisions.

What remains in Kintraks history

Custom fields, breeder/owner names, vaccine text, merits, purchase details, source weights, and source sale flags remain available as source information. The CSV does not supply separate litter, mating, show-result, image, or dated weight-history records. These fields do not automatically create contacts, health treatments, payments, or active breeding workflows.

For later exports or retries, use the same herd and source name. Previously imported rabbits retain their details and parents. If source identities have changed and the app blocks reuse, review the records instead of inventing a new source name to bypass the message.


Global Pedigree: connect and preview

Before you begin

Have your Global Pedigree username or email and password ready. This importer connects to the source account; you do not upload an XML or CSV. Choose an owned destination herd and keep the page open during collection.

1. During startup: select **Import my records from Global Pedigree**. **Later:** open **Account > Import & export > Import from Global Pedigree**. Confirm **Destination herd**, or choose **Add new herd** when available.

2. Enter **Global Pedigree username or email** and **Global Pedigree password**. Use the login for the source account whose records you want to import, then select **Connect and preview**.



Enter your own source-account login. Connecting collects a preview; it does not save rabbits to the herd.

3. Wait for collection to finish. The importer gathers the account's rabbits and follows their pedigree ancestors. Review the collected totals and any warnings before making decisions.


Preview and resume

The app uses the login to read your records; the password is not saved. A collected preview is saved privately for 24 hours so you can resume it. Completing the import or selecting Use another Global Pedigree account clears that draft.

If sign-in or collection fails, check the source login and connection, then retry. An unavailable source page or an import above the 2,000 combined-rabbit-and-ancestor limit needs attention before a complete import can proceed.

Compare possible duplicate source records

4. Review any **Possible duplicates** groups. These compare source records A, B, and so on. Check birth dates, sex, breed, variety, status, and parents as well as names and ear numbers.



Example: the same displayed identity appears in two source records. The app asks whether to keep both or use one record for a combined rabbit.

5. Choose **Keep as separate rabbits** when the records represent different animals, including reused ear numbers. For the same animal, choose **Same rabbit: use record A** or the corresponding record whose details you want to keep.

The chosen record supplies dates, parents, notes, weight, and genotype. Source IDs and pedigree references are retained, and the combined rabbit stays in the current herd if any source record is live. Review differing values before choosing a combined record.

6. Select **Review import** after a choice or correction. Conflicting identities or birth dates, missing ancestors, cycles, and attempts to combine previously separate imports can block saving. Correct the issue and review again.

Review the full preview and save

7. Resolve records with unknown sex using values you know, then choose **Review import**. Expand **All rabbits in this import** to inspect familiar animals and ancestors. Review the totals for rabbits to add and records already in Breeder.

How existing rabbits and ancestors are handled

Saved source identities are reused on repeat imports. The importer can also recognize an unambiguous existing Breeder match from its identity checks. Existing rabbits retain their Breeder details and parent links. Ancestors outside your current herd are retained as pedigree-only records. A shared ear number alone is not an automatic merge instruction.

Source live-list membership identifies the current herd. Non-live source records can appear archived, while deceased status is retained. Archived does not automatically mean sold; check status filters after importing.

Check Other records included

- Review collected litter/breeding records, dated weights, and historical sales, plus any history warnings.

- Imported litter and breeding history is retained for review; it does not create an active breeding-tracker workflow or fabricate offspring from totals.

- Accessible dated weight records are retained. Ancestor profile weights without dates stay as source information.

- Historical sales keep recorded prices and source buyer information. They do not create payment history.

- Individual show results are not collected by this importer. Available show-leg totals remain with rabbit details.

8. Check the destination, totals, and remaining issues. Select **Import into herd** once, then wait for **Import complete**. Your Global Pedigree records remain unchanged.

9. Use **Continue setup** during startup, or **Go to active herd** when importing from Account. Check active animals, archived records, and pedigrees. Open **Account > Imported history > Global Pedigree history** for retained litter, breeding, and weight information.

Retry with the same identity

Use the same Global Pedigree account and destination herd for a retry or later import. If the app restores a recent draft, review it before saving. Reconnecting collects a new preview; it is not live two-way synchronization.


Show animals: select your profiles

Before you begin

Use this option when you want animal records from your RingMaster Show exhibitor profiles. Sign in to Breeder with the same verified email used for those profiles. No export file or separate Show password is required here.

1. During startup: select **Import my animals from RingMaster Show**. **Later:** open **Account > Import & export > Import RingMaster records** and choose **Show**.

2. Select each exhibitor profile that belongs to you. You may select more than one. If no profiles appear, check the verified sign-in email and retry the lookup, or skip for now and contact support.




Show animals is selected; Show history is left off in this example. Confirm the destination before importing.

3. Confirm **Import animals** during startup, or **Also import animals** from Account. Choose **Destination herd**; new animals will be added there. Add a herd from the dropdown when your membership allows it.

4. Select **Import show entries and results** only if you also want history now. If both Show startup options were checked, both choices arrive in the same review step. Check the **Your import** summary.

Import the selected Show animal records

5. Check the selected profile count, animal choice, optional history choice, and destination. Select **Import selected records** and wait for **Import successful**.



Example: one profile included and three new animals added. Your counts will depend on the selected profiles.

6. Review **Profiles included**, **New animals added**, and **Show history records added**. Select **Close**. During startup, choose **Continue setup**; when using Account, closing the result returns you to the main application.

7. Open the destination herd and check familiar animals. Review the Active list and update statuses for animals no longer in your current herd. Existing source mappings and records are preserved on repeat imports.

Identity conflicts need review

Show resolves existing-animal links during saving. If an animal identifier conflicts or more than one animal matches, review the existing herd records and source profile before retrying. Do not create a fresh identity just to bypass the message.

What comes in: the available animal name, ear number/tattoo, species, breed, variety, sex, and birth date. Use the pedigree-program sections for their ancestry and supported tracking data. Selected profiles may fill empty account contact fields; existing account values are preserved.


Show history: import results without animals

Before you begin

Choose this when your animals are already in Breeder or will come from another import program. History-only import brings in show entries and results without creating or changing animal records.

1. During startup: check **Import my show history from RingMaster Show**. You can leave the Show animals option unchecked. **Later:** use **Account > Import & export > Import RingMaster records > Show**.

2. Select only the exhibitor profiles that belong to you. Matching uses your verified Breeder sign-in email. Check each profile you want to include.




Results only is shown when animal import is off and show entries/results are on.

3. Leave **Import animals** or **Also import animals** off. Keep **Import show entries and results** on. The **Results only** notice confirms that no animal records will be created or changed.

4. Check **Your import**. History alone does not require creating a herd. Select **Import selected records** when the selected profiles and choices are correct.

Check imported results and unmatched history

5. At **Import successful**, review the number of profiles and history records added. Check any notice about results that could not be linked to one animal.



Example: history is saved even when some results cannot be linked to a single animal.

6. Select **Close**, then **Continue setup** if you are in startup. Review retained records under **Account > Imported history > Imported profiles & show history**.

7. Spot-check the original show and exhibitor information, entries, placements, and available awards. Ambiguous matches remain in imported history for review instead of being assigned to a guessed animal.

Why Show runs last during startup

Your animal imports finish first so Show history has the best chance of linking to the right existing animals. If you later add missing animals, you can repeat the same Show profile/history import to try linking previously unlinked results.

Show administration and payments stay in RingMaster Show. This import does not transfer payment receipts or create a show-management workspace in Breeder. Both Show options, if selected, are handled together in one profile review.


Club profiles: import through Account

Before you begin

Club profile import is available from Account. It brings in exhibitor profiles associated with your verified sign-in email. It does not bring animal records or individual Show entries/results.

1. Open **Account > Import & export > Import RingMaster records**. Choose **Club**.

2. Select each listed Club exhibitor profile that belongs to you. Switching between Show and Club clears profile selections, so check them again after a change.



Club supplies profiles only. No animal-import or Show-history checkbox is offered for Club.

3. Check **Your import** and the selected profile count. No destination herd is required for profiles alone. Select **Import selected records**.


4. Review **Import successful**, then **Close**. Find retained profiles at **Account > Imported history > Imported profiles & show history**.

5. If no profiles are found, verify that the Breeder sign-in email is the one associated with the Club profile. Retry the lookup or contact support. Selected profiles may fill empty account contact fields while preserving existing values.

Apply your own imported contact details

Rabbit Register can bring in contacts for buyers, sellers, and other breeders. Importing them does not automatically replace your own account information. Applying your contact is a separate reviewed choice.

1. Select **Review contacts & account setup** after Rabbit Register completes, or open **Account > Contacts & rabbitries > Contacts & account setup**. Expand your own record and choose **Use for my account / show profile**.



Review Current and After values before applying an imported contact to your account.

2. Choose **Fill empty account fields**, **Replace account contact details**, or **Show profile only**. Check the proposed values, then select **Apply reviewed details** if correct.

Use your own record for account setup and keep other people as separate contacts. Your sign-in email stays the same. You can do this later or edit details manually under **Account > Contact & address**.

Keep your imports clear and repeatable

I cannot find or create my destination herd

Animal imports need an owned, non-demo herd. Add new herd appears only when your active membership allows another herd. Check your herd allowance and membership, or use Skip import for now and return from Account later.

I see the same ear number on more than one rabbit

Compare the whole identity and pedigree. Rabbit Register and Kintraks ask whether a file record is an existing rabbit or a separate new one. Global Pedigree can also ask whether duplicate source records should combine. A number alone is not proof of identity.

The file is rejected or records appear incomplete

Check the exact source section: Rabbit Register needs XML; Kintraks needs an All records UTF-8 CSV. Keep file sizes below 10 MB. Compare source counts and notes before saving. A successful preview does not prove the export contains every source record.

The connection failed or I am not sure saving finished

Reconnect and check the herd and imported history before retrying. For Rabbit Register/Kintraks, keep the same destination and source name. For Global Pedigree, use the same account and herd. For Show/Club, select the same source profiles. A new identity is not a shortcut for retrying.

I want the latest changes from the original program

Make a fresh export or reconnect to collect another preview, then review again. Saved source identities preserve existing records. Importing is not live two-way synchronization, and existing Breeder details and parents may intentionally remain unchanged.

I cannot find my Show or Club profiles

Check the verified sign-in email, not just a contact address. Select only your own profiles. You can retry lookup, skip importing, or contact support rather than choosing an unrelated profile.

I need another importer or help with a large file

Email support@ringmasterone.com with the source program, the step that failed, and the visible error. Keep your original backup and export available for comparison.

Open RingMaster Breeder | Email support