

University of Oregon Gym Attendance: An Analysis of Student Behavior and Decision Making

Hunter Wright


2025-05-05

Introduction

According to their website, “The Student Recreation Center is consistently busy Monday–Thursday during the term. . . Friday–Sunday, the Rec has much less traffic.”

Most students, faculty, and staff have busy schedules during the week, and much more time on the weekend, so why does rec traffic decrease when individuals have more time?

In this thesis, I look to analyze how students, faculty, and other SRC patrons display behaviors consistent with present bias and loss aversion.



Background

In behavioral economics, the concept of present bias explains how agents place more value on immediate rewards and undervalue future rewards. This bias causes individuals to prioritize short term gratification over long term gains. Loss aversion refers to how agents dislike losses more than they like gains. In other words, the pain of a loss outweighs the pleasure of an equivalent gain. This analysis aims to interpret how the trends in gym attendance represent these behaviors

Data

The University of Oregon’s Student Recreation Center (SRC) is the primary facility on campus for students to engage in physical activities like weightlifting, swimming, basketball, and other indoor sports. Students, faculty, staff, and community members alike enjoy more than 36,000 square feet of strength training space, a 12-lane swimming pool, and nearly two dozen courts and gymnasiums, among many other amenities. During normal hours, the SRC is open from 6am - 11pm on weekdays and 9am-9pm on weekends.

Almost every individual that enters the SRC must scan their ID through one of the turnstiles. These machines then record the time and date of every person who walks through. Table 1 shows the summary statistics for daily entries between January 2015 and December 2024 for days where the SRC is open (~81% of days accounting for COVID-19 closure).

Table 1: Summary Statistics

Mean	Median	SD	Min	Max
2645.016	2125.5	1844.8	10	7457

Methods

Results

```
##
## Call:
## lm(formula = total ~ day + week + month + quarter + day_after_closed +
##     finals_week + dead_week, data = count_open)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -4743.4  -470.4    80.1   717.5  2869.5
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    5508.32    212.41  25.933 < 2e-16 ***
## dayFriday      -1419.63     72.36 -19.619 < 2e-16 ***
## daySaturday    -2477.34     76.46 -32.402 < 2e-16 ***
## daySunday      -2307.37     75.62 -30.514 < 2e-16 ***
## dayThursday    -576.57     72.10  -7.997 1.81e-15 ***
## dayTuesday     -124.40     70.98  -1.753  0.07979 .
## dayWednesday   -283.97     71.87  -3.951 7.96e-05 ***
## week           -90.43     12.17  -7.429 1.43e-13 ***
## monthApril     -310.25    199.22  -1.557  0.11949
## monthDecember  -584.43    185.23  -3.155  0.00162 **
## monthFebruary  -492.31    212.41  -2.318  0.02053 *
## monthJanuary   -452.75    217.22  -2.084  0.03722 *
## monthJuly      -136.71    107.89  -1.267  0.20522
## monthJune      -545.57    138.91  -3.928 8.78e-05 ***
## monthMarch     -459.29    189.20  -2.427  0.01526 *
## monthMay       -460.17    183.30  -2.510  0.01211 *
## monthNovember  -654.07    207.73  -3.149  0.00166 **
## monthOctober   -888.27    207.48  -4.281 1.92e-05 ***
```

```

## monthSeptember      296.49      151.74      1.954  0.05080 .
## quarterBreak        -3372.77      146.07     -23.090 < 2e-16 ***
## quarterSpring       -177.03      194.13      -0.912  0.36188
## quarterSummer       -3114.25      188.86     -16.490 < 2e-16 ***
## quarterWinter        184.09      188.20       0.978  0.32807
## day_after_closed    -642.12       97.02      -6.618  4.30e-11 ***
## finals_week         -1618.17      139.19     -11.625 < 2e-16 ***
## dead_week           100.80      114.41       0.881  0.37837
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1041 on 2944 degrees of freedom
## Multiple R-squared:  0.6844, Adjusted R-squared:  0.6817
## F-statistic: 255.4 on 25 and 2944 DF,  p-value: < 2.2e-16

```

Conclusion