


Mathematics for Computer Science

Prof.interim. dr.hab. Viorel Bostan

Technical University of Moldova

viorel.bostan@adm.utm.md

Lecture 20




Joke

Question: What is common between Shakespeare and monkeys?

Joke

Question: What is common between Shakespeare and monkeys?



Joke


Question: What is common between Shakespeare and monkeys?



Answer:

Joke

Question: What is common between Shakespeare and monkeys?



Answer: Infinite monkey theorem.

Infinite monkey theorem

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A monkey hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A monkey hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*



Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A **monkey** hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A **monkey** hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

In this context, "**almost surely**" means that the probability of this event is close to 1,

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A **monkey** hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

In this context, "**almost surely**" means that the probability of this event is close to 1, say 0.999999999999,

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A **monkey** hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

In this context, "**almost surely**" means that the probability of this event is close to 1, say 0.999999999999,

and the "**monkey**" is not an actual monkey, but a metaphor for an abstract device that produces a random sequence of letters and symbols ad infinitum.

Infinite monkey theorem

Theorem (Infinite monkey theorem)

*A **monkey** hitting keys at random on a typewriter keyboard for an infinite amount of time will **almost surely** type a given text, such as the complete works of William Shakespeare.*

In this context, "**almost surely**" means that the probability of this event is close to 1, say 0.999999999999,

and the "**monkey**" is not an actual monkey, but a metaphor for an abstract device that produces a random sequence of letters and symbols ad infinitum.

The probability of a monkey exactly typing a complete work such as Shakespeare's Hamlet is so tiny that the chance of it occurring during a period of time even a hundred thousand orders of magnitude longer than the age of the universe is extremely low, but not actually zero.

Infinite monkey theorem: history

Variants of the theorem include multiple and even infinitely many typists, and the target text varies between an entire library and a single sentence.

Infinite monkey theorem: history

Variants of the theorem include multiple and even infinitely many typists, and the target text varies between an entire library and a single sentence.

The history of these statements can be traced back to:

- Aristotle's "On Generation and Corruption"
- Cicero's "De natura deorum"
- Blaise Pascal
- Jonathan Swift
- Jorge Luis Borges

Infinite monkey theorem: history

Variants of the theorem include multiple and even infinitely many typists, and the target text varies between an entire library and a single sentence.

The history of these statements can be traced back to:

- Aristotle's "On Generation and Corruption"
- Cicero's "De natura deorum"
- Blaise Pascal
- Jonathan Swift
- Jorge Luis Borges

By 1939, the idiom was **"that a half-dozen monkeys provided with typewriters would, in a few eternities, produce all the books in the British Museum."**

Infinite monkey theorem: history

Variants of the theorem include multiple and even infinitely many typists, and the target text varies between an entire library and a single sentence.

The history of these statements can be traced back to:

- Aristotle's "On Generation and Corruption"
- Cicero's "De natura deorum"
- Blaise Pascal
- Jonathan Swift
- Jorge Luis Borges

By 1939, the idiom was **"that a half-dozen monkeys provided with typewriters would, in a few eternities, produce all the books in the British Museum."**

To which Borges adds:

Infinite monkey theorem: history

Variants of the theorem include multiple and even infinitely many typists, and the target text varies between an entire library and a single sentence.

The history of these statements can be traced back to:

- Aristotle's "On Generation and Corruption"
- Cicero's "De natura deorum"
- Blaise Pascal
- Jonathan Swift
- Jorge Luis Borges

By 1939, the idiom was **"that a half-dozen monkeys provided with typewriters would, in a few eternities, produce all the books in the British Museum."**

To which Borges adds:

"Strictly speaking, one immortal monkey would suffice."

Infinite monkey theorem: popular quotes

In the early 20th century, Emile Borel and Arthur Eddington used the theorem to illustrate the timescales implicit in the foundations of statistical mechanics.

Some other quotes referring to monkeys and typewriters:

It's just the Internet.

A million monkeys with typewriters could run it.

Simon Higgs

Come to think of it, there are already a billion monkeys on a billion typewriters, and Internet is NOTHING like Shakespeare.

Infinite monkey theorem: Even Dilbert knows it!

Infinite monkey theorem: Even Dilbert knows it!

Dilbert is a character in a comics strip popular in USA, related to corporative offices.

Infinite monkey theorem: Even Dilbert knows it!

Dilbert is a character in a comics strip popular in USA, related to corporative offices. Here is one comics strip in our context:

Infinite monkey theorem: Even Dilbert knows it!

Dilbert is a character in a comics strip popular in USA, related to corporative offices. Here is one comics strip in our context:




Infinite monkey theorem: Even Dilbert knows it!

Dilbert is a character in a comics strip popular in USA, related to corporative offices. Here is one comics strip in our context:



Infinite monkey theorem: Even Dilbert knows it!

Dilbert is a character in a comics strip popular in USA, related to corporative offices. Here is one comics strip in our context:



Experiment with monkeys

In 2003, scientists at Paignton Zoo and the University of Plymouth (Devon, England) reported that they had left a computer keyboard in the zoo enclosure of six *Sulawesi Crested Macaques* for a whole month.

Experiment with monkeys

In 2003, scientists at Paignton Zoo and the University of Plymouth (Devon, England) reported that they had left a computer keyboard in the zoo enclosure of six *Sulawesi Crested Macaques* for a whole month.

As result six monkeys produced five pages,

Experiment with monkeys

In 2003, scientists at Paignton Zoo and the University of Plymouth (Devon, England) reported that they had left a computer keyboard in the zoo enclosure of six *Sulawesi Crested Macaques* for a whole month.

As result six monkeys produced five pages,

after a while they started to attack the keyboard with a stone, and continued by urinating.

Experiment with monkeys: monkeys work, pages 1 and 2

Experiment with monkeys: monkeys work, pages 1 and 2

ff

[illegible]

Experiment with monkeys: monkeys work, pages 1 and 2

ff

[illegible][illegible]

Experiment with monkeys: monkeys work, pages 3 and 4

Experiment with monkeys: monkeys work, pages 3 and 4

[illegible][illegible]

Experiment with monkeys: monkeys work, page 5

[illegible]

Experiment with monkeys



Experiment with monkeys



Conclusion of this practical experiment:

Experiment with monkeys



Conclusion of this practical experiment:

monkeys have poor keyboard skills

Infinite monkey theorem

The proof of this theorem is straightforward:

Recall that if two events are independent, then the probability of both happening equals the product of the probabilities of each one happening independently:

$$P(A \cap B) = P(A) \cdot P(B)$$

Infinite monkey theorem

The proof of this theorem is straightforward:

Recall that if two events are independent, then the probability of both happening equals the product of the probabilities of each one happening independently:

$$P(A \cap B) = P(A) \cdot P(B)$$

Consider that monkeys have to type a random text.

Infinite monkey theorem

The proof of this theorem is straightforward:

Recall that if two events are independent, then the probability of both happening equals the product of the probabilities of each one happening independently:

$$P(A \cap B) = P(A) \cdot P(B)$$

Consider that monkeys have to type a random text. For simplicity, (since we are dealing with monkeys)

Infinite monkey theorem

The proof of this theorem is straightforward:

Recall that if two events are independent, then the probability of both happening equals the product of the probabilities of each one happening independently:

$$P(A \cap B) = P(A) \cdot P(B)$$

Consider that monkeys have to type a random text. For simplicity, (since we are dealing with monkeys) imagine that the text consists of 6-letter blocks "banana".

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then, *the probability that the first letter typed is 'b' is $1/50$,*

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,
the probability that the first letter typed is 'b' is $1/50$,
and the probability that the second letter typed is 'a' is also $1/50$,

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,
the probability that the first letter typed is 'b' is $1/50$,
and the probability that the second letter typed is 'a' is also $1/50$,
and so on, because events are independent.

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,
the probability that the first letter typed is 'b' is 1/50,
and the probability that the second letter typed is 'a' is also 1/50,
and so on, because events are independent.

Therefore, the chance of the first six letters matching **'banana'** is

$$\frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} = \left(\frac{1}{50}\right)^6 = \frac{1}{15625000000}$$

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,
the probability that the first letter typed is 'b' is 1/50,
and the probability that the second letter typed is 'a' is also 1/50,
and so on, because events are independent.

Therefore, the chance of the first six letters matching **'banana'** is

$$\frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} = \left(\frac{1}{50}\right)^6 = \frac{1}{15625000000}$$

This is less than one in 15 billion!

Infinite monkey theorem

Now, suppose the typewriter has 50 keys, and the word to be typed is **banana**. Assume that the keys are pressed uniformly at random (i.e., with equal probability) and independently. Then,
the probability that the first letter typed is 'b' is 1/50,
and the probability that the second letter typed is 'a' is also 1/50,
and so on, because events are independent.

Therefore, the chance of the first six letters matching '**banana**' is

$$\frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} \cdot \frac{1}{50} = \left(\frac{1}{50}\right)^6 = \frac{1}{15625000000}$$

This is less than one in 15 billion!

For the same reason, the probability that the next 6 letters match '**banana**' is also $(1/50)^6$, and so on.

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

As n grows, X_n gets smaller.

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

As n grows, X_n gets smaller.

For an $n = O(10^6)$, X_n is approximately 0.9999,

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

As n grows, X_n gets smaller.

For an $n = O(10^6)$, X_n is approximately 0.9999,
for an $n = O(10^9)$, X_n is approximately 0.53,

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

As n grows, X_n gets smaller.

For an $n = O(10^6)$, X_n is approximately 0.9999,
for an $n = O(10^9)$, X_n is approximately 0.53,
and for an $n = O(100 \cdot 10^9)$, X_n is approximately 0.0017.

Infinite monkey theorem

From the above, the probability of **not typing** banana in a given block of 6 letters is $1 - (1/50)^6$.

Because each block is typed independently, the chance X_n of not typing **banana** in any of the first n blocks of 6 letters is

$$X_n = \left(1 - \frac{1}{50^6}\right)^n.$$

As n grows, X_n gets smaller.

For an $n = O(10^6)$, X_n is approximately 0.9999,
for an $n = O(10^9)$, X_n is approximately 0.53,
and for an $n = O(100 \cdot 10^9)$, X_n is approximately 0.0017.

As n approaches infinity, the probability X_n approaches zero.

Infinite monkey theorem

In other words, by making n large enough, X_n can be made as small as is desired, and the chance of typing n blocks of **banana** approaches 100%.

Infinite monkey theorem

In other words, by making n large enough, X_n can be made as small as is desired, and the chance of typing n blocks of **banana** approaches 100%.

The same argument shows why at least one of infinitely many monkeys will produce a text as quickly as it would be produced by a perfectly accurate human typist copying it from the original.

Infinite monkey theorem

In other words, by making n large enough, X_n can be made as small as is desired, and the chance of typing n blocks of **banana** approaches 100%.

The same argument shows why at least one of infinitely many monkeys will produce a text as quickly as it would be produced by a perfectly accurate human typist copying it from the original.

In this case $X_n = \left(1 - \frac{1}{50^6}\right)^n$, where X_n represents the probability that none of the first n monkeys types banana correctly on their first try.

Infinite monkey theorem

In other words, by making n large enough, X_n can be made as small as is desired, and the chance of typing n blocks of **banana** approaches 100%.

The same argument shows why at least one of infinitely many monkeys will produce a text as quickly as it would be produced by a perfectly accurate human typist copying it from the original.

In this case $X_n = \left(1 - \frac{1}{50^6}\right)^n$, where X_n represents the probability that none of the first n monkeys types banana correctly on their first try.

When we consider $100 \cdot 10^9$ monkeys, the probability falls to 0.17%,

Infinite monkey theorem

As the number of monkeys n increases, the value of X_n – the probability of the monkeys failing to reproduce the given text – approaches zero arbitrarily closely.

Infinite monkey theorem

As the number of monkeys n increases, the value of X_n – the probability of the monkeys failing to reproduce the given text – approaches zero arbitrarily closely.

$$\lim_{n \rightarrow \infty} X_n = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{50^6}\right)^n = 0$$

Infinite monkey theorem

As the number of monkeys n increases, the value of X_n – the probability of the monkeys failing to reproduce the given text – approaches zero arbitrarily closely.

$$\lim_{n \rightarrow \infty} X_n = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{50^6}\right)^n = 0$$

However, for physically meaningful numbers of monkeys typing for physically meaningful lengths of time the results are reversed.

Infinite monkey theorem

As the number of monkeys n increases, the value of X_n – the probability of the monkeys failing to reproduce the given text – approaches zero arbitrarily closely.

$$\lim_{n \rightarrow \infty} X_n = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{50^6}\right)^n = 0$$

However, for physically meaningful numbers of monkeys typing for physically meaningful lengths of time the results are reversed.

If there are as many monkeys as there are particles in the observable universe, 10^{80} , and each types 1000 keystrokes per second for 100 times the life of the universe, 10^{20} seconds,

Infinite monkey theorem

As the number of monkeys n increases, the value of X_n – the probability of the monkeys failing to reproduce the given text – approaches zero arbitrarily closely.

$$\lim_{n \rightarrow \infty} X_n = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{50^6}\right)^n = 0$$

However, for physically meaningful numbers of monkeys typing for physically meaningful lengths of time the results are reversed.

If there are as many monkeys as there are particles in the observable universe, 10^{80} , and each types 1000 keystrokes per second for 100 times the life of the universe, 10^{20} seconds,

the probability of the monkeys replicating even a short book is nearly zero!.

Infinite monkey theorem

Ignoring punctuation, spacing, and capitalization, a monkey typing letters uniformly at random has a probability $\frac{1}{26}$ of correctly typing the first letter of Hamlet.

Infinite monkey theorem

Ignoring punctuation, spacing, and capitalization, a monkey typing letters uniformly at random has a probability $\frac{1}{26}$ of correctly typing the first letter of Hamlet.

It has a probability $\frac{1}{26^2} = \frac{1}{676}$ of typing the first two letters.

Infinite monkey theorem

Ignoring punctuation, spacing, and capitalization, a monkey typing letters uniformly at random has a probability $\frac{1}{26}$ of correctly typing the first letter of Hamlet.

It has a probability $\frac{1}{26^2} = \frac{1}{676}$ of typing the first two letters.

Because the probability shrinks exponentially, at 20 letters it already has only probability

$$\frac{1}{26^{20}} = \frac{1}{148895209409152340197376} \approx 5 \cdot 10^{-29}$$

Infinite monkey theorem

Ignoring punctuation, spacing, and capitalization, a monkey typing letters uniformly at random has a probability $\frac{1}{26}$ of correctly typing the first letter of Hamlet.

It has a probability $\frac{1}{26^2} = \frac{1}{676}$ of typing the first two letters.

Because the probability shrinks exponentially, at 20 letters it already has only probability

$$\frac{1}{26^{20}} = \frac{1}{148895209409152340197376} \approx 5 \cdot 10^{-29}$$

In the case of the entire text of Hamlet, the probabilities are so small that they can barely be conceived in human terms.

Infinite monkey theorem

The text of Hamlet contains approximately 130,000 letters

Infinite monkey theorem

The text of Hamlet contains approximately 130,000 letters

Thus, there is a probability 2.9×10^{-183945} to get the text right at the first trial.

Infinite monkey theorem

The text of Hamlet contains approximately 130,000 letters

Thus, there is a probability 2.9×10^{-183945} to get the text right at the first trial.

The average number of letters (*expected value*) that needs to be typed until the text appears is also 3.4×10^{183946} , or including punctuation, 4.4×10^{360783} .

Infinite monkey theorem

The text of Hamlet contains approximately 130,000 letters

Thus, there is a probability 2.9×10^{-183945} to get the text right at the first trial.

The average number of letters (*expected value*) that needs to be typed until the text appears is also 3.4×10^{183946} , or including punctuation, 4.4×10^{360783} .

Even if the observable universe were filled with monkeys the size of atoms typing from now until the heat death of the universe, their total probability to produce a single instance of Hamlet would still be a great many orders of magnitude less than $10^{-183,800}$.

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." typed randomly as the output?

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." typed randomly as the output?

Rephrase the question:

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." typed randomly as the output?

Rephrase the question:

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." not being included in the output?

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." typed randomly as the output?

Rephrase the question:

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." not being included in the output?

We have 41 characters. Consider not 50, but 32 buttons (26 letters+5 punctuation marks+space)

Infinite monkey theorem

If complete Hamlet is too big, how about something shorter?

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." typed randomly as the output?

Rephrase the question:

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." not being included in the output?

We have 41 characters. Consider not 50, but 32 buttons (26 letters+5 punctuation marks+space)

Therefore probability of not typing the famous phrase in one attempt is $1 - \frac{1}{32^{41}}$

Infinite monkey theorem

How many lines can a monkey type in a year, given that it types at a rate of one line per second?

Infinite monkey theorem

How many lines can a monkey type in a year, given that it types at a rate of one line per second?

- 1 line per second
- 60 seconds per minute = 60 lines per minute
- 60 minutes per hour = 3600 lines per hour
- 24 hours per day = 86400 lines per day
- 365 days per year = 31,536,000 lines per year

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

- probability of missing on one attempt $= 1 - \frac{1}{32^{41}}$

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

- probability of missing on one attempt $= 1 - \frac{1}{32^{41}}$
- of missing for a minute straight $= \left(1 - \frac{1}{32^{41}}\right)^{60}$

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

- probability of missing on one attempt $= 1 - \frac{1}{32^{41}}$
- of missing for a minute straight $= \left(1 - \frac{1}{32^{41}}\right)^{60}$
- of missing for an hour straight $= \left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}$

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

- probability of missing on one attempt $= 1 - \frac{1}{32^{41}}$
- of missing for a minute straight $= \left(1 - \frac{1}{32^{41}}\right)^{60}$
- of missing for an hour straight $= \left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}$
- of missing for a day straight $= \left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}$

Infinite monkey theorem

Lets's calculate the chances of getting the quote in a year by calculating the chances of missing on every attempt: the probability of missing the quote will be:

- probability of missing on one attempt $= 1 - \frac{1}{32^{41}}$
- of missing for a minute straight $= \left(1 - \frac{1}{32^{41}}\right)^{60}$
- of missing for an hour straight $= \left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}$
- of missing for a day straight $= \left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}$
- for a year straight $= \left(\left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}\right)^{365}$

Infinite monkey theorem

How big is this number:

$$\left(\left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}\right)^{365} = \left(1 - \frac{1}{32^{41}}\right)^{31,536,000}$$

Infinite monkey theorem

How big is this number:

$$\left(\left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}\right)^{365} = \left(1 - \frac{1}{32^{41}}\right)^{31,536,000}$$

Well, it is

Infinite monkey theorem

How big is this number:

$$\left(\left(\left(\left(1 - \frac{1}{32^{41}}\right)^{60}\right)^{60}\right)^{24}\right)^{365} = \left(1 - \frac{1}{32^{41}}\right)^{31,536,000}$$

Well, it is

0.99999999999999999999999999999999999999999999999999999999999999
386721844366784484760952487499968756116464000

Infinite monkey theorem

The probability of missing in 2^{34} years will be

Infinite monkey theorem

The probability of missing in 2^{34} years will be
0.99999999999999999999999999999999999999999999999894639
61512816564762914005246488858434168051444149065728

Infinite monkey theorem

The probability of missing in 2^{34} years will be
0.99999999999999999999999999999999999999999894639
61512816564762914005246488858434168051444149065728

Let's not hold back here – consider 17 billion galaxies, each containing 17 billion habitable planets, each planet with 17 billion monkeys each typing away and producing one line per second for 17 billion years.

Infinite monkey theorem

The probability of missing in 2^{34} years will be
0.9999999999999999999999999999999999999999999894639
61512816564762914005246488858434168051444149065728

Let's not hold back here – consider 17 billion galaxies, each containing 17 billion habitable planets, each planet with 17 billion monkeys each typing away and producing one line per second for 17 billion years.

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." not being included in the output?

Infinite monkey theorem

The probability of missing in 2^{34} years will be
0.99999999999999999999999999999999999999999894639
61512816564762914005246488858434168051444149065728

Let's not hold back here – consider 17 billion galaxies, each containing 17 billion habitable planets, each planet with 17 billion monkeys each typing away and producing one line per second for 17 billion years.

What are the chances of the phrase "TO BE OR NOT TO BE, THAT IS THE QUESTION." not being included in the output?

[illegible]

Infinite monkey theorem

It's about 99.999999999995% sure that they would fail to produce the sentence.

Infinite monkey theorem

As Kittel and Kroemer put it, **"The probability of Hamlet is therefore zero in any operational sense of an event. . . "**,

Infinite monkey theorem

As Kittel and Kroemer put it, **"The probability of Hamlet is therefore zero in any operational sense of an event. . . "**,

and the statement that the monkeys must eventually succeed

Infinite monkey theorem

As Kittel and Kroemer put it, **"The probability of Hamlet is therefore zero in any operational sense of an event. . . "**,

and the statement that the monkeys must eventually succeed **"gives a misleading conclusion about very, very large numbers."**

Infinite monkey theorem

As Kittel and Kroemer put it, **"The probability of Hamlet is therefore zero in any operational sense of an event. . . "**,

and the statement that the monkeys must eventually succeed **"gives a misleading conclusion about very, very large numbers."**

This is from their textbook on thermodynamics, the field whose statistical foundations motivated the first known expositions of typing monkeys.