



**The FREQ Procedure**

| Gender                |           |         |                      |                    |
|-----------------------|-----------|---------|----------------------|--------------------|
| sex                   | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 1                     | 144       | 52.17   | 144                  | 52.17              |
| 2                     | 132       | 47.83   | 276                  | 100.00             |
| Frequency Missing = 9 |           |         |                      |                    |




## The FREQ Procedure



| Chi-Square Test<br>for Equal Proportions |        |
|--|--------|
| Chi-Square                               | 0.5217 |
| DF                                       | 1      |
| Pr > ChiSq                               | 0.4701 |

## The FREQ Procedure



| Binomial Proportion |        |
|---------------------|--------|
| sex = 1             |        |
| Proportion          | 0.5217 |
| ASE                 | 0.0301 |

| Confidence Limits for the Binomial Proportion |                       |        |
|---|-----------------------|--------|
| Proportion = 0.5217                           |                       |        |
| Type  | 95% Confidence Limits |        |
| Agresti-Coull                                 | 0.4629                | 0.5800 |
| Clopper-Pearson (Exact)                       | 0.4610                | 0.5820 |
| Jeffreys                                      | 0.4628                | 0.5802 |
| Wald  | 0.4628                | 0.5807 |
| Wilson  | 0.4629                | 0.5800 |

**The FREQ Procedure**

| Test of H0: Proportion = 0.54 |         |
|-------------------------------|---------|
| ASE under H0                  | 0.0300  |
| Z                             | -0.6087 |
| One-sided Pr < Z              | 0.2714  |
| Two-sided Pr >  Z             | 0.5427  |

**Effective Sample Size = 276**  
**Frequency Missing = 9**