Installing Quill

Quill is a local-first note-taking app. Your notes live as plain Markdown files on your own disk, and Quill adds fast search, linking, sync and plugins iour

Download the .dmg disk image, open it, and drag Quill into the Applications folder. The app is signed and notarized, so Gatekeeper opens it without warnings. Homebrew users can run:

```
brew install --cask quill
```

On first launch macOS asks whether Quill may access your Documents folder. Allow it if your vault lives there; otherwise you can pick a different folder and grant access only to that one.

Installing on Linux

Quill ships three Linux packages. Choose the one that fits your distribution:

- A .deb package for Debian, Ubuntu and their derivatives.
- An .rpm package for Fedora, openSUSE and RHEL-compatible systems.
- A Flatpak on Flathub, which works on almost any distribution and updates through your software center.

To install the Debian package from a terminal:

```
sudo apt install ./quill_3.2.0_amd64.deb
```

The Flatpak build runs in a sandbox. It can only see your home folder by default, so if your vault is on a second drive, grant access with flatpak override --user --filesystem=/mnt/notes app.quill.Quill.

First launch

The welcome screen asks you to create a vault or open an existing one. A vault is simply a folder: Quill keeps its own settings for that vault in a hidden .quill subfolder and never rewrites your Markdown files unless you edit them.

When you open a vault for the first time, Quill builds a search index in the background. A progress bar in the status bar shows how far along it is. You can keep writing while indexing runs; search results simply fill in as the index grows.

Importing from other apps

The welcome screen also offers an importer. It reads exported folders of Markdown or HTML notes and converts internal links into Quill's [[wiki link]] style. Attachments are copied into an attachments folder inside the vault. The importer never deletes the source folder, so you can run it again if something goes wrong.

Command-line tool

The installer also adds a small command-line tool named quill. It can open a vault, create a note from standard input, or run a sync without the window being open. Run quill --help to see every command. On macOS the tool is not added to your path automatically; choose Install

command-line tool from the Quill menu to create the link in /usr/local/bin.

Upgrading

Quill checks for updates once a day and downloads them in the background. When an update is ready, a small dot appears on the settings icon; restart the app to apply it. Updates never touch your notes. If you installed through winget, Homebrew, apt or Flatpak, the built-in updater is switched off and your package manager handles upgrades instead.

To stay on a specific version, turn off Automatic updates under Settings -> General. You can still check manually from the same page.

Uninstalling

Removing the app does not remove your vaults, because they are ordinary folders that you own. On Windows, uninstall from Settings -> Apps. On macOS, drag Quill from Applications to the Trash. On Linux, remove the package with your package manager.

Quill also keeps an application data folder with logs, the plugin cache and window positions. Delete it as well if you want a completely clean removal:

Platform | Application data folder
Windows | %APPDATA%\Quill
macOS | ~/Library/Application Support/Quill
Linux | ~/.local/share/quill

Deleting the application data folder signs you out of Quill Cloud on that device but leaves your synced notes untouched on the server.