Top 30 enriched GO terms (p < 0.05) in down
Rac guanyl−nucleotide exchange factor activity
protein self−association
histone deacetylase binding
heat shock protein binding
protein N−terminus binding
myristoyl−CoA hydrolase activity
phosphatidylinositol phospholipase C activity
receptor tyrosine kinase binding
inositol 1,4,5 trisphosphate binding
neurexin family protein binding
palmitoyl−CoA hydrolase activity
nuclease activity
high voltage−gated calcium channel activity
clathrin−coated pit
condensed chromosome kinetochore
condensed nuclear chromosome
microfibril
presynaptic cytosol
nuclear outer membrane
chromatin
nuclear matrix
low−density lipoprotein particle
glutamatergic synapse
PML body
synaptic vesicle membrane
very−low−density lipoprotein particle
intercellular bridge
behavioral response to pain
inositol phosphate dephosphorylation
auditory behavior
learning
ear development
high−density lipoprotein particle remodeling
post−embryonic development
long−term synaptic potentiation
plasma membrane repair
positive regulation of isotype switching
cellular response to unfolded protein
rRNA catabolic process
protein insertion into mitochondrial membrane involved in apoptotic signaling pathway
postsynaptic density assembly
negative regulation of epithelial to mesenchymal transition
mRNA export from nucleus
phosphatidylethanolamine biosynthetic process
hemidesmosome assembly
GO terms
0
1
2
3
−log10(Fisher's test P value)
ontology
BP
CC
MF


Top 30 enriched GO− BP terms (p < 0.05) in down
behavioral response to pain
inositol phosphate dephosphorylation
auditory behavior
learning
ear development
high−density lipoprotein particle remodeling
post−embryonic development
long−term synaptic potentiation
plasma membrane repair
positive regulation of isotype switching
cellular response to unfolded protein
rRNA catabolic process
protein insertion into mitochondrial membrane involved in apoptotic signaling pathway
postsynaptic density assembly
negative regulation of epithelial to mesenchymal transition
mRNA export from nucleus
phosphatidylethanolamine biosynthetic process
hemidesmosome assembly
GO terms
0
1
2
3
−log10(Fisher's test P value)
ontology
BP


Top 30 enriched GO− CC terms (p < 0.05) in down
clathrin−coated pit
condensed chromosome kinetochore
condensed nuclear chromosome
microfibril
presynaptic cytosol
nuclear outer membrane
chromatin
nuclear matrix
low−density lipoprotein particle
glutamatergic synapse
PML body
synaptic vesicle membrane
very−low−density lipoprotein particle
intercellular bridge
GO terms
0
1
2
3
−log10(Fisher's test P value)
ontology
CC


Top 30 enriched GO− MF terms (p < 0.05) in
down
Rac guanyl−nucleotide exchange factor activity
protein self−association
histone deacetylase binding
heat shock protein binding
protein N−terminus binding
myristoyl−CoA hydrolase activity
phosphatidylinositol phospholipase C activity
receptor tyrosine kinase binding
inositol 1,4,5 trisphosphate binding
neurexin family protein binding
palmitoyl−CoA hydrolase activity
nuclease activity
high voltage−gated calcium channel activity
GO terms
0
1
2
−log10(Fisher's test P value)
ontology
MF