

## SECTION EIGHT – Spring REST, WebSocket and Securing App

Now that you are done with the videos of section 8, let's assess your learning. Here, are a few questions, followed by a few options, out of which 1 is the correct option. Select the right option and validate your learning! The answers are provided in a separate sheet.

Q1. To map JSON to domain object automatically by Spring REST, we need to use annotation:

- a. *@RequestBody*
- b. *@BodyMapping*
- c. *@RequestMapping*
- d. *@Body*

Q2. Web sockets are opening connection on every request/respose:

- a. no
- b. yes

Q3. In spring when we want to use web sockets we need to configure it with class annotated with:

- a. *@EnableMessageBroker*
- b. *@EnableWebSocket*
- c. *@EnableBroker*
- d. *@EnableWebSocketMessageBroker*

Q4. To add custom security to Spring app we need to...

- a. implements WebSecurityConfigurerAdapter
- b. extends WebSecurity
- c. extends WebSecurityConfigurerAdapter
- d. extends SecurityConfiguration

Q5. To allow all request to be passed by the security config we need to call the...

- a. `permitAll()`

- b. `permitSome()`
- c. `permit()`
- d. `allowAll()`

Q6. When configuring the security rest paths, we can use ant matchers.

- a. yes
- b. no