Cucumber Report

| Start : Mar 02, 10:43:13.436 p.m.	End : Mar 02, 10:45:26.895 p.m.	Duration : 2 m 13.459 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 17 FAILED - 8 SKIPPED - 0	PASSED - 186 FAILED - 8 SKIPPED - 60

Features: 4 — Pass % 50 %

Scenarios: 25 — Pass % 68 %

Steps: 254 — Pass % 73 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Registration page should restrict password usage to a secure	17.757 s	12	12	0	0	97	97	0	0
An admin must activate the registered user otherwise user should not be able to login.	1 m 30.791 s	4	4	0	0	72	72	0	0
Login_Feature	24.719 s	7	1	6	0	65	17	6	42
Ui_Feature	0.059 s	2	0	2	0	20	0	2	18

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US03	12	12	0	0	1	1	0	0
@smoke	25	17	8	0	4	2	2	0
@US04	4	4	0	0	1	1	0	0
@US_05_Login_Feature	7	1	6	0	1	0	1	0
@TC_01Login	1	1	0	0	1	0	1	0
@TC_02Login	1	0	1	0	1	0	1	0
@TC_03Login	1	0	1	0	1	0	1	0
@TC_04Login	1	0	1	0	1	0	1	0
@TC_05Login	1	0	1	0	1	0	1	0
@TC_06Login	1	0	1	0	1	0	1	0
@TC_07Login	1	0	1	0	1	0	1	0
@UI_Dr_Appt	2	0	2	0	1	0	1	0
@TC_01	1	0	1	0	1	0	1	0
@TC_02	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Registration page should restrict password usage to a secure	12	12	0	0	17.757 s
2	An admin must activate the registered user otherwise user should not be able to login.	4	4	0	0	1 m 30.791 s
3	Login_Feature	7	1	6	0	24.719 s
4	Ui_Feature	2	0	2	0	0.059 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registration page should restrict password usage to a secure	TC_01 Registration with 7 digit pwd without uppercase letter	8	8	0	0	6.178 s
2	Registration page should restrict password usage to a secure	TC_02 Registration with 7 digit pwd with 1 uppercase letter	8	8	0	0	0.939 s
3	Registration page should restrict password usage to a secure	TC_03 Registration with 7 digit pwd without lowercase letter	8	8	0	0	0.758 s
4	Registration page should restrict password usage to a secure	TC_04 Registration with 7 digit pwd with 1 lowercase letter	8	8	0	0	0.582 s
5	Registration page should restrict password usage to a secure	TC_05 Registration with 7 digit pwd without digit	8	8	0	0	0.663 s
6	Registration page should restrict password usage to a secure	TC_06 Registration with 7 digit pwd with 1 digit	8	8	0	0	0.623 s
7	Registration page should restrict password usage to a secure	TC_07 Registration with 7 digit pwd without special character	8	8	0	0	0.542 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	*Registration page should restrict password usage to a secure*	*TC_08 Registration with 7 digit pwd with 1 special character*	8	8	0	0	0.509 s
9	*Registration page should restrict password usage to a secure*	*TC_09 Registration with 3 digit pwd*	9	9	0	0	4.719 s
10	*Registration page should restrict password usage to a secure*	*TC_10 Registration with 4 digit pwd*	8	8	0	0	0.529 s
11	*Registration page should restrict password usage to a secure*	*TC_11 Registration with 6 digit pwd including letters, char and digit*	8	8	0	0	0.538 s
12	*Registration page should restrict password usage to a secure*	*TC_12 Registration with 7 digit pwd including letters, char and digit*	8	8	0	0	0.508 s
13	*An admin must activate the registered user otherwise user should not be able* *	*TC_01 Admin user should activate the registered patient*	18	18	0	0	25.038 s
14	*An admin must activate the registered user otherwise user should not be able* *	*TC_02 Admin user should activate the registered staff*	18	18	0	0	21.887 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
15	An admin must activate the registered user otherwise user should not be able *	TC_03 Admin user should activate the registered doctor	18	18	0	0	21.869 s
16	An admin must activate the registered user otherwise user should not be able *	TC_04 Admin user should activate the registered user	18	18	0	0	21.889 s
17	Login_Feature	TC_01_Login_With_Valid_Credentials	9	9	0	0	11.047 s
18	Login_Feature	TC_02_Login_With_Invalid_Password	9	7	1	1	10.032 s
19	Login_Feature	TC_03_Login_With_Invalid_Username	9	1	1	7	3.384 s
20	Login_Feature	TC_04_Verify_RememberMeOption	9	0	1	8	0.016 s
21	Login_Feature	TC_05_Verify_Credentials_seen_automatically_after_clicking_rememberMe	12	0	1	11	0.015 s
22	Login_Feature	TC_06_Verify_Registration_Link_option_on_the_login_page	7	0	1	6	0.022 s
23	Login_Feature	TC_07_Verify_There_Is_Cancel_Option_On_The_Page	10	0	1	9	0.015 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
24	Ui_Feature	Doctor should be able to see his/her appointment list11	11	0	1	10	0.018 s
25	Ui_Feature	User(doctor) can see patient id, start date, end date, status…	9	0	1	8	0.014 s

## Registration page should restrict password usage to a secure

PASSED	DURATION - 17.757 s			Scenarios		Steps	
/ 10:43:13.436 p.m. // 10:43:31.193 p.m. /				Total - 12		Total - 97	
				Pass - 12	12	Pass - 97	97
				Fail - 0		Fail - 0	
				Skip - 0		Skip - 0	

TC_01 Registration with 7 digit pwd without uppercase letter

PASSED	DURATION - 6.178 s		Steps	
/ 10:43:13.441 p.m. // 10:43:19.619 p.m. /			Total - 8	
Registration page should restrict password usage to a secure			Pass - 8	8
			Fail - 0	
			Skip - 0	
@US03 @smoke				

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	5.552 s
2	When clicks on account icon3	PASSED	0.104 s
3	And clicks on register button3	PASSED	0.173 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.027 s
5	And click on new password input	PASSED	0.052 s
6	And send 7 or more digit pwd without uppercase letter	PASSED	0.184 s
7	Then verify the pwd strength is 4 bars	PASSED	0.033 s
8	And close the application3	PASSED	0.000 s

TC_02 Registration with 7 digit pwd with 1 uppercase letter

PASSED	*DURATION - 0.939 s*

/ 10:43:19.757 p.m. // 10:43:20.696 p.m. /

Registration page should restrict password usage to a secure

@US03 @smoke

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

| #	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.491 s
2	When clicks on account icon3	PASSED	0.081 s
3	And clicks on register button3	PASSED	0.111 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.021 s
5	And click on new password input	PASSED	0.041 s
6	And send 7 or more digit pwd with 1 uppercase letter	PASSED	0.154 s
7	Then verify the pwd strength is 5 bars	PASSED	0.026 s
8	And close the application3	PASSED	0.000 s

TC_03 Registration with 7 digit pwd without lowercase letter

PASSED	*DURATION - 0.758 s*

/ 10:43:20.797 p.m. // 10:43:21.555 p.m. /

Registration page should restrict password usage to a secure

@US03 @smoke

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.295 s
2	When clicks on account icon3	PASSED	0.107 s
3	And clicks on register button3	PASSED	0.116 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.022 s
5	And click on new password input	PASSED	0.035 s

#	Step / Hook Details	Status	Duration
6	And send 7 or more digit pwd without lowercase letter	PASSED	0.154 s
7	Then verify the pwd strength is 4 bars	PASSED	0.018 s
8	And close the application3	PASSED	0.000 s

TC_04 Registration with 7 digit pwd with 1 lowercase letter

PASSED	DURATION - 0.582 s		Steps	
/ 10:43:21.654 p.m. // 10:43:22.236 p.m. /			Total - 8	
Registration page should restrict password usage to a secure			Pass - 8 Fail - 0 Skip - 0	
@US03 @smoke				

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.222 s
2	When clicks on account icon3	PASSED	0.083 s
3	And clicks on register button3	PASSED	0.105 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.016 s
5	And click on new password input	PASSED	0.023 s
6	And send 7 or more digit pwd with 1 lowercase letter	PASSED	0.113 s
7	Then verify the pwd strength is 5 bars	PASSED	0.012 s
8	And close the application3	PASSED	0.000 s

TC_05 Registration with 7 digit pwd without digit

PASSED	DURATION - 0.663 s		Steps	
/ 10:43:22.280 p.m. // 10:43:22.943 p.m. /			Total - 8	
Registration page should restrict password usage to a secure			Pass - 8 Fail - 0 Skip - 0	
@US03 @smoke				

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.248 s
2	When clicks on account icon3	PASSED	0.074 s
3	And clicks on register button3	PASSED	0.124 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.016 s
5	And click on new password input	PASSED	0.029 s
6	And send 7 or more digit pwd without digit	PASSED	0.146 s
7	Then verify the pwd strength is 4 bars	PASSED	0.016 s
8	And close the application3	PASSED	0.000 s

TC_06 Registration with 7 digit pwd with 1 digit

PASSED	DURATION - 0.623 s
/ 10:43:22.996 p.m. // 10:43:23.619 p.m. /	
Registration page should restrict password usage to a secure	
@US03 @smoke	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.257 s
2	When clicks on account icon3	PASSED	0.066 s
3	And clicks on register button3	PASSED	0.102 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.012 s
5	And click on new password input	PASSED	0.029 s
6	And send 7 or more digit pwd with 1 digit	PASSED	0.139 s
7	Then verify the pwd strength is 5 bars	PASSED	0.011 s
8	And close the application3	PASSED	0.000 s

TC_07 Registration with 7 digit pwd without special character

PASSED	DURATION - 0.542 s

/ 10:43:23.665 p.m. // 10:43:24.207 p.m. /

Registration page should restrict password usage to a secure

@US03 @smoke

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.225 s
2	When clicks on account icon3	PASSED	0.067 s
3	And clicks on register button3	PASSED	0.088 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.010 s
5	And click on new password input	PASSED	0.022 s
6	And send 7 or more digit pwd without special character	PASSED	0.113 s
7	Then verify the pwd strength is 4 bars	PASSED	0.010 s
8	And close the application3	PASSED	0.000 s

TC_08 Registration with 7 digit pwd with 1 special character

PASSED	DURATION - 0.509 s

/ 10:43:24.242 p.m. // 10:43:24.751 p.m. /

Registration page should restrict password usage to a secure

@US03 @smoke

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.209 s
2	When clicks on account icon3	PASSED	0.052 s
3	And clicks on register button3	PASSED	0.087 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.011 s
5	And click on new password input	PASSED	0.019 s

#	Step / Hook Details	Status	Duration
6	And send 7 or more digit pwd with 1 special character	PASSED	0.109 s
7	Then verify the pwd strength is 5 bars	PASSED	0.011 s
8	And close the application3	PASSED	0.000 s

TC_09 Registration with 3 digit pwd

PASSED	DURATION - 4.719 s		
/ 10:43:24.800 p.m. // 10:43:29.519 p.m. /			
Registration page should restrict password usage to a secure			
@US03 @smoke			

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.223 s
2	When clicks on account icon3	PASSED	0.082 s
3	And clicks on register button3	PASSED	0.111 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.012 s
5	And click on new password input	PASSED	0.024 s
6	And send 3 digit pwd	PASSED	0.093 s
7	And click on new password confirmation input	PASSED	4.130 s
8	Then verify error message	PASSED	0.037 s
9	And close the application3	PASSED	0.000 s

TC_10 Registration with 4 digit pwd

PASSED	DURATION - 0.529 s		
/ 10:43:29.552 p.m. // 10:43:30.081 p.m. /			
Registration page should restrict password usage to a secure			
@US03 @smoke			

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.183 s
2	When clicks on account icon3	PASSED	0.089 s
3	And clicks on register button3	PASSED	0.092 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.009 s
5	And click on new password input	PASSED	0.020 s
6	And send 4 digit pwd	PASSED	0.090 s
7	Then verify Password strength: text is displayed	PASSED	0.039 s
8	And close the application3	PASSED	0.000 s

TC_11 Registration with 6 digit pwd including letters, char and digit

PASSED	DURATION - 0.538 s
/ 10:43:30.116 p.m. // 10:43:30.654 p.m. /	
Registration page should restrict password usage to a secure	
@US03 @smoke	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.227 s
2	When clicks on account icon3	PASSED	0.057 s
3	And clicks on register button3	PASSED	0.087 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.010 s
5	And click on new password input	PASSED	0.020 s
6	And send 6 digit pwd including letters, char and digit	PASSED	0.097 s
7	Then verify the password is weak	PASSED	0.033 s
8	And close the application3	PASSED	0.000 s

TC_12 Registration with 7 digit pwd including letters, char and digit

PASSED	DURATION - 0.508 s
/ 10:43:30.685 p.m. // 10:43:31.193 p.m. /	
Registration page should restrict password usage to a secure	
@US03 @smoke	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.217 s
2	When clicks on account icon3	PASSED	0.054 s
3	And clicks on register button3	PASSED	0.086 s
4	And verify the url is medunnaRegistrationUrl	PASSED	0.011 s
5	And click on new password input	PASSED	0.019 s
6	And send 7 digit pwd including letters, char and digit	PASSED	0.103 s
7	Then verify the pwd strength is 5 bars	PASSED	0.011 s
8	And close the application3	PASSED	0.000 s

An admin must activate the registered user otherwise user should not be able to login.

PASSED	DURATION - 1 m 30.791 s
/ 10:43:31.248 p.m. // 10:45:02.039 p.m. /	

Scenarios
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

Steps
Total - 72
Pass - 72
Fail - 0
Skip - 0

72

TC_01 Admin user should activate the registered patient

PASSED	DURATION - 25.038 s

/ 10:43:31.248 p.m. // 10:43:56.286 p.m. /

An admin must activate the registered user otherwise user should not be able to login.

@US04 @smoke

Steps
Total - 18
Pass - 18
Fail - 0
Skip - 0

18

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.213 s
2	When clicks on account icon3	PASSED	0.060 s
3	And clicks on user sign in option4	PASSED	0.101 s
4	And send admin username into username input4	PASSED	0.067 s
5	And send admin password into password input4	PASSED	0.087 s
6	And clicks on Sign in button4	PASSED	0.061 s
7	And verify administration option is displayed	PASSED	0.261 s
8	And click on administration option4	PASSED	0.052 s
9	And click on user management link4	PASSED	0.058 s
10	And goes to activation page url	PASSED	6.210 s
11	And click on deactivated registered "patient" edit button	PASSED	0.065 s
12	And click on Activated checkbox if not checked	PASSED	3.338 s
13	And select Role_Patient option from profiles dropdown	PASSED	3.136 s
14	And click on save button	PASSED	2.105 s
15	Then verify user updated message is displayed	PASSED	4.080 s
16	And click on adminTeam03	PASSED	2.055 s
17	And click on sign out	PASSED	3.079 s
18	And close the application3	PASSED	0.000 s

TC_02 Admin user should activate the registered staff

PASSED	DURATION - 21.887 s

/ 10:43:56.319 p.m. // 10:44:18.206 p.m. /

An admin must activate the registered user otherwise user should not be able to login.

@US04 @smoke

Steps

Total - 18

Pass - 18

Fail - 0

Skip - 0

18

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.218 s
2	When clicks on account icon3	PASSED	0.055 s
3	And clicks on user sign in option4	PASSED	0.075 s
4	And send admin username into username input4	PASSED	0.060 s
5	And send admin password into password input4	PASSED	0.076 s
6	And clicks on Sign in button4	PASSED	0.060 s
7	And verify administration option is displayed	PASSED	0.268 s
8	And click on administration option4	PASSED	0.052 s
9	And click on user management link4	PASSED	0.060 s
10	And goes to activation page url	PASSED	6.196 s
11	And click on deactivated registered "staff" edit button	PASSED	0.072 s
12	And click on Activated checkbox if not checked	PASSED	3.325 s
13	And select Role_Staff option from profiles dropdown	PASSED	0.092 s
14	And click on save button	PASSED	2.119 s
15	Then verify user updated message is displayed	PASSED	4.041 s
16	And click on adminTeam03	PASSED	2.044 s
17	And click on sign out	PASSED	3.062 s
18	And close the application3	PASSED	0.000 s

TC_03 Admin user should activate the registered doctor

PASSED	DURATION - 21.869 s

/ 10:44:18.250 p.m. // 10:44:40.119 p.m. /

An admin must activate the registered user otherwise user should not be able to login.

@US04 @smoke

Steps
Total - 18
Pass - 18
Fail - 0
Skip - 0

18

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.213 s
2	When clicks on account icon3	PASSED	0.058 s
3	And clicks on user sign in option4	PASSED	0.097 s
4	And send admin username into username input4	PASSED	0.059 s
5	And send admin password into password input4	PASSED	0.079 s
6	And clicks on Sign in button4	PASSED	0.055 s
7	And verify administration option is displayed	PASSED	0.270 s
8	And click on administration option4	PASSED	0.046 s
9	And click on user management link4	PASSED	0.059 s
10	And goes to activation page url	PASSED	6.150 s
11	And click on deactivated registered "doctor" edit button	PASSED	0.092 s
12	And click on Activated checkbox if not checked	PASSED	3.301 s
13	And select Role_Physician option from profiles dropdown	PASSED	0.088 s
14	And click on save button	PASSED	2.129 s
15	Then verify user updated message is displayed	PASSED	4.052 s
16	And click on adminTeam03	PASSED	2.047 s
17	And click on sign out	PASSED	3.062 s
18	And close the application3	PASSED	0.000 s

TC_04 Admin user should activate the registered user

PASSED	DURATION - 21.889 s

/ 10:44:40.150 p.m. // 10:45:02.039 p.m. /

*An admin must activate the registered user otherwise user should not be able to login.*

@US04 @smoke

Steps
Total - 18
Pass - 18
Fail - 0
Skip - 0

18

#	Step / Hook Details	Status	Duration
1	Given user goes to medunna url3	PASSED	0.256 s
2	When clicks on account icon3	PASSED	0.061 s
3	And clicks on user sign in option4	PASSED	0.082 s
4	And send admin username into username input4	PASSED	0.061 s
5	And send admin password into password input4	PASSED	0.085 s
6	And clicks on Sign in button4	PASSED	0.066 s
7	And verify administration option is displayed	PASSED	0.270 s
8	And click on administration option4	PASSED	0.051 s
9	And click on user management link4	PASSED	0.070 s
10	And goes to activation page url	PASSED	6.152 s
11	And click on deactivated registered "user" edit button	PASSED	0.061 s
12	And click on Activated checkbox if not checked	PASSED	3.297 s
13	And select Role_USER option from profiles dropdown	PASSED	0.086 s
14	And click on save button	PASSED	2.134 s
15	Then verify user updated message is displayed	PASSED	4.057 s
16	And click on adminTeam03	PASSED	2.047 s
17	And click on sign out	PASSED	3.042 s
18	And close the application3	PASSED	0.000 s

Login_Feature

FAILED	DURATION - 24.719 s	Scenarios		Steps	
/ 10:45:02.086 p.m. // 10:45:26.805 p.m. /		Total - 7 Pass - 1 Fail - 6 Skip - 0	7	Total - 65 Pass - 17 Fail - 6 Skip - 42	65

TC_01_Login_With_Valid_Credentials

PASSED	DURATION - 11.047 s		Steps	
/ 10:45:02.087 p.m. // 10:45:13.134 p.m. /			Total - 9 Pass - 9 Fail - 0 Skip - 0	9
Login_Feature				
@US_05_Login_Feature @smoke @TC_01Login				

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	PASSED	0.232 s
2	When user click on user icon optionYA	PASSED	3.087 s
3	And user click on sign in optionYA	PASSED	0.077 s
4	When user enter valid usernameYA	PASSED	2.097 s
5	And user enter valid passwordYA	PASSED	2.116 s
6	And user click on remember me buttonYA	PASSED	0.068 s
7	And user click on sign in submit buttonYA	PASSED	0.059 s
8	Then verify user logged in with valid credentials and Welcome to medunna on the pageYA	PASSED	3.061 s
9	Then close the applicationYA	PASSED	0.246 s

TC_02_Login_With_Invalid_Password

FAILED	DURATION - 10.032 s

/ 10:45:13.175 p.m. // 10:45:23.207 p.m. /

Login_Feature

@US_05_Login_Feature @smoke @TC_02Login

Steps
Total - 9
Pass - 7
Fail - 1
Skip - 1

9

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	PASSED	2.648 s
2	When user click on user icon optionYA	PASSED	3.067 s
3	And user click on sign in optionYA	PASSED	0.112 s
4	When user enter valid usernameYA	PASSED	2.112 s
5	And user enter invalid passwordYA	PASSED	1.119 s
6	And user click on remember me buttonYA	PASSED	0.086 s
7	And user click on sign in submit buttonYA	PASSED	0.062 s
8	Then verify failed to sign in message displayed on the pageYA	FAILED	0.674 s

	java.lang.AssertionError
	    at org.junit.Assert.fail(Assert.java:87)
	    at org.junit.Assert.assertTrue(Assert.java:42)
	    at org.junit.Assert.assertTrue(Assert.java:53)
	    at stepdefinitions.UI.US_05_StepDefinition.verifyFailedToSignInMessageDisplayedOnThePageYA(US_05_StepDefinition.java:63)
	    at ?.verify failed to sign in message displayed on the pageYA(file:///C:/Users/user/IdeaProjects/medunnaHealthProject/./src/test/resources/
	features/featuresUI/US_05_medunna_login.feature:24)
	* Not displayable characters are replaced by '?'.		

9	Then close the applicationYA	SKIPPED	0.001 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.148 s
	org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is 'maximized' (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local. ..}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at hooks.Hook.tearDownScenario(Hook.java:19)		

TC_03_Login_With_Invalid_Username

FAILED	DURATION - 3.384 s			Steps
/ 10:45:23.239 p.m. // 10:45:26.623 p.m. /				Total - 9
				Pass - 1
Login_Feature				Fail - 1
				Skip - 7
@TC_03Login @US_05_Login_Feature @smoke				

9

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	PASSED	0.353 s
2	When user click on user icon optionYA	FAILED	3.017 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, findElement {using=id, value=account-menu}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	c0a97740b1233a44b1be8564f9997fe2
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at stepdefinitions.UI.US_05_StepDefinition.user_click_on_user_icon_optionYA(US_05_StepDefinition.java:25)
	  at ?.user click on user icon optionYA(file:///C:/Users/user/IdeaProjects/medunnaHealthProject/./src/test/resources/features/featuresUI/
	US_05_medunna_login.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And user click on sign in optionYA	SKIPPED	0.000 s
4	When user enter invalid usernameYA	SKIPPED	0.001 s
5	And user enter valid passwordYA	SKIPPED	0.000 s
6	And user click on remember me buttonYA	SKIPPED	0.000 s
7	And user click on sign in submit buttonYA	SKIPPED	0.000 s
8	Then verify failed to sign in message displayed on the pageYA	SKIPPED	0.000 s
9	Then close the applicationYA	SKIPPED	0.001 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at hooks.Hook.tearDownScenario(Hook.java:19)		

TC_04_Verify_RememberMeOption

FAILED	DURATION - 0.016 s
/ 10:45:26.656 p.m. // 10:45:26.672 p.m. /	
Login_Feature	
@US_05_Login_Feature @smoke @TC_04Login	

Steps
Total - 9
Pass - 0
Fail - 1
Skip - 8

9

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	FAILED	0.007 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_05_StepDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_05_HomePage.<init>(US_05_HomePage.java:10) at stepdefinitions.UI.US_05_StepDefinition.<init>(US_05_StepDefinition.java:16) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When user click on user icon optionYA	SKIPPED	0.000 s
3	And user click on sign in optionYA	SKIPPED	0.001 s
4	When user enter valid usernameYA	SKIPPED	0.000 s
5	And user enter valid passwordYA	SKIPPED	0.000 s
6	Then verify remember me option is on the pageYA	SKIPPED	0.000 s
7	And user click on remember me buttonYA	SKIPPED	0.000 s
8	Then verify remember me button is selectableYA	SKIPPED	0.000 s
9	Then close the applicationYA	SKIPPED	0.000 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local. ..}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946)
	  at utilities.Driver.getDriver(Driver.java:55)
	  at hooks.Hook.tearDownScenario(Hook.java:19)		

TC_05_Verify_Credentials_seen_automatically_after_clicking_rememberMe

FAILED	DURATION - 0.015 s		Steps	
/ 10:45:26.700 p.m. // 10:45:26.715 p.m. /			Total - 12	
Login_Feature			Pass - 0	12
			Fail - 1	
@TC_05Login @US_05_Login_Feature @smoke			Skip - 11	

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	FAILED	0.005 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_05_StepDefinition		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		

#	Step / Hook Details	Status	Duration
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local. ..}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_05_HomePage.<init>(US_05_HomePage.java:10) at stepdefinitions.UI.US_05_StepDefinition.<init>(US_05_StepDefinition.java:16) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When user click on user icon optionYA	SKIPPED	0.000 s
3	And user click on sign in optionYA	SKIPPED	0.001 s
4	When user enter valid usernameYA	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And user enter valid passwordYA	SKIPPED	0.000 s
6	And user click on remember me buttonYA	SKIPPED	0.001 s
7	And user click on sign in submit buttonYA	SKIPPED	0.000 s
8	And user click on sign out optionYA	SKIPPED	0.000 s
9	Then verify thank you for choosing us message on the pageYA	SKIPPED	0.000 s
10	And user click on Sign in Again buttonYA	SKIPPED	0.000 s
11	Then verify valid credentials displayed on username and password box automaticallyYA	SKIPPED	0.000 s
12	Then close the applicationYA	SKIPPED	0.000 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local. ..}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946)
	  at utilities.Driver.getDriver(Driver.java:55)
	  at hooks.Hook.tearDownScenario(Hook.java:19)		

TC_06_Verify_Registration_Link_option_on_the_login_page

FAILED	DURATION - 0.022 s
/ 10:45:26.742 p.m. // 10:45:26.764 p.m. /	
Login_Feature	
@US_05_Login_Feature @smoke @TC_06Login	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

7

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	FAILED	0.013 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_05_StepDefinition
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	    at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	    at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	    at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	    at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)
	    at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local. ..}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_05_HomePage.<init>(US_05_HomePage.java:10) at stepdefinitions.UI.US_05_StepDefinition.<init>(US_05_StepDefinition.java:16) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When user click on user icon optionYA	SKIPPED	0.001 s
3	And user click on sign in optionYA	SKIPPED	0.000 s
4	Then verify Register a new account link option is on the pageYA	SKIPPED	0.000 s
5	And user click on the Register a new account linkYA	SKIPPED	0.001 s
6	Then verify user is taken to Registration pageYA	SKIPPED	0.000 s
7	Then close the applicationYA	SKIPPED	0.000 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946)		

#	Step / Hook Details	Status	Duration
	at utilities.Driver.getDriver(Driver.java:55) at hooks.Hook.tearDownScenario(Hook.java:19)		

TC_07_Verify_There_Is_Cancel_Option_On_The_Page

FAILED	DURATION - 0.015 s		Steps
			Total - 10
/ 10:45:26.790 p.m. // 10:45:26.805 p.m. /			Pass - 0
			Fail - 1
Login_Feature			Skip - 9
@US_05_Login_Feature @smoke @TC_07Login			10

#	Step / Hook Details	Status	Duration
1	Given user navigate to "https://www.medunna.com/" pageYA	FAILED	0.006 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_05_StepDefinition
	   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	   at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)
	   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)
	   at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
	   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
	   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
	   at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	   at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_05_HomePage.<init>(US_05_HomePage.java:10) at stepdefinitions.UI.US_05_StepDefinition.<init>(US_05_StepDefinition.java:16) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When user click on user icon optionYA	SKIPPED	0.000 s
3	And user click on sign in optionYA	SKIPPED	0.001 s
4	When user enter valid usernameYA	SKIPPED	0.000 s
5	And user enter valid passwordYA	SKIPPED	0.000 s
6	And user click on remember me buttonYA	SKIPPED	0.000 s
7	Then verify there is cancel button on the login pageYA	SKIPPED	0.000 s
8	And user click on the cancel buttonYA	SKIPPED	0.000 s
9	Then verify user is taken to home pageYA	SKIPPED	0.000 s
10	Then close the applicationYA	SKIPPED	0.000 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at hooks.Hook.tearDownScenario(Hook.java:19)		

Ui_Feature

FAILED	DURATION - 0.059 s		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 20 Pass - 0 Fail - 2 Skip - 18	20
/ 10:45:26.836 p.m. // 10:45:26.895 p.m. /						

Doctor should be able to see his/her appointment list11

FAILED	DURATION - 0.018 s		Steps Total - 11 Pass - 0 Fail - 1 Skip - 10	11
/ 10:45:26.836 p.m. // 10:45:26.854 p.m. /				
Ui_Feature				
@smoke @UI_Dr_Appt @TC_01				

#	Step / Hook Details	Status	Duration
1	Given User navigate to "medunnaUrl"	FAILED	0.007 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_11_StepDefinitions
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_11_LoginPage.<init>(US_11_LoginPage.java:10) at stepdefinitions.UI.US_11_StepDefinitions.<init>(US_11_StepDefinitions.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When Click Sign in icon11	SKIPPED	0.000 s
3	And Choose Sign in from dropdown11	SKIPPED	0.000 s
4	And Enter the username11	SKIPPED	0.001 s
5	And Enter the password11	SKIPPED	0.000 s
6	And Click the sign in button11	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And Click on MY PAGE11	SKIPPED	0.001 s
8	And Choose My Appointments from dropdown11	SKIPPED	0.000 s
9	Then Verify that their Appointments list on My Appointments page11	SKIPPED	0.000 s
10	Then Verify that their Appointments time slots on My Appointments page11	SKIPPED	0.000 s
11	Then close the application.1	SKIPPED	0.000 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946)
	  at utilities.Driver.getDriver(Driver.java:55)
	  at hooks.Hook.tearDownScenario(Hook.java:19)		

User(doctor) can see patient id, start date, end date, status…

FAILED	DURATION - 0.014 s

/ 10:45:26.881 p.m. // 10:45:26.895 p.m. /

Ui_Feature

@smoke @UI_Dr_Appt @TC_02

Steps
Total - 9
Pass - 0
Fail - 1
Skip - 8

9

#	Step / Hook Details	Status	Duration
1	Given User navigate to "medunnaUrl"	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.UI.US_11_StepDefinitions		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at pages.US_11_LoginPage.<init>(US_11_LoginPage.java:10) at stepdefinitions.UI.US_11_StepDefinitions.<init>(US_11_StepDefinitions.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When Click Sign in icon11	SKIPPED	0.000 s
3	And Choose Sign in from dropdown11	SKIPPED	0.000 s
4	And Enter the username11	SKIPPED	0.000 s
5	And Enter the password11	SKIPPED	0.000 s
6	And Click the sign in button11	SKIPPED	0.000 s
7	And Click on MY PAGE11	SKIPPED	0.000 s
8	And Choose My Appointments from dropdown11	SKIPPED	0.000 s
9	Then Verify that patient id, start date, end date, status	SKIPPED	0.001 s
	AFTER - hooks.Hook.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.178) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a97740b1233a44b1be8564f9997fe2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:56499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56499/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0a97740b1233a44b1be8564f9997fe2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:55) at hooks.Hook.tearDownScenario(Hook.java:19)		