

Cucumber Report

Jan 29, 2023, 12:48:14 PM

Start : Jan 29, 12:48:02.905 PM

End : Jan 29, 12:48:13.258 PM

Duration : 10.353 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>hooks_test</u>	10.353 s	1	0	1	0	3	2	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@failed_tests	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>hooks_test</u>	1	0	1	0	10.353 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>hooks_test</u>	<u>TC_01_</u>	3	2	1	0	10.350 s


hooks_test

FAILED	DURATION - 10.353 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:48:02.905 PM // 12:48:13.258 PM /					

TC_01_

<div>FAILED</div> <div>DURATION - 10.350 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:48:02.908 PM // 12:48:13.258 PM /</div>				
<div>hooks_test</div>				
<div>@failed_tests</div>				

#	Step / Hook Details	Status	Duration	
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	3.762 s	
2	And user enters customer_email and customer_password	PASSED	0.715 s	
	username			password
	jack@gmail.com			12345
3	Then verify the next page url contains login keyword	FAILED	5.015 s	
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:47) at ?.verify the next page url contains login keyword(file:///Users/HUSNE/Documents/intellij%20projects/my-cucumber-project/.src/test/resources/features/day26_failed_test_cases.feature:9) * Not displayable characters are replaced by '?'. AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.842 s	
	failed_scenarioTC_01_			

#	Step / Hook Details	Status	Duration
	 <p>The screenshot shows the Bluebird website's car rental section. It features a search bar with fields for location, dates, and car type. Below the search bar, there's a promotional banner for a 25% discount on rentals. A silver car is displayed next to the offer. The website's header includes the Bluebird logo and navigation links. The footer mentions 'Customer Services'.</p>		