




DeepLearning.AI

Optimization in Neural Networks and Newton's Method

Gradient Descent and Backpropagation

Back Propagation Introduction



Back Propagation Introduction



x_1

Back Propagation Introduction



x_1

x_2


Back Propagation Introduction

$$x_1$$


$$x_2$$

$$1$$


Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction



Back Propagation Introduction




Back Propagation Introduction




$$L(y, \hat{y}) = -y \log(\hat{y}) - (1 - y) \log(1 - \hat{y})$$


Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction



Back Propagation Introduction



Back Propagation Introduction




$$\frac{\partial L}{\partial w^{[3]}}$$


$$\frac{\partial a^{[3]}}{\partial z^{[3]}}$$

$$\frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




Back Propagation Introduction




$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction



$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$


Back Propagation Introduction



$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

$$\frac{\partial L}{\partial b^{[3]}}$$


Back Propagation Introduction



$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

$$\frac{\partial L}{\partial b^{[3]}} = \frac{\partial z^{[3]}}{\partial b^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$


Back Propagation Introduction



$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

$$\frac{\partial L}{\partial b^{[3]}} = \frac{\partial z^{[3]}}{\partial b^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial L}{\partial w^{[3]}} = \frac{\partial z^{[3]}}{\partial w^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$

$$\frac{\partial L}{\partial b^{[3]}} = \frac{\partial z^{[3]}}{\partial b^{[3]}} \cdot \frac{\partial a^{[3]}}{\partial z^{[3]}} \cdot \frac{\partial L}{\partial a^{[3]}}$$


$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$


Back Propagation Introduction



Back Propagation Introduction




Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$

Back Propagation Introduction




$$\frac{\partial a^{[3]}}{\partial z^{[3]}} \quad \frac{\partial L}{\partial a^{[3]}}$$


Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction




Back Propagation Introduction



Back Propagation Introduction



Back Propagation Introduction






DeepLearning.AI

Optimization in Neural Networks and Newton's Method


Newton's method

Newton's Method


Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Newton's Method




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation




Update Approximation



Update Approximation



Update Approximation



Newton's Method for Optimization

Newton's Method for Optimization



Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$



Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$



NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$



NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

$$f(x) \mapsto g'(x)$$

$$f'(x) \mapsto (g'(x))'$$

Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$

1) Start with some x_0



NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

$$f(x) \mapsto g'(x)$$

$$f'(x) \mapsto (g'(x))'$$

1) Start with some x_0

Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$

1) Start with some x_0

2) Update:

$$x_{k+1} = x_k - \frac{f(x_k)}{f'(x_k)}$$



NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

$$f(x) \mapsto g'(x)$$

$$f'(x) \mapsto (g'(x))'$$

1) Start with some x_0

2) Update:

Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$

1) Start with some x_0

2) Update:

$$x_{k+1} = x_k - \frac{f(x_k)}{f'(x_k)}$$



NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

$$f(x) \mapsto g'(x) \qquad f'(x) \mapsto (g'(x))'$$

1) Start with some x_0

2) Update:

$$x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$$

Newton's Method for Optimization

Newton's method

Goal: find a zero of $f(x)$



1) Start with some x_0

2) Update:

$$x_{k+1} = x_k - \frac{f(x_k)}{f'(x_k)}$$

3) Repeat 2) until you find the root.

NM for Optimization

Goal: minimize $g(x)$ $\Rightarrow$ find zeros of $g'(x)$

$$f(x) \mapsto g'(x)$$

$$f'(x) \mapsto (g'(x))'$$

1) Start with some x_0

2) Update:

$$x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$$

3) Repeat 2) until you find the root.




DeepLearning.AI

Optimization in Neural Networks and Newton's Method

**Newton's method:
An example**


Newton's Method for Optimization

Newton's Method for Optimization




$$g(x) = e^x - \log(x)$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$


Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad \underbrace{g'(x) = e^x - 1/x}_{f(x)}$$

Minimum: $x^* = 0.5671$

$$\underbrace{(g'(x))' = e^x + \frac{1}{x^2}}_{f'(x)}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad \overbrace{g'(x) = e^x - 1/x}^{f(x)}$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_0 = 0.05 \quad \underbrace{\hspace{10em}}_{f'(x)}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad \overbrace{g'(x) = e^x - 1/x}^{f(x)}$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_0 = 0.05 \quad \underbrace{\hspace{10em}}_{f'(x)}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad \overbrace{g'(x) = e^x - 1/x}^{f(x)}$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_0 = 0.05 \quad \overbrace{g'(x_0)}^{f'(x)}$$

$$x_1 = x_0 - \frac{g'(x_0)}{(g'(x_0))'}$$

$$= 0.05 - \frac{\left(e^{0.05} - \frac{1}{0.05}\right)}{\left(e^{0.05} + \frac{1}{0.05^2}\right)}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad \overbrace{g'(x) = e^x - 1/x}^{f(x)}$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_0 = 0.05 \quad \overbrace{g'(x_0)}^{f'(x)}$$

$$x_1 = x_0 - \frac{g'(x_0)}{(g'(x_0))'}$$

$$= 0.05 - \frac{\left(e^{0.05} - \frac{1}{0.05}\right)}{\left(e^{0.05} + \frac{1}{0.05^2}\right)} = 0.097$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_1 = 0.097$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_1 = 0.097$$

$$x_2 = x_1 - \frac{g'(x_1)}{(g'(x_1))'}$$

$$= 0.097 - \frac{\left(e^{0.097} - \frac{1}{0.097}\right)}{\left(e^{0.097} + \frac{1}{0.097^2}\right)} = 0.183$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_2 = 0.183$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_2 = 0.183$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_2 = 0.183$$

$$x_3 = x_2 - \frac{g'(x_2)}{(g'(x_2))'}$$

$$= 0.183 - \frac{\left(e^{0.183} - \frac{1}{0.183}\right)}{\left(e^{0.183} + \frac{1}{0.183^2}\right)}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_2 = 0.183$$

$$x_3 = x_2 - \frac{g'(x_2)}{(g'(x_2))'}$$

$$= 0.183 - \frac{\left(e^{0.183} - \frac{1}{0.183}\right)}{\left(e^{0.183} + \frac{1}{0.183^2}\right)} = 0.320$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_3 = 0.320$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_3 = 0.320$$

$$x_4 = x_3 - \frac{g'(x_3)}{(g'(x_3))'}$$

$$= 0.320 - \frac{\left(e^{0.320} - \frac{1}{0.320}\right)}{\left(e^{0.320} + \frac{1}{0.320^2}\right)}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_3 = 0.320$$

$$x_4 = x_3 - \frac{g'(x_3)}{(g'(x_3))'}$$

$$= 0.320 - \frac{\left(e^{0.320} - \frac{1}{0.320}\right)}{\left(e^{0.320} + \frac{1}{0.320^2}\right)} = 0.477$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.5671$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_4 = 0.477$$

$$x_5 = x_4 - \frac{g'(x_4)}{(g'(x_4))'}$$

$$= 0.447 - \frac{\left(e^{0.447} - \frac{1}{0.447}\right)}{\left(e^{0.447} + \frac{1}{0.447^2}\right)} = 0.558$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.567$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

Newton's Method for Optimization




$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.567$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_5 = 0.558$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.567$


$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_5 = 0.558$$

$$x_6 = x_5 - \frac{g'(x_5)}{(g'(x_5))'}$$

$$= 0.558 - \frac{\left(e^{0.558} - \frac{1}{0.558}\right)}{\left(e^{0.558} + \frac{1}{0.558^2}\right)}$$

Newton's Method for Optimization



$$g(x) = e^x - \log(x) \quad g'(x) = e^x - 1/x$$

Minimum: $x^* = 0.567$

$$(g'(x))' = e^x + \frac{1}{x^2}$$

$$x_5 = 0.558$$

$$x^* = x_5 - \frac{g'(x_5)}{(g'(x_5))'}$$

$$= 0.558 - \frac{\left(e^{0.558} - \frac{1}{0.558}\right)}{\left(e^{0.558} + \frac{1}{0.558^2}\right)} = 0.567$$



DeepLearning.AI

Optimization in Neural Networks and Newton's Method

The second derivative

Second Derivative

Second Derivative

Newton's method:

Second Derivative

Newton's method:
$$x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$$

Second Derivative

Newton's method: $x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$??

Second Derivative

Newton's method: $x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))' ??}$



Second derivative

Second Derivative

Newton's method: $x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$??

Second derivative

Leibniz notation: $\frac{d^2f(x)}{dx^2} = \frac{d}{dx} \left(\frac{df(x)}{dx} \right)$

Second Derivative

Newton's method: $x_{k+1} = x_k - \frac{g'(x_k)}{(g'(x_k))'}$??




Second derivative

Leibniz notation: $\frac{d^2f(x)}{dx^2} = \frac{d}{dx} \left(\frac{df(x)}{dx} \right)$

Lagrange notation: $f''(x)$


Understanding Second Derivative

Understanding Second Derivative




Understanding Second Derivative

x Distance




Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$

Understanding Second Derivative




x Distance

v Velocity $\frac{dx}{dt}$


a Acceleration $\frac{dv}{dt} = \frac{d^2x}{dt^2}$

Understanding Second Derivative


Understanding Second Derivative



Understanding Second Derivative




Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance

v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



x Distance


v Velocity $\frac{dx}{dt}$

Understanding Second Derivative



v Velocity $\frac{dx}{dt}$


Understanding Second Derivative



v Velocity $\frac{dx}{dt}$

a Acceleration $\frac{dv}{dt}$


Understanding Second Derivative




v Velocity $\frac{dx}{dt}$

a Acceleration $\frac{dv}{dt}$


Understanding Second Derivative



Understanding Second Derivative




Understanding Second Derivative




v Velocity $\frac{dx}{dt}$

a Acceleration $\frac{dv}{dt}$


Understanding Second Derivative




Understanding Second Derivative




Understanding Second Derivative




Understanding Second Derivative




Understanding Second Derivative



Understanding Second Derivative



Understanding Second Derivative




x Distance

Second
derivative tells
us about the
curvature

a Acceleration $\frac{d^2x}{dt^2}$


Curvature

Curvature



Curvature


$$\frac{d^2x}{dt^2} > 0 \quad \text{Concave up or convex}$$



Curvature

$$\frac{d^2x}{dt^2} > 0 \quad \text{Concave up or convex}$$

$$\frac{d^2x}{dt^2} < 0 \quad \text{Concave down}$$




Curvature

$$\frac{d^2x}{dt^2} > 0 \quad \text{Concave up or convex}$$


$$\frac{d^2x}{dt^2} < 0 \quad \text{Concave down}$$

$$\frac{d^2x}{dt^2} = 0 \quad \text{Need more information}$$




Curvature

Curvature




Curvature



Concave up or convex


$$f''(0) > 0$$

Curvature




Concave up or convex

$$f''(0) > 0$$




Curvature



Concave up or convex

$$f''(0) > 0$$



Concave down


$$f''(0) < 0$$

Second Derivative and Optimization

$$\frac{d^2x}{dt^2} > 0$$

$$\frac{d^2x}{dt^2} < 0$$

$$\frac{d^2x}{dt^2} = 0$$




Second Derivative and Optimization

$$\frac{d^2x}{dt^2} > 0 \quad (\text{Local}) \text{ Minimum}$$

$$\frac{d^2x}{dt^2} < 0$$

$$\frac{d^2x}{dt^2} = 0$$




Second Derivative and Optimization

$$\frac{d^2x}{dt^2} > 0 \quad \text{(Local) Minimum}$$

$$\frac{d^2x}{dt^2} < 0 \quad \text{(Local) maximum}$$

$$\frac{d^2x}{dt^2} = 0$$




Second Derivative and Optimization

$$\frac{d^2x}{dt^2} > 0 \quad \text{(Local) Minimum}$$

$$\frac{d^2x}{dt^2} < 0 \quad \text{(Local) maximum}$$

$$\frac{d^2x}{dt^2} = 0 \quad \text{Inconclusive}$$




Curvature

First derivative

Second derivative

Curvature

First derivative




Increasing

$$f'(0) > 0$$

Second derivative


Curvature

First derivative



Increasing

$$f'(0) > 0$$




Decreasing

$$f'(0) < 0$$

Second derivative


Curvature

First derivative



Increasing


$$f'(0) > 0$$



Decreasing

$$f'(0) < 0$$

Second derivative




Concave up

$$f''(0) > 0$$


Curvature

First derivative



Increasing


$$f'(0) > 0$$



Decreasing


$$f'(0) < 0$$

Second derivative



Concave up

$$f''(0) > 0$$



Concave down

$$f''(0) < 0$$



DeepLearning.AI

Optimization in Neural Networks and Newton's Method

The Hessian

Second Derivative

Second Derivative

1 variable

2 variables

Second Derivative

	1 variable	2 variables
Function	$f(x)$	

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x

Second Derivative

	1 variable	2 variables	
Function	$f(x)$	$f(x, y)$	
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x	
		$f_y(x, y)$ Rate of change w.r.t y	

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x $f_y(x, y)$ Rate of change w.r.t y $\nabla f = \begin{bmatrix} f_x(x, y) \\ f_y(x, y) \end{bmatrix}$

Second Derivative


	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x $f_y(x, y)$ Rate of change w.r.t y $\nabla f = \begin{bmatrix} f_x(x, y) \\ f_y(x, y) \end{bmatrix}$
Second derivative	$f''(x)$ Rate of change of the rate of change of $f(x)$	

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x $f_y(x, y)$ Rate of change w.r.t y $\nabla f = \begin{bmatrix} f_x(x, y) \\ f_y(x, y) \end{bmatrix}$
Second derivative	$f''(x)$ Rate of change of the rate of change of $f(x)$	???


Second Derivative

Second Derivative



$$f(x, y) = 2x^2 + 3y^2 - xy$$


Second Derivative



$$f(x, y) = 2x^2 + 3y^2 - xy$$

A blue arrow labeled x points from the $-xy$ term to the expression $4x - y$, indicating the result of the partial derivative with respect to x .

Second Derivative




$$f(x, y) = 2x^2 + 3y^2 - xy$$

Partial derivatives:


- Partial derivative with respect to x : $4x - y$
- Partial derivative with respect to y : $6y - x$

Second Derivative




$$f(x, y) =$$

$$2x^2 + 3y^2 - xy$$




Rate of change of $f'_x(x, y)$ w.r.t x

Second Derivative




$$f(x, y) =$$

$$2x^2 + 3y^2 - xy$$




Second Derivative




$$f(x, y) =$$

$$2x^2 + 3y^2 - xy$$




Second Derivative




$$f(x, y) =$$

$$2x^2 + 3y^2 - xy$$




Second Derivative



$$f(x, y) =$$

$$2x^2 + 3y^2 - xy$$



What Do These Mean?

Rate of change of
 $f_x(x, y)$ w.r.t x

Rate of change of
 $f_y(x, y)$ w.r.t y

Rate of change of
 $f_x(x, y)$ w.r.t y

Rate of change of
 $f_y(x, y)$ w.r.t x

What Do These Mean?

Rate of change of

$f_x(x, y)$ w.r.t x

Rate of change of

$f_y(x, y)$ w.r.t y

Change in the change in the function
w.r.t tiny changes in x and y

Rate of change of

$f_x(x, y)$ w.r.t y

Rate of change of

$f_y(x, y)$ w.r.t x

What Do These Mean?

Rate of change of

$f_x(x, y)$ w.r.t x

Rate of change of

$f_y(x, y)$ w.r.t y

Change in the change in the function
w.r.t tiny changes in x and y

Same idea as
with one
variable!

Rate of change of

$f_x(x, y)$ w.r.t y

Rate of change of

$f_y(x, y)$ w.r.t x

1. Change in the slope along one
coordinate axis w.r.t tiny changes along
an orthogonal coordinate axis

What Do These Mean?

Rate of change of

$f_x(x, y)$ w.r.t x

Rate of change of

$f_y(x, y)$ w.r.t y

Change in the change in the function
w.r.t tiny changes in x and y

Same idea as
with one
variable!


Rate of change of

$f_x(x, y)$ w.r.t y

Rate of change of

$f_y(x, y)$ w.r.t x

1. Change in the slope along one
coordinate axis w.r.t tiny changes along
an orthogonal coordinate axis



What Do These Mean?

Rate of change of

$f_x(x, y)$ w.r.t x

Rate of change of

$f_y(x, y)$ w.r.t y

Change in the change in the function
w.r.t tiny changes in x and y

Same idea as
with one
variable!

Rate of change of


$f_x(x, y)$ w.r.t y

Rate of change of

$f_y(x, y)$ w.r.t x

1. Change in the slope along one
coordinate axis w.r.t tiny changes along
an orthogonal coordinate axis

2. They are the same!



What Do These Mean?

Rate of change of
 $f_x(x, y)$ w.r.t x
Rate of change of
 $f_y(x, y)$ w.r.t y

Change in the change in the function
w.r.t tiny changes in x and y


Same idea as
with one
variable!

Rate of change of
 $f_x(x, y)$ w.r.t y
Rate of change of
 $f_y(x, y)$ w.r.t x

1. Change in the slope along one
coordinate axis w.r.t tiny changes along
an orthogonal coordinate axis

2. They are the same!

(In most cases)



Notation

Rate of change of
 $f'_x(x, y)$ w.r.t x

Rate of change of
 $f'_y(x, y)$ w.r.t y

Rate of change of
 $f'_x(x, y)$ w.r.t y

Rate of change of
 $f'_y(x, y)$ w.r.t x

Notation

Leibniz's notation

Rate of change of
 $f'_x(x, y)$ w.r.t x

Rate of change of
 $f'_y(x, y)$ w.r.t y

Rate of change of
 $f'_x(x, y)$ w.r.t y

Rate of change of
 $f'_y(x, y)$ w.r.t x

Notation

Leibniz's notation

Rate of change of
 $f'_x(x, y)$ w.r.t x

$$\frac{\partial^2 f}{\partial x^2}$$

Rate of change of
 $f'_y(x, y)$ w.r.t y

$$\frac{\partial^2 f}{\partial y^2}$$

Rate of change of
 $f'_x(x, y)$ w.r.t y

Rate of change of
 $f'_y(x, y)$ w.r.t x

Notation

Leibniz's notation

Rate of change of
 $f'_x(x, y)$ w.r.t x

$$\frac{\partial^2 f}{\partial x^2}$$

Rate of change of
 $f'_y(x, y)$ w.r.t y

$$\frac{\partial^2 f}{\partial y^2}$$

Rate of change of
 $f'_x(x, y)$ w.r.t y

$$\frac{\partial^2 f}{\partial x \partial y}$$

Rate of change of
 $f'_y(x, y)$ w.r.t x

$$\frac{\partial^2 f}{\partial y \partial x}$$

Notation

	Leibniz's notation	Lagrange's notation
Rate of change of $f'_x(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial x^2}$	
Rate of change of $f'_y(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial y^2}$	
Rate of change of $f'_x(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial x \partial y}$	
Rate of change of $f'_y(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial y \partial x}$	

Notation


	Leibniz's notation	Lagrange's notation
Rate of change of $f'_x(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial x^2}$	$f_{xx}(x, y)$
Rate of change of $f'_y(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial y^2}$	$f_{yy}(x, y)$
Rate of change of $f'_x(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial x \partial y}$	
Rate of change of $f'_y(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial y \partial x}$	

Notation


	Leibniz's notation	Lagrange's notation
Rate of change of $f'_x(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial x^2}$	$f_{xx}(x, y)$
Rate of change of $f'_y(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial y^2}$	$f_{yy}(x, y)$
Rate of change of $f'_x(x, y)$ w.r.t y	$\frac{\partial^2 f}{\partial x \partial y}$	$f_{xy}(x, y)$
Rate of change of $f'_y(x, y)$ w.r.t x	$\frac{\partial^2 f}{\partial y \partial x}$	$f_{yx}(x, y)$

Hessian Matrix


Hessian Matrix



Hessian Matrix




Hessian Matrix




$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix}$$

Hessian Matrix




$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix} \quad \begin{matrix} -1 \\ 6 \end{matrix}$$

Hessian Matrix



$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} -1 \\ 6 \end{bmatrix}$$


Hessian Matrix



$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} -1 \\ 6 \end{bmatrix}$$

$$\begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$


Hessian Matrix



$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} -1 \\ 6 \end{bmatrix}$$

$$\begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix} = \begin{bmatrix} \nabla f_x^T \\ \nabla f_y^T \end{bmatrix}$$

Hessian Matrix



$$\nabla f_x = \begin{bmatrix} 4 \\ -1 \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} -1 \\ 6 \end{bmatrix}$$


$$H = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix} = \begin{bmatrix} \nabla f_x^T \\ \nabla f_y^T \end{bmatrix}$$

**Hessian
matrix**


All information
about second
derivatives

Hessian Matrix - General Case


Hessian Matrix - General Case




Hessian Matrix - General Case



Hessian Matrix - General Case




Hessian Matrix - General Case




$$\nabla f_x = \begin{bmatrix} f_{xx}(x, y) \\ f_{xy}(x, y) \end{bmatrix}$$

$$\begin{matrix} f_{yx}(x, y) \\ f_{yy}(x, y) \end{matrix}$$


Hessian Matrix - General Case



Hessian Matrix - General Case




Hessian Matrix - General Case



$$\nabla f_x = \begin{bmatrix} f_{xx}(x, y) \\ f_{xy}(x, y) \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} f_{yx}(x, y) \\ f_{yy}(x, y) \end{bmatrix}$$

$$\begin{bmatrix} f_{xx}(x, y) & f_{xy}(x, y) \\ f_{yx}(x, y) & f_{yy}(x, y) \end{bmatrix} = \begin{bmatrix} \nabla f_x^T \\ \nabla f_y^T \end{bmatrix}$$

Hessian Matrix - General Case



$$\nabla f_x = \begin{bmatrix} f_{xx}(x, y) \\ f_{xy}(x, y) \end{bmatrix} \quad \nabla f_y = \begin{bmatrix} f_{yx}(x, y) \\ f_{yy}(x, y) \end{bmatrix}$$

$$H = \begin{bmatrix} f_{xx}(x, y) & f_{xy}(x, y) \\ f_{yx}(x, y) & f_{yy}(x, y) \end{bmatrix} = \begin{bmatrix} \nabla f_x^T \\ \nabla f_y^T \end{bmatrix}$$

**Hessian
matrix**

All information
about second
derivatives

Second Derivative

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x $f_y(x, y)$ Rate of change w.r.t y $\nabla f = \begin{bmatrix} f_x(x, y) \\ f_y(x, y) \end{bmatrix}$
Second derivative	$f''(x)$ Rate of change of the rate of change of $f(x)$	

Second Derivative

	1 variable	2 variables
Function	$f(x)$	$f(x, y)$
First derivative	$f'(x)$ Rate of change of $f(x)$	$f_x(x, y)$ Rate of change w.r.t x $f_y(x, y)$ Rate of change w.r.t y $\nabla f = \begin{bmatrix} f_x(x, y) \\ f_y(x, y) \end{bmatrix}$
Second derivative	$f''(x)$ Rate of change of the rate of change of $f(x)$	$H(x, y) = \begin{bmatrix} f_{xx}(x, y) & f_{xy}(x, y) \\ f_{yx}(x, y) & f_{yy}(x, y) \end{bmatrix}$



DeepLearning.AI


Optimization in Neural Networks and Newton's Method

Hessians and concavity

Remember...

Same thing happens for many variables!

Remember...




Same thing happens for many variables!

Concave up or convex

$$f''(0) > 0$$


Remember...



Same thing happens for many variables!

Concave up or convex

$$f''(0) > 0$$




Concave down

$$f''(0) < 0$$


Concave Up

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

Concave Up



$$f(x, y) = 2x^2 + 3y^2 - xy$$


Concave Up



$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) = \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right)$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right) \\ &= (4 - \lambda)(6 - \lambda) - (-1)(-1) \end{aligned}$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right) \\ &= (4 - \lambda)(6 - \lambda) - (-1)(-1) \\ &= \lambda^2 - 10\lambda + 23 \end{aligned}$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right) \\ &= (4 - \lambda)(6 - \lambda) - (-1)(-1) \\ &= \lambda^2 - 10\lambda + 23 \rightarrow \lambda_1 = 6.41 \end{aligned}$$

Concave Up




$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right) \\ &= (4 - \lambda)(6 - \lambda) - (-1)(-1) \\ &= \lambda^2 - 10\lambda + 23 \end{aligned}$$

↗ $\lambda_1 = 6.41$
↘ $\lambda_2 = 3.59$

Concave Up



$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) = \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right)$$


$$= (4 - \lambda)(6 - \lambda) - (-1)(-1)$$

$$= \lambda^2 - 10\lambda + 23$$

$$\begin{aligned} \lambda_1 &= 6.41 \\ \lambda_2 &= 3.59 \end{aligned}$$

> 0

Concave Up



$$f(x, y) = 2x^2 + 3y^2 - xy$$

$$H(0,0) = \begin{bmatrix} 4 & -1 \\ -1 & 6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \det \left(\begin{bmatrix} 4 - \lambda & -1 \\ -1 & 6 - \lambda \end{bmatrix} \right) \\ &= (4 - \lambda)(6 - \lambda) - (-1)(-1) \\ &= \lambda^2 - 10\lambda + 23 \end{aligned}$$


$$\begin{aligned} \lambda_1 &= 6.41 \\ \lambda_2 &= 3.59 \end{aligned}$$

$(0,0)$ is a minimum!

> 0


Concave Down

Concave Down




$$f(x, y) = -2x^2 - 3y^2 - xy + 15$$

Concave Down




$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

Concave Down



$$f(x, y) = -2x^2 - 3y^2 - xy + 15$$


Concave Down



$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

Concave Down




$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

Concave Down




$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

Concave Down




$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) = (-4 - \lambda)(-6 - \lambda) - (-1)(-1)$$

Concave Down




$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

$$\begin{aligned} \det(H(0,0) - \lambda I) &= \\ &= (-4 - \lambda)(-6 - \lambda) - (-1)(-1) \\ &= \lambda^2 + 10\lambda + 23 \end{aligned}$$

Concave Down



$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$


$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

$$(-4 - \lambda)(-6 - \lambda) - (-1)(-1)$$

$$= \lambda^2 + 10\lambda + 23 \rightarrow \lambda_1 = -3.49$$

Concave Down



$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$


$$\det(H(0,0) - \lambda I) =$$

$$(-4 - \lambda)(-6 - \lambda) - (-1)(-1)$$

$$= \lambda^2 + 10\lambda + 23$$

$$\begin{aligned} \lambda_1 &= -3.49 \\ \lambda_2 &= -6.41 \end{aligned}$$

Concave Down



$$f(x, y) = -2x^2 + -3y^2 - xy + 15$$

$$\nabla f(x, y) = \begin{bmatrix} -4x - y \\ -x - 6y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} -4 & -1 \\ -1 & -6 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

$$(-4 - \lambda)(-6 - \lambda) - (-1)(-1)$$

$$= \lambda^2 + 10\lambda + 23$$


$$\begin{aligned} \lambda_1 &= -3.49 \\ \lambda_2 &= -6.41 \end{aligned}$$

$(0,0)$ is a maximum!

< 0


Saddle Point

Saddle Point




$$f(x, y) = 2x^2 - 2y^2$$

Saddle Point




$$f(x, y) = 2x^2 - 2y^2$$

Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$


Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$

Saddle Point




$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

Saddle Point




$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$

$$H(0,0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$


$$H(0,0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

$$(4 - \lambda)(-4 - \lambda) - 0$$

$$\lambda_1 = -4$$

Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$


$$H(0,0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

$$\det(H(0,0) - \lambda I) =$$

$$(4 - \lambda)(-4 - \lambda) - 0$$

$$\begin{aligned} &\lambda_1 = -4 \\ &\lambda_2 = 4 \end{aligned}$$

Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$

$$H(0, 0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

$$\det(H(0, 0) - \lambda I) =$$


$$(4 - \lambda)(-4 - \lambda) - 0 < 0$$

$$\lambda_1 = -4$$

$$\lambda_2 = 4$$

(0, 0) is saddle point

Saddle Point



$$f(x, y) = 2x^2 - 2y^2$$

$$\nabla f(x, y) = \begin{bmatrix} 4x \\ -4y \end{bmatrix}$$

$$H(0, 0) = \begin{bmatrix} 4 & 0 \\ 0 & -4 \end{bmatrix}$$

$$\det(H(0, 0) - \lambda I) =$$

$$(4 - \lambda)(-4 - \lambda) - 0 \quad < 0$$

$$\lambda_1 = -4$$

$$\lambda_2 = 4$$

$$> 0$$

(0, 0) is saddle point

Summary

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
--	----------------------	--------------------------	---

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$		

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$		

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	All $\lambda_i < 0$

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	All $\lambda_i < 0$
Need more information	$f''(x) = 0$		

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	All $\lambda_i < 0$
Need more information	$f''(x) = 0$	Saddle point $\lambda_1 > 0 \ \& \ \lambda_2 < 0$ $\lambda_1 < 0 \ \& \ \lambda_2 > 0$	

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	All $\lambda_i < 0$
Need more information	$f''(x) = 0$	Saddle point $\lambda_1 > 0 \ \& \ \lambda_2 < 0$ $\lambda_1 < 0 \ \& \ \lambda_2 > 0$ Or some $\lambda_i = 0$	

Summary

	1 variable $f(x)$	2 variables $f(x, y)$	More variables $f(x_1, x_2, \dots, x_n)$
(Local) minima	Happy face $f''(x) > 0$	Upper paraboloid $\lambda_1 > 0 \ \& \ \lambda_2 > 0$	All $\lambda_i > 0$
(Local) maxima	Sad face $f''(x) < 0$	Down paraboloid $\lambda_1 < 0 \ \& \ \lambda_2 < 0$	All $\lambda_i < 0$
Need more information	$f''(x) = 0$	Saddle point $\lambda_1 > 0 \ \& \ \lambda_2 < 0$ $\lambda_1 < 0 \ \& \ \lambda_2 > 0$ Or some $\lambda_i = 0$	Some $\lambda_i > 0$ and some $\lambda_j < 0$ OR At least one $\lambda_i = 0$



DeepLearning.AI

Optimization in Neural Networks and Newton's Method

Newton's method for two variables

Newton's Method

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

$$x_{k+1} = x_k - f''(x_k)^{-1} f'(x_k)$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$
$$x_{k+1} = x_k - f''(x_k)^{-1} f'(x_k)$$

2 variables

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$
$$x_{k+1} = x_k - f''(x_k)^{-1} f'(x_k)$$

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix}$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$
$$x_{k+1} = x_k - f''(x_k)^{-1} f'(x_k)$$

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} -$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

$$x_{k+1} = x_k - \boxed{f''(x_k)^{-1}} f'(x_k)$$



2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - H^{-1}(x_k, y_k)$$

Newton's Method

1 variable

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

$$x_{k+1} = x_k - \boxed{f''(x_k)^{-1}} \boxed{f'(x_k)}$$

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \textcolor{brown}{H}^{-1}(x_k, y_k) \textcolor{teal}{\nabla} f(x_k, y_k)$$

Newton's Method

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - H^{-1}(x_k, y_k) \nabla f(x_k, y_k)$$

Newton's Method

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - H^{-1}(x_k, y_k) \nabla f(x_k, y_k)$$

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \nabla f(x_k, y_k) H^{-1}(x_k, y_k)$$

Newton's Method

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - H^{-1}(x_k, y_k) \nabla f(x_k, y_k)$$

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \cancel{\nabla f(x_k, y_k)} \cancel{H^{-1}(x_k, y_k)}$$

Newton's Method

2 variables

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \underbrace{H^{-1}(x_k, y_k)}_{2 \times 2} \underbrace{\nabla f(x_k, y_k)}_{2 \times 1}$$

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \cancel{\nabla f(x_k, y_k)} \cancel{H^{-1}(x_k, y_k)}$$

Newton's Method

2 variables


$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \underbrace{H^{-1}(x_k, y_k)}_{2 \times 2} \underbrace{\nabla f(x_k, y_k)}_{2 \times 1}$$

$$\begin{bmatrix} x_{k+1} \\ y_{k+1} \end{bmatrix} = \begin{bmatrix} x_k \\ y_k \end{bmatrix} - \cancel{\nabla f(x_k, y_k)} \cancel{H^{-1}(x_k, y_k)}$$

When working with 2 variables the order is crucial!


An Example

An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

$$f(x, y) \xrightarrow{x} 4x^3 + 8x - y - 0.4xy$$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

$$\begin{aligned} f(x, y) &\xrightarrow{x} 4x^3 + 8x - y - 0.4xy \\ f(x, y) &\xrightarrow{y} 3.2y^3 + 4y - x - 0.2x^2 \end{aligned}$$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

$$\begin{aligned} f(x, y) &\xrightarrow{x} 4x^3 + 8x - y - 0.4xy \xrightarrow{x} 12x^2 + 8 - 0.4y \\ &\xrightarrow{y} 3.2y^3 + 4y - x - 0.2x^2 \end{aligned}$$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

$$\begin{aligned} f(x, y) &\begin{cases} \xrightarrow{x} 4x^3 + 8x - y - 0.4xy \\ \xrightarrow{y} 3.2y^3 + 4y - x - 0.2x^2 \end{cases} \\ &\begin{cases} \xrightarrow{x} 12x^2 + 8 - 0.4y \\ \xrightarrow{y} -1 - 0.4x \end{cases} \end{aligned}$$

An Example




$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

Diagram illustrating the expansion of the function $f(x, y)$ into its components:

- Root node: $f(x, y)$
- Top branch (labeled x): $4x^3 + 8x - y - 0.4xy$
- Bottom branch (labeled y): $3.2y^3 + 4y - x - 0.2x^2$
- From the top node:
 - Top-right branch (labeled x): $12x^2 + 8 - 0.4y$
 - Middle-right branch (labeled y): $-1 - 0.4x$
- From the bottom node:
 - Bottom-right branch (labeled x): $-1 - 0.4x$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$


$$\begin{aligned} f(x, y) &\begin{cases} \xrightarrow{x} 4x^3 + 8x - y - 0.4xy \\ \xrightarrow{y} 3.2y^3 + 4y - x - 0.2x^2 \end{cases} \\ &\begin{cases} \xrightarrow{x} 12x^2 + 8 - 0.4y \\ \xrightarrow{y} -1 - 0.4x \end{cases} \\ &\begin{cases} \xrightarrow{x} -1 - 0.4x \\ \xrightarrow{y} 9.6y^2 + 4 \end{cases} \end{aligned}$$

An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$


An Example



$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$

$$\nabla f(x, y) = \begin{bmatrix} 4x^3 + 8x - y - 0.4xy \\ 3.2y^3 + 4y - x - 0.2x^2 \end{bmatrix}$$

An Example




$$f(x, y) = x^4 + 0.8y^4 + 4x^2 + 2y^2 - xy - 0.2x^2y$$


$$\nabla f(x, y) = \begin{bmatrix} 4x^3 + 8x - y - 0.4xy \\ 3.2y^3 + 4y - x - 0.2x^2 \end{bmatrix}$$

$$H(x, y) = \begin{bmatrix} 12x^2 + 8 - 0.4y & -1 - 0.4x \\ -1 - 0.4x & 9.6y^2 + 4 \end{bmatrix}$$

An Example




An Example



Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$


An Example



Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$

$$\nabla f(4,4) = \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix}$$


An Example



Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$

$$\nabla f(4,4) = \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix} \quad H(4,4) = \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}$$

An Example




Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$

$$\nabla f(4,4) = \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix} \quad H(4,4) = \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}$$

$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix} -$$

An Example




Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$

$$\nabla f(4,4) = \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix} \quad H(4,4) = \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}$$

$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix} - \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}^{-1} \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix}$$

An Example




Start at some point $\begin{bmatrix} x_0 \\ y_0 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix}$

$$\nabla f(4,4) = \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix} \quad H(4,4) = \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}$$


$$\begin{aligned} \begin{bmatrix} x_1 \\ y_1 \end{bmatrix} &= \begin{bmatrix} 4 \\ 4 \end{bmatrix} - \begin{bmatrix} 198.4 & -2.6 \\ -2.6 & 157.6 \end{bmatrix}^{-1} \begin{bmatrix} 277.6 \\ 213.6 \end{bmatrix} \\ &= \begin{bmatrix} 2.58 \\ 2.62 \end{bmatrix} \end{aligned}$$

An Example



$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$


An Example



$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$

$$\nabla f(2.58, 2.61) = \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix}$$


An Example



$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$

$$\nabla f(2.58, 2.61) = \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix} \quad H(2.58, 2.61) = \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}$$

An Example




$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$

$$\nabla f(2.58, 2.61) = \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix} \quad H(2.58, 2.61) = \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}$$

$$\begin{bmatrix} x_2 \\ y_2 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix} -$$

An Example




$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$

$$\nabla f(2.58, 2.61) = \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix} \quad H(2.58, 2.61) = \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}$$

$$\begin{bmatrix} x_2 \\ y_2 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix} - \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}^{-1} \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix}$$

An Example




$$\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix}$$


$$\nabla f(2.58, 2.61) = \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix} \quad H(2.58, 2.61) = \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}$$

$$\begin{aligned} \begin{bmatrix} x_2 \\ y_2 \end{bmatrix} &= \begin{bmatrix} 2.58 \\ 2.61 \end{bmatrix} - \begin{bmatrix} 86.83 & -2.032 \\ -2.032 & 69.39 \end{bmatrix}^{-1} \begin{bmatrix} 84.25 \\ 63.4 \end{bmatrix} \\ &= \begin{bmatrix} 1.59 \\ 1.67 \end{bmatrix} \end{aligned}$$

An Example




An Example



Repeat until you are close enough to the actual zero!


An Example



Repeat until you are close enough to the actual zero!

Needed $k = 8$ steps

An Example




Repeat until you are close enough to the actual zero!

Needed $k = 8$ steps

$$\begin{bmatrix} x_8 \\ y_8 \end{bmatrix} = \begin{bmatrix} 4.15 \cdot 10^{-17} \\ -2.05 \cdot 10^{-17} \end{bmatrix}$$

An Example



Repeat until you are close enough to the actual zero!

Needed $k = 8$ steps

$$\begin{bmatrix} x_8 \\ y_8 \end{bmatrix} = \begin{bmatrix} 4.15 \cdot 10^{-17} \\ -2.05 \cdot 10^{-17} \end{bmatrix}$$

$$\begin{bmatrix} x^* \\ y^* \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$



DeepLearning.AI

Optimization in Neural Networks and Newton's Method

Conclusion