Orange للتحاليل الطبية

La cite Branch

قائمة أسعار التحاليل الخاصة بالمرضى

Allergy Screen	Price	Result date	Collection notes
IgE Food allergy test panel	2500 L.E.	5 Days	2 ml serum, refrigerated
IgE for milk allergy Rast	1300 L.E.	5 Days	2 ml serum, refrigerated
IgE Inhalant allergy panel	2000 L.E.	5 Days	2 ml serum, refrigerated
IgE Specific Rast Gluten	1000 L.E.	7 Days	2 ml serum, frozen
Mixed Allergy Panel (Food &	3700 L.E.	5 Days	2 ml serum, refrigerated
Pediatric Panel (Food & Inhalant)	2500 L.E.	5 Days	2 ml serum, refrigerated
Rast for drugs	2500 L.E.	3 Days	2 ml serum, refrigerated
Tuberculin Skin Test	200 L.E.	1 Days	Skin test

Antiphospholipid antibody syndrome	Price	Result date	Collection notes
Anti Cardiolipin IgG (ACL IgG)	650 L.E.	6 Days	2 ml serum, refrigerated
Anti Cardiolipin IgM (ACL IgM)	650 L.E.	6 Days	2 ml serum, refrigerated
Anti-Phospholipid IgG (APL IgG)	650 L.E.	1 Days	1.0 ml. Serum
Anti-Phospholipid IgM (APL IgM)	650 L.E.	1 Days	1.0 ml. Serum
Lupus Anticoagulant	600 L.E.	1 Days	2.0 ml. frozen citrated plasma

Ascitic Fluid Chemistry Profile	Price	Result date	Collection notes
Albumin (Ascitic Fluid)	100 L.E.	1 Days	Fluid, Ascitic Fluid
Ascitic Fluid Examination	550 L.E.	2 Days	Fluid, Ascitic Fluid
Glucose (Ascitic Fluid)	80 L.E.	1 Days	Fluid, Ascitic Fluid
LDH (Ascitic Fluid)	250 L.E.	1 Days	Fluid, Ascitic Fluid
Total Protein (Ascitic Fluid)	120 L.E.	1 Days	Fluid, Ascitic Fluid

Autoimmune diseases	Price	Result date	Collection notes
Acetylcholine receptor Ab	2500 L.E.	20 Days	2 ml serum/ refrigerated
AChE (Acetylcholinesterase)	1200 L.E.	15 Days	2.0 ml. frozen plasma/EDTA
Actin Antibodies	1700 L.E.	15 Days	2 ml serum, frozen
Activated protein C resistance	2000 L.E.	7 Days	2.0 ml. frozen citrated plasma 3.8%
ANA (Antinuclear Ab)	350 L.E.	1 Days	1.0 ml. Serum
ANA (Antinuclear Ab) titre by IF	600 L.E.	3 Days	2 ml serum, refrigerated
ANA (Immunoblot technique)	1600 L.E.	3 Days	3 ml serum/ refrigerated
ANCA - C	850 L.E.	3 Days	2 ml serum, refrigerated
ANCA - P	850 L.E.	3 Days	2 ml serum, refrigerated
ANCA (Anti neutrophil Cytoplasmic	1000 L.E.	3 Days	1.0 ml. Serum
Anti CCP	1400 L.E.	2 Days	2 ml serum, refrigerated
Anti Centromere Ab	500 L.E.	7 Days	1.0 ml. Serum
Anti Endomysial IgA (EMA IgA)	2000 L.E.	10 Days	2 ml serum, frozen
Anti Endomysial IgG (EMA IgG)	2000 L.E.	10 Days	2 ml serum, frozen
Anti Endomysial IgM (EMA IgM)	2000 L.E.	10 Days	2 ml serum, frozen
Anti Gad Abs	2600 L.E.	8 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens	3500 L.E.	10 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens (LC1)	3500 L.E.	10 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens	3500 L.E.	10 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens (M2)	3500 L.E.	10 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens (SLA)	3500 L.E.	10 Days	2 ml serum, frozen
Anti Hepatic Soluble Antigens	3500 L.E.	10 Days	2 ml serum, frozen
Anti Insulin Abs.	2500 L.E.	15 Days	2 ml serum, frozen
Anti intrinsic factor Abs.	3000 L.E.	8 Days	2 ml serum, frozen
Anti Jo1 Ab	400 L.E.	7 Days	1.0 ml. Serum
Anti Keratin Ab	1000 L.E.	7 Days	1.0 ml. Serum

Anti LKM (Liver Kidney Microsomal	600	**L.E.**	5	**Days**	1.0 ml. Serum
Anti MAG Antibodies IgG	2000	**L.E.**	30	**Days**	2 ml serum, frozen
Anti MCV Abs.	1800	**L.E.**	7	**Days**	2 ml serum, refrigerated
Anti Musk Abs (Muscle Specific	3600	**L.E.**	30	**Days**	1.0 ml. frozen serum
Anti Ovarian antibodies IgG	1900	**L.E.**	15	**Days**	2 ml serum, frozen
Anti Proteinase-3	550	**L.E.**	3	**Days**	2 ml serum, refrigerated
Anti striated muscle Abs	780	**L.E.**	7	**Days**	2 ml serum, refrigerated
Anti-Deamidated gliadin peptide	600	**L.E.**	7	**Days**	2 ml serum/refrigerated
Anti-Gliadin IgA	1200	**L.E.**	3	**Days**	2 ml serum/refrigerated
Anti-Gliadin IgG	1200	**L.E.**	3	**Days**	2 ml serum/refrigerated
Anti-Gliadin IgM	1200	**L.E.**	3	**Days**	2 ml serum/refrigerated
Anti-Histone Ab	550	**L.E.**	7	**Days**	2 ml serum, refrigerated
Anti-Mitochondrial Abs (AMA)	550	**L.E.**	3	**Days**	1.0 ml. Serum
Anti-Parietal Cell Abs (APCA)	750	**L.E.**	15	**Days**	1.0 ml. Serum
Anti-phospholipase A2 Abs	7000	**L.E.**	23	**Days**	2 ml serum, refrigerated
Anti-PLA2R (Anti phospholipase A2	3900	**L.E.**	30	**Days**	2 ml serum, frozen
Anti-Reticulin Abs	350	**L.E.**	7	**Days**	1.0 ml. Serum
Anti-Ribosomal RNA	1000	**L.E.**	10	**Days**	2 ml serum, refrigerated
Anti-RNP Abs	650	**L.E.**	3	**Days**	1.0 ml. Serum
Anti-Scl 70 Abs	900	**L.E.**	3	**Days**	1.0 ml. Serum
Anti-Smith Abs	900	**L.E.**	4	**Days**	1.0 ml. Serum
Anti-Smooth muscle Abs (ASMA)	600	**L.E.**	3	**Days**	1.0 ml. Serum
Anti-Sperm Abs (IgG)	650	**L.E.**	3	**Days**	1.0 ml semen or cervical mucus or serum
Anti-SSA (Ro) Abs	850	**L.E.**	3	**Days**	1.0 ml. Serum
Anti-SSB (La) Abs	850	**L.E.**	3	**Days**	1.0 ml. Serum
Aquoporin 4 (neuromyelitis optic	3960	**L.E.**	11	**Days**	Frozen CSF
Aquoporin 4 (neuromyelitis optic	5940	**L.E.**	7	**Days**	2 ml serum, frozen
ASCA (IgA)	900	**L.E.**	8	**Days**	2 ml serum, refrigerated
ASCA (IgG)	900	**L.E.**	7	**Days**	2 ml serum, refrigerated
ASOT(Anti-Streptolysin-O)(Quantit)	350	**L.E.**	1	**Days**	1.0 ml. Serum
B2-Glycoprotein Abs(IgG)	1000	**L.E.**	3	**Days**	2 ml serum, refrigerated
B2-Glycoprotein Abs(IgM)	1000	**L.E.**	3	**Days**	2 ml serum, refrigerated
Cow Milk (class)	1200	**L.E.**	5	**Days**	2 ml serum, refrigerated
ds-DNA (Anti ds-DNA Abs)	300	**L.E.**	3	**Days**	1.0 ml. Serum
Islet cell Ab	1800	**L.E.**	7	**Days**	1.0 ml. Serum
NK Cells (natural Killer cells	1700	**L.E.**	0	**Days**	5 ml Wblood / Edta refrigarted
Platelet Antibodies (Direct)	1000	**L.E.**	7	**Days**	2 tubes Heparinized Blood + 2 tubes EDTA Blood
Platelet Antibodies (Indirect)	1000	**L.E.**	3	**Days**	2 ml serum, refrigerated
Soluble Liver Antigen (SLA-Ab)	2500	**L.E.**	10	**Days**	2 ml serum, refrigerated
Tissue transglutaminase Ab (IgA)	1000	**L.E.**	3	**Days**	2 ml serum, refrigerated
Tissue transglutaminase Ab (IgG)	1000	**L.E.**	3	**Days**	2 ml serum, refrigerated
Von Willebrand Factor (VWF)	2500	**L.E.**	8	**Days**	2 ml frozen. citrated plasma

BLOOD GASES	***Price***		***Result date***		***Collection notes***
Amino Acids in blood	3300	**L.E.**	15	**Days**	2.0 ml. Serum or plasma (Lithium heparinized or EDTA)
Blood Gases	1000	**L.E.**	1	**Days**	2 ml anaerobic heparinized blood send immed.
Blood Gases Base Excess	0	**L.E.**	1	**Days**	Heparinized Blood
Blood Gases HCO3	0	**L.E.**	1	**Days**	Heparinized Blood
Blood Gases pCO2	0	**L.E.**	1	**Days**	Heparinized Blood
Blood Gases pH	0	**L.E.**	1	**Days**	Heparinized Blood
Blood Gases pO2	0	**L.E.**	1	**Days**	Heparinized Blood
Blood Gases TCO2	0	**L.E.**	0	**Days**	Heparinized Blood
Blood pH	100	**L.E.**	1	**Days**	2 ml anaerobic heparinized blood
Osmotic fragility test	250	**L.E.**	1	**Days**	10 ml Heparin Blood

Blood Glucose	***Price***	***Result date***	***Collection notes***
FBG	120	1	Plasma/floride

		L.E.		Days	
GLP-1 (Glucagon like peptide)	2700	L.E.	60	Days	2.0 ml. frozen EDTA plasma
Glucose 1 hr (100 gm Glucose)	80	L.E.	1	Days	2ml plasma/Fluride
Glucose 1 hr (50 gm Glucose)	80	L.E.	1	Days	Plasma/floride
Glucose 1 hr (75 gm Glucose)	80	L.E.	0	Days	Plasma/fluride
Glucose 2 hr (100 gm Glucose)	80	L.E.	1	Days	Plasma/fluride
Glucose 2 hr (50 gm Glucose)	80	L.E.	1	Days	Plasma/Floride
Glucose 2 hr (75 gm Glucose)	80	L.E.	0	Days	plasma floride
Glucose Tolerance 1 hr	80	L.E.	1	Days	plasma/floride
Glucose Tolerance 2 hrs	80	L.E.	1	Days	plasma/floride
Glucose Tolerance 1.5 hr	80	L.E.	1	Days	Plasma/Floride
Glucose Tolerance Curve	400	L.E.	1	Days	2ml plasma/Fluride
HbA1C	400	L.E.	1	Days	Whole blood/EDTA
HOMA1-IR	550	L.E.	1	Days	2 ml serum, refrigerated
PPBG	100	L.E.	1	Days	2.0 ml serum or plasma floride
RBG	120	L.E.	1	Days	Plasma/Floride

Blood Group	***Price***		***Result date***		***Collection notes***
ABO	70	L.E.	1	Days	Whole blood/EDTA
Blood Rh	90	L.E.	1	Days	EDTA Plasma
Direct Coombs	250	L.E.	1	Days	1.0 ml EDTA blood
Indirect Coombs	250	L.E.	1	Days	1.0 ml. Serum
Rh Antibody Titre (In direct	300	L.E.	1	Days	2 ml serum, refrigerated

Blood Picture	***Price***		***Result date***		***Collection notes***
Hb (hemoglobin)	130	L.E.	1	Days	1.0 ml EDTA blood
Hct	130	L.E.	1	Days	1.0 ml EDTA blood
Hgb And Indices	70	L.E.	1	Days	1.0 ml EDTA blood
Platelets	200	L.E.	1	Days	2.0 ml EDTA blood
RBCs	150	L.E.	1	Days	
WBCs	100	L.E.	1	Days	
WBCs (Diff.)	150	L.E.	1	Days	

Body Fluid	***Price***		***Result date***		***Collection notes***
Albumin (Body Fluid)	100	L.E.	1	Days	Fluid
Beta Trace Protein	3000	L.E.	15	Days	2 ml csf fluid
Chloride (Body Fluid)	250	L.E.	1	Days	Fluid
Creatinine (Body Fluid)	100	L.E.	1	Days	Fluid
Gene Xpert - MTB/RIF	3000	L.E.	5	Days	Any biological fluid at least 2 ml
Glucose (Body Fluid)	80	L.E.	1	Days	Fluid
LDH (Body Fluid)	250	L.E.	1	Days	Fluid
Total Protein (Body Fluid)	120	L.E.	1	Days	Fluid

Cardiac Profile	***Price***		***Result date***		***Collection notes***
Brain Natriuretic Peptide (BNP)	1200	L.E.	8	Days	2.0 ml. EDTA plasma - refrigerated
CK (MB)	350	L.E.	1	Days	Serum
CK(MM)	700	L.E.	3	Days	Serum 1.0 ml. Refrigerated
CPK (Total)	350	L.E.	1	Days	Serum
CPK Isoenzymes	2500	L.E.	15	Days	1.0 ml. frozen serum
Homocysteine	1200	L.E.	2	Days	Serum Or Plasma /Heparine
LDH	250	L.E.	1	Days	1.0 ml serum
Myoglobin in serum	350	L.E.	6	Days	1.0 ml. Serum
Pro-Brain Natriuretic Peptide	1200	L.E.	2	Days	2 ml serum, refrigerated
Troponin (I)	450	L.E.	1	Days	Serum Or Heparinized Plasma
Troponin (T) high sensitive	600	L.E.	5	Days	Serum Or Plasma

CHECK UP1	***Price***	***Result date***	***Collection notes***

Coagulation Profile	Price	Result date	Collection notes
Anti-thrombin III Abs	650 L.E.	7 Days	2.0 ml. frozen citrated plasma
Bleeding Time	70 L.E.	1 Days	2 ml serum, refrigerated
C5 (Complement. C5)	1500 L.E.	15 Days	2 ml serum, frozen
Clotting Time	70 L.E.	1 Days	2 ml serum, refrigerated
Complement. (50%) CH50	1100 L.E.	15 Days	2 ml serum, frozen
D-dimer	750 L.E.	1 Days	2.0 ml. frozen citrated plasma
Factor II (F, 2)	1200 L.E.	15 Days	2ml frozen citrated plasma platelet poor
Factor IX (F. 9)	1300 L.E.	10 Days	2ml citrated plasma platelet poor
Factor V (F. 5)	1300 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor VII (F. 7)	1350 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor VIII (F. 8)	1750 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor VIII Inhibitor	1750 L.E.	3 Days	2 ml citrated plasma platelet poor in plastic tube
Factor X (F. 10)	1450 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor XI (F. 11)	1300 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor XII (F. 12)	700 L.E.	10 Days	2ml frozen citrated plasma platelet poor
Factor XIII (F,13)	1450 L.E.	10 Days	2.0 ml. frozen citrated plasma
Fibrinogen Level	300 L.E.	2 Days	2.0 ml. frozen citrated plasma
Platelet aggregation to ADP	1500 L.E.	1 Days	2 Tube Whole blood/EDTA and 6 Tube Whole blood/citrate
Platelet aggregation to Ristocitin	1500 L.E.	3 Days	2 Tube Whole blood/EDTA and 6 Tube Whole blood/citrate
PT	180 L.E.	1 Days	Citrated Plasma
PTT	200 L.E.	1 Days	Citrated Plasma
PTT after mixing studies	200 L.E.	0 Days	2.0 ml. citrated plasma 3.8%
Thrombin Time (TT)	250 L.E.	1 Days	1.8 ml. blood on 0.2 ml Citrate and sent immediately frozen
Von Willebrand Factor (VWF) Conc	2500 L.E.	8 Days	2 ml frozen. citrated plasma

CSF Chemistry Profile	Price	Result date	Collection notes
AFP (CSF)	600 L.E.	1 Days	2 ml csf fluid
Albumin (CSF)	100 L.E.	1 Days	CSF
Chloride (CL) in CSF	250 L.E.	1 Days	2 ml csf fluid
CSF examination (Pleural, Synovial)	750 L.E.	1 Days	2 ml csf fluid
CSF Oligoclonal band	2500 L.E.	10 Days	2 ml csf fluid
Glucose (CSF)	100 L.E.	1 Days	2 ml csf fluid
LDH (CSF)	250 L.E.	1 Days	CSF
Magnesium (Mg) CSF	260 L.E.	1 Days	2 ml csf fluid
Total Protein (CSF)	120 L.E.	1 Days	2 ml csf fluid

Culture and Sensitivity	Price	Result date	Collection notes
Anal Swab Examination	100 L.E.	1 Days	swab
Ascitic Fluid Culture	900 L.E.	4 Days	Fluid, Ascitic Fluid
Ascitic Fluid Culture for Fungi	450 L.E.	5 Days	Fluid
Blood Culture	600 L.E.	13 Days	Special sterile bottles
Body Fluid Culture	700 L.E.	1 Days	FLUID OR FILM
Bone marrow examination	1000 L.E.	5 Days	Bone Marrow
Breast Discharge Culture	450 L.E.	5 Days	swap of discharge
Conjuntival Swab Culture	450 L.E.	5 Days	swab
CSF Culture and Sensitivity	370 L.E.	5 Days	2 ml csf fluid
Fungus C/S	450 L.E.	22 Days	skin, nail , hair
Gum Discharge Culture	450 L.E.	5 Days	swab
Left Ear Discharge Culture	350 L.E.	5 Days	swab
Left Eye discharge Culture	350 L.E.	5 Days	swab
Nail Culture	450 L.E.	4 Days	skin, nail scrap
Nasal Swab Culture	450 L.E.	4 Days	swab
Nasal Swab for MRSA	450 L.E.	4 Days	Nasal swab
POST-COITAL	450 L.E.	1 Days	swab
Prostatic Discharge Examination	350 L.E.	1 Days	prostatic secration

Prostatic Secreation Culture	450	**L.E.**	5	**Days**	Fluid
Pus Culture and Sensitivity	450	**L.E.**	5	**Days**	swab / wound
Pus From Wound Culture	450	**L.E.**	5	**Days**	swab from inside wound
Right Ear Discharge Culture	450	**L.E.**	5	**Days**	swab
Right Eye discharge Culture	450	**L.E.**	5	**Days**	swab
Semen Culture	350	**L.E.**	4	**Days**	Semen
Sputum Culture	450	**L.E.**	4	**Days**	Sputum
Sputum Culture for AFB	1000	**L.E.**	7	**Days**	Sputum
Stool Culture	500	**L.E.**	5	**Days**	Stool
Swab C&S	450	**L.E.**	4	**Days**	swab
Synovial Fluid Culture	450	**L.E.**	5	**Days**	Fluid, Synovial
Synovial Fluid Examination	800	**L.E.**	1	**Days**	Fluid, Synovial
TB Culture and Sensitivity	1000	**L.E.**	60	**Days**	Fluid
Throat Swab Culture	450	**L.E.**	5	**Days**	swab
Ulcer Swab C&S	450	**L.E.**	4	**Days**	swab
Urethral Discharge Culture	450	**L.E.**	1	**Days**	swap of discharge
Urine Culture	450	**L.E.**	4	**Days**	urine
Vaginal Swab Culture	450	**L.E.**	4	**Days**	swab
Vulval Swab Exam. C&S	450	**L.E.**	5	**Days**	swab
Ziehl Nielsen Stain (one slide)	150	**L.E.**	2	**Days**	FLUID OR FILM

Custom Groups	***Price***		***Result date***		***Collection notes***

Drugs monitoring	***Price***		***Result date***		***Collection notes***
Cyclosporine (Peak)	850	**L.E.**	5	**Days**	2 ml EDTA blood
Cyclosporine (Random)	850	**L.E.**	5	**Days**	2.0 ml EDTA blood
Cyclosporine (Trough)	850	**L.E.**	5	**Days**	2.0 ml EDTA blood
Depakine (Valporic) Random	450	**L.E.**	1	**Days**	2 ml serum, refrigerated
Depakine (Valporic) Trough	450	**L.E.**	1	**Days**	2 ml serum, refrigerated
Depakine (Valproic) peak	450	**L.E.**	1	**Days**	1.0 ml serum or plasma
Digoxin (Lanoxin)	400	**L.E.**	1	**Days**	1.0 ml. Serum
Everolimus(Certican)	1900	**L.E.**	10	**Days**	2 ml EDTA blood
Lithium	400	**L.E.**	1	**Days**	1.0 ml. Serum
Methotrexate	500	**L.E.**	2	**Days**	1.0 ml. Serum
Phenobarbitone	200	**L.E.**	4	**Days**	1.0 ml. Serum
Phenytoin (Epanutin, Dilantin)	500	**L.E.**	1	**Days**	1.0 ml. Serum
Tacrolimus (FK506), Peak	1500	**L.E.**	4	**Days**	2.0 ml. EDTA blood refrigerated
Tacrolimus (FK506), Random	1500	**L.E.**	4	**Days**	1.0 ml EDTA blood
Tacrolimus (FK506), Trough	1500	**L.E.**	4	**Days**	2 ml EDTA blood
Tegretol (Carbamazepine) Peak	400	**L.E.**	1	**Days**	1.0 ml serum or heparinized plasma
Tegretol (Carbamazepine) Random	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Tegretol (Carbamazepine) Trough	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Theophylline	1200	**L.E.**	8	**Days**	1.0 ml. Serum
Vancomycin	500	**L.E.**	7	**Days**	1.0 ml. frozen serum

Drugs Of Abuse	***Price***		***Result date***		***Collection notes***
Alcohol (In blood)	900	**L.E.**	4	**Days**	2 ml serum, refrigerated or 1 ml urine
Alcohol (In Urine)	900	**L.E.**	1	**Days**	urine
Amphetamine	250	**L.E.**	2	**Days**	Fresh urine ,avoid adulteration
Bango (Cannabinoids)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Barbtiurates	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Benzodiazeipines (Valium)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Cannabinoids (Hashish, Banjo)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Cocaine	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Codiene (Opiates)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Cotonine(Nictoine metabolite)	1450	**L.E.**	15	**Days**	2 ml serum, frozen
Cotonine(Nictoine metabolite) in	1450	**L.E.**	15	**Days**	10 ml refrigerated morning urine sample , No preservative

Ecstasy	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Hashish (Cannabinoids)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Heroine (Opiates)	250	**L.E.**	0	**Days**	Fresh urine ,avoid adulteration
Marijuana (Cannabinoids)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Methadone	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Morphin (Opiates)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Nicotine (tobacco - smoking)	500	**L.E.**	4	**Days**	Fresh urine ,avoid adulteration
Opiates (Heroine,codiene)	250	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Phencyclidine(P.C.P)	300	**L.E.**	1	**Days**	Fresh urine ,avoid adulteration
Propoxyphene (PPX)	250	**L.E.**	0	**Days**	Fresh urine ,avoid adulteration
Toxicology panel	1500	**L.E.**	5	**Days**	urine
Tramadol In urine	300	**L.E.**	1	**Days**	urine
Tramadol in urine (Quantit)	650	**L.E.**	1	**Days**	5ml. fresh urine

Erythrocyte Sedimentation Rate	***Price***		***Result date***		***Collection notes***
ESR	120	**L.E.**	1	**Days**	1.0 ml EDTA blood

Fertility Hormones	***Price***		***Result date***		***Collection notes***
17-Keto steroids	1200	**L.E.**	7	**Days**	24 hrs. urine 10 ml 6 N. HCL
AMH (Anti Mullerian Hormone)	1300	**L.E.**	1	**Days**	1.0 ml. Serum
Androstenedione	1350	**L.E.**	4	**Days**	1.0 ml. Serum
Basal FSH (LH-RH Stimulation)	250	**L.E.**	1	**Days**	2 ml serum, refrigerated
Basal LH (LH-RH Stimulation)	250	**L.E.**	1	**Days**	2 ml serum, refrigerated
Chromosome Y microdeletions	7900	**L.E.**	30	**Days**	2.0 ml. EDTA blood refrigerated
DHEA	450	**L.E.**	3	**Days**	1.0 ml. Serum
DHEA-S	450	**L.E.**	1	**Days**	1.0 ml. Serum
DHT (Dihydrotestosterone)	2500	**L.E.**	9	**Days**	2 ml serum, refrigerated
E1 (Estrone)	1700	**L.E.**	15	**Days**	1.0 ml. frozen serum
E2 (Estradiol)	300	**L.E.**	1	**Days**	1.0 ml. Serum
E3 (Estriol)	650	**L.E.**	7	**Days**	1.0 ml. Serum
Erythropoitin (EPO) Ab	1500	**L.E.**	3	**Days**	2 ml serum, refrigerated
Free testosterone index	450	**L.E.**	10	**Days**	2 ml serum, refrigerated
FSH	350	**L.E.**	1	**Days**	1.0 ml. Serum
Inhibin A	2500	**L.E.**	15	**Days**	1.0 ml. Serum
Inhibin B	2500	**L.E.**	15	**Days**	2 ml serum, refrigerated
LH	300	**L.E.**	1	**Days**	1.0 ml. Serum
Peak E2 (LH-RH Stimulation)	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
Peak FSH (LH-RH Stimulation)	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
Peak LH (LH-RH Stimulation)	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
Progesterone	330	**L.E.**	1	**Days**	1.0 ml. Serum day 21 peroid
Prolactin (PRL)	330	**L.E.**	1	**Days**	1.0 ml. Serum
SHBG	1400	**L.E.**	7	**Days**	1.0 ml. Serum
Testosterone Free	500	**L.E.**	2	**Days**	1.0 ml. Serum
Testosterone Total	400	**L.E.**	1	**Days**	1.0 ml. Serum

GENETICS UNIT	***Price***		***Result date***		***Collection notes***
(MTHFR) gene mutation	3500	**L.E.**	10	**Days**	5.0 ml. EDTA blood refrigerated
Babymap (Newborn Screening)	30000	**L.E.**	30	**Days**	2 ml Whole blood /EDTA
Calreticulin Mutation CALR mutation	5100	**L.E.**	12	**Days**	3 ml Whole blood /EDTA
Chromosomal Micrarray Analysis	25000	**L.E.**	30	**Days**	2 ml Whole blood /EDTA
Cystic fibrosis (CFTR gene study)	12000	**L.E.**	12	**Days**	2 ml EDTA blood
Double markers	2300	**L.E.**	12	**Days**	2 ml serum, refrigerated
Extended metabolic screening	2750	**L.E.**	21	**Days**	3.0 ml. EDTA blood refrigerated
Factor V (Leiden gene study)	1850	**L.E.**	10	**Days**	2.0 ml EDTA blood
FISH Choromosome	2600	**L.E.**	0	**Days**	1.0 ml EDTA blood
FISH del 11 q	4000	**L.E.**	30	**Days**	2 tubes Heparinized Blood + 2 tubes EDTA Blood
FISH del 13 q	4000	**L.E.**	30	**Days**	2 tubes Heparinized Blood + 2 tubes EDTA Blood

FISH del 17 p	5000	L.E.	30	Days	2 tubes Heparinized Blood + 2 tubes EDTA Blood
FISH for (11,14) q	4500	L.E.	0	Days	2 tubes Heparinized Blood + 2 tubes EDTA Blood
FISH for 5 q	4500	L.E.	0	Days	2 tubes Heparinized Blood + 2 tubes EDTA Blood
FISH for 7 q	4500	L.E.	0	Days	2 tubes Heparinized Blood + 2 tubes EDTA Blood
Flu Respiratory Panel	2500	L.E.	3	Days	Nasal Swab or Nasopharyngeal Swab
Huntington chorea PCR	35000	L.E.	20	Days	3 ml Whole blood /EDTA
Islet Antigen 2 Ab (IA2)	2800	L.E.	10	Days	2 ml serum, refrigerated
Match my genome	60000	L.E.	60	Days	2 ml Whole blood /EDTA
MYELOPROLIFERATIVE MPL	4800	L.E.	12	Days	3.0 ml EDTA blood
Non Invasive prenatal screening	23000	L.E.	30	Days	Maternal Blood (Streck tube)
Philadelphia Chromosome PCR	3500	L.E.	10	Days	2.0 ml EDTA blood
Prothrombin Mutation (factor II	1800	L.E.	10	Days	2 ml . blood / Edta . refrigerated
Quadruple markers	7000	L.E.	7	Days	2 ml serum, refrigerated
Respiratory Panel (bacterial only)	2500	L.E.	3	Days	Nasal Swab or Nasopharyngeal Swab
Respiratory Panel (Viral only)	4800	L.E.	3	Days	Nasal Swab or Nasopharyngeal Swab
Respiratory Panel by PCR	6000	L.E.	3	Days	Nasal Swab or Nasopharyngeal Swab
Thrombophilia gene Profile	6500	L.E.	10	Days	1.0 ml serum or plasma
Triple markers	1500	L.E.	7	Days	2 ml serum, refrigerated
Whole exome sequencing (WES)	30000	L.E.	30	Days	2 ml Whole blood /EDTA

GH stimulation test	***Price***		***Result date***		***Collection notes***
.	0	L.E.		Days	
Growth hormone after 0.5 hr	450	L.E.	2	Days	2 ml serum, refrigerated
Growth hormone after 1 hr	450	L.E.	2	Days	2 ml serum, refrigerated
Growth hormone after 1.5 hrs	450	L.E.	1	Days	2 ml serum, refrigerated
Growth hormone after 2 hrs	450	L.E.	1	Days	2 ml serum, refrigerated

Heavy Metals	***Price***		***Result date***		***Collection notes***
Iodines in serum	400	L.E.	20	Days	2 ml serum, refrigerated
Manganese	3500	L.E.	10	Days	2 ml Whole blood /EDTA
Mercury (blood)	1500	L.E.	12	Days	Heparinized Blood

HEMATOLOGY	***Price***		***Result date***		***Collection notes***
Acidified glycerol lysis test	250	L.E.	3	Days	1 ml Whole blood/EDTA
CBC	400	L.E.	1	Days	1.0 ml EDTA blood
Cross matching	0	L.E.	1	Days	1.0 ml. Serum or plasma (heparinized or EDTA)
Cross matching (including viral	360	L.E.	1	Days	
Eosin -5- maleimide binding test	1500	L.E.	10	Days	3 ml Whole blood/EDTA
Fecal Immunochemical Test (FIT)	590	L.E.	7	Days	Fresh stool
Fibro test/Acti test	4000	L.E.	7	Days	5 ml fasting serum
Folic acid (RBCs)	1100	L.E.	7	Days	2.0 ml EDTA blood
G6PD (Qualitative)	400	L.E.	1	Days	1.0 ml EDTA blood
G6PD (Quantitative)	400	L.E.	1	Days	2.0 ml EDTA blood
LE cell	400	L.E.	1	Days	
Natural killer cells Funcation	1500	L.E.	5	Days	5 ml EDTA blood
Occult Blood In Stool (FOB)	250	L.E.	1	Days	Fresh stool
Procalcitonin (PCT)	2500	L.E.	3	Days	2 ml serum, frozen
PRP	350	L.E.	0	Days	PRP TUBE
PRP 1	350	L.E.	0	Days	PRP TUBE
Retics	150	L.E.	1	Days	1.0 ml EDTA blood

Hemoglobin Electrophoresis	***Price***		***Result date***		***Collection notes***
HB-A1(Hemoglobin A1	940	L.E.	7	Days	1.0 ml EDTA blood
Hemoglobin electrophoresis by	600	L.E.	7	Days	2.0 ml EDTA blood
Hemoglobin electrophoresis by	4000	L.E.	25	Days	2.0 ml EDTA blood

Hepatitis Markers	***Price***		***Result date***		***Collection notes***
HAV IgG Ab	400	L.E.	1	Days	1.0 ml. Serum

HAV IgM Ab	400	**L.E.**	1	**Days**	1.0 ml. Serum
HBc IgG	350	**L.E.**	1	**Days**	1.0 ml. Serum
HBc IgM Ab (Hepatitis B core)	350	**L.E.**	1	**Days**	1.0 ml. Serum or plasma (heparinized ,sod. Citrate,or EDTA)
HBe Ab	300	**L.E.**	1	**Days**	1.0 ml. Serum
HBe Ag	300	**L.E.**	1	**Days**	1.0 ml. Serum
HBs Ab	300	**L.E.**	1	**Days**	1.0 ml. Serum or plasma (heparinized or EDTA)
HBs Ab (Quanti)	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
HBs Ag	300	**L.E.**	1	**Days**	1.0 ml. Serum
HCV IgG	300	**L.E.**	1	**Days**	1.0 ml. Serum
HCV lgM	750	**L.E.**	1	**Days**	1.0 ml. Serum
HDV Abs (total)	1200	**L.E.**	7	**Days**	1.0 ml. Serum
HDV IgG	1200	**L.E.**	7	**Days**	1.0 ml. Serum
HDV IgM	1200	**L.E.**	7	**Days**	1.0 ml. Serum
HEV Ab IgG	1500	**L.E.**	7	**Days**	1.0 ml. Serum
HEV Ab IgM	1500	**L.E.**	7	**Days**	1.0 ml. Serum

HOMA2	***Price***		***Result date***		***Collection notes***
HOMA2-%B	0	**L.E.**	0	**Days**	
HOMA2-%S	0	**L.E.**	0	**Days**	
HOMA2-IR	0	**L.E.**	0	**Days**	

Immunoglobulins	***Price***		***Result date***		***Collection notes***
Asperagillus fumigatus abs	1600	**L.E.**	10	**Days**	2 ml serum, frozen
C2 (Complement 2)	1650	**L.E.**	10	**Days**	1.0 ml. Serum
C3 (Complement. C3)	500	**L.E.**	1	**Days**	1.0 ml. frozen serum
C4 (Complement. C4)	500	**L.E.**	1	**Days**	1.0 ml. frozen serum
Complement Level C1q	1500	**L.E.**	15	**Days**	2 ml serum, refrigerated
Complement Level CH100	1100	**L.E.**	15	**Days**	2 ml serum, refrigerated
ENA Profile	1800	**L.E.**	3	**Days**	2 ml serum, refrigerated
Food print IgE (20 test)	3300	**L.E.**	3	**Days**	3 ml serum
Food print IgE (30 test)	5500	**L.E.**	3	**Days**	3 ml serum/refrigerated
Food print IgG (220 test)	10500	**L.E.**	11	**Days**	3 ml serum/ refrigerated
Food print IgG (60 test)	6500	**L.E.**	10	**Days**	3 ml serum/ refrigerated
Haptoglobin	500	**L.E.**	1	**Days**	2 ml serum, refrigerated
IgA (Immunoglobulin A)	400	**L.E.**	1	**Days**	1.0 ml. Serum
IgD (Immunoglobulin D)	1200	**L.E.**	1	**Days**	1.0 ml. Serum
IgE (Total)	400	**L.E.**	1	**Days**	1.0 ml. Serum
IgG (Immunoglobulin G)	350	**L.E.**	1	**Days**	1.0 ml. Serum
IgG Index CSF	2000	**L.E.**	0	**Days**	CSF
IgG4	1500	**L.E.**	0	**Days**	2 ml serum, frozen
IgM (Immunoglobulin M)	350	**L.E.**	1	**Days**	1.0 ml. Serum
Immunofixation Electrophoresis in	3000	**L.E.**	10	**Days**	2 ml serum, refrigerated + 10 ml urine
Immunofixation Electrophoresis in	3000	**L.E.**	10	**Days**	urine

IMMUNOLOGY	***Price***		***Result date***		***Collection notes***
C1 Esterase inhibitor	1350	**L.E.**	10	**Days**	2.0 ml. EDTA plasma - refrigerated
Cholinesterase	750	**L.E.**	3	**Days**	2 ml serum, frozen
Filaria Abs	1200	**L.E.**	10	**Days**	2.0 ml serum or plasma
Interleukin-6	2500	**L.E.**	7	**Days**	2 ml serum, frozen
Liver Cytosol Antigen Abs.	800	**L.E.**	7	**Days**	2 ml serum, refrigerated
TB Gold Quantiferon	3500	**L.E.**	12	**Days**	4 Tube of 3 ml Whole blood /Heparin
Thiopurine methyl transferase	5000	**L.E.**	21	**Days**	5 ml W.blood/EDTA
Tissue Polypeptide Anigen (TPA)	1200	**L.E.**	15	**Days**	2 ml serum, refrigerated
Tissue Polypeptide Specific Anigen	1200	**L.E.**	15	**Days**	2 ml serum, refrigerated

Immunophenotyping	***Price***		***Result date***		***Collection notes***
Anti Kappa	700	**L.E.**	3	**Days**	3 ml Whole blood/EDTA

Anti Lambda	700	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 10	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 103	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 11c	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 13	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 14	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 16	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 19	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 20	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 200	1000	**L.E.**	3	**Days**	2 ml EDTA blood
CD 22	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 23	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 25	1000	**L.E.**	3	**Days**	3.0 ml EDTA blood
CD 3	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 33	1000	**L.E.**	3	**Days**	3.0 ml EDTA blood
CD 34	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 4	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 41	1000	**L.E.**	3	**Days**	3.0 ml EDTA blood
CD 5	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 55	1000	**L.E.**	3	**Days**	3.0 ml EDTA blood
CD 56	1000	**L.E.**	0	**Days**	3.0 ml EDTA blood
CD 59	1700	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 7	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD 79a	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 79b	1000	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
CD 8	1000	**L.E.**	3	**Days**	2.0 ml EDTA blood
CD38	1000	**L.E.**	3	**Days**	1.0 ml EDTA blood
CD4/CD8 Ratio	1500	**L.E.**	5	**Days**	2.0 ml EDTA blood
CD56	1000	**L.E.**	3	**Days**	5 ml whole blood /Edta refrigerted
FMC-7	600	**L.E.**	3	**Days**	3 ml Whole blood/EDTA
MPO	650	**L.E.**	3	**Days**	3.0 ml EDTA blood

Iron Profile	***Price***		***Result date***		***Collection notes***
Ferritin	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Iron (Serum)	320	**L.E.**	1	**Days**	2 ml serum, refrigerated
Serum Transferrin	1400	**L.E.**	1	**Days**	1.0 ml. Serum
TIBC	440	**L.E.**	1	**Days**	2 ml serum, refrigerated
Transferrin Saturation	500	**L.E.**	1	**Days**	2 ml serum, refrigerated

Kidney Profile	***Price***		***Result date***		***Collection notes***
Albumin / creatinine ratio	200	**L.E.**	1	**Days**	24 hrs. Urine
Blood Urea Nitrogen (BUN)	150	**L.E.**	1	**Days**	Calculation
Ca++	220	**L.E.**	1	**Days**	2 ml serum, refrigerated, avoid hemolysis
Calcium (Total)	200	**L.E.**	1	**Days**	1.0 ml. Serum
Creatinine (Serum)	150	**L.E.**	1	**Days**	1.0 ml. Serum
Cystatin C	1250	**L.E.**	1	**Days**	2 ml serum, refrigerated
Cystatin C in urine	2200	**L.E.**	15	**Days**	5ml. fresh urine
eGFR (Glomerular filtration rate)	200	**L.E.**	1	**Days**	1.0 ml. Serum
K (Potassium)	150	**L.E.**	1	**Days**	1.0 ml. Serum
Magnesium (Mg) serum	260	**L.E.**	1	**Days**	1.0 ml. Serum
Microalbuminuria	300	**L.E.**	1	**Days**	urine
Na (Sodium)	160	**L.E.**	1	**Days**	1.0 ml. Serum
PO4 (Phosphorus)	150	**L.E.**	1	**Days**	1.0 ml. Serum
Urea	120	**L.E.**	1	**Days**	Serum
Uric Acid	180	**L.E.**	1	**Days**	1.0 ml. Serum

Lipid Profile	***Price***	***Result date***	***Collection notes***

Cholesterol	200	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
HDL	200	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
LDL	200	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
Triglycerides	200	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
VLDL	150	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting

Liver Profile	***Price***		***Result date***		***Collection notes***
5- Nucleotidase	1000	**L.E.**	5	**Days**	1.0 ml. Serum
A/G Ratio	250	**L.E.**	1	**Days**	Calculation
Albumin (ALB)	100	**L.E.**	1	**Days**	2 ml serum, refrigerated
Alkaline Phosphatase (ALP)	150	**L.E.**	1	**Days**	2 ml serum, refrigerated
ALT (SGPT)	150	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
AST (SGOT)	150	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
Bilirubin Direct	100	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
Bilirubin Indirect	0	**L.E.**	1	**Days**	Calculation
Bilirubin Total	200	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
GGT (Gamma-glutamyl transferase)	200	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
Globulin	200	**L.E.**	1	**Days**	Calculation
Total Protein	120	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated. 6-8 hrs.fasting

Molecular Biology	***Price***		***Result date***		***Collection notes***
HLA-B51 by PCR	2000	**L.E.**	7	**Days**	2 ml EDTA blood
CMV DNA by PCR (Qualit)	1600	**L.E.**	5	**Days**	2ml plasma/Edta
CMV DNA by PCR (Quanti)	1600	**L.E.**	5	**Days**	5 ml Edta blood in vacutainer separated & rapidly, avoid hemolysis
Diarrhea Panel (bacterial panel)	3500	**L.E.**	3	**Days**	Stool ot rectal swab
Diarrhea Panel (Parasitic panel)	2500	**L.E.**	3	**Days**	Stool ot rectal swab
Diarrhea Panel (Viral panel)	2500	**L.E.**	3	**Days**	Stool ot rectal swab
Duchenne muscle dystrophy	2800	**L.E.**	15	**Days**	2 ml serum, refrigerated
Epstein Barr virus (EBV) by pcr	1500	**L.E.**	5	**Days**	2ml plasma/Edta
FMF (MEFV Gene Mutation) by PCR	4000	**L.E.**	0	**Days**	5 ml Whole blood / EDTA
FMF by PCR	4000	**L.E.**	10	**Days**	2.0 ml EDTA blood
FMF Gene Mutation	4000	**L.E.**	10	**Days**	2.0 ml EDTA blood
Fragile X chromosome by PCR	6000	**L.E.**	20	**Days**	2.0 ml EDTA blood
HBV - DNA (Qualitative) by PCR	2000	**L.E.**	3	**Days**	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
HBV - DNA (Quantitative) by PCR	2000	**L.E.**	3	**Days**	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
HCV - RNA (Qualitative) by PCR	1500	**L.E.**	3	**Days**	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
HCV - RNA (Quantitative) by PCR	1500	**L.E.**	3	**Days**	2.0 ml EDTA blood
HCV genotyping	2800	**L.E.**	5	**Days**	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
HCV in liver biopsy by (ISH)	1000	**L.E.**	4	**Days**	Liver biopsy on 10 % Formalin
Herpes family Panel by PCR	2800	**L.E.**	3	**Days**	Whole blood /EDTA or CSF
HGV-RNA by PCR	1400	**L.E.**	15	**Days**	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
HIV DNA by PCR (Qualit)	5000	**L.E.**	2	**Days**	2.0 ml. EDTA plasma - refrigerated
HIV by PCR (Qualit) spain	6000	**L.E.**	11	**Days**	2 ml Whole blood /EDTA
HIV by PCR (Quantit) spain	6000	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HIV by Western Blott	4000	**L.E.**	7	**Days**	2 ml serum, refrigerated
HIV-1 DNA by PCR (Quantit)	6000	**L.E.**	2	**Days**	2.0 ml. EDTA plasma - refrigerated
HLA B27 by PCR	2000	**L.E.**	7	**Days**	2.0 ml EDTA blood
HLA B5	2000	**L.E.**	7	**Days**	2.0 ml EDTA blood
HLA Class l (ABC) by PCR	10000	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HLA Class ll (DQ) by PCR	3500	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HLA Class ll (DR) by PCR	3500	**L.E.**	10	**Days**	10 ml EDTA blood
HLA-B51/B52 genotype	3500	**L.E.**	15	**Days**	2.0 ml EDTA blood
HLA-DQ2/HLA-DQ8	5000	**L.E.**	10	**Days**	10 ml EDTA blood
HLA-Typing class I (A) by PCR	3500	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HLA-Typing class I (B) by PCR	3500	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HLA-Typing class I (C) by PCR	3500	**L.E.**	10	**Days**	2 ml Whole blood /EDTA
HSV (I) DNA by PCR	1200		3		5 ml blood in vacutainer separated & rapidly, avoid hemolysis

		L.E.		Days	
HSV (II) DNA by PCR	1200	L.E.	3	Days	5 ml blood in vacutainer separated & rapidly, avoid hemolysis
Human Papilloma Virus (HPV)(28	2500	L.E.	5	Days	Vaginal swab transport media
Human Papilloma Virus 16 & 18	4000	L.E.	5	Days	Vaginal swab transport media
karyotyping for amniocentesis	5000	L.E.	30	Days	20 ml Amniotic fluid
Karyotyping of Products of	2200	L.E.	20	Days	tissue cell , missed abortion
Karyotyping study	1700	L.E.	30	Days	5.0 ml. Heparin blood
Karyotyping with high resolution	2300	L.E.	30	Days	5.0 ml. Heparin blood
Lactose intolerance by PCR	1600	L.E.	5	Days	2 ml EDTA blood
Respiratory Syncytial Virus (RSV)	2500	L.E.	2	Days	Nasal Swab or Nasopharyngeal Swab
Salmonella typhi IgG	700	L.E.	4	Days	2 ml serum, refrigerated
Salmonella typhi IgM	700	L.E.	4	Days	2 ml serum, refrigerated
STD Panel by PCR	5000	L.E.	4	Days	Urine for male and Genital swab for female
TB - DNA by PCR	1800	L.E.	4	Days	3 ml EDTA plasma or any biological fluid (e.g. sputum - urine)
Triple test for HCV-RNA	2500	L.E.	10	Days	5.0 ml serum and plasma edta
Vaginal Panel by PCR	3000	L.E.	4	Days	Vaginal swab transport media

Pancreas Hormones	***Price***		***Result date***		***Collection notes***
Aldolase	950	L.E.	7	Days	2ml. frozen Serum in plastic tube frozen, avoid hemolysis
Amylase (Urine)	400	L.E.	5	Days	24 hrs. Urine in alkalinized container
Amylase in (serum)	400	L.E.	1	Days	1.0 ml. Serum
C-Peptide (Fasting)	850	L.E.	1	Days	1.0 ml serum or heparinized plasma
C-Peptide (Postprandial)	850	L.E.	1	Days	1.0 ml serum or heparinized plasma
C-Peptide (Random)	850	L.E.	1	Days	2 ml serum, refrigerated
C-Peptide (Urine)	850	L.E.	1	Days	24hr urine without preservative keeping the specimen refrigerated at
Fecal Pancreatic Elastase 1	3500	L.E.	8	Days	Stool
Gastrin	2400	L.E.	4	Days	1.0 ml. fasting frozen serum
Glucagon	2700	L.E.	20	Days	
Insulin (120 Min.)	400	L.E.	1	Days	1.0 ml. Serum
Insulin (180 Min.)	400	L.E.	1	Days	1.0 ml. Serum
Insulin (30 Min.)	400	L.E.	1	Days	1.0 ml. Serum
Insulin (60 Min.)	400	L.E.	1	Days	1.0 ml. Serum
Insulin (Fasting)	400	L.E.	1	Days	1.0 ml. Serum
Insulin level (p.p)	400	L.E.	1	Days	2 ml serum, refrigerated
Lipase in serum	370	L.E.	1	Days	2 ml serum, refrigerated

Parathyroid Hormones	***Price***		***Result date***		***Collection notes***
Parathormone (PTH)	430	L.E.	1	Days	2.0 ml. EDTA plasma - refrigerated or frozen

Pregnancy Tests	***Price***		***Result date***		***Collection notes***
BHCG (Quantitative)	400	L.E.	1	Days	2 ml serum, refrigerated
Pregnancy in serum Qualit.	170	L.E.	1	Days	1.0 ml. Serum
Pregnancy in urine Qualit.	150	L.E.	1	Days	urine

Protein Electrophoresis	***Price***		***Result date***		***Collection notes***
Protein electrophoresis	750	L.E.	4	Days	2 ml serum, refrigerated
Protein Electrophoresis in Urine	1800	L.E.	5	Days	urine

Semen Examination	***Price***		***Result date***		***Collection notes***
Alpha Glucosidase in semen	800	L.E.	10	Days	Fresh semen
Beta Galactosidase in semen	1650	L.E.	5	Days	Fresh semen
Fructose in semen	400	L.E.	1	Days	Fresh semen
Semen Examination	300	L.E.	1	Days	Semen
Semen peroxidase	400	L.E.	1	Days	Semen
Sperm DNA fragmentation	4660	L.E.	10	Days	Fresh semen without contamination, sperm count > 1 mill.

Separate	***Price***		***Result date***		***Collection notes***
Acid Phosphatase (Prostatic)	350	L.E.	1	Days	1 ml Serum/ Refrigerated

Acid Phosphatase (Total)	350	**L.E.**	5	**Days**	2 ml serum, refrigerated
ACID-FAST STAIN (ZN Film) 3	300	**L.E.**	1	**Days**	Fluid/Sputum
Acrosin Activity	400	**L.E.**	6	**Days**	Fresh semen
Adenosine Deaminase (ADA) in fluid	500	**L.E.**	7	**Days**	Fluid
Adenosine Deaminase (ADA) in	500	**L.E.**	1	**Days**	2 ml serum, refrigerated
Albumin (Urine)	100	**L.E.**	1	**Days**	urine
Alpha-1 antitrypsin in blood	750	**L.E.**	10	**Days**	2 ml serum, refrigerated
Alpha-1 antitrypsin in stool	950	**L.E.**	10	**Days**	Stool
Alpha-2 macroglobulin	950	**L.E.**	4	**Days**	2 ml serum, refrigerated
Ammonia	600	**L.E.**	1	**Days**	EDTA frozen, heparinized plasma , avoid hemolysis
Amyloid A protein	2300	**L.E.**	5	**Days**	2 ml serum, frozen
Anal adhesive strip	300	**L.E.**	0	**Days**	2 time at night strip adhesive from anal
Angiotensin Converting Enz. (ACE)	1200	**L.E.**	5	**Days**	2 ml serum/ refrigerated
Anti Adrenal Ab	1400	**L.E.**	15	**Days**	2 ml serum, refrigerated
Anti Diuretic hormone (ADH)	2000	**L.E.**	10	**Days**	2 ml Frozen plasma/EDTA
Anti Rabies Abs	2700	**L.E.**	15	**Days**	2 ml serum, refrigerated
Apolipoprotein A1	600	**L.E.**	1	**Days**	1.0 ml. Serum
Apolipoprotein B	600	**L.E.**	7	**Days**	1.0 ml. Serum
Aspergillus Galactomannan Antigen	1700	**L.E.**	10	**Days**	2 ml serum, refrigerated
Bartonnella Henselae (Rochalimaea)	1060	**L.E.**	9	**Days**	2 ml serum, frozen
Bile Acids, serum	1600	**L.E.**	7	**Days**	2 ml serum, frozen
Bilharziasis Ag (urine)	400	**L.E.**	1	**Days**	5ml. fresh urine
Bilharziasis Antigen (serum)	400	**L.E.**	1	**Days**	1.0 ml. Serum
Biotinidase Activity	1400	**L.E.**	30	**Days**	2 ml serum, frozen
Body fluid Examination	800	**L.E.**	1	**Days**	Fluid
Bone marrow Biobsy	2000	**L.E.**	15	**Days**	Bone marrow Biobsy
Bone marrow Film: Consultation	700	**L.E.**	0	**Days**	Bone marrow Film: Consultation
Borrelia Burgdorferi IgG Abs	1300	**L.E.**	15	**Days**	2 ml serum, frozen
Borrelia Burgdorferi IgM Abs	1300	**L.E.**	15	**Days**	2 ml serum, frozen
Bronchial Lavage Examination C/S	450	**L.E.**	5	**Days**	Bronchial Lavage
Bronchial Lavage Film For AFB	200	**L.E.**	2	**Days**	Bronchial Lavage Film
Brucella IgG	700	**L.E.**	10	**Days**	2 ml serum, refrigerated
Brucella IgM	700	**L.E.**	10	**Days**	2 ml serum, refrigerated
BUN/Creatinine ratio	220	**L.E.**	1	**Days**	24 hrs. Urine or spontaneous urine
Calcium/creatinine ratio	350	**L.E.**	1	**Days**	24 hrs. Urine
Calprotectin in stool (Qual)	1200	**L.E.**	2	**Days**	Stool
Calprotectin in stool (Quant)	1750	**L.E.**	3	**Days**	Stool
Catecholamines Plasma	2600	**L.E.**	10	**Days**	2.0 ml. frozen EDTA plasma
Ceruloplasmin	550	**L.E.**	3	**Days**	Serum 2.0 ml. Refrigerated
Chlamydia lgM	1000	**L.E.**	0	**Days**	2 ml serum, refrigerated
Chlamydia pneumonia IgG	1500	**L.E.**	10	**Days**	2 ml serum, frozen
Chlamydia pneumonia IgM	1500	**L.E.**	10	**Days**	2 ml serum, frozen
Chlamydia Trachomatis IgG	1500	**L.E.**	10	**Days**	2 ml serum, frozen
Chlamydia Trachomatis IgM	1500	**L.E.**	10	**Days**	2 ml serum, frozen
Clostridium difficile enterotoxin	1700	**L.E.**	2	**Days**	stool
Creatinine Clearance	300	**L.E.**	1	**Days**	1.0 ml. Serum and 24hrs Urine
CRP	350	**L.E.**	1	**Days**	1.0 ml. Serum
Cryoglobulins	230	**L.E.**	2	**Days**	2 ml serum on tube should be warmed before use donot refrigerate
CSF -Cells	230	**L.E.**	1	**Days**	2 ml csf fluid
Cytology Examination	1100	**L.E.**	5	**Days**	Fluid
DNA by sequencer	9000	**L.E.**	30	**Days**	5 ml Whole blood / EDTA
Dopamine Beta hydroxylase	1600	**L.E.**	1	**Days**	1.0 ml. Serum
Estrogen Receptors	1900	**L.E.**	15	**Days**	Biobsy
FFAs (Free fatty acid)	6500	**L.E.**	22	**Days**	2 ml serum, frozen
Filaria Film	400	**L.E.**	1	**Days**	10 ml EDTA blood
Free light Kappa/Lambda ratio	2300	**L.E.**	4	**Days**	2 ml serum, frozen

Fructosamine	400	**L.E.**	1	**Days**	1.0 ml. Serum
Fungus examination by KOH	250	**L.E.**	1	**Days**	skin. nail , hair or any part of body
Galactose	1450	**L.E.**	3	**Days**	1.0 ml serum or plasma
Glycine level	2700	**L.E.**	20	**Days**	3 ml Whole blood /EDTA
Growth Hormone (basal)	450	**L.E.**	1	**Days**	2 ml serum, refrigerated
H.pylori Ag in Stool (Quanti)	650	**L.E.**	3	**Days**	Stool
H.pylori Line IgG	1750	**L.E.**	7	**Days**	2 ml serum, refrigerated
hs-CRP	300	**L.E.**	0	**Days**	2 ml serum/ refrigerated
IGF-1	2500	**L.E.**	10	**Days**	2 ml serum, refrigerated
IGFBP-3	2500	**L.E.**	7	**Days**	2 ml serum, frozen
Ketone Bodies in Blood	300	**L.E.**	0	**Days**	2 ml serum or 2 ml Whole blood EDTA
Lactate in blood	350	**L.E.**	5	**Days**	2ml plasma/Edta
Lamotrigine	1570	**L.E.**	10	**Days**	2 ml serum, frozen
Leptin	2500	**L.E.**	10	**Days**	2 ml serum, frozen
Levetiracetam (kepra)	2020	**L.E.**	10	**Days**	2 ml serum, frozen
Link index parameter	1700	**L.E.**	7	**Days**	1.0 ml serum + 2 ml frozen CSF
Lipid Electrophoresis	1200	**L.E.**	5	**Days**	2 ml serum, refrigerated
Lipoprotein a	1300	**L.E.**	7	**Days**	1.0 ml. Serum
Malaria Antigen (film)	350	**L.E.**	2	**Days**	2.0 ml EDTA blood + 4 Film from fresh blood
Malaria IgG Ab	1500	**L.E.**	10	**Days**	1.0 ml. Serum
Mumps Abs(IgG)	1200	**L.E.**	10	**Days**	2 ml serum, refrigerated
Noradrenaline in urine	2800	**L.E.**	0	**Days**	24 hrs. urine 10 ml 6 N. HCL, Avoid coffee, tea etc before fast.
Organic acid (qualiti)	0	**L.E.**	35	**Days**	2 ml serum, refrigerated
Organic acid in urine	3500	**L.E.**	22	**Days**	24 hrs. urine 10 ml 6 N. HCL
Osteocalcin Level	1500	**L.E.**	10	**Days**	2 ml serum, frozen
Oxalate (urine)	1500	**L.E.**	5	**Days**	24 hrs. urine 10 ml 6 N. HCL
Phenylalanine (PKU)	1500	**L.E.**	16	**Days**	1.0 ml Frozen EDTA plasma
Plasminogen	2000	**L.E.**	1	**Days**	
Plasminogen Activator inhibitor	2000	**L.E.**	1	**Days**	
Protein C Activity	1000	**L.E.**	3	**Days**	2 ml frozen. citrated plasma platelet poor in plastic tube
Protein S Activity	1000	**L.E.**	3	**Days**	2 ml frozen. citrated plasma platelet poor in plastic tube
Protein/creatinine ratio	250	**L.E.**	1	**Days**	urine / random sample or 24 hrs sample
Pyruvate Kinase PK	1000	**L.E.**	7	**Days**	2 ml EDTA blood
Reducing Suger In Stool	270	**L.E.**	1	**Days**	Stool
Rota virus antigen	500	**L.E.**	1	**Days**	Fresh stool
S.Bicarbonate (blood)	550	**L.E.**	1	**Days**	2 ml anaerobic heparinized blood send immed.
Sickling test	400	**L.E.**	2	**Days**	1.0 ml EDTA blood
Stone Analysis	550	**L.E.**	1	**Days**	Stone
t	0	**L.E.**		**Days**	
t	0	**L.E.**		**Days**	
t	0	**L.E.**		**Days**	
Total Lipid	400	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
TPHA	250	**L.E.**	8	**Days**	1.0 ml. Serum
Urate in Urine	550	**L.E.**	0	**Days**	24 hrs. Urine
Urea Breath Test	1850	**L.E.**	3	**Days**	Special test
Uric Acid (Urine)	120	**L.E.**	1	**Days**	24 hrs. Urine
Uric acid/creatinine ratio	220	**L.E.**	1	**Days**	24 hrs. Urine
VDRL	250	**L.E.**	1	**Days**	1.0 ml. Serum

SEROLOGY	***Price***		***Result date***		***Collection notes***
Brucella Test	300	**L.E.**	1	**Days**	1.0 ml. Serum
H.pylori IgA (quantit)	560	**L.E.**	1	**Days**	Serum 1.0 ml. Refrigerated
H.pylori IgG (qualiti)	300	**L.E.**	2	**Days**	2 ml serum, refrigerated
H.pylori IgG (quantit)	550	**L.E.**	1	**Days**	1.0 ml. Serum
H.pylori IgM (quantit)	700	**L.E.**	2	**Days**	1.0 ml. Serum
H.pylori Ag in Stool (Qualit)	560	**L.E.**	1	**Days**	Stool

RF (Qualit)	150	**L.E.**	1	**Days**	2 ml serum, refrigerated
RF (Quantit)	250	**L.E.**	1	**Days**	1.0 ml. Serum
Widal Test	250	**L.E.**	1	**Days**	1.0 ml. Serum

Serum Electrolytes	***Price***		***Result date***		***Collection notes***
Chloride (CL) in serum	300	**L.E.**	1	**Days**	1.0 ml. Serum
Osmolality. (serum)	350	**L.E.**	1	**Days**	1.0 ml. Serum

Stool Examination	***Price***		***Result date***		***Collection notes***
Stool Examination	150	**L.E.**	1	**Days**	Stool

Suprarenal Hormones	***Price***		***Result date***		***Collection notes***
11-Desoxycortisol	1800	**L.E.**	20	**Days**	serum/ Frozen
17 OH Progesterone	1800	**L.E.**	4	**Days**	2 ml serum, refrigerated
5-HIAA (hydroxyindoleacetic acid)	1500	**L.E.**	7	**Days**	24 hrs. urine 10 ml 6 N. HCL
ACTH (AM)	900	**L.E.**	2	**Days**	Frozen plasma/EDTA in plastic tube
ACTH (PM)	900	**L.E.**	3	**Days**	Frozen plasma/EDTA in plastic tube
ACTH (Random)	900	**L.E.**	2	**Days**	Frozen plasma/EDTA in plastic tube
ACTH level after Inj.	900	**L.E.**	1	**Days**	1.0 ml Frozen EDTA plasma
Adrenaline (Epinephrine)	2500	**L.E.**	4	**Days**	Frozen heparinized fasting plasma. Avoid coffee, tea etc before fast
Aldosterone	1600	**L.E.**	10	**Days**	2 ml serum, frozen
Catecholamines free fraction	2500	**L.E.**	10	**Days**	24 hrs. urine 10 ml 6 N. HCL
Cortisol (AM)	350	**L.E.**	1	**Days**	1.0 ml. Serum (9 AM)
Cortisol (PM)	350	**L.E.**	1	**Days**	1.0 ml. Serum (9 PM)
Cortisol (random)	350	**L.E.**	0	**Days**	2 ml serum, refrigerated
Cortisol (Urine)	350	**L.E.**	4	**Days**	24 hrs. urine 10 ml 6 N. HCL
Cortisol level after Inj.	350	**L.E.**	1	**Days**	2 ml serum, refrigerated
Cortisol level before Inj.	350	**L.E.**	1	**Days**	2 ml serum, refrigerated
Dopamine	2300	**L.E.**	15	**Days**	Frozen EDTA fasting plasma
Free metanephrine	3500	**L.E.**	10	**Days**	2 ml plasma EDTA
Free Normetanephrine	3500	**L.E.**	10	**Days**	2ml plasma/Edta
Ghrelin	4000	**L.E.**	60	**Days**	2 ml serum, frozen
Homovanillic acid (HVA)	2500	**L.E.**	15	**Days**	24 hrs. urine 10 ml 6 N. HCL
Metanephrine in urine	3500	**L.E.**	10	**Days**	24 hrs. urine 10 ml 6 N. HCL, Avoid coffee, tea etc before fast.
Noradrenaline (Norepinephrine)	3000	**L.E.**	4	**Days**	Frozen heparinized fasting plasma. Avoid coffee, tea etc before fast
Normetanephrine in urine	3500	**L.E.**	10	**Days**	24 hrs. urine 10 ml 6 N. HCL, Avoid coffee, tea etc before fast.
Plasma Renin	2200	**L.E.**	18	**Days**	1.0 ml Frozen EDTA plasma
Serotonin	3500	**L.E.**	10	**Days**	2 ml serum, frozen
VMA (Urine)	2000	**L.E.**	1	**Days**	24 hrs. urine 10 ml 6 N. HCL

Thyroid Hormones	***Price***		***Result date***		***Collection notes***
Anti Microsomal/peroxidase Ab.	600	**L.E.**	1	**Days**	2 ml serum, refrigerated
Anti Thyroid Antibodies	635	**L.E.**	2	**Days**	2 ml serum/ refrigerated
Anti-Thyroglobulin Abs	650	**L.E.**	1	**Days**	1.0 ml. Serum
Calcitonin	1700	**L.E.**	7	**Days**	1.0 ml. frozen fasting serum
FT3	270	**L.E.**	1	**Days**	1.0 ml. Serum
FT4	270	**L.E.**	1	**Days**	1.0 ml. Serum
FTI (Free Thyroxin Index)	300	**L.E.**	3	**Days**	2 ml serum, refrigerated
PBI (Protein Bound Iodine)	250	**L.E.**	1	**Days**	1.0 ml. Serum
Reverse T3 (rT3)	2500	**L.E.**	15	**Days**	2 ml serum, frozen
T3 (Total)	270	**L.E.**	1	**Days**	1.0 ml. Serum
T3 Uptake	270	**L.E.**	1	**Days**	1.0 ml. Serum
T4 (Total)	270	**L.E.**	1	**Days**	1.0 ml. Serum
Thyroglobulin (Tg)	1000	**L.E.**	1	**Days**	1.0 ml serum or heparinized plasma
TSH	330	**L.E.**	1	**Days**	1.0 ml. Serum
TSH Receptor Ab (Anti-TSHR)	2000	**L.E.**	10	**Days**	2 ml serum, refrigerated

TORCH Screen	***Price***	***Result date***	***Collection notes***

CMV IgG	350	**L.E.**	1	**Days**	1.0 ml. Serum
CMV IgM	350	**L.E.**	1	**Days**	1.0 ml. Serum
Epstein Barr virus (EBV - VCA	650	**L.E.**	2	**Days**	1.0 ml. Serum
Epstein Barr virus (EBV- VCA (IgM))	650	**L.E.**	2	**Days**	1.0 ml. Serum
Herpes (I) IgG	300	**L.E.**	2	**Days**	1.0 ml. Serum
Herpes (I) IgM	300	**L.E.**	2	**Days**	1.0 ml. Serum
Herpes (II) IgG	300	**L.E.**	2	**Days**	1.0 ml. Serum
Herpes (II) IgM	300	**L.E.**	2	**Days**	1.0 ml. Serum
Rubella IgG	300	**L.E.**	1	**Days**	1.0 ml. Serum
Rubella IgM	300	**L.E.**	1	**Days**	1.0 ml. Serum
Toxo IgG	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
Toxo IgM	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
Toxo IHA	120	**L.E.**	1	**Days**	

Toxoplasmosis	***Price***	***Result date***	***Collection notes***

Trace Elements	***Price***	***Result date***	***Collection notes***
Aluminium (blood)	6000 **L.E.**	20 **Days**	2.0 ml. heparinized plasma.
Aluminium (Hair)	2500 **L.E.**	15 **Days**	5 gram of hair
Aluminium (urine)	6000 **L.E.**	20 **Days**	Urine
Arsenic (blood)	5000 **L.E.**	15 **Days**	Serum
Arsenic (Hair)	1500 **L.E.**	15 **Days**	5 gram of hair
Arsenic (urine)	0 **L.E.**	1 **Days**	urine / random sample or 24 hrs sample
Cadmium (blood)	1200 **L.E.**	7 **Days**	Heparinized Blood
Cadmium (urine)	1200 **L.E.**	7 **Days**	urine
Chromium (blood)	550 **L.E.**	1 **Days**	Serum
Chromium (urine)	650 **L.E.**	1 **Days**	
Cobalt (blood)	1500 **L.E.**	7 **Days**	5.0 ml. Heparin blood
Cobalt (urine)	1500 **L.E.**	7 **Days**	24 hours urine
Copper (blood)	550 **L.E.**	1 **Days**	1.0 ml. Serum
Copper (urine)	550 **L.E.**	1 **Days**	24 hrs. urine 10 ml 6 N. HCL
heavy metals (in hair)	12000 **L.E.**	35 **Days**	5 gram of hair
Lead (blood)	1500 **L.E.**	15 **Days**	5.0 ml. frozen EDTA plasma
Lead (hair)	2000 **L.E.**	20 **Days**	5 gram of hair
Lead (urine)	1500 **L.E.**	10 **Days**	24 hours urine
Mercury (hair)	1000 **L.E.**	15 **Days**	5 gram of hair
Mercury (urine)	1500 **L.E.**	12 **Days**	urine / random sample or 24 hrs sample
Nickel (blood)	1200 **L.E.**	3 **Days**	1.0 ml. frozen serum
Nickel (urine)	1200 **L.E.**	3 **Days**	
Selenium (blood)	5000 **L.E.**	9 **Days**	
Selenium (urine)	5000 **L.E.**	1 **Days**	
Water Examination (Bacteriological)	1500 **L.E.**	7 **Days**	Water for Examinatin
Water Examination (chemical)	850 **L.E.**	7 **Days**	Water for Examination
Zinc (blood)	550 **L.E.**	3 **Days**	1.0 ml. Serum
Zinc (urine)	550 **L.E.**	1 **Days**	24 hrs. Urine

Tumors Markers	***Price***	***Result date***	***Collection notes***
AFP	600 **L.E.**	1 **Days**	1.0 ml. Serum
B2 Microglobulin (Serum)	600 **L.E.**	1 **Days**	1.0 ml. Serum
B2 Microglobulin (Urine)	1000 **L.E.**	1 **Days**	10 ml refrigerated morning urine sample , No preservative
Bcl - 2	1000 **L.E.**	15 **Days**	Biobsy
BCR-ABL by FISH	1600 **L.E.**	15 **Days**	2.0 ml EDTA blood
BCR-ABL by PCR	5000 **L.E.**	10 **Days**	2.0 ml EDTA blood
BHCG (TUMOR MARKER)	400 **L.E.**	1 **Days**	2 ml serum, refrigerated
BRCA 1 ,2 gene mutation	19000 **L.E.**	35 **Days**	4 tube Whole blood EDTA
CA 125	650 **L.E.**	1 **Days**	1.0 ml. Serum
CA 15.3	650 **L.E.**	1 **Days**	1.0 ml. Serum

CA 19.9	650	**L.E.**	1	**Days**	1.0 ml. Serum
CA 27.29	5000	**L.E.**	10	**Days**	2 ml serum, frozen
CA 27.29 Antigen	4500	**L.E.**	5	**Days**	2 ml serum, frozen
CA 50	4000	**L.E.**	10	**Days**	1.0 ml. Serum
CA 72.4	4500	**L.E.**	10	**Days**	2 ml serum, frozen
CEA (Carcinoembryonic Antigen)	550	**L.E.**	1	**Days**	1.0 ml. Serum
IGHV by Fish	4000	**L.E.**	30	**Days**	2.0 ml. heparinized blood.
Jak - 2 Exon 12 Mutation	2500	**L.E.**	20	**Days**	1.0 ml serum or plasma
Jak - 2(V617F)	2500	**L.E.**	10	**Days**	1.0 ml serum or plasma
Kappa light chain in serum	1500	**L.E.**	2	**Days**	2 ml serum, refrigerated
Kappa light chain in urine	1800	**L.E.**	2	**Days**	urine
Lambda Light Chain in serum	1300	**L.E.**	2	**Days**	2 ml serum/ refrigerated
Lambda Light Chain in urine	1600	**L.E.**	2	**Days**	urine
NSE	1500	**L.E.**	6	**Days**	2 ml serum, frozen
Pap Smear	1300	**L.E.**	5	**Days**	swab or slides
Pathological Examination	1700	**L.E.**	5	**Days**	Biobsy
PSA (Free)	450	**L.E.**	1	**Days**	1.0 ml. Serum
PSA (Total)	300	**L.E.**	1	**Days**	1.0 ml. Serum
PSA Ratio	800	**L.E.**	1	**Days**	1.0 ml. Serum
Schebo test (M2-PK)	2500	**L.E.**	4	**Days**	Stool
Urinary Bladder Cancer (UBC)	1800	**L.E.**	0	**Days**	urine

Urine Electrolytes	***Price***		***Result date***		***Collection notes***
Calcium (Ca) urine	220	**L.E.**	1	**Days**	24 hrs. Urine
Chloride (CL) in urine	300	**L.E.**	1	**Days**	24 hrs. Urine
Citrate (urine)	1350	**L.E.**	7	**Days**	24 hours urine
Magnesium (Mg) in urine	260	**L.E.**	1	**Days**	24 hrs. Urine or spontaneous urine
Osmolality. (urine)	350	**L.E.**	1	**Days**	5ml. fresh urine
Phosphorus (Ph) urine	150	**L.E.**	1	**Days**	24 hrs. Urine
Potassium (k) urine	150	**L.E.**	1	**Days**	24 hrs. Urine
Sodium (Na) urine	170	**L.E.**	1	**Days**	24 hrs. Urine

Urine Examination	***Price***		***Result date***		***Collection notes***
Amino Acids in urine	3500	**L.E.**	2	**Days**	10 ml frozen urine sample , No preservative
Bence jones protein (Urine)	250	**L.E.**	1	**Days**	Fresh morning urine
Creatinine (urine)	150	**L.E.**	1	**Days**	24 hrs. Urine
Dysmorphic RBCs in urine	300	**L.E.**	1	**Days**	Fresh urine sample (50 ml)
Free light Kappa/Lambda in Urine	3500	**L.E.**	7	**Days**	urine
Protein in urine	150	**L.E.**	1	**Days**	24 hours urine
STROX in urine	400	**L.E.**	3	**Days**	urine
Urine Examination	120	**L.E.**	0	**Days**	Urine

Virology	***Price***		***Result date***		***Collection notes***
Adeno Virus Ab	500	**L.E.**	0	**Days**	2 ml serum, refrigerated
Bartonnella Henselae (Rochalimaea)	1060	**L.E.**	15	**Days**	2 ml serum, frozen
EBV (IgG)	450	**L.E.**	2	**Days**	2 ml serum, refrigerated
EBV (IgM)	450	**L.E.**	2	**Days**	2 ml serum, refrigerated
EBV- EBNA (IgG)	450	**L.E.**	3	**Days**	2 ml serum, refrigerated
EBV- EBNA (IgM)	450	**L.E.**	3	**Days**	2 ml serum, refrigerated
Entero Virus (Coxsackie A9) IgG	1800	**L.E.**	15	**Days**	2 ml serum, frozen
Entero Virus (Coxsackie A9) IgM	1800	**L.E.**	15	**Days**	2 ml serum, frozen
Entero Virus (Coxsackie B1-6) IgG	1800	**L.E.**	15	**Days**	2 ml serum, frozen
Entero Virus (Coxsackie B1-6) IgM	1800	**L.E.**	15	**Days**	2 ml serum, frozen
H1N1 by Real Time PCR	2500	**L.E.**	1	**Days**	Nasal Swab
HIV (I,II) Abs	450	**L.E.**	1	**Days**	1.0 ml. Serum
HIV Combi Ag/Ab	500	**L.E.**	2	**Days**	
Human Papilloma Virus (IgG) HPV	4000	**L.E.**	9	**Days**	2.0 ml serum or plasma

Malaria IgM Ab	1500	**L.E.**	10	**Days**	2 ml serum, refrigerated
Measles IgG	1400	**L.E.**	8	**Days**	2 ml serum, refrigerated
Measles IgM	1400	**L.E.**	8	**Days**	2 ml serum, refrigerated
Mumps Abs(IgM)	1200	**L.E.**	10	**Days**	2 ml serum, refrigerated
Parvovirus B19 IgG	0	**L.E.**	10	**Days**	2 ml serum, refrigerated
Parvovirus B19 IgM	0	**L.E.**	10	**Days**	2 ml serum, refrigerated
Spike Corona IgG Abs	600	**L.E.**	1	**Days**	1.0 ml serum
Spike Corona IgM Abs	600	**L.E.**	0	**Days**	1.0 ml serum
Varicella Zoster (IgA)	1200	**L.E.**	10	**Days**	2 ml serum, refrigerated
Varicella Zoster (IgG)	1200	**L.E.**	10	**Days**	2 ml serum, refrigerated
Varicella Zoster (IgM)	1300	**L.E.**	10	**Days**	2 ml serum, refrigerated
Viral Ag (Rapid test)	700	**L.E.**	1	**Days**	Nasal Swab
Viral PCR-RNA (Qualitative)	1700	**L.E.**	1	**Days**	Nasal Swab
Viral PCR-RNA (Qualitative)	1500	**L.E.**	1	**Days**	swab
Viral PCR-RNA (Urgently)	2800	**L.E.**	0	**Days**	Nasal Swab

Vitamins	***Price***		***Result date***		***Collection notes***
Ascorbic acid in plasma (vitamin c)	6000	**L.E.**	6	**Days**	2.0 ml.Frozen plasma (Lithium heparinized or EDTA)
Biotin (Vitamin H/ B7 /B8)	7500	**L.E.**	20	**Days**	2 ml serum, frozen
Folate (Folic Acid) serum	1200	**L.E.**	4	**Days**	2.0 ml. frozen serum protected from light
Index Omega 3	7000	**L.E.**	35	**Days**	Whole blood/EDTA 5 ml
Lactoferrin	2000	**L.E.**	15	**Days**	Fresh stool
Vitamin A	4500	**L.E.**	17	**Days**	1.0 ml. frozen serum protected from light
Vitamin B1	7000	**L.E.**	20	**Days**	3.0 ml EDTA blood
Vitamin B12	1500	**L.E.**	1	**Days**	1.0 ml. frozen serum protected from light
Vitamin B2	6000	**L.E.**	10	**Days**	2 ml EDTA blood
Vitamin B3	6000	**L.E.**	18	**Days**	2 ml serum, frozen
Vitamin B5	8000	**L.E.**	35	**Days**	2 ml serum, frozen
Vitamin B6	6000	**L.E.**	30	**Days**	5 ml EDTA blood
Vitamin C	6000	**L.E.**	17	**Days**	2.0 ml.Frozen plasma (Lithium heparinized or EDTA)
Vitamin D2 (1,25 Dihydroxy)	2000	**L.E.**	10	**Days**	4.0 ml. frozen serum protected from light
Vitamin D3(25 Hydroxy Cholecal.)	1000	**L.E.**	2	**Days**	1.0 ml. frozen serum protected from light
Vitamin E	6000	**L.E.**	10	**Days**	1.0 ml. frozen serum protected from light
Vitamin K	6000	**L.E.**	12	**Days**	2 ml serum, frozen