Orange للتحاليل الطبية

قائمة أسعار التحاليل الخاصة بالمرضى

Allergy Screen	Price	Result date	Collection notes
IgE (immunoglobulin E specific food	2500 L.E.	5 Days	1 ml serum, refrigerated
IgE (imuunoglobulin E Specific	2000 L.E.	5 Days	1 ml serum, refrigerated
Mixed Allergy Panel	3700 L.E.	3 Days	2 ml serum, refrigerated
Pediatric Panel	2500 L.E.	5 Days	2 ml serum, refrigerated

Antiphospholipid antibody syndrome	Price	Result date	Collection notes
ACL IgG (Anti Cardiolipin IgG)	650 L.E.	1 Days	2 ml serum, refrigerated
ACL IgM (Anti Cardiolipin IgM)	650 L.E.	1 Days	2 ml serum, refrigerated
APL IgG (Anti Phospholipid IgG)	650 L.E.	1 Days	1 ml serum, refrigerated
APL IgM (Anti Phospholipid IgM)	650 L.E.	1 Days	1 ml serum, refrigerated
HLA-DQ2/HLA-DQ8	6800 L.E.	30 Days	10 ml W.Blood/EDTA + 10 ml W.Blood Heparin
LAC (Lupus Anticoagulant)	600 L.E.	1 Days	2ml Plasma/Citrate ,Frozen

Autoimmune diseases	Price	Result date	Collection notes
U1RNP (Qualitative)	2500 L.E.	5 Days	2 ml serum, refrigerated
AChR Abs (Acetylcholine Receptor	2500 L.E.	8 Days	2 ml serum, frozen
AMA (Anti Mitochondrial Abs)	550 L.E.	3 Days	1 ml serum, refrigerated
ANA (Anti-Neuclear Abs)	350 L.E.	1 Days	1 ml serum, refrigerated
ANA (Antinuclear Ab) titre by IF	600 L.E.	3 Days	2 ml serum, refrigerated
ANA by Immunoblot	1600 L.E.	3 Days	1 ml serum, refrigerated
ANCA (Antineutrophil Cytoplasmic	1000 L.E.	3 Days	1 ml serum, refrigerated
ANCA-C (Antineutrophil	850 L.E.	3 Days	1 ml serum, refrigerated
ANCA-P (Antineutrophil Cytoplasmic	850 L.E.	3 Days	1 ml serum, refrigerated
Anti Centromere Ab	1200 L.E.	7 Days	1 ml serum, refrigerated
Anti Insulin Abs.	2500 L.E.	15 Days	1 ml serum, refrigerated
Anti intrinsic factor Ab IgG	3000 L.E.	10 Days	2 ml serum , warmed tube
Anti Jo1 Abs.	400 L.E.	7 Days	1 ml serum, refrigerated
Anti Keratin Ab	1000 L.E.	7 Days	1 ml serum, refrigerated
Anti LKM Ab (Liver Kidney	600 L.E.	5 Days	1 ml serum, refrigerated
Anti MCV Abs	1800 L.E.	7 Days	2 ml serum, refrigerated
Anti MUSK Abs(Muscle sp kinase	3600 L.E.	30 Days	1 ml serum, frozen
Anti Proteinase-3	550 L.E.	3 Days	2 ml serum, refrigerated
Anti Scl 70 Abs.	900 L.E.	4 Days	1 ml serum, refrigerated
Anti Smith Abs.	900 L.E.	4 Days	1 ml serum, refrigerated
Anti Sperm Abs.	650 L.E.	2 Days	1 ml semen or cervical mucus or serum
Anti SSA (Ro) Abs.	850 L.E.	4 Days	1 ml serum, refrigerated
Anti SSB (La) Abs.	850 L.E.	4 Days	1 ml serum, refrigerated
Anti thrombin III Ab	650 L.E.	4 Days	2 ml Plasma/Citrate (frozen)
APCA (Anti Parietal Cell Antibodies)	750 L.E.	5 Days	1 ml serum, refrigerated
ASCA (anti-Saccharomyces	900 L.E.	8 Days	2 ml serum, refrigerated
ASCA (anti-Saccharomyces	900 L.E.	8 Days	2 ml serum, refrigerated
ASMA (Anti Smooth muscle Abs)	600 L.E.	2 Days	1 ml serum, refrigerated
Beta 2-Glycoprotein Abs (IgM)	1000 L.E.	7 Days	2 ml serum, refrigerated
ds-DNA (Anti ds DNA Abs)	300 L.E.	1 Days	1 ml serum, refrigerated
Huntington Chorea PCR	35000 L.E.	15 Days	3 ml W.Blood/EDTA
ICA-Ab (Islet cell Anti-body)	1500 L.E.	3 Days	1 ml serum, refrigerated
Platelet Antibodies (Direct)	1000 L.E.	7 Days	5 ml W.Blood/EDTA + 2 ml Serum
Platelet Antibodies (Indirect)	1000 L.E.	7 Days	5 ml W.Blood/EDTA + 2 ml Serum
Thrombophilia gene screen	6500 L.E.	21 Days	5 ml W.Blood/EDTA

Blood Gases	Price	Result date	Collection notes
Blood Gases	800 L.E.	1 Days	2 ml W.Blood/Heparin
Blood Gases Base Excess	0 L.E.	1 Days	2 ml W.Blood/Heparin
Blood Gases HCO3	0 L.E.	1 Days	2 ml W.Blood/Heparin
Blood Gases pCO2	0 L.E.	1 Days	2 ml W.Blood/Heparin
Blood Gases pH	0 L.E.	1 Days	2 ml W.Blood/Heparin
Blood Gases pO2	0 L.E.	1 Days	2 ml W.Blood/Heparin

Blood Glucose	Price	Result date	Collection notes
.	0 L.E.	Days	
FBG (Fasting Blood Glucose)	120 L.E.	1 Days	2 ml Plasma/fluoride (fasting)
Fructosamine	400 L.E.	1 Days	1 ml serum, refrigerated
Glucose 1 hr (100 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
Glucose 1 hr (50 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
Glucose 1 hr (75 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
Glucose 2 hrs (100 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
Glucose 2 hrs (50 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
Glucose 2 hrs (75 gm Glucose)	80 L.E.	1 Days	2 ml Plasma/fluoride
GTT (Glucose tolerance curve)	400 L.E.	1 Days	2 ml Plasma/fluoride
GTT (Glucose tolerance) 1 hr	80 L.E.	1 Days	2 ml Plasma/fluoride
GTT (Glucose tolerance) 1.5 hr	80 L.E.	1 Days	2 ml Plasma/fluoride
GTT (Glucose tolerance) 2 hr	80 L.E.	1 Days	2 ml Plasma/fluoride
GTT (Glucose tolerance) 30 min	80 L.E.	1 Days	2 ml Plasma/fluoride
HbA1C (Glycosylated Hemoglobin)	400 L.E.	1 Days	2 ml W.Blood/EDTA
HOMA 2-%B	0 L.E.	0 Days	2 ml serum, refrigerated
HOMA 2-%S	0 L.E.	0 Days	2 ml serum, refrigerated
HOMA 2-IR	0 L.E.	0 Days	2 ml serum, refrigerated.
HOMA1-IR (Homeostatic Model	550 L.E.	1 Days	2 ml serum, refrigerated
PPG (Postprandial Blood Glucose)	100 L.E.	1 Days	2 ml Plasma/fluoride (Postprandial)
RBG (Random Blood Glucose)	120 L.E.	1 Days	2 ml Plasma/fluoride , Random

Blood Group	Price	Result date	Collection notes
ABO (Blood group)	70 L.E.	1 Days	2 ml W.Blood/EDTA
Blood Rh	90 L.E.	1 Days	2 ml W.Blood/EDTA
Cross matching	0 L.E.	1 Days	2 ml W.Blood/ EDTA + 2 ml serum
Direct Coombs test	250 L.E.	1 Days	2 ml W.Blood/EDTA
Indirect Coombs test	250 L.E.	1 Days	1 ml serum, refrigerated
Rh Antibody Titre (In direct	300 L.E.	1 Days	2 ml serum, refrigerated

Blood Picture	Price	Result date	Collection notes
CBC(Complete Blood Picture)	400 L.E.	1 Days	2 ml W.Blood/EDTA
Hb (hemoglobin)	130 L.E.	1 Days	2 ml W.Blood/EDTA
Hb And Indices	70 L.E.	1 Days	2 ml W.Blood/EDTA
Hct (Hematocrit)	130 L.E.	1 Days	2 ml W.Blood/EDTA
Plt (platelets)	200 L.E.	1 Days	2 ml W.Blood/EDTA
RBCs (Red blood cells)	150 L.E.	1 Days	2 ml W.Blood/EDTA
WBC (White Blood Cells)	100 L.E.	1 Days	2 ml W.Blood/EDTA
WBCs and Diff.	150 L.E.	1 Days	2 ml W.Blood/EDTA

Body fluids	Price	Result date	Collection notes

Cardiac Profile	Price	Result date	Collection notes
BNP (Brain natriuretic peptide)	1200 L.E.	8 Days	1 ml serum, refrigerated
CK(Creatine Kinase) MM	700 L.E.	3 Days	1 ml serum, refrigerated
CK-MB (Creatine Kinase -MB)	350 L.E.	1 Days	1 ml serum, refrigerated
CPK Iso enzymes	2500 L.E.	15 Days	1 ml serum, frozen
CPK- total (Creatine phosphokinase)	350 L.E.	1 Days	1 ml serum, refrigerated
Homocystein (HCY)	1200	7	2 ml Serum Or Plasma/Heparin

		L.E.		Days	
LDH (Lactate Dehydrogenase)	250	L.E.	1	Days	1 ml serum, refrigerated
Myoglobin in serum	350	L.E.	6	Days	1 ml serum, refrigerated
Pro-Brain Natriuretic Peptide	1200	L.E.	6	Days	2 ml serum, refrigerated
Troponin (I)	450	L.E.	1	Days	1 ml serum, refrigerated
Troponin (T) high sensitive	600	L.E.	6	Days	1 ml serum, refrigerated

Celiac Profile	***Price***		***Result date***		***Collection notes***
AGA IgA (Anti-Gliadin Abs IgA)	1200	L.E.	10	Days	2 ml serum, frozen
AgA IgG (Anti-Gliadin Abs IgG)	1200	L.E.	10	Days	2 ml serum, frozen
AgA IgM (Anti-Gliadin Abs IgM)	1200	L.E.	15	Days	2 ml serum, frozen
Anti reticulin Abs	350	L.E.	10	Days	1 ml serum, refrigerated
EMA IgA (Anti Endomysial ab IgA)	2000	L.E.	7	Days	1 ml serum, frozen
EMA IgG (Anti Endomysial ab IgG)	2000	L.E.	7	Days	1 ml serum, frozen
EMA IgM (Anti Endomysial ab IgM)	2000	L.E.	7	Days	1 ml serum, frozen
tTG-IgA (Tissue transglutaminase -	1000	L.E.	4	Days	2 ml serum, refrigerated
tTG-IgG (Tissue transglutaminase -	1000	L.E.	4	Days	2 ml serum, refrigerated

check up1	***Price***	***Result date***	***Collection notes***

Coagulation Profile	***Price***		***Result date***		***Collection notes***
F. 10 (Factor X)	1450	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F. 11 (Factor XI)	1450	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F. 12 (Factor XII)	700	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F. 13 (FACTOR XIII)	1450	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F.2(Factor II)	1200	L.E.	15	Days	2ml Plasma/Citrate ,Frozen
F.5 (Factor V)	1300	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F.5 (Factor V)Leiden by PCR	1850	L.E.	20	Days	2 ml W.Blood/EDTA, refrigerated
F.7 (Factor VII)	1350	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F.8 (Factor VIII)	1750	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
F.9 (Factor IX)	1300	L.E.	10	Days	2ml Plasma/Citrate ,Frozen
TT (Thrombin Time)	250	L.E.	1	Days	2 ml Plasma/Citrate, froaen
Von Willebrand factor activity	2500	L.E.	8	Days	2 ml Plasma/Citrate , frozen
Von Willebrand factor conc	2500	L.E.	8	Days	2 ml Plasma/Citrate , frozen

CSF Electrolytes	***Price***		***Result date***		***Collection notes***
Albumin (CSF)	100	L.E.	1	Days	Fluid/CSF
CL (Chloride)in CSF	300	L.E.	1	Days	Fluid/CSF
CSF(cerebrospinal fluid)	750	L.E.	2	Days	Fluid/CSF
Mg (Magnesium in CSF)	260	L.E.	1	Days	Fluid/CSF

Culture and Sensitivity	***Price***		***Result date***		***Collection notes***
Ascitic Fluid C/S	900	L.E.	4	Days	3 ml Fluid/Ascitic
Ascitic Fluid Culture for Fungi	450	L.E.	5	Days	3 ml Fluid/Ascitic
Blood Culture	600	L.E.	15	Days	Special sterile bottles
Breast Discharge Culture	450	L.E.	5	Days	Discharge /Breast
Conjunctival Swab Culture	450	L.E.	5	Days	Swab/Conjunctival
CSF(cerebrospinal fluid) C/S	370	L.E.	5	Days	Fluid/CSF
Gum Discharge Culture	450	L.E.	5	Days	Swab/Gum
Left Ear Discharge Culture	350	L.E.	3	Days	Swab/Ear
Left Eye swab Culture	350	L.E.	4	Days	Swab/Eye
Nail Scrapping for Fungal	450	L.E.	4	Days	Nai,l Skin or Swab
Nasal Swab Culture	450	L.E.	4	Days	Swab/Nasal
Prostatic Secreation Culture	450	L.E.	4	Days	Discharge/Prostatic
Pus Culture and sensitivity	480	L.E.	5	Days	Swab
Pus From Wound Culture	450	L.E.	4	Days	Swab/Pus or Aspiration
Right Ear Discharge Culture	450	L.E.	5	Days	Swab/Ear
Right Eye swab Culture	450	L.E.	5	Days	Swab/Eye

Semen C/S	450	**L.E.**	4	**Days**	Semen
Sputum Culture	450	**L.E.**	4	**Days**	Sputum
Stool Culture	450	**L.E.**	5	**Days**	Stool
Synovial Fluid Culture	450	**L.E.**	5	**Days**	Fluid/Synovial
Throat Swab Culture	450	**L.E.**	4	**Days**	Swab/Throat
Urethral Discharge Culture	450	**L.E.**	4	**Days**	Urethral / Discharge
Urine Culture	450	**L.E.**	4	**Days**	Urine,Sterile container
Vaginal Swab Culture	450	**L.E.**	4	**Days**	Swab/vaginal
Vulval Swab Exam. C&S	450	**L.E.**	5	**Days**	Swab/Vulval

Drugs Monitoring	***Price***		***Result date***		***Collection notes***
Li (Lithium)	400	**L.E.**	5	**Days**	1 ml serum, refrigerated
Methotrexate	500	**L.E.**	5	**Days**	1 ml serum, refrigerated
Phenobarbitone	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
Theophylline	1200	**L.E.**	4	**Days**	1 ml serum, refrigerated
Vancomycin	550	**L.E.**	4	**Days**	2 ml W.Blood/Heparin ,refrigerated

Drugs of Abuse	***Price***		***Result date***		***Collection notes***
Alcohol (In blood)	900	**L.E.**	2	**Days**	3 ml W.Blood/EDTA .No alcohol use to cleanize puncture area
Alcohol (In urine)	900	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Amphetamine	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Bango (Cannabinoids)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Barbtiurates	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Benzodiazipines	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Cannabinoids (quant)	1000	**L.E.**	2	**Days**	Urine
Cocaine (Opiates)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Codiene (Opiates)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Cotonine(Nictoine metabolite)	1450	**L.E.**	7	**Days**	1 ml serum, frozen
Cotonine(Nictoine metabolite)	1450	**L.E.**	7	**Days**	10 ml Urine, refrigerated
Hashish (cannabinoids)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Heroin (Opiates)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Marijuana (cannabinoids)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Methadone	250	**L.E.**	7	**Days**	Urine (fresh) ,avoid adulteration
Morphin (Opiates)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Nicotine	500	**L.E.**	6	**Days**	Urine (fresh) ,avoid adulteration
Phencyclidine	300	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
T	0	**L.E.**		**Days**	
THC(Cannabinoids)	250	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Tramadol	300	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration
Tramadol in urine (Quant)	650	**L.E.**	1	**Days**	Urine (fresh) ,avoid adulteration

Erythrocyte Sedimentation Rate	***Price***		***Result date***		***Collection notes***
ESR (Erythrocyte Sedimentation	120	**L.E.**	1	**Days**	2 ml W.Blood/ EDTA, refrigerated

Fertility Hormones	***Price***		***Result date***		***Collection notes***
AMH (Anti-Mullerian hormone)	1300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Androstendione	1350	**L.E.**	7	**Days**	1 ml serum, refrigerated
Androsterone level	288	**L.E.**	3	**Days**	2 ml serum, refrigerated
DHEA (Dehydroepiandrosterone)	450	**L.E.**	3	**Days**	1 ml serum, refrigerated
DHEA-S (Dehydroepiandrosterone	450	**L.E.**	1	**Days**	1 ml serum, refrigerated
DHT (Dihydro Testosterone)	2500	**L.E.**	7	**Days**	2 ml serum, refrigerated
Double markers	2300	**L.E.**	5	**Days**	2 ml serum, refrigerated
E1 (Estrone)	1700	**L.E.**	3	**Days**	1 ml serum, frozen
E2 (Estradiol)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
E3 (Eostriol)	650	**L.E.**	3	**Days**	1 ml serum, refrigerated
Free testosterone index	450	**L.E.**	0	**Days**	2 ml serum, refrigerated
FSH (Follicle-stimulating Hormone)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated

INH-A (Inhibin A)	2500	**L.E.**	15	**Days**	2 ml serum, refrigerated
INH-B (Inhibin B)	2500	**L.E.**	15	**Days**	2 ml serum, refrigerated
LH (Luteinizing Hormone)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
PRL (Prolactin)	330	**L.E.**	1	**Days**	1 ml serum, refrigerated
Progesterone	330	**L.E.**	1	**Days**	1 ml serum, refrigerated
SHBG (Sex Hormone Binding	1400	**L.E.**	7	**Days**	1 ml serum, refrigerated
Testosterone Free	500	**L.E.**	1	**Days**	1 ml serum, refrigerated
Testosterone Total	400	**L.E.**	1	**Days**	1 ml serum, refrigerated

Genetics Unit	***Price***		***Result date***		***Collection notes***
Non invasive prenatal screening	23000	**L.E.**	30	**Days**	Maternal Blood (Streck tube)

Hematology	***Price***		***Result date***		***Collection notes***
Acidified glycerol lysis test (AGLT)	250	**L.E.**	3	**Days**	2 ml W.Blood/EDTA
CD 10	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
Cd 16	1000	**L.E.**	0	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 19	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 20	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 3	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 34	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 4	1000	**L.E.**	3	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 5	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD 7	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD38	1000	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD4/CD8 Ratio	1500	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
CD59	1320	**L.E.**	5	**Days**	5 ml W.Blood/EDTA ,refrigerated
Fecal Immunochemical Test	600	**L.E.**	10	**Days**	Fresh stool
Folate (Folic acid RBCs)	1200	**L.E.**	7	**Days**	2 ml W.Blood/EDTA ,refrigerated
G6PD (Qualitative)	400	**L.E.**	1	**Days**	2 ml W.Blood/EDTA ,refrigerated
G6PD (Quantitative)	400	**L.E.**	1	**Days**	2 ml W.Blood/EDTA ,refrigerated
Haptoglobin	500	**L.E.**	2	**Days**	1 ml serum, refrigerated
Hb-F(Fetal Hemoglobin)	880	**L.E.**	15	**Days**	2 ml W.Blood/EDTA
LE cell (Lupus Erythematosus cell)	400	**L.E.**	1	**Days**	2 ml W.Blood/EDTA
PCT (Procalcitonin)	2500	**L.E.**	10	**Days**	2 ml Plasma/EDTA (frozen)
PTT after mixing studies	200	**L.E.**	1	**Days**	2 ml Plasma/Citrate
Retics (Reticulocyte Count)	150	**L.E.**	1	**Days**	2 ml W.Blood/EDTA

Hemoglobin electrophoresis	***Price***		***Result date***		***Collection notes***
Hb-A1 (Hemoglobin A1	940	**L.E.**	7	**Days**	2 ml W.Blood/EDTA
Hb-A2 (Hemoglobin A2	700	**L.E.**	3	**Days**	2 ml W.Blood/EDTA
Hb-C (Hemoglobin C	700	**L.E.**	3	**Days**	2 ml W.Blood/EDTA
Hb-F (Hemoglobin electrophoresis	700	**L.E.**	3	**Days**	2 ml W.Blood/EDTA
Hb-S (Hemoglobin S electrophoresis	700	**L.E.**	3	**Days**	2 ml W.Blood/EDTA
Hemoglobin electrophoresis	600	**L.E.**	3	**Days**	5 ml W.Blood/EDTA
Hemoglobin electrophoresis by	4000	**L.E.**	7	**Days**	5 ml W.Blood/EDTA

Hepatitis Markers	***Price***		***Result date***		***Collection notes***
HAV (Hepatitis-A virus) IgG Ab	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
HAV (Hepatitis-A virus)IgM Ab	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBc Ab total (Hepatitis B core)	260	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBc IgG Ab (Hepatitis B core)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBc IgM Ab (Hepatitis B core)	260	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBe Ab (Hepatitis B Envelope)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBe Ag (Hepatitis B Envelope)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBs Abs (Hepatitis B Surface)	300	**L.E.**	1	**Days**	2 ml serum, refrigerated
HBs Abs (Hepatitis B Surface	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HBs Ag (Hepatitis B Surface	300	**L.E.**	1	**Days**	1 ml serum, refrigerated

HCV IgG Ab (Hepatitis C virus)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HCV lgM (Hepatitis C virus)	750	**L.E.**	1	**Days**	1 ml serum, refrigerated
HDV Ab (Hepatitis D Virus)	1200	**L.E.**	15	**Days**	1 ml serum, refrigerated
HDV IgG (Hepatitis D Virus)	1200	**L.E.**	15	**Days**	1 ml serum, refrigerated
HDV IgM (Hepatitis D virus)	1200	**L.E.**	15	**Days**	1 ml serum, refrigerated
HEV Abs IgG(Hepatitis E Virus)	1500	**L.E.**	7	**Days**	1 ml serum, refrigerated
HEV Abs IgM (Hepatitis E Virus)	1500	**L.E.**	7	**Days**	1 ml serum, refrigerated
test	160	**L.E.**	1	**Days**	1 ml serum, refrigerated
Triple test for HCV – RNA	2500	**L.E.**	10	**Days**	5 ml Serum and EDTA plasma

Immunoglobulins	***Price***		***Result date***		***Collection notes***
C2 (Complement 2)	1650	**L.E.**	1	**Days**	1 ml serum, frozen
C3 (Complement 3)	500	**L.E.**	1	**Days**	1 ml serum, frozen
C4 (Complement 4)	500	**L.E.**	1	**Days**	1 ml serum, frozen
CD25	1000	**L.E.**	4	**Days**	5 ml W.Blood/EDTA ,refrigerated
Complement Level C1q	1500	**L.E.**	0	**Days**	2 ml serum, refrigerated
Complement Level CH100	1100	**L.E.**	0	**Days**	2 ml serum, refrigerated
Cryoglobulins	230	**L.E.**	1	**Days**	2 ml serum, warmed tube
ENA Profile	1800	**L.E.**	7	**Days**	2 ml serum, refrigerated
Food print (20 test)	3300	**L.E.**	10	**Days**	3ml serum refrigerated
Food print (220 test)	10500	**L.E.**	10	**Days**	3 ml serum/ refrigerated
Food print (30 test)	5500	**L.E.**	10	**Days**	3 ml serum/ refrigerated
Food print (60 test)	6500	**L.E.**	10	**Days**	3 ml serum/ refrigerated
IgA-total (Immunoglobulin A)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
IgD (Immunoglobulin D)	1200	**L.E.**	1	**Days**	1 ml serum, refrigerated
IgE (Total)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
IgG (Total)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
IgM (Immunoglobulin M)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated

Iron Profile	***Price***		***Result date***		***Collection notes***
Ceruloplasmin	550	**L.E.**	3	**Days**	2 ml serum, refrigerated
Fe (Iron serum)	320	**L.E.**	1	**Days**	2 ml serum, refrigerated
Ferritin	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Serum Transferrin	1400	**L.E.**	1	**Days**	1 ml serum, refrigerated
TIBC (Total Iron Binding Capacity)	440	**L.E.**	1	**Days**	2 ml serum, refrigerated
Transferrin Saturation	500	**L.E.**	1	**Days**	2 ml serum, refrigerated

Kidney Profile	***Price***		***Result date***		***Collection notes***
Albumin / creatinine ratio	200	**L.E.**	1	**Days**	Urine/24Hrs or Random
Anti CCP	1400	**L.E.**	2	**Days**	2 ml serum, refrigerated
Blood Urea	120	**L.E.**	1	**Days**	1 ml serum, refrigerated
BUN (Blood Urea Nitrogen)	150	**L.E.**	1	**Days**	Calculation
Ca T (Serum Calcium Total)	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
Ca++ (Serum Calcium Ionized)	220	**L.E.**	1	**Days**	1 ml serum, refrigerated
Creatinine (serum)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
Creatinine (urine)	150	**L.E.**	1	**Days**	Urine/24Hrs
Creatinine Clearance	300	**L.E.**	1	**Days**	1 ml Serum + Urine/24Hrs
eGFR (Estimated Glomerular	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
K (Potassium)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
Mg (Magnesium in serum)	260	**L.E.**	1	**Days**	1 ml serum, refrigerated
Microalbuminuria	300	**L.E.**	1	**Days**	Urine/24Hrs or Random
Na (Sodium)	170	**L.E.**	1	**Days**	1 ml serum, refrigerated
PO4 (Phosphorus)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
Uric Acid (serum)	180	**L.E.**	1	**Days**	1 ml serum, refrigerated

Lipid Profile	***Price***		***Result date***		***Collection notes***
APOA1 (Apolipoprotein A1)	600	**L.E.**	2	**Days**	1 ml serum, refrigerated

APOB (Apolipoprotein B)	600	**L.E.**	2	**Days**	1 ml serum, refrigerated
Cholesterol	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
HDL(High-density Lipoprotein)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
LDL (Low-density Lipoprotein)	200	**L.E.**	1	**Days**	1.0 ml. Serum 12 hours Fasting
Trigs (Triglycerides)	200	**L.E.**	1	**Days**	1 ml serum, refrigerated (fasting)
VLDL (Very-Low-density	150	**L.E.**	1	**Days**	1 ml serum, refrigerated

Liver Profile	***Price***		***Result date***		***Collection notes***
A/G Ratio (albumin/globulin ratio)	250	**L.E.**	1	**Days**	Calculation
ALB (Serum Albumin)	100	**L.E.**	1	**Days**	1 ml serum, refrigerated
ALP (Alkaline Phosphates)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
ALT (SGPT)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
AST (SGOT)	150	**L.E.**	1	**Days**	1 ml serum, refrigerated
Bilirubin Direct	100	**L.E.**	1	**Days**	1 ml serum, refrigerated
Bilirubin Indirect	0	**L.E.**	1	**Days**	Calculation
Bilirubin Total	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
GGT (Gamma-Glutamyl	200	**L.E.**	1	**Days**	1 ml serum, refrigerated
Globulin	200	**L.E.**	1	**Days**	Calculation
T.P (Total Protein)	120	**L.E.**	1	**Days**	1 ml serum, refrigerated

Molecular Biology	***Price***		***Result date***		***Collection notes***
Chromosome Y microdeletions	7900	**L.E.**	30	**Days**	5 ml W.Blood/EDTA ,refrigerated
CMV (Cytomegalovirus) DNA by	1600	**L.E.**	5	**Days**	5 ml Plasma/EDTA ,refrigerated
Diarrhea Panel (Bacterial panell)	3500	**L.E.**	3	**Days**	
Diarrhea Panel (Parasitic panel)	2500	**L.E.**	3	**Days**	stool or rectal swab
Diarrhea Panel (Viral Panel)	2500	**L.E.**	3	**Days**	Stool or Rectal swab
Duschen muscle dystrophy	2800	**L.E.**	0	**Days**	2 ml serum, refrigerated
FMF by PCR	4000	**L.E.**	10	**Days**	5 ml W.Blood/EDTA ,refrigerated
FMF Gene Mutation	4000	**L.E.**	10	**Days**	5 ml W.Blood/EDTA ,refrigerated
Fragile X chromosome by PCR	6000	**L.E.**	20	**Days**	2.0 ml EDTA blood
HBV - DNA (Hepatitis B Viral DNA)	2000	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HBV - DNA (Hepatitis B Virus) by	2000	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HCV - RNA (Qualitative by pcr)	1500	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HCV - RNA (Quantitative by PCR)	1500	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HCV genotyping	2800	**L.E.**	5	**Days**	5 ml Serum ,refrigerated
HCV in liver biopsy by (FISH)	1000	**L.E.**	4	**Days**	Biobsy/liver (10% formalin)
Herpes family panel by PCR	2800	**L.E.**	3	**Days**	Whole blood / edita or CSF
HGV-RNA by PCR (Hepatitis G virus	1400	**L.E.**	15	**Days**	5 ml Plasma/EDTA ,refrigerated
HIV (I,II) by PCR Qual	6000	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HIV (I,II) by PCR Quant	6000	**L.E.**	2	**Days**	5 ml Plasma/EDTA ,refrigerated
HIV by Western Blott	4000	**L.E.**	7	**Days**	2 ml serum, refrigerated
HLA B27 (human leukocyte	2000	**L.E.**	7	**Days**	10 ml W.Blood/EDTA + 10 ml W.Blood Heparin
HLA B51 by PCR	2000	**L.E.**	7	**Days**	10 ml W.Blood/EDTA + 10 ml W.Blood Heparin
HLA Class I (ABC)	1500	**L.E.**	7	**Days**	10 ml W.Blood/EDTA +10 ml W.Blood Heparin
HLA-B51/B52 genotype	3500	**L.E.**	15	**Days**	5 ml W.Blood/EDTA + 5 ml W.Blood Heparin
HSV (I) DNA by PCR (herpes	1200	**L.E.**	3	**Days**	5 ml Plasma/EDTA ,refrigerated
HSV (II) DNA by PCR (herpes	1200	**L.E.**	3	**Days**	5 ml Plasma/EDTA ,refrigerated
Human papilloma virus 16&18	2500	**L.E.**	5	**Days**	Vaginal swab transport media
Human papillomavirus (HPV)	4000	**L.E.**	5	**Days**	vaginal swab / cervical swab / urethral swab with transport media
PCR for Lactose Intolerane test	1600	**L.E.**	5	**Days**	1.0 ml EDTA blood
Respiratory syncytial virus(RSV)	4800	**L.E.**	2	**Days**	Nasal swab or Nasopharyngeal swab
STD Panel by PCR	6000	**L.E.**	5	**Days**	Urine for male and Genital swab for female
STI Panel by PCR	4000	**L.E.**	4	**Days**	Urine sample for male and genital swab for female
TB (Tuberculosis) - DNA by PCR	1800	**L.E.**	4	**Days**	3 ml Urine, sputum or Biological fluids
Vaginal Panel by PCR	3000	**L.E.**	4	**Days**	Vaginal swab on transport media

Pancreas Hormones	***Price***	***Result date***	***Collection notes***

Amylase (serum)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
C-Peptide (Fasting)	850	**L.E.**	1	**Days**	1 ml serum, refrigerated
C-Peptide (Postprandial)	850	**L.E.**	1	**Days**	1 ml serum, refrigerated
C-Peptide (Urine)	850	**L.E.**	1	**Days**	Urine/24 Hrs ,refrigerated
C-Peptide(Random)	850	**L.E.**	1	**Days**	1 ml serum, refrigerated
Elastase pancreatic 1	3500	**L.E.**	30	**Days**	Stool
Gastrin	2400	**L.E.**	4	**Days**	1 ml serum, frozen
Glucagon	2700	**L.E.**	20	**Days**	1 ml serum, frozen
Insulin (1 hr.)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Insulin (1/2 hr.)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Insulin (2hrs)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Insulin (3 hr.)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Insulin (Fasting)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Insulin level (p.p)	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Lipase	370	**L.E.**	1	**Days**	1 ml serum, refrigerated

Pregnancy Tests	***Price***		***Result date***		***Collection notes***
BHCG (Beta-HCG Quantitative)	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Pregnancy in serum Qual.	170	**L.E.**	1	**Days**	
pregnancy in urine Qual.	150	**L.E.**	1	**Days**	Urine, morning

Protein electrophoresis	***Price***		***Result date***		***Collection notes***
PEP (Protein electrophoresis)	750	**L.E.**	4	**Days**	2 ml serum, refrigerated

Semen Examination	***Price***		***Result date***		***Collection notes***
Alpha Glucosidase in semen	800	**L.E.**	1	**Days**	Semen (fresh)
Beta Galactosidase in semen	1650	**L.E.**	5	**Days**	2 ml Semen (frozen)
Fructose in semen	400	**L.E.**	1	**Days**	Semen, (fresh)
Semen Examination	300	**L.E.**	1	**Days**	Semen,fresh
Semen peroxidase	400	**L.E.**	2	**Days**	Semen,fresh
Sperm DNA Fragmentation	4000	**L.E.**	10	**Days**	Semen, fresh Avoid contamination,sperm count >1million.

Separate	***Price***		***Result date***		***Collection notes***
5NT (5- Nucleotidase)	1000	**L.E.**	7	**Days**	2 ml serum, refrigerated.
ACE (Angiotensin Coverting	1200	**L.E.**	15	**Days**	2 ml serum, refrigerated
Acid-fast stain (ZN Film) 3 samples	300	**L.E.**	3	**Days**	Sputum or Fluid/ascitic, pleural, urine
ADA (Adenosine Deaminase in fluid)	500	**L.E.**	2	**Days**	Fluid/Pleural
ADH(Anti Diuretic hormone)	2000	**L.E.**	10	**Days**	2 ml plasma/EDTA (frozen)
Albumin (24hrs Urine)	120	**L.E.**	1	**Days**	Urine/24Hrs or Random
Aldolase	950	**L.E.**	1	**Days**	2 ml serum, frozen (plastic tube avoid hemolysis)
Alpha-1 antitrypsin	750	**L.E.**	1	**Days**	1 ml serum, refrigerated
Alpha-2 Macroglobulin	950	**L.E.**	4	**Days**	1 ml serum, refrigerated
Ammonia (Plasma)	600	**L.E.**	1	**Days**	3 ml Plasma/EDTA or Heparin
Amyloid A protein	2300	**L.E.**	7	**Days**	2 ml serum, frozen
Anti Adrenal Ab	1400	**L.E.**	15	**Days**	2 ml serum, refrigerated
Anti Rabies Abs	2700	**L.E.**	15	**Days**	2 ml serum, refrigerated
Ascitic Fluid Examination	550	**L.E.**	2	**Days**	3 ml Fluid/Ascitic
Bence jones protein (Urine)	250	**L.E.**	1	**Days**	Urine/morning (fresh)
Beta 2-Glycoprotein Abs (IgG)	1000	**L.E.**	7	**Days**	2 ml serum, refrigerated
Bilharziasis Ag (serum)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Bilharziasis Ag (urine)	400	**L.E.**	1	**Days**	5ml Urine (fresh)
Blood pH	100	**L.E.**	1	**Days**	2 ml anaerobic heparinized blood
Bone marrow Biobsy	2000	**L.E.**	15	**Days**	Biobsy/Bone marrow
Bone marrow examination	1000	**L.E.**	5	**Days**	Aspiration/Bone marrow
Bronchial Fluid C/S	200	**L.E.**	1	**Days**	Fluid/Bronchial
Bronchial Lavage C/S	450	**L.E.**	5	**Days**	Fluid/Bronchial Lavage
Ca/Creat (Calcium/creatinine ratio)	350	**L.E.**	1	**Days**	Urine/24Hrs

Calprotectin in stool (Qual)	1200	**L.E.**	2	**Days**	Stool,frozen
Calprotectin in stool (Quant)	1750	**L.E.**	3	**Days**	Stool,frozen
Catecholamines Plasma	2600	**L.E.**	15	**Days**	2 mL Plasma/EDTA (frozen)
Cross matching (including viral	0	**L.E.**	1	**Days**	2 ml W.Blood/ EDTA + 2 ml serum
CSF chemistry panal	100	**L.E.**	2	**Days**	2 ml csf fluid
CSF Oligoclonal band	2500	**L.E.**	10	**Days**	2 ml csf fluid + 1 ml serum sample
Dopamine Beta hydroxylase	1600	**L.E.**	7	**Days**	1 ml serum, refrigerated
Estrogen Receptors	1900	**L.E.**	20	**Days**	Biobsy
Extended metabolic screening	2750	**L.E.**	20	**Days**	5 ml W.Blood/ EDTA, refrigerated
Fungus Examination by KOH	250	**L.E.**	2	**Days**	Scrap
Galactose	1450	**L.E.**	3	**Days**	2 ml Serum or Plasma/EDTA
GH (Growth Hormone after 1.5hr)	450	**L.E.**	1	**Days**	2 ml serum, refrigerated after high effort or stimulant
GH (Growth Hormone)basal	450	**L.E.**	1	**Days**	2 ml serum, refrigerated
H. pylori line (helicobacter pylori)	1600	**L.E.**	7	**Days**	2 ml serum, refrigerated
IGF-1 (insulin like growth factor)	2500	**L.E.**	10	**Days**	2 ml serum, refrigerated
Lactate	350	**L.E.**	5	**Days**	2 ml Plasma/fluoride , Random
Lipid Electrophoresis	1200	**L.E.**	2	**Days**	2 ml serum, refrigerated
Lipoprotein a	1300	**L.E.**	7	**Days**	1 ml serum, refrigerated
Malaria Antigen (film)	350	**L.E.**	1	**Days**	2 ml W.Blood/EDTA + 4 Film from fresh blood
Malaria IgG Ab	1500	**L.E.**	10	**Days**	1 ml serum, refrigerated
MTHFR	3500	**L.E.**	15	**Days**	2 ml W.Blood/EDTA
Noradrenaline in urine	2800	**L.E.**	7	**Days**	Urine/24Hrs (10 ml 6 N. HCL), Avoid coffee, tea etc.
Oesteocalcin	2000	**L.E.**	10	**Days**	2ml Plasma/Heparin (frozen)
Osmotic fragility test	250	**L.E.**	2	**Days**	5 ml W.blood/Heparin
Oxalate in urine	1500	**L.E.**	5	**Days**	Urine/24Hrs (10 ml 6 N. HCL)
Phenylalanine (Phenylketonuria)	1500	**L.E.**	15	**Days**	1 ml Plsama/EDTA , frozen
PK (Pyruvate Kinase)	1000	**L.E.**	7	**Days**	1 ml serum, refrigerated
Plasminogen	2000	**L.E.**	15	**Days**	
plasminogen activator inhibitor	2000	**L.E.**	15	**Days**	
Platelet Aggregation Profile	3000	**L.E.**	2	**Days**	1 W.Blood/EDTA + 3 Plasma/Citrate
Postcoital test	450	**L.E.**	1	**Days**	
Prostatic Discharge Examination	350	**L.E.**	1	**Days**	Discharge/Prostatic
Protein C	1000	**L.E.**	3	**Days**	2 ml Plasma/Citrate, frozen
Protein in urine	150	**L.E.**	1	**Days**	Urine/24Hrs
Protein S	1000	**L.E.**	3	**Days**	2 ml Plasma/Citrate, frozen
Protein/creatinine ratio	250	**L.E.**	1	**Days**	Urine/24Hrs Or random
Rota virus antigen	500	**L.E.**	1	**Days**	Stool,fresh
S.ADA (Adenosine Deaminase in	500	**L.E.**	2	**Days**	1 ml serum, refrigerated
S.Bicarbonate (blood)	550	**L.E.**	1	**Days**	1 ml serum, refrigerated
Sickle cell smear	400	**L.E.**	2	**Days**	1 ml W.Blood/EDTA
Stone (calculus)	350	**L.E.**	1	**Days**	Stone
Stone Analysis	550	**L.E.**	1	**Days**	Stone
test2	0	**L.E.**	1	**Days**	1.0 ml. Serum
Total Lipid	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Tuberculin Skin Test	200	**L.E.**	1	**Days**	Skin test
Urate in Urine	550	**L.E.**	0	**Days**	Urine 24/Hrs
Uric Acid (Urine)	120	**L.E.**	1	**Days**	Urine/24Hrs
Uric acid/creatinine ratio	220	**L.E.**	1	**Days**	Urine/24Hrs

Serology	***Price***		***Result date***		***Collection notes***
Amoebic Abs	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Anti-Filarial antibodies IgG	1200	**L.E.**	5	**Days**	
Anti-Filarial antibodies IgM	1200	**L.E.**	15	**Days**	2 ml serum, refrigerated.
ASOT (Anti-Streptolysin-O)(Quantit)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
Bilharziasis Abs (serum)	500	**L.E.**	1	**Days**	1 ml serum, refrigerated
Brucella Test	300	**L.E.**	1	**Days**	1 ml serum, refrigerated

Chlamydia Ab	1500	**L.E.**	1	**Days**	1 ml serum, refrigerated
Chlamydia IgG	1000	**L.E.**	10	**Days**	1.0 ml serum
Chlamydia IgM	1000	**L.E.**	0	**Days**	2 ml serum, refrigerated
Chlamydia Pneumonia lgG	1500	**L.E.**	15	**Days**	5 ml serum, frozen
Chlamydia Pneumonia lgM	1500	**L.E.**	15	**Days**	5 ml serum, frozen
Chlamydia Trachomatis lgG	1500	**L.E.**	15	**Days**	5 ml serum, frozen
Chlamydia Trachomatis lgM	1500	**L.E.**	15	**Days**	5 ml serum, frozen
CRP (C-Reactive Protein)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
CSF Cells	230	**L.E.**	2	**Days**	2 ml csf fluid
Fasciola Ab	600	**L.E.**	1	**Days**	1 ml serum, refrigerated
Filaria Film	400	**L.E.**	1	**Days**	2.0 ml W.Blood/EDTA, refrigerated
Filaria Film for Microfilaria	200	**L.E.**	0	**Days**	W.Blood
H.pylori Ag in Stool(Qual)	560	**L.E.**	1	**Days**	Stool (fresh)
H.pylori Ag in Stool(Quant)	650	**L.E.**	1	**Days**	Stool, frozen
H.pylori IgG Abs (quant)	550	**L.E.**	1	**Days**	1 ml serum, refrigerated
H.pylori IgG Abs(Qual)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
H.pylori IgM Abs (quant)	700	**L.E.**	1	**Days**	1 ml serum, refrigerated
H.pylori Line IgG	1750	**L.E.**	0	**Days**	1 ml serum, refrigerated
Hydatid Abs.	700	**L.E.**	3	**Days**	1 ml serum, refrigerated
Monospot	250	**L.E.**	1	**Days**	1.0 ml. Serum
Paul Bunnel	100	**L.E.**	1	**Days**	1 ml serum, refrigerated
RF (Rheumatoid Factor)(Qualit)	150	**L.E.**	1	**Days**	2 ml serum, refrigerated.
RF (Rheumatoid Factor)(Quantit)	250	**L.E.**	1	**Days**	1 ml serum, refrigerated
Rose waaler (titre)	250	**L.E.**	1	**Days**	1 ml serum, refrigerated
Weil Felix Test	0	**L.E.**	1	**Days**	
Widal Test	250	**L.E.**	1	**Days**	1 ml serum, refrigerated
Widal Test 2	250	**L.E.**	1	**Days**	1 ml serum, refrigerated

Serum Electrolytes	***Price***		***Result date***		***Collection notes***
Cl (Chloride) in serum	300	**L.E.**	1	**Days**	5 ml serum, refrigerated
Osmolality in serum	350	**L.E.**	1	**Days**	1 ml serum, refrigerated

Sex Transmitted diseases	***Price***		***Result date***		***Collection notes***
Gonorrhea culture	700	**L.E.**	5	**Days**	Urethral / Discharge

Stool Examination	***Price***		***Result date***		***Collection notes***
FOB (Fecal Occult Blood)	250	**L.E.**	1	**Days**	Stool
Reducing Sugar In Stool	270	**L.E.**	1	**Days**	Stool, fresh
Stool Examination	150	**L.E.**	1	**Days**	Stool

Suprarenal Hormones	***Price***		***Result date***		***Collection notes***
11-Desoxycortisol	1800	**L.E.**	15	**Days**	2 ml serum, Frozen
17-OHP (17 OH Progesterone)	1800	**L.E.**	3	**Days**	2 ml serum, refrigerated
ACTH (AM)	900	**L.E.**	1	**Days**	2 ml Plasma/EDTA (frozen)
ACTH (PM)	900	**L.E.**	1	**Days**	2 ml Plasma/EDTA (frozen)
ACTH (Random)	900	**L.E.**	0	**Days**	2 ml Plasma/EDTA (frozen)
Adrenaline	2500	**L.E.**	4	**Days**	Plasma/Heparin (frozen). Avoid coffee, tea etc before fast
Aldosterone	1600	**L.E.**	4	**Days**	1 ml serum, frozen
Catecholamines free fraction	2500	**L.E.**	15	**Days**	10 ml Urine/24Hrs (6 N.HCL)
Cortisol (AM)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
Cortisol (PM)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
Cortisol (random)	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
Cortisol (Urine)	350	**L.E.**	1	**Days**	Urine/24 Hrs (10 ml 6 N. HCL)
Dopamine	2300	**L.E.**	7	**Days**	3 ml Plasma/EDTA ,frozen (Fasting)
Noradrenaline in plasma	3000	**L.E.**	7	**Days**	Plasms/Heparin.(frozen), Avoid coffee, tea
Renin	2200	**L.E.**	18	**Days**	1 ml Plasma/EDTA
Renin Aldosterone Ratio	0	**L.E.**	0	**Days**	

VMA - Urine (Vanillylmandelic Acid)	2000	**L.E.**	4	**Days**	Urine/24Hrs (10 ml 6 N. HCL)

Syphilis Profile	***Price***		***Result date***		***Collection notes***
RPR (Rapid Plasma Reagin)	250	**L.E.**	3	**Days**	1 ml serum, refrigerated
TPHA (Treponema Pallidum	250	**L.E.**	5	**Days**	1 ml serum, frozen
VDRL (Venereal Diagnosis Research	250	**L.E.**	1	**Days**	1 ml serum, refrigerated

Therapeutic drugs	***Price***		***Result date***		***Collection notes***
Cyclosporine (Sandimmune)Peak	800	**L.E.**	2	**Days**	2 ml W.Blood/EDTA ,refrigerated
Cyclosporine	800	**L.E.**	5	**Days**	2 ml W.Blood/EDTA
Cyclosporine (Sandimmune)Trough	800	**L.E.**	1	**Days**	2 ml W.Blood/EDTA ,refrigerated
Depakine (Valproic acid) peak	450	**L.E.**	1	**Days**	1 ml serum, refrigerated
Depakine (Valproic acid) Trough	450	**L.E.**	1	**Days**	1 ml serum, refrigerated
Digoxin (Lanoxin)	400	**L.E.**	1	**Days**	1 ml serum, refrigerated
Epanutin (Phenytoin) Trough	500	**L.E.**	2	**Days**	1 ml serum, refrigerated
Tacrolimus (Fk-506) peak	1500	**L.E.**	4	**Days**	2.0 ml. EDTA blood refrigerated
Tacrolimus (Fk-506) trough	1500	**L.E.**	4	**Days**	2.0 ml. EDTA blood refrigerated
Tegretol (Carbamazepine) Peak	400	**L.E.**	1	**Days**	2 ml serum, refrigerated
Tegretol (Carbamazepine) Random	400	**L.E.**	1	**Days**	
Tegretol (Carbamazepine) Trough	400	**L.E.**	1	**Days**	

Thyroid Hormones	***Price***		***Result date***		***Collection notes***
(Tg) Thyroglobulin	1000	**L.E.**	1	**Days**	2 ml serum, refrigerated
Anti Microsomal/pero. Abs.	600	**L.E.**	1	**Days**	1 ml serum, refrigerated
Anti Thyroglobulin Abs.	650	**L.E.**	1	**Days**	1 ml serum, refrigerated
Anti-TSHR (TSH Receptor Ab)	2000	**L.E.**	10	**Days**	2 ml serum, refrigerated
Calcitonin	1700	**L.E.**	7	**Days**	1 ml serum, frozen (fasting)
FT3 (Free Triiodothyronine)	270	**L.E.**	1	**Days**	1 ml serum, refrigerated
FT4 (Free thyroxin)	270	**L.E.**	1	**Days**	1 ml serum, refrigerated
FTI (Free Thyroxin Index)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
PBI (Protein Bound Iodine)	250	**L.E.**	1	**Days**	1 ml serum, refrigerated
PTH (Parathyroid hormone)	430	**L.E.**	1	**Days**	2 ml Plasma/EDTA ,frozen (separate immediately)
T3 (Triiodothyronine) Total	270	**L.E.**	1	**Days**	1 ml serum, refrigerated
T3 Uptake	270	**L.E.**	1	**Days**	1 ml serum, refrigerated
T4 (Thyroxine) Total	270	**L.E.**	1	**Days**	1 ml serum, refrigerated
TSH (Thyroid Stimulating Hormone)	330	**L.E.**	1	**Days**	1 ml serum, refrigerated

TORCH Screen	***Price***		***Result date***		***Collection notes***
CMV (Cytomegalovirus) IgG	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
CMV (Cytomegalovirus)IgM	350	**L.E.**	1	**Days**	1 ml serum, refrigerated
EBV -VCA (Epstein Barr virus)IgG	450	**L.E.**	1	**Days**	1 ml serum, refrigerated
EBV -VCA (Epstein Barr virus)IgM	450	**L.E.**	2	**Days**	1 ml serum, refrigerated
HSV-1 IgG (Herpes simplex virus I)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HSV-1 IgM (Herpes simplex virus 1)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HSV-2 IgG (Herpes simplex virus II)	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
HSV-2 IgM (Herpes simplex virusII	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Rubella IgG Ab	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Rubella IgM Ab	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Toxo IgG (Toxoplasmosis	300	**L.E.**	1	**Days**	1 ml serum, refrigerated
Toxo IgM (Toxoplasmosis	300	**L.E.**	1	**Days**	1 ml serum, refrigerated

Toxoplasmosis	***Price***		***Result date***		***Collection notes***
Toxoplasmosis Total (IHA)	120	**L.E.**	1	**Days**	1 ml serum, refrigerated

Trace Elements	***Price***		***Result date***		***Collection notes***
Aluminium (Plasma)	1000	**L.E.**	4	**Days**	2 ml W.Blood/Heparin
Aluminium (urine)	1000	**L.E.**	4	**Days**	Urine/24Hrs or Random
As (Arsenic blood)	0	**L.E.**	7	**Days**	1 ml serum, refrigerated

As (Arsenic urine)	0	L.E.	7	Days	Urine/24Hrs
Cd-blood (Cadmium blood)	1200	L.E.	7	Days	2 ml W.Blood/Heparin ,refrigerated
Cd-urine (Cadmium urine)	1200	L.E.	7	Days	Urine/24Hrs
Chromium (blood)	550	L.E.	1	Days	1 ml serum, refrigerated
Chromium (urine)	650	L.E.	1	Days	Urine/24Hrs
Cobalt (urine)	1500	L.E.	7	Days	Urine/24Hrs
Cobalt in blood	1500	L.E.	7	Days	2 ml W.Blood/Heparin ,refrigerated
Cu (Copper) in blood	550	L.E.	1	Days	1 ml serum, refrigerated
Cu (Copper) in urine	550	L.E.	1	Days	Urine/24Hrs
Heavy Metals (In Hair)	12000	L.E.	35	Days	5 gram of hair
Hg (Mercury in blood)	1500	L.E.	7	Days	1 ml serum, refrigerated
Hg (Mercury in urine)	1500	L.E.	7	Days	Urine/24Hrs
Iodines (serum)	2150	L.E.	20	Days	
Ni (Nickel in blood)	1200	L.E.	3	Days	2 ml W.Blood/EDTA
Ni (Nickel in urine)	1200	L.E.	3	Days	Urine/24Hrs
Pb (Lead in serum)	1500	L.E.	10	Days	2 ml W.Blood/Heparin
Pb (Lead in urine)	1500	L.E.	10	Days	Urine/24Hrs
Selenium (blood)	5000	L.E.	10	Days	1 ml serum, refrigerated
Selenium (urine)	5000	L.E.	10	Days	Urine/24Hrs
Zinc (serum)	550	L.E.	4	Days	1.0 ml. Serum
Zinc (urine)	550	L.E.	4	Days	Urine/24Hrs

Tumors Markers	***Price***		***Result date***		***Collection notes***
AFP(Alpha-fetoprotein)	600	L.E.	1	Days	2 ml serum, refrigerated
Beta-HCG (TUMOR MARKER)	350	L.E.	1	Days	2 ml serum, refrigerated
BRCA 1 ,2 gene mutation	19000	L.E.	45	Days	4 tube Whole blood EDTA
BTM Serum (Beta 2 Microglobulin	600	L.E.	1	Days	1 ml serum, refrigerated
BTM Urine (Beta 2 Microglobulin	1000	L.E.	1	Days	10 ml Urine (morning) refrigerated , No preservative
CA 125 (Cancer Antigen 125)	650	L.E.	1	Days	1 ml serum, refrigerated
CA 15.3 (Cancer Antigen 15.3)	650	L.E.	1	Days	1 ml serum, refrigerated
CA 19.9 (Cancer Antigen 19.9)	650	L.E.	1	Days	1 ml serum, refrigerated
CA 27.29 (Cancer Antigen 27.29)	5000	L.E.	10	Days	1 ml serum, frozen
CA 50 (Cancer Antigen 50)	4000	L.E.	10	Days	1 ml serum, frozen
CA 72.4 (Cancer Antigen 72.4)	4500	L.E.	7	Days	1 ml serum, frozen
CEA(Carcinoembryonic Antigen)	550	L.E.	1	Days	1 ml serum, refrigerated
Jak - 2 Exon 12 Mutation	2500	L.E.	20	Days	2 ml serum or Plasma/EDTA
Jak - 2V617F (Janus-Activated	2500	L.E.	0	Days	2 ml serum or Plasma/EDTA
NSE (Neurone Specific Enolase)	1500	L.E.	10	Days	2 ml serum, refrigerated
Pap Smear	1300	L.E.	5	Days	Swab
PSA Ratio	800	L.E.	1	Days	1 ml serum, refrigerated
PSA-F (Free Prostatic Specific	450	L.E.	1	Days	1 ml serum, refrigerated
PSA-T (Total Prostatic Specific	300	L.E.	1	Days	1 ml serum, refrigerated
Schebo test (M2-PK)	2500	L.E.	7	Days	Stool

Urine Electrolytes	***Price***		***Result date***		***Collection notes***
Acetone In Urine	50	L.E.	0	Days	5ml Urine (fresh)
Calcium in urine	220	L.E.	1	Days	Urine/24Hrs
Citrate (urine)	1350	L.E.	7	Days	Urine/24Hrs (Acidified container)
CL (Chloride)in urine	300	L.E.	1	Days	Urine/24Hrs
k (Potassium in urine)	150	L.E.	1	Days	Urine/24Hrs
Mg (Magnesium in urine)	260	L.E.	1	Days	Urine/24Hrs
Osmolality in urine	350	L.E.	1	Days	Urine/Random
Ph (Phosphorous in urine)	150	L.E.	1	Days	Urine/24Hrs
Sodium (Na) urine	150	L.E.	1	Days	Urine/24Hrs

Urine Examination	***Price***		***Result date***		***Collection notes***
Urine Examination	120	L.E.	0	Days	Urine

Virology	Price	Result date	Collection notes
Adenovirus Ab	500 L.E.	10 Days	2 ml serum, refrigerated
B19V (Parvovirus B19) IgG	2000 L.E.	10 Days	2 ml W.Blood/EDTA + 2 ml Serum
B19V (Parvovirus B19) IgM	2000 L.E.	10 Days	2 ml W.Blood/EDTA + 2 ml Serum
EBNA (Epstein Barr Nuclear Antigen	320 L.E.	2 Days	1 ml serum, refrigerated
EBVE (Epstein Barr virus Early	650 L.E.	2 Days	2 ml serum, refrigerated
EBVE (Epstein Barr virus Early	650 L.E.	2 Days	2 ml serum, refrigerated
EBV-IgG (Epstein Barr virus IgG)	450 L.E.	2 Days	1 ml serum, refrigerated
EBV-IgM(Epstein Barr virus IgM)	450 L.E.	2 Days	1 ml serum, refrigerated
EPO (Erythropoitin) Ab	1500 L.E.	3 Days	1.0 ml. frozen serum
HIV (I,II) Ab (Human	450 L.E.	1 Days	1 ml serum, refrigerated
HPV-IgG (Human Papilloma Virus)	4000 L.E.	9 Days	2 ml Serum or plasma refrigerated
Varicella Zoster (IgG)	1200 L.E.	7 Days	2 ml serum, refrigerated
Varicella Zoster (IgM)	1300 L.E.	7 Days	2 ml serum, refrigerated
Viral Ag (Rapid test)	700 L.E.	1 Days	1Swab/Nasopharyngeal
Viral IgG Abs	500 L.E.	2 Days	1 ml serum, refrigerated
Viral IgM Abs	500 L.E.	2 Days	1 ml serum, refrigerated
Viral PCR RNA Qualitative	1700 L.E.	2 Days	1Swab/Nasopharyngeal
Viral PCR RNA Qualitative (certified)	1500 L.E.	2 Days	1Swab/Nasopharyngeal

Vitamins	Price	Result date	Collection notes
Biotin (Vit H / B7 / B8)	13000 L.E.	21 Days	1 ml serum, frozen
Folic Acid (Serum)	1100 L.E.	3 Days	2 ml serum, frozen
Vitamin A (Retinol)	3000 L.E.	21 Days	1 ml serum, frozen (avoid light)
Vitamin B1 (Thiamine)	7000 L.E.	21 Days	2 ml W.Blood/EDTA
Vitamin B12 (Cyanocobalamine)	1500 L.E.	1 Days	1 ml serum, refrigerated
Vitamin B2 (Riboflavin)	6000 L.E.	21 Days	2 ml W.Blood/EDTA ,refrigerated
Vitamin B3 (Niacin)	6000 L.E.	21 Days	2 ml Serum (frozen)
Vitamin B5 (pantothenic acid)	8000 L.E.	21 Days	2 ml serum, frozen (avoid light)
Vitamin B6 (Pyridoxine)	6000 L.E.	21 Days	2 ml W.Blood/ EDTA, refrigerated
Vitamin C (Ascorbic Acid)	6000 L.E.	21 Days	5 ml plasma/EDTA (frozen)
Vitamin D2 (1,25	2000 L.E.	3 Days	1 ml serum, frozen (avoid light)
Vitamin D3 (25	1000 L.E.	1 Days	1 ml serum, refrigerated
Vitamin E (Alpha Tochopherols)	6000 L.E.	21 Days	1 ml serum, frozen (avoid light)
Vitamin K (Phylloquinones)	6000 L.E.	21 Days	1 ml serum, frozen (avoid light)
Ziehl (Niboflavin)	2400 L.E.	10 Days	1 ml serum, frozen (avoid light)

شكرا للطبيب المحالج | شكرا عميل أورنج | ثقتكم في معامل أورنج مسئولية وامانة
فرع دايموند
٦ اكتوبر – الحي السابع – امام دايموند مول
02 3 69 69 125 | 010 97 90 28 20 | 010 32 84 71 60