



0



try this out, I did not test it, but from what i see in you
of issues in your code, alliances is not an a json array
arrays, they are json objects based on what i see in y

```
JsonObject rootobj = root.getAsJsonObject();  
JsonElement match_number = rootobj.get("match  
JsonObject alliances = rootobj.getAsJsonObjec  
JsonElement blue = alliances.getAsJsonObject  
JsonElement red = alliances.getAsJsonObject  
  
System.out.println(match_number.getAsString
```

[share](#) [edit](#)

edited Apr 25 '15 at 1:48

just to note, i just tested it and it works fine. – [faljbour](#)

[add a comment](#)

Potential API Misuse

You may want to check whether `match_number.isJsonPrimitive()` returns true. You may also want to handle the potential Exception thrown by `getAsString()` by using a try-catch block here. 48 Github code examples also do this.

```
try {  
    if (match_number.isJsonPrimitive()) {  
        match_number.getAsString();  
    }  
} catch (Exception e) {  
}
```



7



1

See this in a GitHub example:

[ybonnel/gson](#)[Aleks-Ya/hh-java-api](#)[ezterry/TTRSS_android_ezterry](#)

1

2

3

4

▲

0

▼

✓

try this out, I did not test it, but from what i see in your code, alliances is not an a json array, a json objects based on what i see in your json document

```
JsonObject rootobj = root.getAsJsonObject();
JsonElement match_number = rootobj.get("match_number");
JsonObject alliances = rootobj.getAsJsonObject("alliances");
JsonElement blue = alliances.getAsJsonObject("blue");
JsonElement red = alliances.getAsJsonObject("red");

System.out.println(match_number.getAsString());
```

share edit

edited Apr 25 '15

just to note, i just tested it and it works fine. – faljbour Apr 25 '15 at 4:42

Thanks a lot!!! – Alex Webber Apr 25 '15 at 4:42

① Pop-up window

Potential API Misuse

② API misuse description

You may want to check whether the receiver of `getAsString` is not null. 119 Github code examples also do this.

```
if (match_number!=null) {
    match_number.getAsString();
}
```

③ Fix suggestion

See this in a GitHub example:

Example 1

Example 2

Example 3

④ Supporting GitHub examples

⑤ Pagination for multiple misuses

1234

👍 22 👎 1

⑥ Like or dislike this reported misuse



0



try this out, I did not test it, but from what i see in
in your code, alliances is not an a json array, also
objects based on what i see in your json docume

```
JsonObject rootobj = root.getAsJsonObject();  
JsonElement match_number = rootobj.get("match  
JsonObject alliances = rootobj.getAsJsonObjec  
JsonElement blue = alliances.getAsJsonObject  
JsonElement red = alliances.getAsJsonObject
```

```
System.out.println(match_number.getString());
```

share improve this answer

edited Apr

just to note, i just tested it and it works fine. – faljbour

add a comment

Your Answer

Potential API Misuse

① Pop-up window

② API misuse description

You may want to check whether the receiver of
getString() is not equal to null. You may also want to
handle the potential Exception thrown by getString()
by using a try-catch block here. 117 Github code
examples also do this.

③ Fix suggestion

```
try {  
    if (match_number!=null) {  
        match_number.getString();  
    }  
} catch (Exception e) {
```

④ Like or dislike



4



2

See this in a GitHub example:

[ybonnel/gson](#)

[Aleks-Ya/hh-java-api](#)

[ezterry/TTRSS_android_ezterry](#)

⑤ Supporting GitHub examples

1

2

3

4

⑥ Pagination for multiple misuses



0



try this out, I did not test it, but from what i see in your code, alliances is not an a json array, they are json objects based on what i see in y

```
JsonObject rootobj = root.getAsJsonObject();
JsonElement match_number = rootobj.get("match_number");
JsonObject alliances = rootobj.getAsJsonObject("alliances");
JsonElement blue = alliances.getAsJsonObject("blue");
JsonElement red = alliances.getAsJsonObject("red");

System.out.println(match_number.getAsString());
```

[share](#) [edit](#)

edited Apr 25 '15 at 1:48

just to note, i just tested it and it works fine. – faljbourn

[add a comment](#)

Potential API Misuse

① Pop-up window

② API misuse description

You may want to check whether the receiver of `getString()` is not equal to null. 119 Github code examples also do this.

```
if (match_number!=null) {
    match_number.getString();
}
```

③ Fix suggestion



9



2

See this in a GitHub example:

[CloudStack-extras/CloudBridge-archive](#)

[leandog/brazenhead](#)

[ferout/churndb](#)

④ Like or dislike

⑤ Supporting GitHub examples

1

2

3

4

⑥ Pagination for multiple misuses

<> Code

🔔 Issues 1

🔗 Pull requests 0

📊 Insights

Tree: 1cdccd2a94 ▾

The-Tangibles / tangibles / gateway / src / tangible / utils / JsonProtocolHelper.java

Find file

Copy path



mattiaslundberg Reverted some removals

179d223 on Oct 4, 2012

1 contributor

Executable File | 176 lines (154 sloc) | 6.23 KB

Raw

Blame

History



```
81
82     public static String assertString(JsonElement elm) throws WrongProtocolJsonSyntaxException {
83         String str;
84         try {
85             str = elm.getAsString();
86         } catch (ClassCastException ex) {
87             throw new WrongProtocolJsonSyntaxException("the JSON element:<<"
88                 + printableElement(elm) + ">> was expected to be a string!");
89         }
90         return str;
91     }
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113 import tangible.utils.exceptions.WrongProtocolJsonSyntaxException;
114
115 /**
116  *
117  * @author leo
118  */
119 public class JsonProtocolHelper {
120
```

<> Code

🔗 Pull requests 0

📁 Projects 0

📊 Insights

Tree: ce56a14060 ▾

Sputcraft / [src](#) / [main](#) / [java](#) / [com](#) / [prupe](#) / [mcpatcher](#) / **Config.java**

Find file

Copy path

🐳 Docker Spoutcraft 1.6.4 b1.

5cbbc2b on Nov 9, 2013

2 contributors



265 lines (216 sloc) | 7.46 KB

Raw

Blame

History



```
99
100     private static String getSelectedLauncherProfile(File minecraftDir) {
101         File path = new File(minecraftDir, "launcher_profiles.json");
102         JsonObject json = JsonUtils.parseJson(path);
103
104         if (json != null) {
105             JsonElement element = json.get("selectedProfile");
106
107             if (element != null && element.isJsonPrimitive()) {
108                 return element.getAsString();
109             }
110         }
111
112         return null;
113     }
114
```